A Type Theory for Strictly Unital ∞-Categories

Eric Finster David Reutter Alex Rice Jamie Vicary

LICS 2022

An overview of (globular) infinity categories

Infinity categories contain:

An overview of (globular) infinity categories

Infinity categories contain:

- Objects x, y, z

An overview of (globular) infinity categories

Infinity categories contain:

- Objects x, y, z
- 1-arrows:

$$x \xrightarrow{f} y$$

An overview of (globular) infinity categories

Infinity categories contain:

- Objects x, y, z
- 1-arrows:

$$x \xrightarrow{f} y$$

- 2-arrows:



An overview of (globular) infinity categories

Infinity categories contain:

- Objects x, y, z
- 1-arrows:

$$x \xrightarrow{f} y$$

- 2-arrows:



- ...

An overview of (globular) infinity categories

Infinity categories contain:

- Objects x, y, z
- 1-arrows:

$$x \xrightarrow{f} y$$

- 2-arrows:



- ...

Our arrows are *Globular*.

An overview of (globular) infinity categories

Infinity categories contain:

- Objects x, y, z
- 1-arrows:

$$x \xrightarrow{f} y$$

- 2-arrows:



- ...

Our arrows are *Globular*.

Compositions:





An overview of (globular) infinity categories

Infinity categories contain:

- Objects x, y, z
- 1-arrows:

$$x \xrightarrow{f} y$$

- 2-arrows:



- ...

Our arrows are *Globular*.

Compositions:





Identities:

$$x \xrightarrow{\mathrm{id}_x} x$$

Associativity



Unitality



Interchange



Example: Eckmann-Hilton



Weakness

We have only so far talked about strict ∞-categories.

Weakness

We have only so far talked about strict ∞-categories.

In higher categories, non-equal arrows can be isomorphic.

In a weak higher category, the laws are only required to hold up to isomorphism.

Weakness

We have only so far talked about strict ∞-categories.

In higher categories, non-equal arrows can be isomorphic.

In a weak higher category, the laws are only required to hold up to isomorphism.

Many examples of higher categories are weak:

- Homotopy groupoids of topological spaces.
- Equality types in HoTT.
- Bicategory of categories and profunctors.

Example: Eckmann-Hilton



Example: Eckmann-Hilton



Weakness vs Strictness

Weakness vs Strictness

Harder to use

Easier to use

Weakness vs Strictness

Harder to use

Easier to use

More expressive

Less expressive

Weakness vs Strictness

Harder to use	?	Easier to use
More expressive		Less expressive

Weakness vs Strictness

Weak $\longleftarrow$ Semistrict $\longrightarrow$ Strict

Harder to use

Easier to use

More expressive

Less expressive

Weakness vs Strictness

Harder to use	Lack of definitions	Easier to use
More expressive	Retains expressiveness?	Less expressive

$\mathsf{Catt}_{\mathsf{su}}$

- Catt [1] is a type theory for weak ∞-categories.
- Its terms are the possible operations in an ∞-category.
- By adding a definitional equality to Catt, we can unify certain operations.
- $\mathsf{Catt}_{\mathsf{su}}$ is a new type theory based on Catt with strict units.

Example: Eckmann-Hilton



Eckmann-Hilton in $\mathrm{Catt}_{\mathrm{su}}$

```
coh id C (x) : x => x
coh id2 C (x(f)y) : f => f
coh comp C (x(f)y(g)z) : x => z
coh vert C (x(f(a)g(b)h)y) : f => h
coh horiz C (x(f(a)g)y(h(b)k)z) : comp f h => comp g k

coh swap3 C (x(f(a)g)y(h(b)k)z)
  : vert (horiz a (id2 h)) (horiz (id2 g) b) =>
    vert (horiz (id2 f) b) (horiz a (id2 k))

let eh {C : Cat} {x :: C} (a :: id x => id x) (b :: id x => id x)
  : [ vert a b => vert b a ]
  = swap3 a b
```

Properties of $\mathrm{Catt}_{\mathrm{su}}$

- Equality in $\mathrm{Catt}_{\mathrm{su}}$ preserves typing.
- Equality is generated by a strongly-terminating, confluent reduction relation.
- Equality and type checking are decidable.
- All terms (of the same dimension) in a disc context are identified.
- Eckmann-Hilton and the Syllepsis have been formalised in $\mathrm{Catt}_{\mathrm{su}}$.

References

[1] Eric Finster and Samuel Mimram. "A Type-Theoretical Definition of Weak ωCategories". In: *Proceedings of LICS 2017*. arXiv:1706.02866. 2017.