pkg Phone numbers should adhere to the following patterns: "+CC (AC) PRI", ">CC PRI", or "PRI", "+CC denotes a country code in range "+1" up to "+909", "(AC)" denotes an area code in range ("1") up to "1909", "and "PRI denotes a number that must have at least four digits. Phone numbers with pattern "PRI" must be added automatically a default country, which is a parameter that can be changed by administrators. The phone numbers should admit exhibit the previous patterns, but they are not admit et on the previous patterns, but they are not dense to market this pattern is entered, the system must ask for confirmation if the user confirms the number, it then must be stored. Email addresses must adhere to any of the following patterns:
"Identifier@comon", "alias - identifier@comon", "alias - identifier@comon", "alias - identifier@comon", administrators may have email addresses of the form 'Identifier@', or "alias - identifier@', ha identifier is an ophs-nument string, the domain is a sequence of alpha-numeric string, that are separated by dots, and the alias is a sequence of alpha-numeric strings that are separated by spaces. Tickers must adhere to the following Tickers must adhere to the following pattern 'ymmdd-oxocot', where 'ymmdd' refers to the year, month, and day when the corresponding entity is registered, and 'xoxocot' to a random uppercase alphen-numeric string. No two entities may have the same ticker since it's assumed to be a unique external identifier. ConfigurationParameters + name : String (NotBlank) + banner : String (NotBlank, URL) + sysMessage : String (NotBlank) + sysMessage : String (NotBlank) + countryCode : String (NotBlank) Actor - Actor
- name: String (NotBlank)
- middleName: String(0..1)
- surname: String (NotBlank)
- photo: String (NotBlank)
- photo: String (Unique, NotBlank)
- phone: String(0..1)
- address: String(0..1) Default configuration values names "Acme Madruga" benere" "This Affinition Configuration (Acme Madruga" sys-Messages" Welcome to Acme Madruga, the site to organise your processions "sys-Messages" "Reinement dos a Acme Madrugal Tu sitio para organizar processiones." {overlapping} Administrator ◀isBrother The possition in the brotherhood must be selected from a list that is maintained by Position the administrator of the system + name : String {NotBlank} + nameEs : String {NotBlank} There are no restrictions on the number of members who can have Float Brotherhood Enrolment Member + title : String (NotBlank) + title : String {NotBlank} + description : String {NotBlank} + picture : String[0..*] {URL} + establishmentDate : Date moment: Date the same position in a brotherhood Drop0ut A float that compose a procession must belong to the brotherhood that **⋖**isComposedOf organize the procession + title : String {NotBlank} + title: 'String (NotSlank)
+ description: String (NotSlank)
+ moment: Date
+ ticker: String (Unique, Pattern("^0.9)(6)-[A-Z0-9] {5}\$")}
+ mode: String (Pattern("^DRAFT)FINAL\$")} Request + status : String (Pattern("PENDINGIAPPROVED)REJECTED\$")) + row : integer(0. 1) (min(0)) + column : integer(0. 1) (min(0)) + explaration : String(0. 1) **⋖**Request The moment must be a future date