

Further Reading

- [1] Walter Bouwmeester et al. “Reporting and Methods in Clinical Prediction Research: A Systematic Review”. In: *PLOS Medicine* 9.5 (May 2012), pp. 1–13.
- [2] Laure Wynants et al. “Three myths about risk thresholds for prediction models”. In: *BMC Medicine* 17.1 (2019), p. 192.
- [3] Davide Chicco and Giuseppe Jurman. “The advantages of the Matthews correlation coefficient (MCC) over F1 score and accuracy in binary classification evaluation”. In: *BMC Genomics* 21.1 (2020), p. 6.
- [4] Victoria López et al. “Analysis of preprocessing vs. cost-sensitive learning for imbalanced classification. Open problems on intrinsic data characteristics”. In: *Expert Systems with Applications* 39.7 (2012), pp. 6585–6608.
- [5] Mohd Adil et al. “Solving the Problem of Class Imbalance in the Prediction of Hotel Cancellations: A Hybridized Machine Learning Approach”. In: *Processes* 9.10 (2021).
- [6] Prabhjot Kaur and Anjana Gosain. “Empirical Assessment of Ensemble based Approaches to Classify Imbalanced Data in Binary Classification”. In: *International Journal of Advanced Computer Science and Applications* (2019).
- [7] Ahmad S. Tarawneh et al. “Stop Oversampling for Class Imbalance Learning: A Review”. In: *IEEE Access* 10 (2022), pp. 47643–47660. DOI: 10.1109/ACCESS.2022.3169512.
- [8] Yotam Elor and Hadar Averbuch-Elor. *To SMOTE, or not to SMOTE?* 2022. DOI: 10.48550/ARXIV.2201.08528. URL: <https://arxiv.org/abs/2201.08528>.
- [9] Maarten van Smeden et al. “No rationale for 1 variable per 10 events criterion for binary logistic regression analysis”. In: *BMC Medical Research Methodology* 16.1 (2016), p. 163.
- [10] N. V. Chawla et al. “SMOTE: Synthetic Minority Over-sampling Technique”. In: *Journal of Artificial Intelligence Research* 16 (June 2002), pp. 321–357. DOI: 10.1613/jair.953. URL: <https://doi.org/10.1613%2Fjair.953>.
- [11] Xu-Ying Liu, Jianxin Wu, and Zhi-Hua Zhou. “Exploratory Undersampling for Class-Imbalance Learning”. In: *IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics)* 39.2 (2009), pp. 539–550. DOI: 10.1109/TSMCB.2008.2007853.
- [12] Gustavo E. A. P. A. Batista, Ronaldo C. Prati, and Maria Carolina Monard. “A Study of the Behavior of Several Methods for Balancing Machine Learning Training Data”. In: 6.1 (June 2004), pp. 20–29. ISSN: 1931-0145. DOI: 10.1145/1007730.1007735. URL: <https://doi.org/10.1145/1007730.1007735>.
- [13] Yüksel Özkan, Mert Demirarslan, and Ash Suner. “Effect of data preprocessing on ensemble learning for classification in disease diagnosis”. In: *Communications in Statistics - Simulation and Computation* 0.0 (2022), pp. 1–21.
- [14] Chris Seiffert et al. “RUSBoost: Improving classification performance when training data is skewed”. In: *2008 19th International Conference on Pattern Recognition*. 2008, pp. 1–4. DOI: 10.1109/ICPR.2008.4761297.
- [15] Jack Wilkinson et al. “Time to reality check the promises of machine learning-powered precision medicine”. In: *The Lancet Digital Health* 2.12 (2022/10/07 2020), e677–e680.

- [16] Livia Faes et al. “Artificial Intelligence and Statistics: Just the Old Wine in New Wine-skins?” In: *Frontiers in Digital Health* 4 (2022).
- [17] Susan Athey and Guido W. Imbens. “Machine Learning Methods That Economists Should Know About”. In: *Annual Review of Economics* 11.1 (2019), pp. 685–725.
- [18] Shubham Malik, Rohan Harode, and Akash Singh. *XGBoost: A Deep Dive into Boosting (Introduction Documentation)*. Feb. 2020. DOI: 10.13140/RG.2.2.15243.64803.
- [19] Rehan Akbani, Stephen Kwek, and Nathalie Japkowicz. “Applying Support Vector Machines to Imbalanced Datasets”. In: *Machine Learning: ECML 2004*. Ed. by Jean-François Boulicaut et al. Berlin, Heidelberg: Springer Berlin Heidelberg, 2004, pp. 39–50.
- [20] Andrew P. Bradley. “The use of the area under the ROC curve in the evaluation of machine learning algorithms”. In: *Pattern Recognition* 30.7 (1997), pp. 1145–1159.
- [21] Dennis L. Wilson. “Asymptotic Properties of Nearest Neighbor Rules Using Edited Data”. In: *IEEE Transactions on Systems, Man, and Cybernetics* SMC-2.3 (1972), pp. 408–421. DOI: 10.1109/TSMC.1972.4309137.
- [22] Hui Han, Wen-Yuan Wang, and Bing-Huan Mao. “Borderline-SMOTE: A New Over-Sampling Method in Imbalanced Data Sets Learning”. In: *Advances in Intelligent Computing*. Ed. by De-Shuang Huang, Xiao-Ping Zhang, and Guang-Bin Huang. Berlin, Heidelberg: Springer Berlin Heidelberg, 2005, pp. 878–887.
- [23] Andrew J Vickers, Ben Van Calster, and Ewout W Steyerberg. “Net benefit approaches to the evaluation of prediction models, molecular markers, and diagnostic tests”. In: *BMJ* 352 (2016).
- [24] Ben Van Calster et al. “Regression shrinkage methods for clinical prediction models do not guarantee improved performance: Simulation study”. In: *Statistical Methods in Medical Research* 29.11 (2020), pp. 3166–3178.
- [25] “Transparent Reporting of a multivariable prediction model for Individual Prognosis Or Diagnosis (TRIPOD): Explanation and Elaboration”. In: *Annals of Internal Medicine* 162.1 (2015), W1–W73.