

Real problems transformed into systems that work.

A unified portfolio of operational platforms, fire mapping, automation, digital products, games, and AI — from field data collection to decision-making, reporting, and notification.

EmailLinkedInGitHub

61	46	6	9
INPUTS	TECHNICAL CARTOGRAPHY	GNR / UEPS PLATFORMS	PRODUCTS, GAMES, AND TOOLS

I turn operational bottlenecks into functional technology, from the field to the command centre.

I am Alexandre Chainho, a technical analyst/developer and operational member of the Emergency Technical Support Cell (CSTE) of the Emergency Protection and Rescue Unit (UEPS), in Coimbra. My work brings together operations, analysis and technology development for emergency, prevention and decision-support contexts. I have served in the National Republican Guard (GNR) since 14 November 2005. On 4 May 2006, I joined the Intervention Group for Protection and Rescue (GIPS), which transitioned to UEPS in 2018.

My military career began in September 2001, when I joined the Portuguese Army at the Infantry School in Mafra. Between 2002 and 2003, I took part in the NATO/SFOR international mission in Bosnia and Herzegovina. I completed my Army service on 13 November 2005 and joined the GNR the following day. This experience shaped a way of working based on discipline, responsibility, rigour and the ability to solve problems under pressure — principles I carry into systems designed for operational environments.

My technical training is self-directed and developed from operational necessity. Between 2011 and 2017, I developed the first operational-statistics and incident-georeferencing methods in GIPS/GNR. In 2013, I took part in the pilot project for land inspection in Porto de Mós and Alcanena, aimed at rural-fire prevention. These projects showed me that value does not come only from collecting data: it comes from validating, connecting, presenting and returning information to the people who need to act on it.

Since 2014, I have designed, developed and maintained the nationwide GIS platforms for Floresta Segura. This work includes georeferenced field collection with Field Maps and QuickCapture, data validation, layer publication and decision-support tools in ArcGIS Online. The platform links field teams, territorial data and coordination needs, turning operational records into current views of activity.

Since 2020, I have developed the UEPS/GNR Integrated Emergency Management Platform (PIGE). It brings together operational collection, dashboards, planning, resource requests, analysis, and automated reports and Python statistics. Its evolution includes a Next-Gen architecture with a React interface and a dedicated local layer for operational use. Since 2022, I have maintained SEPNA/GNR GIS platforms for fire-alert recording and monitoring, including DIVDIR and EMEIF Alerts, which consolidate surveillance sources, incidents and information for command support.

In 2026, within CIPO — Integrated Command for Prevention and Operations — I developed a work-monitoring platform in ArcGIS Online and Field Maps, with an Experience Builder dashboard. The solution supports collection and sharing through AGIF PLIS with intermunicipal communities and municipalities, combining multi-agency data, synchronisation and operational situation reporting.

ROUTE

- **Set 2001 · Portuguese Army**
Integration into the Infantry Practical School, Mafra.
- **2002–2003 · NATO/SFOR**
International mission in Bosnia and Herzegovina.
- **Nov 13, 2005 · End of service in the Army**
Conclusion of the path in the Portuguese Army.
- **Nov 14, 2005 · Entry into the GNR**
Start of a continuous career path in the Portuguese National Republican Guard.
- **May 4, 2006 · Assignment to GIPS**
Intervention Group for Protection and Rescue, including helicopter-transported wildfire-fighting teams.
- **Before 2011 · GIPS situation room**
Monitoring operational activity and building the first data processes in Excel, VBA and KML.
- **2018 · GIPS transitioned to UEPS**
Emergency Protection and Rescue Unit.
- **Current · CSTE/UEPS, Coimbra**
Technical Analyst/Developer and operational member of the Emergency Technical Support Cell.

My work spans ArcGIS Online and ArcGIS Pro, Field Maps, Survey123, QuickCapture, Experience Builder, Python, APIs, web scraping, GeoServer, OpenDroneMap, dashboards, Telegram and WhatsApp bots, dynamic PDF generation and data integration. Since late 2022, I have used AI in a disciplined way to accelerate learning and delivery, moving from Excel-centred workflows to hybrid architectures that combine GIS, Python, databases, web applications and local inference. I also build RAG pipelines and model orchestrators on my own hardware, enabling AI use without sending sensitive information to third-party services.

I usually receive an operational problem, not a technical specification. I analyse the process, identify data and context limitations, propose the architecture, choose sustainable tools, build the solution and present it once it is functional and tested in the real scenario. I work best with scattered data, manual processes, slow reports, alerts that do not arrive in time, or an operational picture that does not yet exist. The objective is not to write code for its own sake: it is to remove the bottleneck, reduce repetitive effort, improve data quality and make actionable information available to people in the field and to decision-makers.

TECHNICAL CAREER MILESTONES

2011-2013

Operational statistics and georeferencing

Excel reports with coordinates, VBA consolidation
and KML creation: the first georeferenced GIPS data.

2013

Preventive land inspection

Pilot project in Porto de Mós and Alcanena for rural fire prevention.

2014-present

Operation Forest Safe

Design, development and maintenance of nationwide prevention platforms.



▼ View details

Within GNR public Floresta Segura operation, under SEPNA responsibilities, my work is to create and maintain the GIS architecture linking field activity to operational monitoring and reporting. I designed the Field Maps used for each report: they collect the location, automatically calculate parish, municipality and district, identify the rural property in the DGT or BUPi register, flag a potential infringement, record the officer post and allow one to four photos to be attached.

The ArcGIS Experience Builder dashboard supports real-time monitoring. It includes a controlled-editing page limited to authorised fields, a CSV table-export page, charts, and a planning area with an editor.

At the workstation, a weekly Python and ArcGIS Pro process makes the backup and produces PDF, Excel and shapefile reports of reports by parish, municipality or district. Results are distributed through SharePoint. The solution evolved from georeferencing methods developed between 2011 and 2017 into the nationwide platform used today.

2017–2023


Evolution of GIS tools

Transition to QGIS, ArcMap, ArcGIS Online and Pro; starting Python in 2022 and own tools in 2023.

2020–present

Integrated Emergency Management Platform

UEPS/GNR PIGE, with operational collection, dashboards, and automation of reports and statistics.



▼ View details

PIGE monitors UEPS daily operational activity and supports Unit decision-making. Ground and helicopter teams use smartphones with Esri QuickCapture and Field Maps. In QuickCapture, each mission has dedicated projects; they collect patrol start, arrival and departure, approach photos — especially important for helicopter decision support — short videos, position at intervals adjusted to ground or air speed, radio callsign, post and the other parameters available in the app. A dedicated button lets teams request resources for a location, with confirmation but through a faster route.


In Field Maps, maps support Floresta Segura, water-point validation relevant to helicopter assets and the representation of fire-related information. The dashboard, built in ArcGIS Experience Builder and linked to other views through fluid navigation, shows live activity with a one-to-two-minute delay: separate ground and helicopter timelines, a 12-hour activity map with one-to-five-hour filters, equipment locations from the previous three minutes, photos and videos, a secondary one-hour equipment map and calculations that identify the nearest patrols.

It also includes a dedicated planned-patrol page, a resource-request page with status, map, nearest asset and post and a resolution field, links to thematic and risk maps, and multi-year historical analysis. PIGE Next-Gen reproduces the main-page information in a React application. An additional server loads and keeps data locally, making consultation faster and smoother, and enables video directly in the page — unavailable in Experience Builder. In support of the same ecosystem, I maintain a Docker container with Evolution Manager to route QuickCapture information to predetermined WhatsApp groups.

2022–present

SEPNA/GNR GIS Platforms

DIVDIR and EMEIF Alerts for registration, monitoring, and support for fire command.



▼ View details

SEPNA is a GNR unit and, within its responsibilities, there are two complementary platforms: EMEIF Alerts, for structured reporting, and DIVDIR, the main monitoring and command-support platform.

EMEIF Alerts — Officers record every rural and forest-fire-related occurrence. The source can be fixed surveillance — watchtowers and forest video surveillance —; mobile surveillance from GNR, UEPS, fire service, municipal, ICNF, Army and other patrols; public surveillance through 112 calls; or aerial surveillance through GNR and Air Force drones and helicopter teams. The solution includes a dashboard by surveillance type, a filtered map, complete record list with filters and CSV export, calculation-error checking and an editing page where the officer pins the location and completes the dedicated form.

DIVDIR — The main page shows a timeline of active ANEPC rural and forest-fire incidents, an indicator of the day alerts, filters, UEPS helicopter-team records, photos and video, Air Force drone planning and, on the map, visibility areas for watchtowers and forest video surveillance. The analysis page consults alert history and UEPS helicopter records. It also links to ANEPC PROCIV and weather information, and includes an editor to update the status and staffing of watchtowers and forest video surveillance.

A local Telegram bot also automates processing of received CAPVI reports and IPMA data: it converts Excel files into feature layers, applies AGIF-defined parameters and publishes the result in DIVDIR. This keeps the source record and command view connected, reducing manual conversions and improving data consistency.

2026–present

CIPO Platform

Monitoring of work in ArcGIS Online and Field Maps, with sharing via the AGIF PLIS for CIM and municipalities.



▼ View details

Storm Kristin severely affected central Portugal in early 2026. As part of the subsequent response, CIPO — Integrated Command for Prevention and Operations — reinforced prevention and forest-road clearance to reduce fire risk. Within the GNR contribution to this mission, I was assigned to create the work-monitoring platform.

The platform brings together affected areas and forest roads, needs reported by municipalities, multi-agency planning and work validated in the field. I designed a Field Maps layer for operational teams to record and validate completed areas and road segments without a separate reporting step.

Shared Google Sheets planning from GNR, FEPS, UEPS, ICNF, Armed Forces and municipalities is transformed by a script into ArcGIS Online feature layers. The platform presents both that plan and the validated execution. At the end of each day, another process cross-checks planning and execution, fills missing administrative information — parish, municipality, district and NUTS — produces the daily SITREP, creates and replaces the published feature layer, shares it with AGIF GeoSiFOR and generates a local backup distributed through Google Drive.

The result is one current, shareable view of planning and execution, built under operational pressure to support coordination between entities.

DEMONSTRATED COMPETENCIES

Geoprocessing National rasters and vectors: 10 m mosaics for Continental Portugal, reprojection, clipping by sector grid, map algebra. rasterio · geopandas · GDAL · shapely · pyproj	Risk modelling FWI/CCFDRS indices, Rothermel equations, composite scores with justified weights, supervised classification. numpy · scipy · scikit-learn · XGBoost	System integration Authenticated REST APIs, publication on ArcGIS Online, ETL to MySQL, network fault tolerance, and pagination of thousands of records. requests · SQLAlchemy · arcpy · ArcGIS REST	Production Automation Scheduled jobs ranging from 10 minutes to weekly, with locks, resumptions, auditing, and failure notifications to the operator. Task Scheduler · Docker · structured logging
Interfaces Real-time dashboards, mobile application, and Tkinter office tools for non-terminal users. Next.js 14 · React · Flutter/Dart · Tkinter · Plotly	Applied AI Local RAG on internal documentation, report generation with model served on the own machine, without cloud dependency. LangChain · ChromaDB · Ollama · llama.cpp		

All

GNR / UEPS Platforms

Digital Products

Civic services

Games and Education

Automation

AI and Tools

Fire Risk

Meteorology and satellite

GIS Automation

Operating systems

Bots

Web and Mobile

Drone and LiDAR

Local AI

filter by technology...

61 projects

Fire risk modelling

6 projects

Where it is likely to burn, with what intensity, and how much time remains until the next cycle. Each model produces cartography that directly feeds patrol decisions.

Period

May 2026

Commits

7

Python

2 237 L

Status

Completed

Fire Return Letter

Fire re-ignition risk map for Continental Portugal, calculated pixel-by-pixel from 50 years of burnt perimeters.

PROBLEM

The history of burnt areas exists since 1975, but in the form of thousands of annual polygons — it does not answer the operational question 'is this site at risk of burning again?'.

APPROACH

Rasterization of the entire history and calculation of a score 0–100 with three weighted components: time since last fire normalized by vegetation type (50%), frequency of occurrence since 1975 (25%), and delay relative to the typical fire cycle for that vegetation (25%).

RESULT

National raster at 10 m with six risk classes, reused as an input layer by other daily risk classification projects.

Python

geopandas

rasterio

numpy

matplotlib

python-pptx

Period

Jun – Jul 2026

Commits

62

Python

7 653 L

Status

Asset

PoF Portugal — Fire Probability

Machine learning model estimating ignition probability per pixel, inspired by *AI Probability of Fire* from ECMWF and adapted to national data.

PROBLEM

Classic meteorological indices describe conditions favorable to fire but do not incorporate fuel, topography, human presence, or vegetation age — variables that decide whether an ignition leads to a fire.

APPROACH

Pipeline downloading ERA5-Land reanalysis, calculating Canadian FWI system indices, cross-referencing with fuel, slope, proximity to roads and settlements, and years since last fire; training with gradient boosting on historical ignition records.

RESULT

Daily raster of probability 0–1 for Continental Portugal, with intermediate storage in Parquet and persistence of results in a database.

XGBoost

scikit-learn

xarray

netCDF4

cdsapi (ERA5-Land)

rasterio

pyarrow

MySQL

Period

Jan – Feb 2026

Commits

8

Python

5 608 L

Status

Cancelled

Fire Simulator Portugal

Forest fire propagation modelling system based on Rothermel (1972) equations.

Project discontinued before production use.

PROBLEM

Reference simulators require a rigorously aligned set of rasters (fuel, canopy, slope, aspect) and a coherent meteorological grid — manual preparation that takes longer than the simulation itself.

APPROACH

Automatic preparation layer: slope and exposure calculation by blocks for large rasters, realignment and canopy cover correction, construction of weather grids and custom clients for two forecast sources with *fallback* among them.

RESULT

Simulation scenarios generated from a date and area, with fuel models defined in a configuration file rather than hard-coded.

Python

rasterio

numpy

Rothermel

IPMA API

Open-Meteo

Period

Feb – Jun 2026

Commits

20

Python

11 475 L

Status

Cancelled

Fuel Models Pipeline (LiDAR)

Automatic generation of NFFL fuel models and canopy height cartography from national LiDAR, covering 1,013 polygons.

PROBLEM

The available fuel cartography is coarse and outdated; the national LiDAR has the necessary resolution but is distributed across over a thousand independent blocks, impossible to process manually.

APPROACH

Polygon-based pipeline deriving LiDAR vegetation height and canopy cover, classifying each pixel into one of the 13 NFFL models, followed by mosaicking for continuous national coverage.

RESULT

Three 10 m rasters per polygon (fuel model, elevation, cover) plus the national mosaic—the input layer used by propagation simulators.

Python

LiDAR

rasterio

GDAL

numpy

NFFL

Period

Aug 2025 – Aug 2026

Commits

24

Python

7 152 L

Status

Production · weekly

CAPVI — Update of Surveillance Priorities

Weekly workflow that converts priority surveillance cartography into maps, reports, and published layers, with automatic email delivery.

PROBLEM

The weekly update involved dozens of manual GIS steps, repeated by different people across two phases of the week—slow and prone to discrepancies between operators.

APPROACH

Single menu that fixes the user and phase, then performs everything: merging final shapefiles, text report with the ten priority municipalities per day, choropleth maps in PNG, updating online layers, and preparing the email.

RESULT

Weekly cycle reduced to two guided executions, yielding identical results regardless of who runs the process.

Python

geopandas

matplotlib

ArcGIS Online

pywin32

Tkinter

Period

Mar 2026

Commits

1

Python

3 979 L

Status

In development

Unified Risk System (Winter Planning)

Dual-domain risk model—hydrological and fire—for year-round patrol planning.

PROBLEM

The patrol effort was planned only for the fire season, leaving the wet semester without an objective criterion, despite the risk existing in other forms — floods and hydrological episodes.

APPROACH

v5.0 model maintaining both risk domains in parallel, applying seasonal weights to each, and triggering automatic alerts when a threshold is exceeded.

RESULT

Single priority criterion valid for twelve months, fed by the own meteorological repository.

Python

geopandas

numpy

MySQL

Meteorology and satellite6 projects

Continuous acquisition of observation and forecast data, from public APIs to geostationary satellite products, stored in a proprietary format to ensure independence from source availability.

Period

Feb – Jun 2026

Commits

2

Python

3 358 L

Status

Production · hourly

MeteoDataHub

Central repository of hourly meteorological data for Continental Portugal, served to all other projects.

PROBLEM

Each project called the weather APIs on its own: repeated requests, usage limits reached, and different values for the same time depending on the query moment.

APPROACH

Fixed grid of approximately 300 points at 12 km, automatic file archival and prediction to MySQL, with an internal API layer for consumption by other systems.

RESULT

Single source of truth for meteorological data, with its own independent history separate from the external API retention window.

Python

MySQL

Open-Meteo

pandas

geopandas

Task Scheduler

Period

Oct 2025

Commits

3

Python

6 336 L

Status

Completed

Fire Weather Data Collector

Meteorological data collection application for fire analysis, with full calculation of CFFDRS indices calibrated for Portugal.

PROBLEM

Fire danger indices depend on accumulated values from previous days: a single-point reading gives a wrong number, and no isolated source is reliable enough for an operational service.

APPROACH

Integration of five meteorological sources with *fallback* automatically between them, plus 90 days of historical backfilling so the carry-over values (FFMC, DMC, DC) are correctly initialised, with seasonal adjustments for the Mediterranean climate.

RESULT

Over 25 parameters per location, from –12h to +24h, exported as CSV with metadata; graphical interface for non-programmers.

Python

CFFDRS / FWI

asyncio · aiohttp

ECMWF EarthKit

Tkinter

scipy

Period

Jul 2026

Commits

7

Python

1 137 L

Status

Production · 10 min

MTG FRP — Active satellite hotspots

Real-time collection of *hotspots* of Meteosat third-generation fire radiative power, clipped to Portugal.

PROBLEM

The official product covers the entire visible disk of the satellite and is published compressed every ten minutes — downloading and saving everything to use a minimal fraction is unsustainable in disk space and time.

APPROACH

In-memory stream decompression and immediate spatial filtering by the bounding box of Continental Portugal plus 50 km, discarding the rest before touching the disk.

RESULT

GeoJSON and CSV updated every ten minutes, ready for consumption by GIS and common operational imaging platforms.

Python

GeoJSON

requests

geopandas

SQLAlchemy

MySQL

Period

Jun 2026

Commits

3

Format

10 studies

Status

Completed

LSA SAF — Operational Applications Catalog

Systematic study of available satellite products and the concrete application of each to civil protection work.

PROBLEM

The satellite product catalog is vast and described in scientific language; without translation to use cases, it remains unexplored.

APPROACH

Ten sheets, one per product — daily risk, active hotspots, burnt area, vegetation condition (VCI), thermal condition (TCI), vegetation health (VHI), dynamic return map, composite patrol risk, snow, and flooding — each documenting its source, cadence, limitations, and the decision it supports.

RESULT

Origin specification for the subsequent acquisition projects, including the active hotspot collector.

Requirements Analysis

LSA SAF

Remote detection

Period

Jan 2026

Commits

1

Python

1 115 L

Status

Completed

Wind Mapper

Portable wind tool over a user-drawn area, with visualization by arrows over satellite and relief.

PROBLEM

Analyzing wind in an operational area required querying point-by-point values, without understanding the spatial pattern that explains fire behavior on the ground.

APPROACH

Area definition by coordinates, shapefile, or interactive map; generation of a regular mesh with configurable resolution; query of historical speed and direction for each node.

RESULT

Vector field drawn over satellite imagery and digital elevation model, exportable for subsequent analysis.

Python

cartopy

tkintermapview

rasterio

Open-Meteo

Period

Oct 2025

Commits

1

Python

3 L

Status

Archived

Meteorology

Initial draft of meteorological collection, abandoned in favor of a centralized solution.

PROBLEM

First attempt to solve point-by-point meteorological acquisition within a consumer project.

APPROACH

Registered here for inventory honesty: the direction was discarded early, upon realizing that the problem required a shared service, not a local function.

RESULT

Deprecated in favor of MeteoDataHub, which now serves all projects.

Python

GIS and ArcGIS Automation13 projects

Platform work: synchronise, publish, export and audit geographic layers via REST API, without relying on desktop applications or operator presence.

Period

Aug 2026

Commits

8

Python

6 934 L

Status

Production

ArcGIS Reports

Massive parallel generation of incident reports in PDF from online layers.

PROBLEM

Producing hundreds of incident reports manually, one by one, in the office application—working days, and any network failure forced a restart.

APPROACH

Parallelized download and processing with the native ArcGIS library, using official print models as *templates*, with explicit handling of network failures and resumption of pending work.

RESULT

Hundreds of PDFs produced in a single run, with a layout identical to the institutionally approved version.

Python

arcpy

ArcGIS Pro

Parallel Processing

Pillow

tqdm

Period

Jun 2026

Commits

2

Python

1 021 L

Status

Production

ICNF Burnt Areas

Synchronization of official burnt area and ignition point layers for local copy and for own online layers.

PROBLEM

The official layer is the reference, but it is outside the consumer's control: outages and schema changes break everything that depends on it in real time.

APPROACH

Paginated REST query in GeoJSON, offline copy writing in GeoPackage, and incremental updates of own layers via insert-or-update operations, with centralized logging of source layers in a single module.

RESULT

Data always available locally and own layers synchronized, with automatic tests on the process.

Python

ArcGIS REST

GeoPackage

pyogrio

pytest

Period

Mar 2026

Commits

5

Python

1 723 L

Status

Production · daily

Registration of Patrol Tracks

Automatic audit verifying whether patrols activated location during service.

PROBLEM

Without active location there is no patrol trail, but confirming patrol by patrol, day by day, was unfeasible — and therefore not done.

APPROACH

Matching engine that links each patrol to its respective route via radio call sign and unit, featuring robust pagination for thousands of records and automatic detection of missing days in the history, reprocessing only those.

RESULT

Matching accuracy of approximately 95% and interactive HTML dashboards for daily, monthly, and annual periods.

Python

plotly

ArcGIS Online

pandas

Period

Aug 2026

Commits

9

Python

1 832 L

Status

Completed

Ortos DGT

Automatic download of national orthophotomaps organized by cartographic sector grid.

PROBLEM

Each annual collection of orthophotos is published as a different service type — which required a distinct manual procedure per year and made uniform collection of time series impossible.

APPROACH

Hybrid architecture with an orchestrator that detects the service type for each collection and selects the appropriate acquisition engine, maintaining the same output interface for the current collection and historical years.

RESULT

Uniform acquisition by sector for any published year, without manual intervention.

Python

requests

GDAL

WMS/WMTS

shapefile of sectors

Period

May 2026

Commits

1

Python

332 L

Status

Production · 01h00

RCM / PIR — Municipal Combustibility Risk

Daily publication of municipal risk for the 68 municipalities covered by integrated landscape management areas.

PROBLEM

The source provided risk via an unstable temporal image service with no reliable control over temporal dimension—unusable for generating the day's product and the next day's.

APPROACH

Direct consumption of the data API instead of the image service, joined with administrative cartography and automatic publication, with two distinct files for the current day and the following day.

RESULT

Reliable daily product at 01h00, with history controlled by the publisher.

Python

IPMA API

geopandas

GeoPackage

ArcGIS Online

PeriodFeb 2026

Commits3

Python696 L

StatusProduction · 2-4 h

Portugal Road Closures

Automatic collection and publication of cut and conditioned roads in Continental Portugal.

PROBLEM

In flood or fire episodes, knowing which roads are cut is decisive for resource routing — and the information was scattered across text alerts.

APPROACH

Periodic query to the traffic incident API, bypassing the per-request area limit with an 18-cell grid covering the entire mainland, and consolidation of relevant incidents into a single layer.

RESULT

Geographic layer updated every two to four hours, ready to overlay operational cartography.

Python

TomTom Traffic API

ArcGIS Online

requests

PeriodAug 2026

Commits1

Python746 L

StatusAsset

Audit Signage

Continuous audit of an enforcement layer, with automatic recovery of erroneously deleted records.

PROBLEM

Operational records disappeared from the shared layer without trace of who or why, compromising annual activity targets that depend on counting.

APPROACH

Periodic verification of the expected universe of records against what is published, with automatic replenishment of missing items from the reference copy.

RESULT

Guaranteed integrity of the year's record set, without manual oversight.

Python

ArcGIS REST

data audit

PeriodMay 2026

Commits3

Python425 L

StatusCompleted

RPA Export

Export of an operational layer to six geographic formats from the REST API.

PROBLEM

Each recipient requested the same dataset in a different format — field GPS, office GIS, terrain viewer — and conversion was done manually, one by one.

APPROACH

Single exporter that authenticates on the portal, reads the layer via API, and writes GeoJSON, JSON, GeoPackage, shapefile, KMZ, and GPX, with credentials outside the code, in an environment file.

RESULT

A single command responds to all format requests, bypassing desktop software.

Python

simplekml

gpxpy

fiona

python-dotenv

PeriodMay 2026

Commits4

Python595 L

StatusCompleted

ArcGIS Tools

Collection of REST API-based layer management utilities, without an Office license or proprietary libraries.

PROBLEM

Current data maintenance operations required opening the office application on a licensed machine — unviable on a server and in scheduled tasks.

APPROACH

One script per task (selective removal, export, calculated field updates), each autonomous and dependent only on free libraries.

RESULT

Data maintenance executable on any machine, including scheduled execution without an interactive session.

Python

ArcGIS REST

geopandas

openpyxl

PeriodAug 2026

Commits2

Python450 L

StatusCompleted

pat_igini — Patrols × Ignitions

Export of operational data to GeoPackage, ready to open in free GIS.

Project discontinued before production use.

PROBLEM

Crossing patrol activity with registered ignitions required extracting data from the database for each analysis, always with slightly different queries.

APPROACH

Three independent scripts that read the operational database, filter by period, and write point layers in a single coordinate system—patrols, ignitions, and their intersection.

RESULT

Reproducible analysis: same period, same result, without ad-hoc SQL.

Python

MySQL

GeoPackage

QGIS

Period

Sep 2025

Commits

1

Python

4 465 L

Status

Cancelled

Clusters

Office application that produces cartographic notebooks of populated clusters in PDF.

PROBLEM

Characterizing a cluster for protection purposes required manually assembling several layouts—built-up area, urban-forest interface, locations—and then combining them into a single document.

APPROACH

Graphical interface built on a set of reusable layout generators, featuring a graphical scale, export of the main layout and detail grids, and final assembly into a single PDF.

RESULT

Complete cartographic notebook per cluster, generated from the selection of a folder and a name.

Python

Tkinter

matplotlib

geopandas

PDF

Period

Feb – Apr 2026

Commits

11

Python

48 286 L

Status

Asset

Automation Workspace (Python)

Work repository with the collection of daily automation scripts, organized by entity and theme.

PROBLEM

Dozens of small routines — extractions, checks, conversions — that do not justify their own repository but need to be versioned and locatable.

APPROACH

Organization by data origin and theme (incidents, municipal plans, susceptibility, SQL queries, personnel data), with dependencies declared in a single file for the entire set.

RESULT

Foundation from which several routines matured and moved into their own repositories — this is where projects begin.

Python

geopandas

OWSLib

reportlab

opencv

SQL

Period

Feb – Jul 2026

Commits

8

Python

37 238 L

Status

Asset

ArcPy Workspace (Conda)

Parallel collection of routines dependent on the proprietary ArcGIS library, isolated in its own environment.

PROBLEM

ArcGIS's native library requires its own interpreter and conflicts with the open-source geospatial environment—mixing both script families breaks both.

APPROACH

Deliberate separation by environment, with documented survey of the 26 external dependencies across 72 files and reproducible installation instructions.

RESULT

Two stable environments instead of one unstable one, with the boundary between them explicit in the repository structure.

Python

arcpy

Conda

ruff

Operating systems and reports

8 projects

End-to-end applications used by operators: enter an occurrence number, get the complete dossier. This is where the bulk of the code resides.

Period

Sep 2025 – Jul 2026

Commits

475

Python

52 032 L

Status

Production

GTO Activation — Analysis of the Operational Theatre

Geospatial analysis system that transforms a single occurrence record into a complete territorial dossier in 5 to 10 minutes. The largest project in the set.

PROBLEM

When a team is activated for an operational theater, the information it needs—cartography, meteorology, fuel, access—exists, but is scattered across dozens of systems. Gathering it manually takes hours that the incident does not allow.

APPROACH

Single pipeline starting from the incident number, resolving location, collecting historical and forecast meteorology, calculating susceptibility, preparing input files for propagation simulators, and composing the cartography; the final report is drafted by a locally served language model. The process clock is frozen at an explicit point so all modules use the same instant—previously, an 11-minute execution appeared spread across different hours.

RESULT

Over 39 thematic maps, meteorological analysis, susceptibility maps, simulator-ready data, and a report with automatic analysis—all within a commute time.

Python 3.13

geopandas

rasterio

scikit-learn

contextily

folium

Open-Meteo

Local LLM

Telegram

Period

2025 – 2026

Commits

–

Python

9,628 L

Status

Production · v1.2.5

App Search

Automation system for processing search and rescue operations.

PROBLEM

In a search, the cartographic product and the temporal reconstruction of team movements are accurate while the operation is ongoing — not the next day.

APPROACH

Automated spatial processing over operation data, constructing timelines that order the series of events and allow viewing search progression over time.

RESULT

Application in production, with version logging and technical documentation of concepts used, maintained across successive real-world operations.

Python

arcpy

temporal analysis

automatic cartography

Period

Jul 2026

Commits

5

Python

16 301 L

Status

Production

Fire Reports

Generation of a complete forest fire report from a single incident number.

PROBLEM

Each report required consulting six different systems and copying values between them manually, with transcription error entering every stage.

APPROACH

Twenty-eight chained steps: the operator enters the number, the system reads the date, collects meteorological data from observation and reanalysis, cartography, online layers and local rasters, and composes an Excel book with images and embedded maps. Collection from portals without API is done via browser automation.

RESULT

Complete report folder per incident, with traceable data provenance instead of copied values.

Python

playwright

openpyxl

rasterio

contextily

ECMWF

Period

Jan – Jul 2026

Commits

11

Python

2 924 L

Status

Production

Delivery Guides — Anomaly Detection

Automatic error detection in delivery guides and individual notification of responsible parties.

PROBLEM

Entry errors only appeared in monthly consolidation, when it was already too late to correct, and mass notification dispersed responsibility among those with nothing to correct.

APPROACH

Migration from a spreadsheet-based flow to direct database reading, with anomaly grouping by recipient, throttling to avoid triggering mail server defenses, and full audit logging of everything sent. The old flow is preserved as a fallback alternative.

RESULT

Each responsible party receives only their anomalies, on the same day, with a trail of who was notified.

Python

MySQL

SMTP

pandas

audit

Period

Apr – Jul 2026

Commits

21

Python

11 746 L

Status

Asset

Operation Kristin Management

Collection of operational management routines focused on the forest road network and situation reports.

PROBLEM

A prolonged operation generates situation reports at fixed intervals, and the characterisation of the forest road network changes as the terrain is traversed—without automation, reporting effort eats into operation time.

APPROACH

Four functional areas: treatment of the forest road network, production of situation reports, consolidation of operation data, and daily decision support, with documented machine configuration for replication at another post.

RESULT

Periodic report produced from already registered data, rather than collected anew each cycle.

Python

pandas

geopandas

GIS

Period

Apr – Jun 2026

Commits

14

Python

3 927 L

Status

Production

Verify Service — Data Quality

Systematic validation of operational data against business rules, with a navigable report of errors found.

PROBLEM

The data feeding all reports come from human entry; without systematic verification, errors are only discovered when the final number does not match.

APPROACH

Rule engine over five tables in the operational database, capable of running on a local copy for users without access to the internal network, with automatic tests on the rules themselves.

RESULT

Interactive HTML report that points to the concrete record to correct, rather than just signaling the existence of a problem.

Python

MySQL

SQLite

pytest

HTML

Period

Sep 2025

Commits

2

Python

1 077 L

Status

Completed

Data Preparation for Simulator

Automates the preparation of the input data folder for propagation simulation in an operational area.

Project discontinued before production use.

PROBLEM

Propagation simulators require a rigid set of files — clipped and aligned rasters, fuel moisture, wind series — whose manual preparation is tedious and fails silently due to misalignment.

APPROACH

Guided workflow that creates the project folder structure, resolves location by incident number or coordinates, downloads meteograms, crops and aligns rasters, generates points and buffers, and exports humidity and wind files in the required formats.

RESULT

Portable tool: copy the folder to another post and configure paths once via the interface.

Python

GDAL

rasterio

playwright

Tkinter

Period

Mar 2026

Commits

1

Python

583 L

Status

Cancelled

Transfer Calculation

Automatic calculation of placements from the list of requests and available vacancies, in two implementations.

Project discontinued before production use.

PROBLEM

Allocation was performed manually on spreadsheets, risking duplicate assignment of the same slot or inconsistent application of criteria across cases.

APPROACH

Two versions of the same algorithm — one in Python, the other in a spreadsheet macro — to function even in posts where nothing can be installed, producing a final formatted file from a template.

RESULT

Reproducible and auditable result, and the macro version ensures the process runs on any workstation.

Python

pandas

openpyxl

VBA

Bots and notifications

4 projects

The delivery layer: bringing the result to the decision-maker's mobile device on the channel they already use, without asking them to learn a new tool.

Period

Jul – Aug 2026

Commits

12

Python

1 498 L

Status

Production

Situation Room Support Bot

Automatic communication interface delivering executive summary reports to a messaging channel.

PROBLEM

The coordinator is not at the computer: they requested by phone numbers that were already in the database, and someone had to go fetch and transcribe them.

APPROACH

Six official commands over the operational database, served to chats and authorized channels, with the service running permanently on the machine and native system scheduling.

RESULT

In production: executive summary on demand, on mobile, without human intermediary.

Python 3.13

python-telegram-bot

MySQL

SQLAlchemy

Windows Service

Period

Jul – Aug 2026

Commits

29

Python

3 400 L

Status

Asset

Bot Hub (plugin architecture)

A single shared bot hosting plugins for multiple projects, instead of one bot per project.

PROBLEM

Each project wishing to notify created its own bot, duplicating authorization lists, error handling, and file delivery — and forcing the receiver to manage multiple conversations.

APPROACH

Domain-agnostic core that resolves once what is common — authorization, blocking of concurrent executions, task execution, result delivery, progress reporting, and cancellation — and exposes a plugin interface for each project to register its commands.

RESULT

New project gains its own commands without new infrastructure, and users have a single conversation.

Python

python-telegram-bot

plugin architecture

Self-hosted Bot API

PeriodFeb – Sep 2026

Commits33

Code3 529 L JS

StatusIn development

ArcGIS → WhatsApp

Automatic WhatsApp notification service triggered by changes in geographic layers.

PROBLEM

Not everyone in the field uses the institutional messaging app, but practically everyone uses WhatsApp — and the information that matters originates in a geographic layer, not in a conversation.

APPROACH

Node.js service that monitors online layers and routes relevant events to a self-hosted WhatsApp API in a container, with its own database for state and recipients.

RESULT

Geographic alerts delivered on the channel teams already have open; currently the most active project in the suite.

Node.js

Docker

PostgreSQL

Evolution API

ArcGIS Online

PeriodMay 2026 (fork)

Commits805 · 1 branch

Python1 739 L

StatusAsset

Local replica of incident data

Own branch of a public fire data project, dedicated to local synchronization as an alternative resource.

PROBLEM

A public incident data service is excellent until it becomes unavailable—which is usually exactly the day it is most needed.

APPROACH

Contribution to a separate branch of the original project, with a synchronizer that replicates active incidents to a local database, keeping the origin intact and preserving the public project history.

RESULT

Data availability guaranteed even with the source offline. The bulk of the 805 commits is from the original project — the own contribution is the synchronizer.

Python

MySQL

open-source fork

Web and Mobile3 projects

Interfaces for real-time consumption inside and outside the command post—the only portfolio block outside Python.

PeriodMar – Aug 2026

Commits199

Code15 733 L TS/JS

StatusAsset

Emergency Management Dashboard

Real-time operational dashboard for assets, missions, and incidents, featuring an interactive map, timeline, and multimedia panel.

PROBLEM

Monitoring an operation required having several applications open in parallel, each with its own version of the truth and none with the timeline of what happened.

APPROACH

Next.js application with server-side rendering and custom API routes, integrating official geographic layers into a single view, with server-side verified session authentication and a navigable timeline of events.

RESULT

Single operational view, with 199 commits of continued iteration on real-world use. Second generation of the project.

Next.js 14

React

TypeScript

ArcGIS Online

session authentication

PeriodDec 2025 – Mar 2026

Commits32

Code9,620 L TS/JS

StatusDeprecated

Emergency Dashboard — 1st Generation

First version of the operational dashboard, establishing the data model and visual language.

PROBLEM

Prove that it was possible to gather means, records, and incidents in a single view before investing in a definitive architecture.

APPROACH

Functional prototype in Next.js, taken to real usage to discover requirements that only appear in service.

RESULT

Validated the concept and was deliberately replaced by the second generation—the decision to rewrite is documented rather than the prototype being endlessly patched.

Next.js

React

ArcGIS Online

Period

Dec 2025

Commits

4

Code

3 805 L Dart

Status

In development

Mobile application for air-transported operations

Flutter application for recording helicopter operations, designed to work offline.

PROBLEM

The recording of these operations is done on paper and transcribed later, because there is no network coverage at the workplace to support a connected application.

APPROACH

Local-first architecture with an on-device database and reactive state management, synchronizing with geospatial services when a network is available; drawing system documented prior to implementation.

RESULT

Application under development with detailed change logging and documentation of patterns used—repository and singleton—written for self-learning.

Flutter

Dart

Riverpod

SQLite · Drift

ArcGIS

Drone and LiDAR3 projects

From aerial imagery to a legally valuable product: automated photogrammetry and vegetation compliance analysis.

Period

Feb 2026

Commits

4

Python

1 703 L

Status

Completed

Fuel Height — Legal Compliance

Checks, from drone flights, whether vegetation near critical infrastructure is in violation of legal protection strips.

PROBLEM

Inspection of fuel management strips along roads, power lines, and gas pipelines is done on foot, by sampling, and proof of infringement depends on on-site measurement.

APPROACH

Calculation of the canopy height model by the difference between surface and terrain obtained from the flight, and comparison of each pixel height with the applicable legal limit for the relevant strip — distinct regimes for road, electrical, and gas pipeline networks.

RESULT

Objective identification of infringing areas, with the legal criterion explicitly embedded in the code rather than dependent on operator judgment.

Python

rasterio

numpy

photogrammetry

CHM

Period

Apr 2026

Commits

1

Integration

WebODM

Status

Asset

Drone Processing — WebODM

Local photogrammetry installation with end-to-end automation: select folder, process, open results.

PROBLEM

External photogrammetric processing implies sending operation images outside and waiting in a queue; locally, it implies a sequence of manual steps in the interface.

APPROACH

Open platform installed in containers on the machine, with an automation layer on top of its API that submits the flight, monitors processing, and collects final products.

RESULT

Locally produced orthomosaics and 3D models, without sending operational data outside. Feeds vegetation compliance analysis.

Docker

WebODM

Python

pyodm

Period

Feb 2026

Commits

1

Python

439 L

Status

Deprecated

Drone Processing — v1

First approach to automating photogrammetric processing via command line.

PROBLEM

Realizing which parts of the photogrammetric processing pipeline warranted automation before building serious infrastructure.

APPROACH

Direct orchestration of processing containers, with file-based configuration and progress monitoring in the console.

RESULT

Served as a preliminary study; replaced by the web-interface version two months later.

Python

Docker SDK

PyYAML

Local AI and development tools3 projects

Proposed infrastructure for using language models over internal documentation and data without anything leaving the machine.

Period

Jul – Aug 2026

Commits

6

Code

3 644 L Py · 2 301 L JS

Status

In development

Local RAG on internal documentation

Question-and-answer system about the section documentation, with natural language data querying — running entirely on the machine.

PROBLEM

The accumulated technical documentation is extensive and the information exists, but finding it requires knowing where to look. Sending service documentation to a cloud service is not an option.

APPROACH

Vector indexing of documents in multiple formats with a locally served model, agent layer capable of executing small file edits and translating questions into SQL queries, and local web interface.

RESULT

Operates offline; no documents leave the machine. Currently in consolidation phase.

Python

LangChain

ChromaDB

Ollama

PyMuPDF

Local WebUI

Period

Aug – Sep 2026

Commits

7

Python

3 826 L

Status

Asset

Local LLM server

Language model server compatible with the standard interface, with graphical lifecycle management.

PROBLEM

Several projects need a language model, but each started its own server competing for the same GPU and the same port—with real port collisions from services of other projects.

APPROACH

A single shared server exposing the sector’s standard interface, with graphical start/stop and model selection; the occupied port is now documented in the machine inventory.

RESULT

Any project points to the same model access and exchange endpoint without changing code. Used by the report generator and the RAG system.

Python

llama.cpp

OpenAI-compatible API

Tkinter

Period

Feb – Apr 2026

Commits

6

Format

Configuration

Status

Asset

Code assistant configuration

Versioned rules, commands, and project templates shared by three different programming assistants.

PROBLEM

Work rules defined in the head do not survive a machine change or tool swap, and each assistant stores the configuration in its own format.

APPROACH

Single repository with global rules, commands, and project structure templates, installed via links to paths each tool expects — one source, three destinations.

RESULT

Reproducible workflow on any post, explicit enough to be critiqued and improved, rather than implicit.

Markdown

AI tools

environment automation

GNR / UEPS Institutional Platforms 6 independent projects

Operational scope systems described in the GNR/UEPS portfolio. Presented separately from previous technical sheets: they share data, processes, or integrations with several of them, but each platform constitutes an autonomous project.

Scope

National

Domain

Rural Prevention

Paper

End-to-end architecture

Status

Operational use

Floresta Segura — National GIS Platform

End-to-end pipeline from field data collection to report distribution for the national rural fire prevention operation.

PROBLEM

Field teams need to register inspections, validate water points, and map fires with consistent administrative and cadastral information.

APPROACH

Field Maps and QuickCapture forms, automatic parish/municipality/district calculation, cross-referencing with DGT/BUPI, flagging potential infractions, and dashboard in ArcGIS Experience Builder.

RESULT

Real-time monitoring, controlled editing, and planning; a Python/ArcGIS Pro process creates backups and PDF, Excel, and shapefile reports, distributed via SharePoint.

RELATION

Relates to the SIG automation sheets, ArcGIS reports, and rural prevention from this portfolio, remaining here as an independent institutional platform.

ArcGIS Online

Field Maps

QuickCapture

Python

SharePoint

Scope

Continental Portugal

Domain

UEPS Operations

Paper

End-to-end architecture

Status

Daily use

PIGE — Real-Time Operational Management Platform

Daily operational board for tracking ground and helicopter teams and supporting command decision-making.

PROBLEM

Activity, location, multimedia assets, call signs, and urgent requests were scattered and did not form a common operational picture.

APPROACH

QuickCapture and Field Maps collect movements, photographs, video, GPS, and resource requests; Experience Builder brings together live activity, 12-hour map, planning, requests, and history.

RESULT

A linked view between ground and air teams, with 1–2 minute latency, nearest patrol calculation, temporal filters, and access to fire risk layers.

RELATION

Connects to risk layers and catalogued patrol record sheets; it is the operational origin platform for the PIGE Next-Gen evolution.

ArcGIS Experience Builder

QuickCapture

Field Maps

GPS

Multimedia

Scope

Operational

Domain

Web Dashboard

Paper

Full-stack

Status

New generation

PIGE Next-Gen — React Dashboard

Independent reconstruction of the main view of PIGE to overcome performance limits and low-code builder interface constraints.

PROBLEM

Direct queries to ArcGIS Online on each load limited speed, interface control, and native playback of field-collected video.

APPROACH

React Frontend supported by a dedicated server maintaining an updated local cache; self-hosted WhatsApp integration in Docker with Evolution API.

RESULT

Faster loading times, smoother interaction, video playback directly on the page, and automatic routing of QuickCapture data to operational teams.

RELATION

Evolves the PIGE experience and intersects with the already documented WhatsApp automation, but is treated as a separate project due to the new architecture.

React

Backend cache

ArcGIS Online

Docker

Evolution API

Scope

Multi-entity

Domain

Alert registration

Paper

End-to-end architecture

Status

Entry Platform

SEPNA — EMEIF · Alert Register

Platform for registering rural and forest incidents detected by four types of surveillance.

PROBLEM

Tower alerts and video surveillance, patrols from various entities, 112 calls, and aerial assets have different requirements but need a coherent registry.

APPROACH

Shared and flexible model with dashboard by surveillance type, filterable map, full listing with CSV export, calculation error review, and structured geographic editor.

RESULT

A single point of entry with more consistent data for fire monitoring and command support systems.

RELATION

Feeds the fire monitoring ecosystem, including DIVDIR; remains an independent registry platform.

ArcGIS

Dashboard

Geographic Editor

CSV

Multi-entity

Scope

Command

Domain

Rural Fire

Paper

End-to-end architecture

Status

Decision Support

DIVDIR — Command Support Dashboard

Consolidated operational view of incidents, assets, and surveillance systems linked to rural and forest fires.

PROBLEM

Decision-makers needed to consult ANEPC incidents, alerts, helitransport activity, drone planning, and surveillance coverage in a single view.

APPROACH

Dashboard with timeline, counts, and filters; history modules, external links, and state editing; local Telegram bots to convert CAPVI/IPMA reports into published layers.

RESULT

An updated operational image, with field photos and video, aerial planning, and automated ingestion of reports defined with AGIF parameters.

RELATION

Receives data from EMEIF and relates to CAPVI sheets, IPMA, bots, and fire monitoring, while remaining an independent dashboard.

ANEPC

ArcGIS

Telegram

CAPVI / IPMA

AGIF

Period

2026

Domain

Post-storm recovery

Paper

End-to-end architecture

Status

Operational mission

CIPO — Recovery Work Monitoring

Platform built for GNR participation in the inter-ministerial recovery command following Storm Kristin.

PROBLEM

It was necessary to coordinate municipal needs, planning from various entities, and field validation of cleaning of damaged forest paths.

APPROACH

Field Maps for work validation; continuous synchronization of planning in Google Sheets to ArcGIS layers; daily processing of administrative data.

RESULT

Public platform with planned versus completed status, automatic SITREP generation, local copy on Google Drive, and republication to GeoSiFOR by AGIF.

RELATION

Relates to sheets on Kristin, road network, synchronization, and operational reports; presented as a mission and autonomous platform.

Field Maps

Google Sheets

ArcGIS

SITREP

GeoSiFOR

Digital Products and Commerce1 project

End-user oriented products, with operation, data, and shopping experience integrated.

Domain

Digital Commerce

Stack

Web + data

Status

Planning

Platform

Responsive web

bcariobomvalor

Online Boticário product store with catalog, orders, and a proprietary data preparation pipeline.

PROBLEM

Build a low-cost e-commerce operation, maintaining catalog, invoices, clients, and orders in a coherent database.

APPROACH

Responsive Next.js website, SQLite-based, and Python pipeline to read PDF invoices and enrich product descriptions.

RESULT

Architecture, requirements, and technical foundations defined for a store with manual payments via MB WAY or transfer.

Next.js

React

TypeScript

Python

SQLite

Civic services1 project

Technology to bring citizens and local administration closer through a single stream of participation and response.

Domain

Civic Participation

Stack

Flutter + Firebase

Status

Functional

Platforms

Android + management

Our Parish

Single project for communication between citizens and the Parish of Nossa Senhora das Misericórdias, in Ourém.

PROBLEM

Facilitate structured reporting of issues, suggestions, and events and track the response from parish services.

APPROACH

Flutter application for citizens with GPS, photos, and notifications, linked to the management component used by staff.

RESULT

An integrated flow from mobile submission to analysis, resolution, and communication of status to the citizen.

Flutter

Firebase

GPS

Android

Incident Management

Games and Educational Experiences4 projects

Board games, family experiences, and interactive learning on different platforms.

Type

Board game

Engine

Godot 4

Status

In development

Players

2–10

Gaming Industry

Family board game about the industrial world, with a desktop host and clients on the local network.

PROBLEM

Adapt an extensive board game experience into a digital format shared across multiple devices.

APPROACH

Godot 4 project with GDScript rules, 3D physics data, and WebSocket communication between host and clients.

RESULT

Menu and dice roll validated; the implementation of the playable board is in progress.

Godot 4

GDScript

WebSocket

3D

TypeBoard game

FrameworkFlutter

StatusStructured

PlayersUp to 8

Monopoly Family Portugal

Multiplayer game with Portuguese cities, designed for television, tablet, computer, and mobile phones.

PROBLEM

Allow a family to share the same board without concentrating all interactions on a single screen.

APPROACH

A host device displays the board, and players join via QR Code, communicating over WebSocket on the Wi-Fi network.

RESULT

Cross-platform architecture defined for Android, Windows, and web, with chat and match recording.

Flutter

WebSocket

QR Code

Android

Windows

TypeEducational game

Version0.8.0

StatusPlayable

Public1st and 2nd year

Robot Quest

2D pixel art adventure combining exploration with Portuguese and Math exercises.

PROBLEM

Create a learning experience suitable for young children without separating exercise and play.

APPROACH

Top-down exploration, war fog, and battles resolved through questions, with controls for keyboard and touch.

RESULT

Functional game for Windows and Android, with difficulty and progress saved automatically.

Flutter

Dart

Pixel art

Windows

Android

TypeBoard game

PhaseDesign

StatusOperations

SupportModels + AI

Race Board

Board game in development, supported by models and structured documentation.

PROBLEM

Transform the concept of a race into a coherent, documented, and evolution-ready board game system.

APPROACH

Modeling of rules and components with project documentation and AI tool support.

RESULT

Design foundation organized to validate mechanics before full implementation.

Board game

Models

AI

Documentation

Automation and integrations1 project

Applied experimentation for automating tasks and services in a home context.

DomainConnected home

StackNode.js

StatusIn evolution

QualityDedicated tests

OpenClaw Casa

Node.js base for home automation, integrations, and data processing.

PROBLEM

Centralize home automations and integrations into a controllable and testable project.

APPROACH

Explicit separation of source code, data, configuration, and automated tests.

RESULT

Versioned technical structure to develop new automations without mixing logic and operational data.

Node.js

Automation

Integrations

Tests

AI and Development Tools2 projects

Infrastructure to execute models with privacy and reuse knowledge between different AI assistants.

DomainAI Inference

Runtimellama.cpp

StatusOperational

HardwareAMD + Vulkan

LLM with llama-server and Vulkan

Environment to execute, serve, and evaluate GGUF models on local hardware.

PROBLEM

Use language models with cost control, data, and GPU resource management, without relying on an external service.

APPROACH

Vulkan-accelerated llama-server, model catalog, controlled selection, and speed and quality benchmarks.

RESULT

Endpoint compatible with common APIs, reusable for RAG, reports, and other tools requiring confidential processing.

llama.cpp

Vulkan

GGUF

Qwen

Python

Domain	Tools for agents
Stack	Python + TypeScript
Status	Versioned
License	MIT

Universal Skills Framework

Open framework to write a skill once and reuse it across different agents and environments.

PROBLEM	Each vendor represents instructions, competencies, and memory in a different format, requiring duplicated maintenance.
APPROACH	Portable Markdown/YAML format, Obsidian-based memory, validators, and synchronization for supported tools.
RESULT	A versioned source for skills and persistent context, consumed by implementations in Python and TypeScript.

- Python
- TypeScript
- Obsidian
- CLI
- MIT