SOCKET COLLECTION
VOLUME 01 · 60 PRODUCTS



PRODUCT CATALOGUE — EN

Sockets.

Impact sockets, bit sockets, extension bars and drive adaptors made of 42CrMo4 alloy steel, engineered for use with pneumatic and electric impact tools.

CONTENTS

P. 02 Range Overview
P. 03 Contents
P. 04 Impact Sockets
P. 22 S1/4" Bit Sockets
P. 31 Extension Bars
P. 36 Drive Adaptors

RANGE OVERVIEW

The Range.

Impact sockets, bit sockets, extension bars and drive adaptors made of 42CrMo4 alloy steel, engineered for use with pneumatic and electric impact tools.

IMPACT SOCKETS	33	**S1/4" BIT SOCKETS**	15
EXTENSION BARS	8	**DRIVE ADAPTORS**	4

60 PRODUCTS
4 FAMILIES

IMPACT · BY DRIVE

1/4"	4
3/8"	20
1/2"	9

IMPACT · BY PROFILE

Hexagonal 7 — 22 mm	27
Torx T20 — T40	6
Lengths 48 — 150 mm	

COMMON FEATURES

Material: 42CrMo4 alloy steel	Blue exterior finish
Spring-loaded sliding sleeve	Most products fitted with a magnet
Lengths: 48, 50, 60, 80, 100, 150 mm	Documentation RO / EN / FR / DE

CATALOGUE STRUCTURE

Contents.

CAT.	FAMILY	SKU RANGE	PRODUCTS	PAGES
01	Impact Sockets	100154 — 100217	33 products	04 — 21
02	S1/4" Bit Sockets	100135 — 100149	15 products	22 — 30
03	Extension Bars	100158 — 100185	8 products	31 — 35
04	Drive Adaptors	100150 — 100153	4 products	36 — 38

P. 01 Cover

P. 02 Range Overview

Each product page presents two items: photograph, SKU, technical code and specification sheet. Data is taken from the supplier data sheets.

01

PRODUCT FAMILY

Impact Sockets.

Square drive · 1/4" · 3/8" · 1/2"



33

PRODUCTS IN THIS CATEGORY

SKU 100154 — 100217
42CRM04 · BLUE FINISH

IMPACT SOCKET

01



SKU

100154

1/4-7mm-48L

IMPACT SOCKET 1/4" — 7 MM HEX · 48 MM

INPUT DRIVE **1/4" square**	WORKING PROFILE **Hexagonal 7 mm**
OVERALL LENGTH **48 mm**	MATERIAL **42CrMo4**
SLEEVE **Sliding**	SPRING **Yes**
MAGNET **Yes**	APPLICATION **Impact tools**

DESCRIPTION Impact socket 1/4" 7 mm Hex – 48 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

02



SKU

100155

1/4-8H-48L

IMPACT SOCKET 1/4" — 8 MM HEX · 48 MM

INPUT DRIVE **1/4" square**	WORKING PROFILE **Hexagonal 8 mm**
OVERALL LENGTH **48 mm**	MATERIAL **42CrMo4**
SLEEVE **Sliding**	SPRING **Yes**
MAGNET **Yes**	APPLICATION **Impact tools**

DESCRIPTION Impact socket 1/4" 8 mm Hex – 48 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

03



SKU

100156

1/4-10H-48L

IMPACT SOCKET 1/4" — 10 MM HEX · 48 MM

INPUT DRIVE **1/4" square**	WORKING PROFILE **Hexagonal 10 mm**
OVERALL LENGTH **48 mm**	MATERIAL **42CrMo4**
SLEEVE **Sliding**	SPRING **Yes**
MAGNET **Yes**	APPLICATION **Impact tools**

DESCRIPTION Impact socket 1/4" 10 mm Hex – 48 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

04



SKU

100157

1/4-13H-48L

IMPACT SOCKET 1/4" — 13 MM HEX · 48 MM

INPUT DRIVE **1/4" square**	WORKING PROFILE **Hexagonal 13 mm**
OVERALL LENGTH **48 mm**	MATERIAL **42CrMo4**
SLEEVE **Sliding**	SPRING **Yes**
MAGNET **Yes**	APPLICATION **Impact tools**

DESCRIPTION Impact socket 1/4" 13 mm Hex – 48 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

05



SKU

100161

3/8-7mm-50L

IMPACT SOCKET 3/8" — 7 MM HEX · 50 MM

INPUT DRIVE 3/8" square	WORKING PROFILE Hexagonal 7 mm
OVERALL LENGTH 50 mm	MATERIAL 42CrMo4
SLEEVE Sliding	SPRING Yes
MAGNET Yes	APPLICATION Impact tools

DESCRIPTION Impact socket 3/8" 7 mm Hex – 50 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

06



SKU

100162

3/8-8mm-50L

IMPACT SOCKET 3/8" — 8 MM HEX · 50 MM

INPUT DRIVE 3/8" square	WORKING PROFILE Hexagonal 8 mm
OVERALL LENGTH 50 mm	MATERIAL 42CrMo4
SLEEVE Sliding	SPRING Yes
MAGNET Yes	APPLICATION Impact tools

DESCRIPTION Impact socket 3/8" 8 mm Hex – 50 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

07



SKU

100163

3/8-8mm-80L

IMPACT SOCKET 3/8" — 8 MM HEX · 80 MM

INPUT DRIVE	3/8" square
WORKING PROFILE	Hexagonal 8 mm
OVERALL LENGTH	80 mm
MATERIAL	42CrMo4
SLEEVE	Sliding
SPRING	Yes
MAGNET	Yes
APPLICATION	Impact tools

DESCRIPTION Impact socket 3/8" 8 mm Hex – 80 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

08



SKU

100164

3/8-10H-80L

IMPACT SOCKET 3/8" — 10 MM HEX · 80 MM

INPUT DRIVE	3/8" square
WORKING PROFILE	Hexagonal 10 mm
OVERALL LENGTH	80 mm
MATERIAL	42CrMo4
SLEEVE	Sliding
SPRING	Yes
MAGNET	Yes
APPLICATION	Impact tools

DESCRIPTION Impact socket 3/8" 10 mm Hex – 80 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

09



SKU

100165

3/8-13H-50L

IMPACT SOCKET 3/8" — 13 MM HEX · 50 MM

INPUT DRIVE	3/8" square
WORKING PROFILE	Hexagonal 13 mm
OVERALL LENGTH	50 mm
MATERIAL	42CrMo4
SLEEVE	Sliding
SPRING	Yes
MAGNET	Yes
APPLICATION	Impact tools

DESCRIPTION Impact socket 3/8" 13 mm Hex – 50 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

10



SKU

100166

3/8-14mm-50L

IMPACT SOCKET 3/8" — 14 MM HEX · 50 MM

INPUT DRIVE	3/8" square
WORKING PROFILE	Hexagonal 14 mm
OVERALL LENGTH	50 mm
MATERIAL	42CrMo4
SLEEVE	Sliding
SPRING	Yes
MAGNET	Yes
APPLICATION	Impact tools

DESCRIPTION Impact socket 3/8" 14 mm Hex – 50 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

11



SKU

100167

3/8-14mm-80L

IMPACT SOCKET 3/8" — 14 MM HEX · 80 MM


INPUT DRIVE 3/8" square	WORKING PROFILE Hexagonal 14 mm
OVERALL LENGTH 80 mm	MATERIAL 42CrMo4
SLEEVE Sliding	SPRING Yes
MAGNET Yes	APPLICATION Impact tools

DESCRIPTION Impact socket 3/8" 14 mm Hex – 80 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

12



SKU

100168

3/8-16mm-50L

IMPACT SOCKET 3/8" — 16 MM HEX · 50 MM

INPUT DRIVE 3/8" square	WORKING PROFILE Hexagonal 16 mm
OVERALL LENGTH 50 mm	MATERIAL 42CrMo4
SLEEVE Sliding	SPRING Yes
MAGNET Yes	APPLICATION Impact tools

DESCRIPTION Impact socket 3/8" 16 mm Hex – 50 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

13



SKU

100169

3/8-16mm-80L

IMPACT SOCKET 3/8" — 16 MM HEX · 80 MM

INPUT DRIVE 3/8" square	WORKING PROFILE Hexagonal 16 mm
OVERALL LENGTH 80 mm	MATERIAL 42CrMo4
SLEEVE Sliding	SPRING Yes
MAGNET Yes	APPLICATION Impact tools

DESCRIPTION Impact socket 3/8" 16 mm Hex – 80 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

14



SKU

100171

3/8-18mm-50L

IMPACT SOCKET 3/8" — 18 MM HEX · 50 MM

INPUT DRIVE 3/8" square	WORKING PROFILE Hexagonal 18 mm
OVERALL LENGTH 50 mm	MATERIAL 42CrMo4
SLEEVE Sliding	SPRING Yes
MAGNET Yes	APPLICATION Impact tools

DESCRIPTION Impact socket 3/8" 18 mm Hex – 50 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

15



SKU

100172

3/8-18mm-80L

IMPACT SOCKET 3/8" — 18 MM HEX · 80 MM

INPUT DRIVE 3/8" square	WORKING PROFILE Hexagonal 18 mm
OVERALL LENGTH 80 mm	MATERIAL 42CrMo4
SLEEVE Sliding	SPRING Yes
MAGNET Yes	APPLICATION Impact tools

DESCRIPTION Impact socket 3/8" 18 mm Hex – 80 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

16



SKU

100174

3/8-19mm-80L

IMPACT SOCKET 3/8" — 19 MM HEX · 80 MM


INPUT DRIVE 3/8" square	WORKING PROFILE Hexagonal 19 mm
OVERALL LENGTH 80 mm	MATERIAL 42CrMo4
SLEEVE Sliding	SPRING Yes
MAGNET Yes	APPLICATION Impact tools

DESCRIPTION Impact socket 3/8" 19 mm Hex – 80 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

17



SKU

100175

3/8-21mm-80L

IMPACT SOCKET 3/8" — 21 MM HEX · 80 MM

INPUT DRIVE 3/8" square	WORKING PROFILE Hexagonal 21 mm
OVERALL LENGTH 80 mm	MATERIAL 42CrMo4
SLEEVE Sliding	SPRING Yes
MAGNET Yes	APPLICATION Impact tools

DESCRIPTION Impact socket 3/8" 21 mm Hex – 80 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

18



SKU

100176

3/8-22mm-80L

IMPACT SOCKET 3/8" — 22 MM HEX · 80 MM

INPUT DRIVE 3/8" square	WORKING PROFILE Hexagonal 22 mm
OVERALL LENGTH 80 mm	MATERIAL 42CrMo4
SLEEVE Sliding	SPRING Yes
MAGNET Yes	APPLICATION Impact tools

DESCRIPTION Impact socket 3/8" 22 mm Hex – 80 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

19



SKU

100177

3/8-T30-50L

IMPACT SOCKET 3/8" — TORX T30 · 50 MM

INPUT DRIVE	3/8" square
WORKING PROFILE	Torx T30
OVERALL LENGTH	50 mm
MATERIAL	42CrMo4
SLEEVE	Sliding
SPRING	Yes
MAGNET	Yes
APPLICATION	Impact tools

DESCRIPTION Impact socket 3/8" Torx T30 – 50 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

20



SKU

100178

3/8-T30-100L

IMPACT SOCKET 3/8" — TORX T30 · 100 MM

INPUT DRIVE	3/8" square
WORKING PROFILE	Torx T30
OVERALL LENGTH	100 mm
MATERIAL	42CrMo4
SLEEVE	Sliding
SPRING	Yes
MAGNET	Yes
APPLICATION	Impact tools

DESCRIPTION Impact socket 3/8" Torx T30 – 100 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

21



SKU

100179

3/8-T30-150L

IMPACT SOCKET 3/8" — TORX T30 · 150 MM

INPUT DRIVE 3/8" square	WORKING PROFILE Torx T30
OVERALL LENGTH 150 mm	MATERIAL 42CrMo4
SLEEVE Sliding	SPRING Yes
MAGNET Yes	APPLICATION Impact tools

DESCRIPTION Impact socket 3/8" Torx T30 – 150 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

22



SKU

100215

3/8-T40-50L

IMPACT SOCKET 3/8" — TORX T40 · 50 MM

INPUT DRIVE 3/8" square	WORKING PROFILE Torx T40
OVERALL LENGTH 50 mm	MATERIAL 42CrMo4
SLEEVE Sliding	SPRING Yes
MAGNET Yes	APPLICATION Impact tools

DESCRIPTION Impact socket 3/8" Torx T40 – 50 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

23



SKU

100180

3/8-T40-100L

IMPACT SOCKET 3/8" — TORX T40 · 100 MM

INPUT DRIVE 3/8" square	WORKING PROFILE Torx T40
OVERALL LENGTH 100 mm	MATERIAL 42CrMo4
SLEEVE Sliding	SPRING Yes
MAGNET Yes	APPLICATION Impact tools

DESCRIPTION Impact socket 3/8" Torx T40 – 100 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

24



SKU

100217

3/8-T40-150L

IMPACT SOCKET 3/8" — TORX T40 · 150 MM

INPUT DRIVE 3/8" square	WORKING PROFILE Torx T40
OVERALL LENGTH 150 mm	MATERIAL 42CrMo4
SLEEVE Sliding	SPRING Yes
MAGNET Yes	APPLICATION Impact tools

DESCRIPTION Impact socket 3/8" Torx T40 – 150 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

25



SKU

100187

1/2-10H-60L

IMPACT SOCKET 1/2" — 10 MM HEX · 60 MM

INPUT DRIVE **1/2" square**	WORKING PROFILE **Hexagonal 10 mm**
OVERALL LENGTH **60 mm**	MATERIAL **42CrMo4**
SLEEVE **Sliding**	SPRING **Yes**
MAGNET **Yes**	APPLICATION **Impact tools**

DESCRIPTION Impact socket 1/2" 10 mm Hex – 60 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

26



SKU

100170

1/2-17mm-50L

IMPACT SOCKET 1/2" — 17 MM HEX · 50 MM

INPUT DRIVE **1/2" square**	WORKING PROFILE **Hexagonal 17 mm**
OVERALL LENGTH **50 mm**	MATERIAL **42CrMo4**
SLEEVE **Sliding**	SPRING **Yes**
MAGNET **Yes**	APPLICATION **Impact tools**

DESCRIPTION Impact socket 1/2" 17 mm Hex – 50 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

27



SKU

100202

1/2-17mm-60L

IMPACT SOCKET 1/2" — 17 MM HEX · 60 MM

INPUT DRIVE **1/2" square**	WORKING PROFILE **Hexagonal 17 mm**
OVERALL LENGTH **60 mm**	MATERIAL **42CrMo4**
SLEEVE **Sliding**	SPRING **Yes**
MAGNET **Yes**	APPLICATION **Impact tools**

DESCRIPTION Impact socket 1/2" 17 mm Hex – 60 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

28



SKU

100203

1/2-17mm-80L

IMPACT SOCKET 1/2" — 17 MM HEX · 80 MM

INPUT DRIVE **1/2" square**	WORKING PROFILE **Hexagonal 17 mm**
OVERALL LENGTH **80 mm**	MATERIAL **42CrMo4**
SLEEVE **Sliding**	SPRING **Yes**
MAGNET **Yes**	APPLICATION **Impact tools**

DESCRIPTION Impact socket 1/2" 17 mm Hex – 80 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

29



SKU

100204

1/2-18mm-60L

IMPACT SOCKET 1/2" — 18 MM HEX · 60 MM

INPUT DRIVE 1/2" square	WORKING PROFILE Hexagonal 18 mm
OVERALL LENGTH 60 mm	MATERIAL 42CrMo4
SLEEVE Sliding	SPRING Yes
MAGNET Yes	APPLICATION Impact tools

DESCRIPTION Impact socket 1/2" 18 mm Hex – 60 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

30



SKU

100216

1/2-18mm-80L

IMPACT SOCKET 1/2" — 18 MM HEX · 80 MM

INPUT DRIVE 1/2" square	WORKING PROFILE Hexagonal 18 mm
OVERALL LENGTH 80 mm	MATERIAL 42CrMo4
SLEEVE Sliding	SPRING Yes
MAGNET Yes	APPLICATION Impact tools

DESCRIPTION Impact socket 1/2" 18 mm Hex – 80 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

31



SKU

100173

1/2-19mm-50L

IMPACT SOCKET 1/2" — 19 MM HEX · 50 MM

INPUT DRIVE	1/2" square
WORKING PROFILE	Hexagonal 19 mm
OVERALL LENGTH	50 mm
MATERIAL	42CrMo4
SLEEVE	Sliding
SPRING	Yes
MAGNET	Yes
APPLICATION	Impact tools

DESCRIPTION Impact socket 1/2" 19 mm Hex – 50 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

32



SKU

100206

1/2-19mm-80L

IMPACT SOCKET 1/2" — 19 MM HEX · 80 MM


INPUT DRIVE	1/2" square
WORKING PROFILE	Hexagonal 19 mm
OVERALL LENGTH	80 mm
MATERIAL	42CrMo4
SLEEVE	Sliding
SPRING	Yes
MAGNET	Yes
APPLICATION	Impact tools

DESCRIPTION Impact socket 1/2" 19 mm Hex – 80 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

IMPACT SOCKET

33



SKU

100207

1/2-21mm-60L

IMPACT SOCKET 1/2" — 21 MM HEX · 60 MM

INPUT DRIVE **1/2" square**	WORKING PROFILE **Hexagonal 21 mm**
OVERALL LENGTH **60 mm**	MATERIAL **42CrMo4**
SLEEVE **Sliding**	SPRING **Yes**
MAGNET **Yes**	APPLICATION **Impact tools**

DESCRIPTION Impact socket 1/2" 21 mm Hex – 60 mm, sliding sleeve + spring + magnet, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

02

PRODUCT FAMILY

S1/4" Bit Sockets.

S1/4" shank · for electric screwdrivers



15

PRODUCTS IN THIS CATEGORY

SKU 100135 — 100149
42CRM04 · BLUE FINISH

S1/4" BIT SOCKET

34



SKU

100145

S1/4-7mm-75L

S1/4" BIT SOCKET — 7 MM HEX · 75 MM

INPUT DRIVE **S1/4" hex bit**	WORKING PROFILE **Hexagonal 7 mm**
OVERALL LENGTH **75 mm**	MATERIAL **42CrMo4**
SLEEVE **Spring-loaded**	SPRING **Yes**
FINISH **Blue**	APPLICATION **Electric screwdrivers**

DESCRIPTION Bit socket with S1/4" shank 7 mm Hex – 75 mm, for electric screwdrivers, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

S1/4" BIT SOCKET

35



SKU

100146

S1/4-7mm-100L

S1/4" BIT SOCKET — 7 MM HEX · 100 MM

INPUT DRIVE **S1/4" hex bit**	WORKING PROFILE **Hexagonal 7 mm**
OVERALL LENGTH **100 mm**	MATERIAL **42CrMo4**
SLEEVE **Spring-loaded**	SPRING **Yes**
FINISH **Blue**	APPLICATION **Electric screwdrivers**

DESCRIPTION Bit socket with S1/4" shank 7 mm Hex – 100 mm, for electric screwdrivers, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

S1/4" BIT SOCKET

36



SKU

100147

S1/4-10mm-100L

S1/4" BIT SOCKET — 10 MM HEX · 100 MM

INPUT DRIVE **S1/4" hex bit**	WORKING PROFILE **Hexagonal 10 mm**
OVERALL LENGTH **100 mm**	MATERIAL **42CrMo4**
SLEEVE **Spring-loaded**	SPRING **Yes**
FINISH **Blue**	APPLICATION **Electric screwdrivers**

DESCRIPTION Bit socket with S1/4" shank 10 mm Hex – 100 mm, for electric screwdrivers, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

S1/4" BIT SOCKET

37



SKU

100148

S1/4-13mm-75L

S1/4" BIT SOCKET — 13 MM HEX · 75 MM


INPUT DRIVE **S1/4" hex bit**	WORKING PROFILE **Hexagonal 13 mm**
OVERALL LENGTH **75 mm**	MATERIAL **42CrMo4**
SLEEVE **Spring-loaded**	SPRING **Yes**
FINISH **Blue**	APPLICATION **Electric screwdrivers**

DESCRIPTION Bit socket with S1/4" shank 13 mm Hex – 75 mm, for electric screwdrivers, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

S1/4" BIT SOCKET

38



SKU

100149

S1/4-13mm-100L

S1/4" BIT SOCKET — 13 MM HEX · 100 MM

INPUT DRIVE **S1/4" hex bit**	WORKING PROFILE **Hexagonal 13 mm**
OVERALL LENGTH **100 mm**	MATERIAL **42CrMo4**
SLEEVE **Spring-loaded**	SPRING **Yes**
FINISH **Blue**	APPLICATION **Electric screwdrivers**

DESCRIPTION Bit socket with S1/4" shank 13 mm Hex – 100 mm, for electric screwdrivers, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

S1/4" BIT SOCKET

39



SKU

100135

S1/4-T20-50L

S1/4" BIT SOCKET — TORX T20 · 50 MM

INPUT DRIVE **S1/4" hex bit**	WORKING PROFILE **Torx T20**
OVERALL LENGTH **50 mm**	MATERIAL **42CrMo4**
SLEEVE **Spring-loaded**	SPRING **Yes**
FINISH **Blue**	APPLICATION **Electric screwdrivers**

DESCRIPTION Bit socket with S1/4" shank Torx T20 – 50 mm, for electric screwdrivers, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

S1/4" BIT SOCKET

40



SKU

100136

S1/4-T20-75L

S1/4" BIT SOCKET — TORX T20 · 75 MM


INPUT DRIVE **S1/4" hex bit**	WORKING PROFILE **Torx T20**
OVERALL LENGTH **75 mm**	MATERIAL **42CrMo4**
SLEEVE **Spring-loaded**	SPRING **Yes**
FINISH **Blue**	APPLICATION **Electric screwdrivers**

DESCRIPTION Bit socket with S1/4" shank Torx T20 – 75 mm, for electric screwdrivers, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

S1/4" BIT SOCKET

41



SKU

100137

S1/4-T20-150L

S1/4" BIT SOCKET — TORX T20 · 150 MM

INPUT DRIVE **S1/4" hex bit**	WORKING PROFILE **Torx T20**
OVERALL LENGTH **150 mm**	MATERIAL **42CrMo4**
SLEEVE **Spring-loaded**	SPRING **Yes**
FINISH **Blue**	APPLICATION **Electric screwdrivers**

DESCRIPTION Bit socket with S1/4" shank Torx T20 – 150 mm, for electric screwdrivers, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

S1/4" BIT SOCKET

42



SKU

100138

S1/4-T25-50L

S1/4" BIT SOCKET — TORX T25 · 50 MM

INPUT DRIVE **S1/4" hex bit**	WORKING PROFILE **Torx T25**
OVERALL LENGTH **50 mm**	MATERIAL **42CrMo4**
SLEEVE **Spring-loaded**	SPRING **Yes**
FINISH **Blue**	APPLICATION **Electric screwdrivers**

DESCRIPTION Bit socket with S1/4" shank Torx T25 – 50 mm, for electric screwdrivers, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

S1/4" BIT SOCKET

43



SKU

100139

S1/4-T25-75L

S1/4" BIT SOCKET — TORX T25 · 75 MM

INPUT DRIVE **S1/4" hex bit**	WORKING PROFILE **Torx T25**
OVERALL LENGTH **75 mm**	MATERIAL **42CrMo4**
SLEEVE **Spring-loaded**	SPRING **Yes**
FINISH **Blue**	APPLICATION **Electric screwdrivers**

DESCRIPTION Bit socket with S1/4" shank Torx T25 – 75 mm, for electric screwdrivers, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

S1/4" BIT SOCKET

44



SKU

100140

S1/4-T25-100L

S1/4" BIT SOCKET — TORX T25 · 100 MM

INPUT DRIVE **S1/4" hex bit**	WORKING PROFILE **Torx T25**
OVERALL LENGTH **100 mm**	MATERIAL **42CrMo4**
SLEEVE **Spring-loaded**	SPRING **Yes**
FINISH **Blue**	APPLICATION **Electric screwdrivers**

DESCRIPTION Bit socket with S1/4" shank Torx T25 – 100 mm, for electric screwdrivers, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

S1/4" BIT SOCKET

45



SKU

100141

S1/4-T25-150L

S1/4" BIT SOCKET — TORX T25 · 150 MM

INPUT DRIVE **S1/4" hex bit**	WORKING PROFILE **Torx T25**
OVERALL LENGTH **150 mm**	MATERIAL **42CrMo4**
SLEEVE **Spring-loaded**	SPRING **Yes**
FINISH **Blue**	APPLICATION **Electric screwdrivers**

DESCRIPTION Bit socket with S1/4" shank Torx T25 – 150 mm, for electric screwdrivers, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

S1/4" BIT SOCKET

46



SKU

100142

S1/4-T30-75L

S1/4" BIT SOCKET — TORX T30 · 75 MM

INPUT DRIVE **S1/4" hex bit**	WORKING PROFILE **Torx T30**
OVERALL LENGTH **75 mm**	MATERIAL **42CrMo4**
SLEEVE **Spring-loaded**	SPRING **Yes**
FINISH **Blue**	APPLICATION **Electric screwdrivers**

DESCRIPTION Bit socket with S1/4" shank Torx T30 – 75 mm, for electric screwdrivers, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

S1/4" BIT SOCKET

47



SKU

100143

S1/4-T30-100L

S1/4" BIT SOCKET — TORX T30 · 100 MM

INPUT DRIVE **S1/4" hex bit**	WORKING PROFILE **Torx T30**
OVERALL LENGTH **100 mm**	MATERIAL **42CrMo4**
SLEEVE **Spring-loaded**	SPRING **Yes**
FINISH **Blue**	APPLICATION **Electric screwdrivers**

DESCRIPTION Bit socket with S1/4" shank Torx T30 – 100 mm, for electric screwdrivers, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

S1/4" BIT SOCKET

48



SKU

100144

S1/4-T30-150L

S1/4" BIT SOCKET — TORX T30 · 150 MM

INPUT DRIVE **S1/4" hex bit**	WORKING PROFILE **Torx T30**
OVERALL LENGTH **150 mm**	MATERIAL **42CrMo4**
SLEEVE **Spring-loaded**	SPRING **Yes**
FINISH **Blue**	APPLICATION **Electric screwdrivers**

DESCRIPTION Bit socket with S1/4" shank Torx T30 – 150 mm, for electric screwdrivers, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

03

PRODUCT FAMILY

Extension Bars.

Sliding sleeve · spring-loaded locking pin



8

PRODUCTS IN
THIS CATEGORY

SKU 100158 — 100185
42CRM04 · BLUE FINISH

EXTENSION BAR

49



SKU

100158

1/4-1/4-55L

EXTENSION BAR 1/4" SQUARE — 55 MM

INPUT DRIVE	1/4" square
OUTPUT DRIVE	1/4" square
OVERALL LENGTH	55 mm
MATERIAL	42CrMo4
RETAINING BALL	Yes
SLEEVE	Sliding, spring-loaded
FINISH	Blue
APPLICATION	Impact tools

DESCRIPTION Extension bar 1/4" square – 55 mm, sliding sleeve, spring-loaded locking pin, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

EXTENSION BAR

50



SKU

100159

1/4-1/4-75L

EXTENSION BAR 1/4" SQUARE — 75 MM

INPUT DRIVE	1/4" square
OUTPUT DRIVE	1/4" square
OVERALL LENGTH	75 mm
MATERIAL	42CrMo4
RETAINING BALL	Yes
SLEEVE	Sliding, spring-loaded
FINISH	Blue
APPLICATION	Impact tools

DESCRIPTION Extension bar 1/4" square – 75 mm, sliding sleeve, spring-loaded locking pin, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

EXTENSION BAR

51



SKU

100160

1/4-100L

EXTENSION BAR 1/4" SQUARE — 100 MM


INPUT DRIVE	1/4" square
OUTPUT DRIVE	1/4" square
OVERALL LENGTH	100 mm
MATERIAL	42CrMo4
RETAINING BALL	Yes
SLEEVE	Sliding, spring-loaded
FINISH	Blue
APPLICATION	Impact tools

DESCRIPTION Extension bar 1/4" square – 100 mm, sliding sleeve, spring-loaded locking pin, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

EXTENSION BAR

52



SKU

100181

3/8-3/8-50L

EXTENSION BAR 3/8" SQUARE — 50 MM

INPUT DRIVE	3/8" square
OUTPUT DRIVE	3/8" square
OVERALL LENGTH	50 mm
MATERIAL	42CrMo4
RETAINING BALL	Yes
SLEEVE	Sliding, spring-loaded
FINISH	Blue
APPLICATION	Impact tools

DESCRIPTION Extension bar 3/8" square – 50 mm, sliding sleeve, spring-loaded locking pin, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

EXTENSION BAR

53



SKU

100182

3/8-3/8-75L

EXTENSION BAR 3/8" SQUARE — 75 MM

INPUT DRIVE	3/8" square
OUTPUT DRIVE	3/8" square
OVERALL LENGTH	75 mm
MATERIAL	42CrMo4
RETAINING BALL	Yes
SLEEVE	Sliding, spring-loaded
FINISH	Blue
APPLICATION	Impact tools

DESCRIPTION Extension bar 3/8" square – 75 mm, sliding sleeve, spring-loaded locking pin, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

EXTENSION BAR

54



SKU

100183

3/8-100L

EXTENSION BAR 3/8" SQUARE — 100 MM

INPUT DRIVE	3/8" square
OUTPUT DRIVE	3/8" square
OVERALL LENGTH	100 mm
MATERIAL	42CrMo4
RETAINING BALL	Yes
SLEEVE	Sliding, spring-loaded
FINISH	Blue
APPLICATION	Impact tools

DESCRIPTION Extension bar 3/8" square – 100 mm, sliding sleeve, spring-loaded locking pin, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

EXTENSION BAR

55



SKU

100184

3/8-3/8-125L

EXTENSION BAR 3/8" SQUARE — 125 MM

INPUT DRIVE	3/8" square
OUTPUT DRIVE	3/8" square
OVERALL LENGTH	125 mm
MATERIAL	42CrMo4
RETAINING BALL	Yes
SLEEVE	Sliding, spring-loaded
FINISH	Blue
APPLICATION	Impact tools

DESCRIPTION Extension bar 3/8" square – 125 mm, sliding sleeve, spring-loaded locking pin, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

EXTENSION BAR

56



SKU

100185

3/8-3/8-150L

EXTENSION BAR 3/8" SQUARE — 150 MM

INPUT DRIVE	3/8" square
OUTPUT DRIVE	3/8" square
OVERALL LENGTH	150 mm
MATERIAL	42CrMo4
RETAINING BALL	Yes
SLEEVE	Sliding, spring-loaded
FINISH	Blue
APPLICATION	Impact tools

DESCRIPTION Extension bar 3/8" square – 150 mm, sliding sleeve, spring-loaded locking pin, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

04

PRODUCT FAMILY

Drive Adaptors.

Between different drives · bit → square



4

PRODUCTS IN THIS CATEGORY

SKU 100150 — 100153
42CRM04 · BLUE FINISH

DRIVE ADAPTOR

57



SKU

100150

S1/4-1/4-75L

DRIVE ADAPTOR S1/4" → 1/4" SQUARE — 75 MM

INPUT DRIVE	S1/4" hex bit
OUTPUT DRIVE	1/4" square
OVERALL LENGTH	75 mm
MATERIAL	42CrMo4
RETAINING BALL	Yes
SLEEVE	Sliding, spring-loaded
FINISH	Blue
APPLICATION	Bit → square

DESCRIPTION Drive adaptor from S1/4" hex bit shank to 1/4" square drive – 75 mm, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

DRIVE ADAPTOR

58



SKU

100151

S1/4-1/4-100L

DRIVE ADAPTOR S1/4" → 1/4" SQUARE — 100 MM

INPUT DRIVE	S1/4" hex bit
OUTPUT DRIVE	1/4" square
OVERALL LENGTH	100 mm
MATERIAL	42CrMo4
RETAINING BALL	Yes
SLEEVE	Sliding, spring-loaded
FINISH	Blue
APPLICATION	Bit → square

DESCRIPTION Drive adaptor from S1/4" hex bit shank to 1/4" square drive – 100 mm, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

DRIVE ADAPTOR

59



SKU

100152

S1/4-1/4-125L

DRIVE ADAPTOR S1/4" → 1/4" SQUARE — 125 MM

INPUT DRIVE **S1/4" hex bit**	OUTPUT DRIVE **1/4" square**
OVERALL LENGTH **125 mm**	MATERIAL **42CrMo4**
RETAINING BALL **Yes**	SLEEVE **Sliding, spring-loaded**
FINISH **Blue**	APPLICATION **Bit → square**

DESCRIPTION Drive adaptor from S1/4" hex bit shank to 1/4" square drive – 125 mm, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET

DRIVE ADAPTOR

60



SKU

100153

S1/4-1/4-150L

DRIVE ADAPTOR S1/4" → 1/4" SQUARE — 150 MM

INPUT DRIVE **S1/4" hex bit**	OUTPUT DRIVE **1/4" square**
OVERALL LENGTH **150 mm**	MATERIAL **42CrMo4**
RETAINING BALL **Yes**	SLEEVE **Sliding, spring-loaded**
FINISH **Blue**	APPLICATION **Bit → square**

DESCRIPTION Drive adaptor from S1/4" hex bit shank to 1/4" square drive – 150 mm, 42CrMo4 alloy steel.

TECHNICAL SOURCE · SUPPLIER DATA SHEET