Data Mining
Cluster Analysis: Basic Concepts and Algorithms

Lecture Notes for Chapter 8

Introduction to Data Mining

by

Tan, Steinbach, Kumar

What is Cluster Analysis?

- Finding groups of objects such that the objects in a group will be similar (or related) to one another and different from (or unrelated to) the objects in other groups



Applications of Cluster Analysis

- **Understanding**
  - Group related documents for browsing, group genes and proteins that have similar functionality, or group stocks with similar price fluctuations

	Discovered Clusters	*Industry Group*
1	Applied-Matl-DOWN,Bay-Network-Down,3-COM-DOWN, Cabletron-Sys-DOWN,CISCO-DOWN,HP-DOWN, DSC-Comm-DOWN,INTEL-DOWN,LSI-Logic-DOWN, Micron-Tech-DOWN,Texas-Inst-Down,Tellabs-Inc-Down, Natl-Semiconduct-DOWN,Oracl-DOWN,SGI-DOWN, Sun-DOWN	Technology1-DOWN
2	Apple-Comp-DOWN,Autodesk-DOWN,DEC-DOWN, ADV-Micro-Device-DOWN,Andrew-Corp-DOWN, Computer-Assoc-DOWN,Circuit-City-DOWN, Compaq-DOWN, EMC-Corp-DOWN, Gen-Inst-DOWN, Motorola-DOWN,Microsoft-DOWN,Scientific-Atl-DOWN	Technology2-DOWN
3	Fannie-Mae-DOWN,Fed-Home-Loan-DOWN, MBNA-Corp-DOWN,Morgan-Stanley-DOWN	Financial-DOWN
4	Baker-Hughes-UP,Dresser-Inds-UP,Halliburton-HLD-UP, Louisiana-Land-UP,Phillips-Petro-UP,Unocal-UP, Schlumberger-UP	Oil-UP

- **Summarization**
  - Reduce the size of large data sets



Clustering precipitation in Australia

Notion of a Cluster can be Ambiguous



How many clusters? Six Clusters



Two Clusters Four Clusters

Types of Clusterings

- A clustering is a set of clusters
- Important distinction between hierarchical and partitional sets of clusters
- Partitional Clustering
  - A division data objects into non-overlapping subsets (clusters) such that each data object is in exactly one subset
- Hierarchical clustering
  - A set of nested clusters organized as a hierarchical tree

Partitional Clustering



Original Points



A Partitional Clustering

Hierarchical Clustering



Traditional Hierarchical Clustering



Traditional Dendrogram



Non-traditional Hierarchical Clustering



Non-traditional Dendrogram

Other Distinctions Between Sets of Clusters

- Exclusive versus non-exclusive
  - In non-exclusive clustering, points may belong to multiple clusters.
- Fuzzy versus non-fuzzy
  - In fuzzy clustering, a point belongs to every cluster with some weight between 0 and 1
  - Weights must sum to 1
  - Probabilistic clustering has similar characteristics
- Partial versus complete
  - In some cases, we only want to cluster some of the data
- Heterogeneous versus homogeneous
  - Cluster of widely different sizes, shapes, and densities

Types of Clusters

- Well-separated clusters
- Center-based clusters
- Contiguous clusters
- Density-based clusters
- Property or Conceptual
- Described by an Objective Function

Types of Clusters: Well-Separated

- Well-Separated Clusters:
  - A cluster is a set of points such that any point in a cluster is closer (or more similar) to every other point in the cluster than to any point not in the cluster.



3 well-separated clusters

Types of Clusters: Center-Based

- Center-based
  - A cluster is a set of objects such that an object in a cluster is closer (more similar) to the "center" of a cluster, than to the center of any other cluster
  - The center of a cluster is often a centroid, the average of all the points in the cluster, or a medoid, the most "representative" point of a cluster



4 center-based clusters

Types of Clusters: Contiguity-Based

- Contiguous Cluster (Nearest neighbor or Transitive)
  - A cluster is a set of points such that a point in a cluster is closer (or more similar) to one or more other points in the cluster than to any point not in the cluster.



8 contiguous clusters

Types of Clusters: Density-Based

- Density-based
  - A cluster is a dense region of points, which is separated by low-density regions, from other regions of high density.
  - Used when the clusters are irregular or intertwined, and when noise and outliers are present.



6 density-based clusters

Types of Clusters: Conceptual Clusters

- Shared Property or Conceptual Clusters
  - Finds clusters that share some common property or represent a particular concept.

.



2 Overlapping Circles

Clustering Algorithms

- K-means and its variants
- Hierarchical clustering
- Density-based clustering

K-means Clustering

- Partitional clustering approach
- Each cluster is associated with a centroid (center point)
- Each point is assigned to the cluster with the closest centroid
- Number of clusters, K, must be specified
- The basic algorithm is very simple

Select K points as the initial centroids.
repeat
    Form K clusters by assigning all points to the closest centroid.
    Recompute the centroid of each cluster.
until The centroids don't change

K-means Clustering – Details

- Initial centroids are often chosen randomly.
  - Clusters produced vary from one run to another.
- The centroid is (typically) the mean of the points in the cluster.
- 'Closeness' is measured by Euclidean distance, cosine similarity, correlation, etc.
- K-means will converge for common similarity measures mentioned above.
- Most of the convergence happens in the first few iterations.
  - Often the stopping condition is changed to 'Until relatively few points change clusters'
- Complexity is O(n * K * I * d)
  - n = number of points, K = number of clusters, I = number of iterations, d = number of attributes

Two different K-means Clusterings



Original Points



Optimal Clustering



Sub-optimal Clustering

Importance of Choosing Initial Centroids



Importance of Choosing Initial Centroids



Importance of Choosing Initial Centroids …



Importance of Choosing Initial Centroids …



Evaluating K-means Clusters

- Most common measure is Sum of Squared Error (SSE)
  - For each point, the error is the distance to the nearest cluster
  - To get SSE, we square these errors and sum them.

$$SSE = \sum_{i=1}^{K} \sum_{x \in C_i} dist^2(m_i, x)$$

  - x is a data point in cluster C_i and m_i is the representative point for cluster C_i
    - can show that m_i corresponds to the center (mean) of the cluster
  - Given two clusters, we can choose the one with the smallest error
  - One easy way to reduce SSE is to increase K, the number of clusters
    - A good clustering with smaller K can have a lower SSE than a poor clustering with higher K

10 Clusters Example



Starting with two initial centroids in one cluster of each pair of clusters

10 Clusters Example



Starting with two initial centroids in one cluster of each pair of clusters

10 Clusters Example



Starting with some pairs of clusters having three initial centroids, while other have only one.

10 Clusters Example



Starting with some pairs of clusters having three initial centroids, while other have only one.

Solutions to Initial Centroids Problem

- Multiple runs
  - Helps, but probability is not on your side
- Sample and use hierarchical clustering to determine initial centroids
- Select more than k initial centroids and then select among these initial centroids
  - Select most widely separated
- Postprocessing
- Bisecting K-means
  - Not as susceptible to initialization issues

Handling Empty Clusters

- Basic K-means algorithm can yield empty clusters
- Several strategies
  - Choose the point that contributes most to SSE
  - Choose a point from the cluster with the highest SSE
  - If there are several empty clusters, the above can be repeated several times.

Pre-processing and Post-processing

- Pre-processing
  - Normalize the data
  - Eliminate outliers
- Post-processing
  - Eliminate small clusters that may represent outliers
  - Split ‘loose’ clusters, i.e., clusters with relatively high SSE
  - Merge clusters that are ‘close’ and that have relatively low SSE
  - Can use these steps during the clustering process

Bisecting K-means

- Bisecting K-means algorithm
  - Variant of K-means that can produce a partitional or a hierarchical clustering

---

Initialize the list of clusters to contain the cluster containing all points.
repeat
  Select a cluster from the list of clusters
  for $i = 1$ to $number\_of\_iterations$ **do**
    Bisect the selected cluster using basic K-means
  end for
  Add the two clusters from the bisection with the lowest SSE to the list of clusters.
until Until the list of clusters contains K clusters

Bisecting K-means Example



Limitations of K-means

- K-means has problems when clusters are of differing
  - Sizes
  - Densities
  - Non-globular shapes
- K-means has problems when the data contains outliers.

Limitations of K-means: Differing Sizes



Original Points



K-means (3 Clusters)

Limitations of K-means: Differing Density



Original Points



K-means (3 Clusters)

Limitations of K-means: Non-globular Shapes



Original Points



K-means (2 Clusters)

Overcoming K-means Limitations





Original Points **K-means Clusters**

One solution is to use many clusters.
Find parts of clusters, but need to put together.

Overcoming K-means Limitations





Original Points **K-means Clusters**

Overcoming K-means Limitations





Original Points **K-means Clusters**

Hierarchical Clustering

- Produces a set of nested clusters organized as a hierarchical tree
- Can be visualized as a dendrogram
  - A tree like diagram that records the sequences of merges or splits





Strengths of Hierarchical Clustering

- Do not have to assume any particular number of clusters
  - Any desired number of clusters can be obtained by 'cutting' the dendogram at the proper level

- They may correspond to meaningful taxonomies
  - Example in biological sciences (e.g., animal kingdom, phylogeny reconstruction, …)

Hierarchical Clustering

- Two main types of hierarchical clustering
  - Agglomerative:
    - Start with the points as individual clusters
    - At each step, merge the closest pair of clusters until only one cluster (or k clusters) left
  - Divisive:
    - Start with one, all-inclusive cluster
    - At each step, split a cluster until each cluster contains a point (or there are k clusters)

- Traditional hierarchical algorithms use a similarity or distance matrix
  - Merge or split one cluster at a time

Agglomerative Clustering Algorithm

- More popular hierarchical clustering technique
- Basic algorithm is straightforward
  1. Compute the proximity matrix
  2. Let each data point be a cluster
  3. **Repeat**
  4. Merge the two closest clusters
  5. Update the proximity matrix
  6. **Until** only a single cluster remains
- Key operation is the computation of the proximity of two clusters
  – Different approaches to defining the distance between clusters distinguish the different algorithms

Starting Situation

- Start with clusters of individual points and a proximity matrix



Proximity Matrix

Intermediate Situation

- After some merging steps, we have some clusters



Proximity Matrix

Intermediate Situation

- We want to merge the two closest clusters (C2 and C5) and update the proximity matrix.



Proximity Matrix

After Merging

- The question is “How do we update the proximity matrix?”

	C1	C2 U C5	C3	C4
C1		?		
C2 U C5	?	?	?	?
C3		?		
C4		?		

Proximity Matrix



How to Define Inter-Cluster Similarity





Proximity Matrix

- MIN
- MAX
- Group Average
- Distance Between Centroids
- Other methods driven by an objective function
  – Ward’s Method uses squared error

How to Define Inter-Cluster Similarity



	p1	p2	p3	p4	p5	. . .
p1						
p2						
p3						
p4						
p5						
. . .						

Proximity Matrix

- MIN
- MAX
- Group Average
- Distance Between Centroids
- Other methods driven by an objective function
  - Ward's Method uses squared error

How to Define Inter-Cluster Similarity



	p1	p2	p3	p4	p5	. . .
p1						
p2						
p3						
p4						
p5						
. . .						

Proximity Matrix

- MIN
- MAX
- Group Average
- Distance Between Centroids
- Other methods driven by an objective function
  - Ward's Method uses squared error

How to Define Inter-Cluster Similarity



	p1	p2	p3	p4	p5	. . .
p1						
p2						
p3						
p4						
p5						
. . .						

Proximity Matrix

- MIN
- MAX
- Group Average
- Distance Between Centroids
- Other methods driven by an objective function
  - Ward's Method uses squared error

How to Define Inter-Cluster Similarity



	p1	p2	p3	p4	p5	. . .
p1						
p2						
p3						
p4						
p5						
. . .						

Proximity Matrix

- MIN
- MAX
- Group Average
- Distance Between Centroids
- Other methods driven by an objective function
  - Ward's Method uses squared error

Cluster Similarity: MIN or Single Link

- Similarity of two clusters is based on the two most similar (closest) points in the different clusters
  - Determined by one pair of points, i.e., by one link in the proximity graph.

	I1	I2	I3	I4	I5
I1	1.00	0.90	0.10	0.65	0.20
I2	0.90	1.00	0.70	0.60	0.50
I3	0.10	0.70	1.00	0.40	0.30
I4	0.65	0.60	0.40	1.00	0.80
I5	0.20	0.50	0.30	0.80	1.00



Hierarchical Clustering: MIN



Nested Clusters



Dendrogram

Strength of MIN



Original Points



Two Clusters

• Can handle non-elliptical shapes

Limitations of MIN



Original Points



Two Clusters

• Sensitive to noise and outliers

Cluster Similarity: MAX or Complete Linkage

- Similarity of two clusters is based on the two least similar (most distant) points in the different clusters
  - Determined by all pairs of points in the two clusters

	I1	I2	I3	I4	I5
I1	1.00	0.90	0.10	0.65	0.20
I2	0.90	1.00	0.70	0.60	0.50
I3	0.10	0.70	1.00	0.40	0.30
I4	0.65	0.60	0.40	1.00	0.80
I5	0.20	0.50	0.30	0.80	1.00



Hierarchical Clustering: MAX



Nested Clusters



Dendrogram

Strength of MAX



Original Points



Two Clusters

• Less susceptible to noise and outliers

Limitations of MAX



Original Points



Two Clusters

•Tends to break large clusters

•Biased towards globular clusters

Cluster Similarity: Group Average

- Proximity of two clusters is the average of pairwise proximity between points in the two clusters.

$$\text{proximity}(\text{Cluster}_i, \text{Cluster}_j) = \frac{\sum_{\substack{p_i \in \text{Cluster}_i \\ p_j \in \text{Cluster}_j}} \text{proximity}(p_i, p_j)}{|\text{Cluster}_i| * |\text{Cluster}_j|}$$

- Need to use average connectivity for scalability since total proximity favors large clusters

	I1	I2	I3	I4	I5
I1	1.00	0.90	0.10	0.65	0.20
I2	0.90	1.00	0.70	0.60	0.50
I3	0.10	0.70	1.00	0.40	0.30
I4	0.65	0.60	0.40	1.00	0.80
I5	0.20	0.50	0.30	0.80	1.00



Hierarchical Clustering: Group Average



Nested Clusters

Dendrogram

Hierarchical Clustering: Group Average

- Compromise between Single and Complete Link
- Strengths
  - Less susceptible to noise and outliers
- Limitations
  - Biased towards globular clusters

Cluster Similarity: Ward's Method

- Similarity of two clusters is based on the increase in squared error when two clusters are merged
  - Similar to group average if distance between points is distance squared
- Less susceptible to noise and outliers
- Biased towards globular clusters
- Hierarchical analogue of K-means
  - Can be used to initialize K-means

Hierarchical Clustering: Comparison



Hierarchical Clustering: Time and Space requirements

- $O(N^2)$ space since it uses the proximity matrix.
  - N is the number of points.
- $O(N^3)$ time in many cases
  - There are N steps and at each step the size, N^2, proximity matrix must be updated and searched
  - Complexity can be reduced to $O(N^2 \log(N))$ time for some approaches

Hierarchical Clustering: Problems and Limitations

- Once a decision is made to combine two clusters, it cannot be undone
- No objective function is directly minimized
- Different schemes have problems with one or more of the following:
  - Sensitivity to noise and outliers
  - Difficulty handling different sized clusters and convex shapes
  - Breaking large clusters

DBSCAN

- DBSCAN is a density-based algorithm.
  - Density = number of points within a specified radius (Eps)
  - A point is a core point if it has more than a specified number of points (MinPts) within Eps
    - These are points that are at the interior of a cluster
  - A border point has fewer than MinPts within Eps, but is in the neighborhood of a core point
  - A noise point is any point that is not a core point or a border point.

DBSCAN: Core, Border, and Noise Points



DBSCAN Algorithm

- Eliminate noise points
- Perform clustering on the remaining points

```
current_cluster_label ← 1
for all core points do
  if the core point has no cluster label then
    current_cluster_label ← current_cluster_label + 1
    Label the current core point with cluster label current_cluster_label
  end if
  for all points in the Eps-neighborhood, except i^th the point itself do
    if the point does not have a cluster label then
      Label the point with cluster label current_cluster_label
    end if
  end for
end for
```


DBSCAN: Core, Border and Noise Points

Original Points



Point types: core, border and noise

Eps = 10, MinPts = 4

When DBSCAN Works Well

Original Points

Clusters

- **Resistant to Noise**
- **Can handle clusters of different shapes and sizes**

When DBSCAN Does NOT Work Well



Original Points

- Varying densities
- High-dimensional data



(MinPts=4, Eps=9.75).



(MinPts=4, Eps=9.92)

DBSCAN: Determining EPS and MinPts

- Idea is that for points in a cluster, their k^{th} nearest neighbors are at roughly the same distance
- Noise points have the k^{th} nearest neighbor at farther distance
- So, plot sorted distance of every point to its k^{th} nearest neighbor



Measures of Cluster Validity

- The validation of clustering structures is the most difficult task
- To evaluate the “goodness” of the resulting clusters, some numerical measures can be exploited
- Numerical measures are classified into two main classes
  - External Index: Used to measure the extent to which cluster labels match externally supplied class labels.
    - e.g., entropy, purity
  - Internal Index: Used to measure the goodness of a clustering structure *without* respect to external information.
    - e.g., Sum of Squared Error (SSE), cluster cohesion, cluster separation, Rand-Index, adjusted rand-index

External Measures of Cluster Validity: Entropy and Purity

Table 5.9. K-means Clustering Results for LA Document Data Set

Cluster	Entertainment	Financial	Foreign	Metro	National	Sports	Entropy	Purity
1	3	5	40	506	96	27	1.2270	0.7474
2	4	7	280	29	39	2	1.1472	0.7756
3	1	1	1	7	4	671	0.1813	0.9796
4	10	162	3	119	73	2	1.7487	0.4390
5	331	22	5	70	13	23	1.3976	0.7134
6	5	358	12	212	48	13	1.5523	0.5525
Total	354	555	341	943	273	738	1.1450	0.7203

entropy For each cluster, the class distribution of the data is calculated first, i.e., for cluster j we compute p_{ij}, the ‘probability’ that a member of cluster j belongs to class i as follows: $p_{ij} = m_{ij}/m_j$, where m_j is the number of values in cluster j and m_{ij} is the number of values of class i in cluster j. Then using this class distribution, the entropy of each cluster j is calculated using the standard formula $e_j = \sum_{i=1}^{L} p_{ij} \log_2 p_{ij}$, where the L is the number of classes. The total entropy for a set of clusters is calculated as the sum of the entropies of each cluster weighted by the size of each cluster, i.e., $e = \sum_{i=1}^{K} \frac{m_i}{m} e_j$, where m_j is the size of cluster j, K is the number of clusters, and m is the total number of data points.

purity Using the terminology derived for entropy, the purity of cluster j, is given by $purity_j = \max p_{ij}$ and the overall purity of a clustering by $purity = \sum_{i=1}^{K} \frac{m_i}{m} purity_j$.

Internal Measures: Cohesion and Separation

- Cluster Cohesion: Measures how closely related are objects in a cluster
  - Cohesion is measured by the within cluster sum of squares (SSE)

$$WSS = \sum_{i} \sum_{x \in C_i} (x - m_i)^2$$

- Cluster Separation: Measure how distinct or well-separated a cluster is from other clusters
  - Separation is measured by the between cluster sum of squares

$$BSS = \sum_i |C_i| (m - m_i)^2$$

Internal Measures: Cohesion and Separation

- A proximity graph based approach can also be used for cohesion and separation.
  - Cluster cohesion is the sum of the weight of all links within a cluster.
  - Cluster separation is the sum of the weights between nodes in the cluster and nodes outside the cluster.



cohesion



separation

Final Comment on Cluster Validity

"The validation of clustering structures is the most difficult and frustrating part of cluster analysis.

Without a strong effort in this direction, cluster analysis will remain a black art accessible only to those true believers who have experience and great courage."

Algorithms for Clustering Data, Jain and Dubes