Political Ideology Bias Detection with BERT

Ahsen Qamar and Alex Dauenhauer
July 27, 2019

Abstract

Abstract: TBD

1 Introduction

Political ideology bias in news sources is a topic of growing concern, not just in the U.S., but across the entire world. As our country grows ever more partisan and misinformation campaigns fuel distrust in mainstream news sources, people have a tendency to turn to alternative news sources which typically reflect the existing ideology bias of the author. This creates echo chambers and reinforces existing partisan ideologies driving the partisan divide ever wider. The ability to automatically label biased text could inform readers that may have otherwise assumed the content was neutral, and encourage them to pursue alternative sources with less bias, or at the very least maintain a degree of skepticism about the content they are consuming. A system like this could also help media sources reduce the amount of bias they include their reporting, some of which may be unconscious and therefore undetected by writers or editors. Using this tool as a proofreader of sorts could eventually, hopefully reduce the amount of bias in media and reduce the growing partisan divide.

In this paper, we build off of previous work done by Iyyer et al. [3]. Their success in using an RNN model to predict ideological bias at the sentence level, inspired us to expand on their experiments and attempt to improve on their performance using modern state-of-the-art tools such as BERT [1]. We use BERT for sequence classification to predict ideological bias at the sentence level on the Ideological Books Corpus as well as the Convote dataset, both of which are described in greater detail in section 3. Additionally, we build a new dataset using news articles from 15 different publishers, with bias labels sourced from mediabiasfactcheck.com (MBFC) [7]. We predict bias at the sentence level, then use the aggregate sentence level predictions to predict bias at a document level and compare to the publisher label assigned by the MBFC team.

2 Model & Architecture

BERT (Bidirectional Encoder Representations from Transformers) was released late last year by Google. The main draw towards the use of BERT for this project was leveraging the bi-directional training transformer to help detect political bias in text. For more information regarding BERT please refer to this research paper from Google.

A cloud instance hosting an Nvidia P100 GPU was our environment for hosting our data as well as deploying our model for testing. This infrastructure limited us to use the BERT base models. No significant difference was found between cased and uncased so we decided to move forward with BERT-Base, Cased. The decision was made to move forward with a **pytorch** backend due to more thorough availability of code examples and better documentation. The primary reference for our code was from a Medium article [?].

Here is a high level diagram of our overall architecture:




Figure 1: Architecture

3 Data

Political bias at the sentence level is a very subjective topic and therefore, there are not many large corpora widely available for use. A large part of this project was devoted to acquiring and preparing a few existing corpora, as well as repurposing a few processing methods on new corpora to develop our own biased sentence corpus. We performed experiments on three separate datasets: the Ideological Books Corpus (IBC) [3], Annotated congressional floor debates [4], and the all-the-news dataset from Kaggle user Andrew Thompson [5]. In this section we will describe the content of each dataset and processing steps performed on each dataset for use in our model.

3.1 IBC

The Ideological Books Corpus was provided to us in a fully processed format, courtesy of Iyyer et al.[3] The original IBC dataset, developed by Gross et al.[2] is a collection of books and articles written between 2008 and 2012 by well-known authors with strong political leanings. What Iyyer et al. did was to filter this corpus using a similar strategy to the strategy outlined in section 3.2.1¹. They then crowd-sourced manual ideological bias annotations of the resulting sentences and particular subphrases. We use the data in this processed form as is, with no further processing.

3.2 Convote

The Convote dataset is a corpus of congressional speeches with each speech treated as a document with automatically derived labels of the speaker's political party (D, for Democrat; R, for Republican; I for Independent) as well as other related extracted information that was not pertinent to our experiments. Since our work attempts to predict ideological bias rather than political party, we relabel each document by mapping Democrat to "liberal", Republican to "conservative" and Independent to "neutral" (while we realize that a politician of Independent party certainly does not imply that politician's dialogue will be neutral, we use this label to select sentences that contain no bias detectors from either ideology which is explained further in section 3.2.1). While it is true that the mapping of political party directly to political bias is not always a 1:1 relationship, there is a strong correlation between political party and political ideology. Further, we expect that our method for filtering the dataset for biased sentences will wash out noise that would be seen from speeches made by moderate centrists on either side of the aisle.

3.2.1 Filtering Convote for Bias at the Sentence Level

It would be extremely unreasonable to assume that every sentence spoken by a member of congress during a congressional debate would contain ideological bias. In fact, a large portion of the sentences in the Convote dataset contain no bias at all.² Therefore, it is necessary to filter this dataset for sentences that explicitly contain bias.

To select the explicitly biased sentences from the dataset, we used a method inspired by Yano, et al. [6] and shown to be successful as a bias identifier by Iyyer, et al. We started by identifying the most frequently used

 $^{^{1}}$ Iyyer's team used bigrams and unigrams as their bias detectors, whereas we use trigrams and bigrams as ours

²Many sentences are simply opinion statements on whether or not the speaker agrees with the bill, or parliamentary jargon such as addressing the Speaker of the House, or urging their colleagues to vote a certain way, etc.

trigrams and bigrams for each label (liberal and conservative). We then filtered out any trigrams or bigrams which contained stopwords, and English names³. We then filtered the bigrams further by requiring that at least one word in the bigram contain an "opinion" defined as a word found in the opinion_lexicon corpus from NLTK⁴. We then took the set difference of the resulting top 1000 most frequent liberal and conservative n-grams (i.e. out of the top 1000 liberal bigrams, we only kept those that did not appear in the top 1000 conservative bigrams and vice versa, same for trigrams). This left us with 665 bigrams from each label and 751 trigrams from each label. We kept the top 100 filtered bigrams and top 100 filtered trigrams for each label as our bias indicators. We then filtered sentences such that, if a democratic speaker spoke a sentence that contained one of these top 200 "liberal" n-grams, we labeled that sentence as "liberal" and used the same logic applied to republican speakers to identify "conservative" sentences. For this dataset, we identified a neutral sentence as one which was spoken by an independent politician and contained no n-grams from either the liberal or conservative bias indicators. The top 10 n-grams from each label are shown in Table 1. The resulting dataset included 1326 conservative sentences, 1383 liberal sentences and 213 neutral sentences. Example sentences from each ideology label are shown in Table 2.

Table 1: Top 10 n-grams per ideology label - Convote

Liberal		Conservative	
Trigrams	Bigrams	Trigrams	Bigrams
social security trust	tax breaks	national electrical con-	community protection
		tractors	
security trust fund	security trust	electrical contractors	free market
		association	
cbc alternative budget	bad policy	legislative days within	organized crime
black caucus budget	would lose	inner cell mass	bankruptcy relief
estate tax relief	reduce crime	head start program	good news
privatize social secu-	budget reconciliation	community protection	relief extension
rity		act	
u.s. trade deficit	ethical standard	million new jobs	delayed notification
republican budget res-	fiscally irresponsible	death tax repeal	soft money
olution			
national wildlife refuge	working poor	9/11 commission re-	illegal aliens
		port	
guardian ad litem	subpoena power	stem cells without	invasive species

3.3 All-the-news Kaggle corpus

To expand our training data further with a greater diversity of authors, we turned to a Kaggle corpus of 142,570 news articles from 15 different publishers as provided by Andrew Thompson [5]. We assigned each publisher a bias label, sourced from mediabiasfactcheck.com (MBFC), then we simplified these labels down to the same labels we used in the previous datasets: liberal, conservative and neutral. The labels assigned to each publisher are shown in Table 3.

3.3.1 Filtering All-the-news for Bias at the Sentence Level

Because the language used in a congressional debates is quite different than the language typically used in everyday journalism, the n-grams that we found in the Convote dataset don't crossover very well to the all-thenews dataset. Therefore we determine a new set of n-grams for the news article dataset. We applied a similar filtering method to the one explained in section 3.2.1 to filter sentences containing explicit bias. We first took a subset of publishers with the most extreme MBFC bias labels to determine biased n-grams from. This subset is

³Removing stopwords serves the purpose of eliminating trigrams and bigrams that don't contain substance for bias. Removing English names was a strategy that proved effective in filtering the all-the-news dataset, and was applied here as well, but essentially serves the purpose of removing n-grams that are sourced from replies to other speakers that address the other speaker by name

⁴This method intends to select only those phrases that contain an ideological opinion which would typically be seen as a strong indicator of bias, when spoken by someone with known political affiliation. We decided to not make this a requirement for the trigrams as we felt these phrases would be unique enough to each ideology as they were that we did not want to lose information by filtering too heavily.

Table 2: Sample sentences from each ideology label - Convote

Liberal Conservative Neutral			
mr. speaker, during a time of war,	on both the business records and	let us look at what is going on in	
in the aftermath of a catastrophic	delayed notification sections of	america today.	
hurricane, with 45 million ameri-	the patriot act (among others),		
cans lacking health insurance and	the stance of the american civil		
skyrocketing home heating costs	liberties union and like-minded		
projected this winter, this major-	critics seems to have an ulterior		
ity is proposing to take from those	motive.		
with the least, give to those with			
the most – and tell our children			
they will have to pay for it all			
later.			
it is clear that there would be	that legislation helped to stream-	mr. speaker, parliamentary in-	
plenty of money to deal with the	line the intelligence community	quiry.	
social security trust fund if the	and tightened some asylum rules		
president were not using the social	that allowed potential terrorists		
security trust fund as a slush fund	to remain in our country.		
to give tax cuts to the wealthiest			
people in america.			

Table 3: Publisher and bias labels from all-the-news corpus

Publisher	MBFC Bias Label	Simplified Bias Label
New York Times	left-center	liberal
Breitbart	extreme-right	conservative
CNN	left	liberal
Business Insider	left-center	liberal
Atlantic	left-center	liberal
Fox News	right	conservative
Talking Points Memo	left	liberal
Buzzfeed News	left-center	liberal
National Review	right	conservative
New York Post	right-center	conservative
Guardian	left-center	liberal
NPR	left-center	liberal
Reuters	neutral	neutral
Vox	left	liberal
Washington Post	left-center	liberal

indicated by the highlighted rows in Table 3. From this subset, we selected n-grams that indicate bias similarly to the methods applied to the Convote set⁵. The resulting n-grams are shown in Table 4. Using these n-grams to select sentences that contained bias led to a dataset which contained 16,745 conservative sentences, 28,230 liberal sentences, 277,751 neutral sentences. To balance the dataset and avoid weighting strategies while training, we pared this down to a random selection of 16,000 sentences from each label, for a total of 48,000 sentences.

⁵We removed stopwords using a custom stopwords list, removed English names and required bigrams to include one "opinion" word. This is to remove boilerplate sentences, sentences that reference the author of a particular article and taglines such as "associated press", "bestselling author", "conservative columnist", etc.

⁶The extreme offensiveness of this bigram led us to investigate its origins further. The presence of this bigram is not actually due to conservative media using slurs like this commonly enough to rank in our top ten list. Instead it is actually a reference to "The Dangerous Faggot Tour" which is a campus speaking tour of Milo Yiannopoulos, a prominent contributor to Breitbart News. This is not to condone the use of this offensive slur, just to explain its origins and presence in this list a bit more clearly

Table 4: Top 10 n-grams per ideology label - All-the-news

Liberal		Conservative	
Trigrams	Bigrams	Trigrams	Bigrams
senior administration	opioid epidemic	jerusalem bureau chief	illegal aliens
official			
greenhouse gas emis-	health reform	border patrol agent	illegal alien
sions		_	
north korean leader	lethal injection	social justice warriors	illegal immigrant
federal civil rights	healthy people	black panther party	migrant crisis
provocative narrative	racial bias	cartel chronicles	patriot channel
essays		project	
clean air act	budget reconciliation	refugee resettlement	hard truths
		program	
health care policy	chronic pain	prison sentence com-	twin falls
		muted	
republican health care	lead poisoning	god less america	islamic terror
gop health care	intelligence commit-	real clear politics	snarky opinions
	tees		
civil rights laws	rights advocates	face certain death	dangerous faggot ⁶

Table 5: Sample sentences from each ideology label - All-the-news

Table 9. Sample scheeness from each ideology laber. The the news			
Liberal	Conservative	Neutral	
Here's what you need to know:	And the costs of illegal alien crime	Showcasing their attempts to	
American divisions are rapidly	continued to mount and a lethal	unite with other groups for the	
widening over President Trump's	opioid epidemic raged.	election, Islamists campaigned	
order to close the U. S. to refugees		with Awdeh Qawwas, a promi-	
and people from seven predomi-		nent priest, in the affluent Ab-	
nantly Muslim countries.		doun district of the capital Am-	
		man.	
In a video posted on her cam-	Obama's claim of civic peace is	Rousseff's survival hinges on win-	
paign's Facebook page shortly af-	also at odds with the televised ev-	ning over a dwindling number of	
ter Mr. Sanders departed the	idence: dramatic race riots, cop	undecided lawmakers who are also	
White House grounds to visit the	killings, rapes, murders, illegal	being courted by the man poised	
Capitol, Mr. Obama described	alien crimes, and chaos that rip-	to take over if she is ousted, Vice	
Mrs. Clinton as the most quali-	pled across the country during the	President Michel Temer.	
fied candidate to seek the White	second term of his presidency.		
House, and implored Democrats			
to come together to elect her af-			
ter a divisive party primary.			

4 Experiments/Results

TBD after we run some experiments

Train/Test	IBC	Convote	AllTheNews	Documents
IBC	60%	22.8%	40%	N/A
Convote	20%	92.6%	63.5%	0%
AllTheNews	16.8%	60%	99.4%	65%

Table 6: Accuracy results marix

Metric	IBC	Convote	AllTheNews
Eval Loss	0.99	0.23	0.02

Table 7: Evaluation loss

5 Conclusion

TBD

Future Research

To expand on this project in the future, we would like to experiment with different bias detection methods in the source data. Use of n-grams with n > 3, alternative filtering methods such generating an opinion list customized to our dataset, or possibly investigating other techniques from the field of political science.

To further develop this model and improve the usefulness of it at the document level, we would also like to incorporate BERT as an encoder in a Hierarchical Attention Network (HAN). In the most simplistic description, the HAN model encodes words into word vectors, then uses an attention mechanism to aggregate these into a sentence vector. Then the model repeats the process using the sentence vector with an attention mechanism to aggregate the sentences into a document vector for classification. We would like to incorporate BERT as our encoder in the HAN architecture which we believe would improve performance at the document level. We also will need to drastically improve the bias labels at the document level from the datasets we currently have available. This may involve a crowdsourcing task. Unfortunately we were not aware of the HAN model at the start of this project and when we found the architecture we did not have enough time to broaden our scope and incorporate it into this project.

References

- [1] Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. BERT: pre-training of deep bidirectional transformers for language understanding. *CoRR*, abs/1810.04805, 2018.
- [2] Justin Gross, Brice Acree, Yanchuan Sim, and Noah A. Smith. Testing the Etch-a-Sketch hypothesis: A computational analysis of Mitt Romney's ideological makeover during the 2012 primary vs. general elections. In APSA 2013 Annual Meeting Paper, Chicago, IL, USA, 2013.
- [3] Mohit Iyyer, Peter Enns, Jordan Boyd-Graber, and Philip Resnik. Political ideology detection using recursive neural networks. In *Proceedings of the 52nd Annual Meeting of the Association for Computational Linguistics* (Volume 1: Long Papers), pages 1113–1122, Baltimore, Maryland, June 2014. Association for Computational Linguistics.
- [4] Matt Thomas, Bo Pang, and Lillian Lee. Get out the vote: Determining support or opposition from congressional floor-debate transcripts. *CoRR*, abs/cs/0607062, 2006.
- [5] Andrew Thompson. All the news: 143,000 articles from 15 american publications. https://www.kaggle.com/snapcrack/all-the-news, 2017.
- [6] Tae Yano, Philip Resnik, and Noah A. Smith. Shedding (a thousand points of) light on biased language. In Proceedings of the NAACL HLT 2010 Workshop on Creating Speech and Language Data with Amazon's Mechanical Turk, CSLDAMT '10, pages 152–158, Stroudsburg, PA, USA, 2010. Association for Computational Linguistics.
- [7] Dave Van Zandt. Media bias/fact check: The most comprehensive media bias resource. https://mediabiasfactcheck.com/, 2015.