

An Epidemiological Mixed-Integer Nonlinear Programming Framework for Vaccine Modeling and Patient Allocation During Pandemics

Alexander DeLise¹, Seyedreza Abazari², and Dr. Arda Vanli²

¹Florida State University, ²FAMU-FSU College of Engineering
10th North American Conference on Industrial Engineering and Operations Management

June 17-19, 2025

Overview

1. Preliminaries
2. Case Study: Florida
3. Model Formulation
4. Results
5. Implications
6. Conclusion

Introduction


Impact of COVID-19

- At first difficult to detect and contain
- Hospitals are overburdened, leading to unmet hospital demand
- Patients required to travel to receive healthcare
- Millions of infections and deaths

Problem Statement

- Pandemics strain hospital resources
- Optimized patient allocation can reduce unmet demand
- Transfers may increase disease spread, but are necessary to alleviate healthcare strain
- Vaccination effects must be implemented

Literature Review Map



Study Area & Data



- **Study Period:** 155 day time horizon
- **Healthcare Facility Data:**
[NIEHS, 2023]
- **Epidemiological Data:**
[Abazari et al., 2024, USF, 2023, Zheng et al., 2022]

Model Component Notation

Sets

| | |
|------|--------------------|
| i | Regions (counties) |
| j | Regions (counties) |
| t | Time periods |
| t' | Decision periods |

Decision Variables

| | |
|------------------------------|-----------------------------|
| $S_i^t, I_i^t, R_i^t, V_i^t$ | SIRV population at time t |
| $u_i^{t'}$ | Unmet demand |
| $Z_{ij}^{t'}$ | Transfers $i \rightarrow j$ |
| $\phi_i^{t'}$ | Met demand |
| $A_{ij}^{t'}$ | Transfer indicator |

Parameters

| | |
|------------------------------|-------------------------------------------|
| $S_i^0, I_i^0, R_i^0, V_i^0$ | Initial SIRV populations |
| N_i | County population |
| β_i | Infection rate |
| γ_i | Recovery rate |
| λ_i | Vaccination rate |
| q_i | Natural immunity loss rate |
| ω_i | Vaccinated immunity loss rate |
| ℓ_i | Leaky vaccine rate |
| $\alpha_i^{t'}$ | Beds per infection |
| d_{ij} | Distance between region $i \rightarrow j$ |
| C_i | Healthcare capacity |
| n | Number of counties |
| D | Max travel distance |
| M | A large number |

Mathematical Model

$$\min \frac{1}{n} \sum_{i,t'} u_i^{t'}$$

Objective

subject to

$$S_i^{t+1} = S_i^t - \frac{\beta_i S_i^t I_i^t}{N_i} - \lambda_i S_i^t + \omega_i V_i^t + q_i R_i^t \quad \forall i, t$$

$$I_i^{t+1} = I_i^t + \frac{\beta_i S_i^t I_i^t}{N_i} + \frac{\beta_i \ell_i V_i^t I_i^t}{N_i} - \gamma_i I_i^t \quad \forall i, t$$

$$I_i^{t'+1} = I_i^{t'} + \frac{\beta_i S_i^{t'} I_i^{t'}}{N_i} + \frac{\beta_i \ell_i V_i^{t'} I_i^{t'}}{N_i} - \gamma_i I_i^{t'} + \sum_j (Z_{j,i}^{t'} - Z_{i,j}^{t'}) \quad \forall i, t'$$

SIRV dynamics

$$V_i^{t+1} = V_i^t + \lambda_i S_i^t - \omega_i V_i^t - \frac{\beta_i \ell_i V_i^t I_i^t}{N_i} \quad \forall i, t$$

$$R_i^{t+1} = R_i^t + \gamma_i I_i^t - q_i R_i^t \quad \forall i, t$$

Mathematical Model (cont.)

$$u_i^{t'} = \sum_{t=t'-\psi+1}^{t'} \alpha_i^t l_i^t + \sum_{i \neq j} (Z_{j,i}^{t'} - Z_{i,j}^{t'}) - \phi_i^{t'} \quad \forall i, t'$$

$$\phi_i^{t'} \leq \gamma_i C_i \quad \forall i, t'$$

$$Z_{i,j}^{t'} \leq M A_{i,j}^{t'}$$

$$Z_{i,j}^{t'} \geq A_{i,j}^{t'}$$

$$A_{i,j}^{t'} d_{ij} \leq D \quad \forall i, j, t'$$

$$S_i^t, l_i^t, R_i^t, V_i^t \geq 0 \quad \forall i, t$$

$$u_i^{t'}, \phi_i^{t'} \geq 0 \quad \forall i, t'$$

$$Z_{i,j}^{t'} \geq 0 \quad \forall i, j, t'$$

$\forall i, t'$

$\forall i, t'$

$\forall i, j, t'$

$\forall i, j, t'$

$\forall i, j, t'$

$\forall i, t$

$\forall i, t'$

$\forall i, j, t'$


Unmet &
satisfied demand

Travel
constraints

Non-
negativity

Linearization via McCormick Envelopes

- Nonlinearity arises from S_i^t/I_i^t and V_i^t/I_i^t
- We use McCormick envelopes for linearization
- Enables more efficient optimization



McCormick Envelopes

Let $\min z = xy$, where x and y have bounds x_l, x_u and y_l, y_u . Then:

$$\min \quad z$$


$$\text{s.t.} \quad z \geq x_l y + x y_l - x_l y_l$$

$$z \geq x_u y + x y_u - x_u y_u$$


$$z \leq x_u y + x y_l - x_u y_l$$

$$z \leq x y_u + x_l y - x_l y_u$$

SIRV vs SIR Dynamics




(a) Cumulative SIRV Dynamics




(b) Cumulative SIR Dynamics

Figure: Comparison of Cumulative SIRV and SIR Dynamics in Florida

Unmet Hospital Demand



(a) Vaccinated Scenario




(b) Unvaccinated Scenario

Figure: Comparison of Aggregate Unmet Demand in Vaccinated vs. Unvaccinated Scenarios


Patient Transfers

Patient Transfers on Day 30



(a) Vaccinated Scenario (Day 30)

Patient Transfers on Day 30



(b) Unvaccinated Scenario (Day 30)

Figure: Comparison of Patient Allocation in Vaccinated vs. Unvaccinated Scenarios

Policy Recommendations

- Prioritize vaccine distribution in urban hotspots and adjust strategy as transmission shifts
- Use boosters and ongoing monitoring to maintain protection as immunity wanes
- Coordinate hospital transfers and strengthen infrastructure in high-demand areas

Key Conclusions and Future Work

Conclusions

- Coordinated vaccine and patient transfer strategies reduce hospital strain
- Urban regions tend to receive transfers; rural areas more often send patients
- Vaccination mitigates surges but waning immunity can trigger secondary waves

Future Work

- Incorporate demographics and socioeconomic factors into disease modeling
- Explicitly model vaccine supply, logistics, and effects with real data
- Refine patient transfer rules to reduce chaining and improve realism
- Dynamic disease parameters

References I



Abazari, S., Alisan, O., Vanli, O. A., and Ozguven, E. E. (2024).
Data-driven patient allocation for healthcare facility optimization under uncertainty with sir dynamics.
In *2024 IISE Annual Conference and Expo*. IISE.



Aydin, N. and Cetinkale, Z. (2022).
Analyses on icu and non-icu capacity of government hospitals during the covid-19 outbreak via multi-objective linear programming: An evidence from istanbul.
Computers in Biology and Medicine, 146:105562.



Badr, H. S., Du, H., Marshall, M., Dong, E., Squire, M. M., and Gardner, L. M. (2020).
Association between mobility patterns and covid-19 transmission in the usa: a mathematical modelling study.
The Lancet Infectious Diseases, 20(11):1247–1254.



Calvetti, D., Hoover, A., Rose, J., and Somersalo, E. (2021).
Modeling epidemic spread among a commuting population using transport schemes. *mathematics* 2021, 9, 1861.



Crokidakis, N. (2020).
Modeling the early evolution of the covid-19 in brazil: Results from a susceptible–infectious–quarantined–recovered (sigr) model.
International Journal of Modern Physics C, 31(10):2050135.



Della Rossa, F., Salzano, D., Di Meglio, A., De Lellis, F., Coraggio, M., Calabrese, C., Guarino, A., Cardona-Rivera, R., De Lellis, P., Liuzza, D., et al. (2020).
A network model of italy shows that intermittent regional strategies can alleviate the covid-19 epidemic.
Nature communications, 11(1):5106.

References II



Dijkstra, S., Baas, S., Braaksma, A., and Boucherie, R. J. (2023).
Dynamic fair balancing of covid-19 patients over hospitals based on forecasts of bed occupancy.
Omega, 116:102801.



Florida Hospital Association (2021).
Florida covid-19 hospitalization update.
Online Resource.
Accessed: 2021-08-10.



Lauer, S. A., Grantz, K. H., Bi, Q., Jones, F. K., Zheng, Q., Meredith, H. R., Azman, A. S., Reich, N. G., and Lessler, J. (2020).
The incubation period of coronavirus disease 2019 (covid-19) from publicly reported confirmed cases: estimation and application.
Annals of internal medicine, 172(9):577–582.



Li, Q., Tang, B., Bragazzi, N. L., Xiao, Y., and Wu, J. (2020).
Modeling the impact of mass influenza vaccination and public health interventions on covid-19 epidemics with limited detection capability.
Mathematical biosciences, 325:108378.



McCormick, G. P. (1976).
Computability of global solutions to factorable nonconvex programs: Part i—convex underestimating problems.
Mathematical programming, 10(1):147–175.



NIEHS (2023).
Covid-19 pvi data.
<https://github.com/COVID19PVI/data/>.
Accessed: March 2023.

References III



Parker, F., Sawczuk, H., Ganjkanloo, F., Ahmadi, F., and Ghobadi, K. (2020).
Optimal resource and demand redistribution for healthcare systems under stress from covid-19.
arXiv preprint arXiv:2011.03528.



USF (2023).
Florida covid-19 hub.
<https://covid19-usflibrary.hub.arcgis.com/>.
Accessed: March 2023.



Zheng, C., Shao, W., Chen, X., Zhang, B., Wang, G., and Zhang, W. (2022).
Real-world effectiveness of covid-19 vaccines: a literature review and meta-analysis.
International journal of infectious diseases, 114:252–260.

Questions?