AI FOR FINANCIAL PRACTITIONERS

Memory, Context, and Judgment in Financial Artificial Intelligence

Four Colab laboratories: from persistent evidence to belief revision

Central argument

Memory improves financial judgment only when historical evidence is relevant, time-safe, traceable, and open to revision.

Alejandro Reynoso

October 2026

Contents

Access the Four Interactive Laboratories **4**

1 Introduction: Financial intelligence requires memory **5**

2 Notebook 1: The Financial AI That Remembers **7**

2.1 Cell 1: Initialize the research environment We establish dependencies, reproducible seeds, a Drive-back 7

2.2 Cell 2: Create an auditable memory schema Our SQLite schema distinguishes episodes from abstracted less . . . 8

2.3 Cell 3: Generate a controlled financial history A synthetic panel provides repeatable cases without con 9

2.4 Cell 4: Encode experience as episodic memories We now write historical cases to persistent storage. The 10

2.5 Cell 5: Distill semantic and procedural lessons Institutional memory should not be limited to a list of 11

2.6 Cell 6: Retrieve the right memories We implement a simple inspectable retrieval policy. Candidate episo 12

2.7 Cell 7: Reason with and without memory The same Claude model will receive either current borrower facts . . . 13

2.8 Cell 8: Challenge memories and resolve contradictions A persistent memory system must be able to change . . . 14

2.9 Cell 9: Benchmark memory against a stateless baseline We run a paired experiment on held-out cases. We . . . 15

2.10 Cell 10: Test persistence and produce a governance report We close and reopen the SQLite connection to v . . . 16

3 Notebook 2: A Credit Committee with an Obsidian Memory **18**

3.1 Cell 1: Initialize a persistent research environment We first create the physical infrastructure of ins . 18

3.2 Cell 2: Construct the financial knowledge graph A knowledge graph encodes entities and relations, not j 19

3.3 Cell 3: Generate borrowers and time-dependent outcomes To evaluate learning, we need repeated decisions . . . 20

3.4 Cell 4: Define traversals, observations, and decision costs A journey must be more than a list of arbit 21

3.5 Cell 5: Explore historical journeys and record their experience We now turn a graph into a record of ex 22

3.6 Cell 6: Retrieve comparable past journeys When a new case arrives, the memory system should ask which e . . . 23

3.7 Cell 7: Claude makes genuine path choices using journey memory Claude Haiku 5.5 (when available to your . . . 24

3.8 Cell 8: Govern memory and test adversarial contamination Institutional memory needs a trust boundary. A . . . 25

3.9 Cell 9: Paired evaluation of three strategies Every holdout borrower is evaluated under the same inspec 26

3.10 Cell 10: Export the Obsidian vault and reconstruct the journeys The final cell makes the laboratory tang . . . 27

4 Notebook 3: A Credit Committee Using Experience and Intelligence **29**

4.1 Cell 1: Claude environment and bounded concurrency Building a reproducible laboratory The first step in . . . 29

4.2 Cell 2: Constructing a synthetic credit-risk population What a controlled dataset can teach us Real und 30

4.3 Cell 3: Information paths, decisions, and the cost of investigating A path is a choice about what to kn 31

4.4 Cell 4: Recording historical journeys as durable experience From isolated cases to reusable traces A cr 32

4.5 Cell 5: Retrieving relevant history without looking into the future Retrieval is a decision policy Mere 33

4.6 Cell 6: A two-stage Claude investigation with competing branches Stage one: asking for hypotheses rathe . . . 34

4.7 Cell 7: Five architectures and a fair paired comparison Why comparisons need more than one baseline A m . . . 35
4.8 Cell 8: Memory governance and protection against leakage The difference between evidence and authority . . . 36
4.9 Cell 9: Running paired experiments and verifying genuine Claude activity Turning individual investigati 37
4.10 Cell 10: Interpreting results and preserving investigation journeys Visualization as a test of the resea 38

5 Notebook 4: When to Remember, When to Forget 41

5.1 Cell 1: Establish the laboratory and authenticate Claude Before conducting an experiment about artifici 41
5.2 Cell 2: Build a world in which memories can become obsolete The central teaching device is a financial 42
5.3 Cell 3: Define decisions, evidence, and time-safe memory This cell creates the plain-language informati 43
5.4 Cell 4: Create three actual Claude decision policies We now instantiate our three policies. All three c 44
5.5 Cell 5: Run a chronological pilot and collect experiences A memory system needs experiences, and experi . . . 45
5.6 Cell 6: Let Claude consolidate experience into a tentative belief Retrieval becomes qualitatively diffe 46
5.7 Cell 7: Continue through a hidden regime transition Now comes the decisive test. We advance the three p . . . 47
5.8 Cell 8: Review, contradict, and retire a stale belief A sophisticated memory system requires more than 48
5.9 Cell 9: Introduce a provenance-labeled memory-poisoning attempt The preceding cells assumed that rememb . . . 49
5.10 Cell 10: Evaluate adaptation, memory regret, and auditability Our final code cell turns the chronologica 50

6 Synthesis: A progression toward situated judgment 52

7 Conclusions: Situational awareness and research directions 53

8 References 54

Access the Four Interactive Laboratories

The following links lead to the original notebook files in the accompanying Google Drive folder. They are also repeated at the start of each chapter. To run a notebook, open it in Google Colab from Google Drive.

1. Notebook 1: The Financial AI That Remembers
2. Notebook 2: A Credit Committee with an Obsidian Memory
3. Notebook 3: A Credit Committee Using Experience and Intelligence
4. Notebook 4: When to Remember, When to Forget

Complete collection: Open the Financial Memory notebooks folder

Introduction: Financial intelligence requires memory

Financial artificial intelligence is often introduced as a sequence of increasingly capable prediction and reasoning models. A conventional model maps observations to estimates; a conversational model explains those estimates; an agent can gather information and use tools. But a critical ingredient is frequently treated as an afterthought: the capacity to preserve relevant experience, connect it to current circumstances, and reconsider earlier beliefs when the environment changes. In finance this ingredient is not optional. Financial judgment is historical, institutional and conditional. A credit decision is informed by the borrower's trajectory, previous negotiations, changes in leverage, management conduct and the consequences of comparable decisions. A portfolio recommendation depends on market regime, liquidity, exposures, transaction history and the portfolio's path to its current position. A risk assessment depends on the sequence of vulnerabilities and control failures that produced the present state. A financial AI that sees only a snapshot may produce a coherent answer while missing the conditions that give that snapshot meaning.

The purpose of this monograph is to make memory operational and inspectable. Four Google Colab laboratories provide a progressive introduction

. The first, The Financial AI That Remembers, implements persistent episodic records and lessons for synthetic credit decisions. The second, A Credit Committee with an Obsidian Memory, moves from isolated records to structured knowledge and remembered investigative journeys. The third, A Credit Committee That Uses Experience and Intelligence, asks whether experience can improve a bounded tree of investigative choices. The fourth, When to Remember, When to Forget, tests a more difficult problem: what happens when an earlier lesson becomes obsolete after a change in the underlying environment? The sequence is deliberately pedagogical. Each notebook introduces a new object of memory, a new decision problem and a new reason to exercise caution about what is retrieved.

The distinction between information and experience is essential. A document archive stores information, but an experience includes a situation, the action taken, the evidence available at the time and a subsequent outcome. Without this temporal structure, a system can inadvertently use hindsight to justify decisions that could not have been made with contemporaneous evidence. An episodic memory therefore requires timestamps and outcome separation. A semantic memory stores a generalization inferred from multiple episode

s; it may be useful, but it is also vulnerable to overconfidence. A procedural memory stores how an investigation proceeded, including which questions were asked and which sources proved useful. A meta-memory records where beliefs came from, what supports them, how often they have been contradicted and whether they remain active. These distinctions help explain why a larger context window is not the same thing as professional judgment.

A second distinction concerns retrieval and authority. Retrieved material should be considered evidence to evaluate, not an instruction to obey. The existence of a similar case does not establish that the same action is appropriate now. Similarity may be superficial; the previous case may belong to a different regime; an earlier committee may have made a mistake; or the record may have been contaminated by an unreliable narrative. The laboratories therefore place retrieval inside a governed workflow. Python defines synthetic environments, data structures, ordering, validation and measurement. The language model is asked to interpret selected information, compare alternatives or propose changes to memory. This separation makes it possible to inspect which component did what and to distinguish genuine language-model activity from a deterministic pro

xy.

The use of controlled synthetic data is both a strength and a limitation. In a classroom it is desirable to know the underlying data-generating process, to repeat a run and to evaluate a decision against outcomes that are not confidential. In real institutions, outcomes are delayed, incomplete, subject to selection effects and often ambiguous. A synthetic benchmark can establish that a mechanism works in a specified setting, but it cannot establish that the same mechanism will improve live underwriting, investment performance or regulatory compliance. Students should therefore read every reported metric as a property of the experiment rather than as a universal claim about the efficacy of memory. Good financial science begins by distinguishing an illustrative demonstration from external validation.

The four notebooks also show why memory must be organized as a lifecycle. Observations are recorded; episodes are formed; lessons are distilled; relevant records are retrieved; decisions are proposed; outcomes are observed; and previous beliefs are challenged or retired. The crucial design principle is that retiring a belief need not mean deleting the historical record. An institution should preserve the evidence and the reasoning that informed a past action, even when the active

decision policy no longer relies on the same assumption. This is especially important for auditability, model-risk management and accountability. Historical records and current beliefs serve different purposes and should not be confused.

At the level of code, the laboratories are intended to be readable by finance students without requiring advanced programming. Each code cell is explained as an operation on information: what it receives, what it transforms, what

it produces, what assumptions it encodes and why the operation matters for decision quality. Students should pay attention to the order of execution, the distinction between training history and held-out cases, the budget assigned to an investigation and the mechanism by which a language-model call is verified. A sophisticated explanation from an LLM does not prove that its choice was accurate; a longer investigation does not prove that its incremental information was worth the cost. These are empirical questions that the code helps formulate.

This monograph therefore argues for a disciplined conception of financial AI memory. The objective is neither to remember everything nor to delegate financial authority to a conversational model. It is to construct a bounded, traceable and revisable information system in which h

istorical evidence can improve the questions asked, the alternatives considered and the explanations supplied to responsible human decision-makers. The laboratories are introductory, but their subject is foundational. If finance is a profession of decisions under uncertainty and across time, memory is part of the architecture of judgment itself.

Notebook 1: The Financial AI That Remembers

Original Google Colab notebook: Open Notebook 1 in Google Drive

The Financial AI That Remembers Persistent memory, institutional learning, and financial judgment A ten-experiment Google Colab laboratory Research setting: synthetic credit committee decisions, with persistent, inspectable memory. Model: user-configurable Anthropic Claude Haiku 5.5 identifier. Authoring note: educational simulation, not investment advice. Introduction The conventional language-model interaction is an episode. A question arrives, context is assembled, an answer is produced, and the episode ends. A financial institution, by contrast, exists through time. It remembers the rationale for a lending decision, the assumptions behind a valuation, the risks that were underestimated, and the committee objections that proved prescient. This difference between an episode and an institution is the starting point for our laboratory. We will investigate whether a language-model analyst can become more useful when it is embedded in an explicit memory architecture rather than treated as an isolated oracle. The experiment concerns a synthetic credit committee evaluating fictional corporate borrowers across successive economic regimes. Each case supplies leverage, interest coverage, liquidity, sector, and macroeconomic conditions. An analyst must choose APPROVE, REVIEW, or DECLINE,

explain the choice, and identify the most important risks. After each case, a simulated outcome becomes available. The system can then record the case, its decision, its outcome, and a concise lesson. The lessons are data, not unquestionable truth: they are tagged with provenance, confidence, dates, and scope. We distinguish three forms of memory. Episodic memory contains particular cases: borrower X had weak liquidity during a tightening regime and subsequently defaulted. Semantic memory abstracts across episodes: under specified conditions, weak liquidity may amplify refinancing risk. Procedural memory contains operational rules: always verify that interest coverage and leverage refer to comparable accounting periods. These categories are analytically useful even when all three are stored in the same database. We will represent them explicitly so that students can inspect the difference between recalling an event and applying a generalization. Persistence is a separate property. A vector index kept in notebook RAM may offer retrieval but disappears when the Colab runtime disconnects. Conversely, a durable SQLite database on mounted Google Drive can survive restarts even without a sophisticated retrieval algorithm. Our architecture deliberately separates storage, retrieval, and

reasoning. The canonical records live in SQLite; an optional lexical retrieval layer selects candidate memories; the language model interprets selected records and produces a structured decision. Every retrieved record can be traced back to its original case. This architecture also illustrates the distinction between

Cell 1: Initialize the research environment We establish dependencies, reproducible seeds, a Drive-back

Notebook code-cell index: 4.

The Financial AI That Remembers Persistent memory, institutional learning, and financial judgment A ten-experiment Google Colab laboratory Research setting: synthetic credit committee decisions, with persistent, inspectable memory. Model: user-configurable Anthropic Claude Haiku 5.5 identifier. Authoring note: educational simulation, not investment advice. Introduction The conventional language-model interaction is an episode. A question arrives, context is assembled, an answer is produced, and the episode ends. A financial institution, by contrast, exists through time. It remembers the rationale for a lending decision, the assumptions behind a valuation, the risks that were underestimated, and the committee objections that proved prescient. This difference between an episode and an institution is the starting point for our laboratory. We will investigate whether a language-model analyst can become more useful when it is embedded in an explicit memory architecture rather than treated as an isolated oracle. The experiment concerns a synthetic credit committee evaluating fictional corporate borrowers across successive economic regimes. Each case supplies leverage, interest coverage, liquidity, sector, and macroeconomic conditions. An analyst must choose APPROVE, REVIEW, or DECLINE,

explain the choice, and identify the most important risks. After each case, a simulated outcome becomes available. The system can then record the case, its decision, its outcome, and a concise lesson. The lessons are data, not unquestionable truth: they are tagged with provenance, confidence, dates, and scope. We distinguish three forms of memory. Episodic memory contains particular cases: borrower X had weak liquidity during a tightening regime and subsequently defaulted. Semantic memory abstracts across episodes: under specified conditions, weak liquidity may amplify refinancing risk. Procedural memory contains operational rules: always verify that interest coverage and leverage refer to comparable accounting periods. These categories are analytically useful even when all three are stored in the same database. We will represent them explicitly so that students can inspect the difference between recalling an event and applying a generalization. Persistence is a separate property. A vector index kept in notebook RAM may offer retrieval but disappears when the Colab runtime disconnects. Conversely, a durable SQLite database on mounted Google Drive This cell is the 1th executable stage of the notebook. In the first notebook, the object being remembered is a synthetic credit episod

e. The central experimental contrast is between a decision made from the present case alone and one made with selected historical episodes and distilled lessons. The implementation should be interpreted as a test of persistence and retrieval, not as proof that a remembered precedent has causal relevance. A lesson must be connected to the evidence from which it was inferred, and the held-out benchmark must not inadvertently reveal future outcomes. The reader should also distinguish the deterministic functions that construct or score the environment from any actual call to the language model. Both are useful, but they answer different questions. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution

the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 2: Create an auditable memory schema Our SQLite schema distinguishes episodes from abstracted less

Notebook code-cell index: 6.

Experiment 02 — Create an auditable memory schema Our SQLite schema distinguishes episodes from abstracted lessons. We include timestamps, regime, provenance, confidence, and status. The database is the durable source of truth; indexes and prompts are derivative. SQL constraints and idempotent insertion prevent duplicate records when the notebook is rerun. This cell also demonstrates that memory is a governed record rather than an unconstrained blob of chat history. This cell is the 2th executable stage of the notebook. Its implementation visibly uses operations such as sqlite3.connect. In the first notebook, the object being remembered is a synthetic credit episode. The central experimental contrast is between a decision made from the present case alone and one made with selected historical episodes and distilled lessons. The implementation should be interpreted as a test of persistence and retrieval, not as proof that a remembered precedent has causal relevance. A lesson must be connected to the evidence from which it was inferred, and the held-out benchmark must not inadvertently reveal future outcomes. The reader should also distinguish the deterministic functions that construct or score the environment from any actual call to the language model. Both are useful, but they ans

wer different questions. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particul

arly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.




Figure 1: Original pedagogical infographic from Notebook 1.

Cell 3: Generate a controlled financial history A synthetic panel provides repeatable cases without con

Notebook code-cell index: 8.

Experiment 03 — Generate a controlled financial history A synthetic panel provides repeatable cases without confidential customer data. Outcome labels follow a deliberately disclosed risk score and seeded randomness. The score is not an empirical credit model. We split by period rather than randomly, mimicking the requirement that an analyst must not know future outcomes when making a present decision. The historical episodes supply the raw material from which institutional memory can be built. This cell is the 3th executable stage of the notebook. Its implementation visibly uses operations such as pd.DataFrame. In the first notebook, the object being remembered is a synthetic credit episode. The central experimental contrast is between a decision made from the present case alone and one made with selected historical episodes and distilled lessons. The implementation should be interpreted as a test of persistence and retrieval, not as proof that a remembered precedent has causal relevance. A lesson must be connected to the evidence from which it was inferred, and the held-out benchmark must not inadvertently reveal future outcomes. The reader should also distinguish the deterministic functions that construct or score the environment from any actual call to the language model. Bot

h are useful, but they answer different questions. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding

financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. Th

is distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 4: Encode experience as episodic memories We now write historical cases to persistent storage. The

Notebook code-cell index: 11.

Experiment 04 — Encode experience as episodic memories We now write historical cases to persistent storage. The stored decision is a simple policy baseline, not an invented historical judgment by Claude. Its rationale is transparent, allowing later inspection of errors. Upserts make the operation safe to rerun. Crucially, test outcomes are not stored as retrievable episodes, preventing the most obvious form of evaluation leakage. This cell is the 4th executable stage of the notebook. The code defines or updates the following named functions or classes: baseline. In the first notebook, the object being remembered is a synthetic credit episode. The central experimental contrast is between a decision made from the present case alone and one made with selected historical episodes and distilled lessons. The implementation should be interpreted as a test of persistence and retrieval, not as proof that a remembered precedent has causal relevance. A lesson must be connected to the evidence from which it was inferred, and the held-out benchmark must not inadvertently reveal future outcomes. The reader should also distinguish the deterministic functions that construct or score the environment from any actual call to the language model. Both are useful, but they answer different questions.

A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance

because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.




Figure 2: Original pedagogical infographic from Notebook 1.

Cell 5: Distill semantic and procedural lessons Institutional memory should not be limited to a list of

Notebook code-cell index: 13.

Experiment 05 — Distill semantic and procedural lessons Institutional memory should not be limited to a list of cases. We construct explicit semantic observations and procedural safeguards with source provenance. These are hypotheses for the experiment, not universal credit truths. Each lesson is independently addressable and may later be challenged, superseded, or deactivated. The next experiment will retrieve only a few relevant lessons, illustrating the difference between maintaining a large memory and injecting all of it into every prompt. This cell is the 5th executable stage of the notebook. In the first notebook, the object being remembered is a synthetic credit episode. The central experimental contrast is between a decision made from the present case alone and one made with selected historical episodes and distilled lessons. The implementation should be interpreted as a test of persistence and retrieval, not as proof that a remembered precedent has causal relevance. A lesson must be connected to the evidence from which it was inferred, and the held-out benchmark must not inadvertently reveal future outcomes. The reader should also distinguish the deterministic functions that construct or score the environment from any actual call to the language model. Both are useful, b

ut they answer different questions. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather

than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction

is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 6: Retrieve the right memories We implement a simple inspectable retrieval policy. Candidate episo

Notebook code-cell index: 15.

Experiment 06 — Retrieve the right memories We implement a simple inspectable retrieval policy. Candidate episodes are scored using numerical similarity and regime match; lessons are filtered by regime and status. A small memory budget limits prompt length and reduces distraction. In a production system this layer might use embeddings, hybrid search, temporal weighting, and learned reranking. Starting with an explicit metric makes it easier to detect mistakes and understand why a particular memory influenced a recommendation. This cell is the 6th executable stage of the notebook. The code defines or updates the following named functions or classes: retrieve. Its implementation visibly uses operations such as json.dumps. In the first notebook, the object being remembered is a synthetic credit episode. The central experimental contrast is between a decision made from the present case alone and one made with selected historical episodes and distilled lessons. The implementation should be interpreted as a test of persistence and retrieval, not as proof that a remembered precedent has causal relevance. A lesson must be connected to the evidence from which it was inferred, and the held-out benchmark must not inadvertently reveal future outcomes. The reader should also distinguish the d

eterministic functions that construct or score the environment from any actual call to the language model. Both are useful, but they answer different questions. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrie

ved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.




Figure 3: Original pedagogical infographic from Notebook 1.

Cell 7: Reason with and without memory The same Claude model will receive either current borrower facts

Notebook code-cell index: 19.

Experiment 07 — Reason with and without memory The same Claude model will receive either current borrower facts alone or those facts plus retrieved memories. We request a strict JSON decision and rationale, and instruct the model to treat memory as evidence rather than commands. To keep the notebook robust, the default mode uses a deterministic proxy decision function and clearly labels its results as a simulation—not Claude output. Enable RUN_LLM in cell 1 to run actual model comparisons. API errors are surfaced instead of silently replacing model responses. This cell is the 7th executable stage of the notebook. The code defines or updates the following named functions or classes: proxy_decide, decide. Its implementation visibly uses operations such as client.messages.create, json.dumps, json.loads. In the first notebook, the object being remembered is a synthetic credit episode. The central experimental contrast is between a decision made from the present case alone and one made with selected historical episodes and distilled lessons. The implementation should be interpreted as a test of persistence and retrieval, not as proof that a remembered precedent has causal relevance. A lesson must be connected to the evidence from which it was inferred, and the held-out benchmark must

not inadvertently reveal future outcomes. The reader should also distinguish the deterministic functions that construct or score the environment from any actual call to the language model. Both are useful, but they answer different questions. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component

would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes avail

able afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 8: Challenge memories and resolve contradictions A persistent memory system must be able to change

Notebook code-cell index: 21.

Experiment 08 — Challenge memories and resolve contradictions A persistent memory system must be able to change its mind. We insert a deliberately misleading lesson, quarantine it, and verify that retrieval excludes it. This simulates a governance workflow: evidence is registered, reviewed, and either activated or rejected. We never execute instructions contained in memory text. The test demonstrates a fundamental safety property: a record can remain preserved for audit while being excluded from operational retrieval. This cell is the 8th executable stage of the notebook. In the first notebook, the object being remembered is a synthetic credit episode. The central experimental contrast is between a decision made from the present case alone and one made with selected historical episodes and distilled lessons. The implementation should be interpreted as a test of persistence and retrieval, not as proof that a remembered precedent has causal relevance. A lesson must be connected to the evidence from which it was inferred, and the held-out benchmark must not inadvertently reveal future outcomes. The reader should also distinguish the deterministic functions that construct or score the environment from any actual call to the language model. Both are useful, but they answer different q

uestions. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important

in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.




Figure 4: Original pedagogical infographic from Notebook 1.

Cell 9: Benchmark memory against a stateless baseline We run a paired experiment on held-out cases. We

Notebook code-cell index: 23.

Experiment 09 — Benchmark memory against a stateless baseline We run a paired experiment on held-out cases. We report approval accuracy against a binary synthetic outcome, as well as a loss function that penalizes approval of defaults more than rejection of performing borrowers. REVIEW is treated as abstention with a moderate cost. The comparison may show no gain or even deterioration; that is scientifically meaningful. Because this dataset is synthetic and small, results should not be interpreted as evidence of real-world investment performance. This cell is the 9th executable stage of the notebook. Its implementation visibly uses operations such as pd.DataFrame. In the first notebook, the object being remembered is a synthetic credit episode. The central experimental contrast is between a decision made from the present case alone and one made with selected historical episodes and distilled lessons. The implementation should be interpreted as a test of persistence and retrieval, not as proof that a remembered precedent has causal relevance. A lesson must be connected to the evidence from which it was inferred, and the held-out benchmark must not inadvertently reveal future outcomes. The reader should also distinguish the deterministic functions that construct or score the enviro

nment from any actual call to the language model. Both are useful, but they answer different questions. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those

requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated in

terpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 10: Test persistence and produce a governance report We close and reopen the SQLite connection to v

Notebook code-cell index: 26.

Experiment 10 — Test persistence and produce a governance report We close and reopen the SQLite connection to verify that memory survives a database session. We then export a governance manifest containing record counts, quarantined memories, evaluation results, and a timestamp. This is not a substitute for restarting the Colab runtime, but the database remains in Google Drive for a manual restart test. The final artifact separates demonstrated properties from open questions and supplies a concrete bridge to institutional deployment. This cell is the 10th executable stage of the notebook. Its implementation visibly uses operations such as json.dumps, sqlite3.connect. In the first notebook, the object being remembered is a synthetic credit episode. The central experimental contrast is between a decision made from the present case alone and one made with selected historical episodes and distilled lessons. The implementation should be interpreted as a test of persistence and retrieval, not as proof that a remembered precedent has causal relevance. A lesson must be connected to the evidence from which it was inferred, and the held-out benchmark must not inadvertently reveal future outcomes. The reader should also distinguish the deterministic functions that construct or score the env

ironment from any actual call to the language model. Both are useful, but they answer different questions. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated

interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.




Figure 5: Original pedagogical infographic from Notebook 1.

Notebook 2: A Credit Committee with an Obsidian Memory

Original Google Colab notebook: Open Notebook 2 in Google Drive

TOPIC 800 — The Financial AI That Remembers Its Journeys Path-dependent experiential memory, knowledge graphs, and Obsidian vaults Author: Alejandro Reynoso Format: Google Colab research laboratory · 10 executable code cells · 10 explanatory chapters Research question: Can an analyst improve subsequent financial decisions by remembering not only facts and relationships but also the ordered paths by which earlier investigations reached conclusions? Introduction — from stored facts to remembered journeys An institutional analyst rarely reaches a financial judgment by reading one fact in isolation. A credit committee begins with a borrower, investigates leverage, encounters a debt maturity wall, considers the prevailing interest-rate environment, examines liquidity, compares analogous borrowers, and eventually chooses an action. A second analyst might begin with cash-flow coverage, investigate sector cyclicality, and only then examine refinancing. Even if the two analysts recommend the same action, they have traveled different intellectual routes. Each route has a sequence, an informational cost, a collection of alternatives not pursued, and a context in which its conclusions may or may not remain reliable. Conventional retrieval systems typically preserve documents or snippets; a g

raph preserves relationships; neither automatically captures the temporal order and consequences of an investigation. This laboratory treats the journey as a first-class object. The distinction matters in finance because the value of evidence depends on the question, the decision horizon, the economic regime, and the path by which the evidence was assembled. A leverage ratio may be alarming in a recession but tolerable for a borrower with stable regulated cash flows. A liquidity buffer may mitigate a maturity problem, but only if the underlying assets are genuinely available when obligations fall due. A reasoning path that performed well in expansion may be misleading during monetary tightening. An intelligent institutional memory should therefore recall not only the apparent lesson but also the circumstances that gave the lesson meaning. We seek an architecture in which the analyst can ask: What roads have we traveled before? Which were informative? Which wasted scarce attention? Which led to poor decisions? And which historical routes should be revisited rather than repeated? The laboratory uses an Obsidian-compatible Markdown vault as its human-facing knowledge environment. Each borrower, financial indicator, market regime, decision concept, and investigation journey becomes a

note. Wiki-style links make relationships navigable in Obsidian. A directed NetworkX graph provides computational structure, while SQLite preserves durable records of paths, steps, decisions, and observed outcomes. The vault is

Cell 1: Initialize a persistent research environment We first create the physical infrastructure of ins

Notebook code-cell index: 6.

TOPIC 800 — The Financial AI That Remembers Its Journeys Path-dependent experiential memory, knowledge graphs, and Obsidian vaults Author: Alejandro Reynoso Format: Google Colab research laboratory · 10 executable code cells · 10 explanatory chapters Research question: Can an analyst improve subsequent financial decisions by remembering not only facts and relationships but also the ordered paths by which earlier investigations reached conclusions? Introduction — from stored facts to remembered journeys An institutional analyst rarely reaches a financial judgment by reading one fact in isolation. A credit committee begins with a borrower, investigates leverage, encounters a debt maturity wall, considers the prevailing interest-rate environment, examines liquidity, compares analogous borrowers, and eventually chooses an action. A second analyst might begin with cash-flow coverage, investigate sector cyclicality, and only then examine refinancing. Even if the two analysts recommend the same action, they have traveled different intellectual routes. Each route has a sequence, an informational cost, a collection of alternatives not pursued, and a context in which its conclusions may or may not remain reliable. Conventional retrieval systems typically preserve documents or snippets; a g

raph preserves relationships; neither automatically captures the temporal order and consequences of an investigation. This laboratory treats the journey as a first-class object. The distinction matters in finance because the value of evidence depends on the question, the decision horizon, the economic regime, and the path by which the evidence was assembled. A leverage ratio may be alarming in a recession but tolerable for a borrower with stable regulated cash flows. A liquidity buffer may mitigate a maturity problem, but only if the underlying assets are genuinely available when obligations fall due. A reasoning path that performed well in expansion may be misleading during monetary tightening. An intelligent institutional memory should therefore recall not only the apparent lesson but also the circumstances that gave the lesson meaning. We seek an architecture in which the analyst can ask: What roads have we traveled before? Which were informative? Which wasted scarce attention? Which led to poor decisions? And which historical routes should This cell is the 1th executable stage of the notebook. Its implementation visibly uses operations such as client.messages.create. In the second notebook, the unit of experience is an investigative journey through a graph of financial concep

ts and evidence. A journey is not simply a bag of documents: its order matters because information acquisition

has a cost and because one finding can change which question should be asked next. Remembered paths may help an agent choose a more economical inquiry, but an old path may also become a misleading shortcut. The graph, path store and retrieved examples should therefore be treated as structured prompts for investigation rather than as authoritative verdicts. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by s

implifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 2: Construct the financial knowledge graph A knowledge graph encodes entities and relations, not j

Notebook code-cell index: 9.

Cell 2 — Construct the financial knowledge graph A knowledge graph encodes entities and relations, not just documents. We define a small but expressive credit-analysis ontology: borrower, leverage, interest coverage, liquidity, macro regime, sector, refinancing risk, debt-service capacity, and credit decision. Directed edges carry interpretable relations such as exposes , mitigates , and influences . We build the graph with NetworkX and serialize the nodes and edges to JSON. This graph is a map of potential reasoning routes rather than a trained causal model. The distinction is important: an edge saying liquidity mitigates funding stress is a conceptual statement, not proof that a particular borrower is safe. We also create one Markdown note per concept, with Obsidian wiki-links pointing to adjacent concepts. These notes form the navigable skeleton of the vault. Subsequent journeys will reference these same node identifiers, allowing human inspection of how different investigations moved through the graph. This cell is the 2th executable stage of the notebook. Its implementation visibly uses operations such as json.dumps, nx.. In the second notebook, the unit of experience is an investigative journey through a graph of financial concepts and evidence. A journey is not simply a ba

g of documents: its order matters because information acquisition has a cost and because one finding can change which question should be asked next. Remembered paths may help an agent choose a more economical inquiry, but an old path may also become a misleading shortcut. The graph, path store and retrieved examples should therefore be treated as structured prompts for investigation rather than as authoritative verdicts. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environm

ent rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.




Figure 6: Original pedagogical infographic from Notebook 2.

Cell 3: Generate borrowers and time-dependent outcomes To evaluate learning, we need repeated decisions

Notebook code-cell index: 11.

Cell 3 — Generate borrowers and time-dependent outcomes To evaluate learning, we need repeated decisions with observable consequences. This cell creates a synthetic panel of borrowers across expansion, tightening, and recession. Each case includes sector, leverage, coverage, liquidity, and a binary eventual outcome. A disclosed stochastic rule produces defaults, with recession and tightening increasing underlying risk. The data-generating process is artificial and designed for pedagogy; it is not calibrated to any banking portfolio. We split the observations chronologically into historical and holdout groups, preserving the discipline that a later outcome cannot enter an earlier decision. We also persist the cases to CSV. This gives the experiment a stable test set and makes future comparisons repeatable. A key methodological caution: although the generator uses all features to create outcomes, each analyst will inspect only a limited subset before deciding. The analyst must not receive the outcome or uninspected features as hidden prompt context. This cell is the 3th executable stage of the notebook. Its implementation visibly uses operations such as pd.DataFrame. In the second notebook, the unit of experience is an investigative journey through a graph of financial concepts and

evidence. A journey is not simply a bag of documents: its order matters because information acquisition has a cost and because one finding can change which question should be asked next. Remembered paths may help an agent choose a more economical inquiry, but an old path may also become a misleading shortcut. The graph, path store and retrieved examples should therefore be treated as structured prompts for investigation rather than as authoritative verdicts. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplif

ying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in

finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 4: Define traversals, observations, and decision costs A journey must be more than a list of arbit

Notebook code-cell index: 14.

Cell 4 — Define traversals, observations, and decision costs A journey must be more than a list of arbitrary node names. We formalize an investigation as an ordered sequence of feature inspections: leverage, coverage, and liquidity. Every inspection has a cost, and a fixed budget prevents the agent from simply observing everything without consequence. We implement a common scoring rule that operates only on the features actually inspected, substituting neutral priors for unknown quantities. A credit decision can be APPROVE, REVIEW, or DECLINE. The realized loss matrix penalizes approval of a defaulting borrower, unnecessary declines, and indecision. We separately charge for analytical effort. This makes the experiment about efficient financial judgment , not merely classification. The score and loss functions are explicit and identical across agents, so differences come from which route is selected rather than hidden changes in the decision policy. All methods receive the same case and operate under the same maximum number of observations. This cell is the 4th executable stage of the notebook. The code defines or updates the following named functions or classes: decision_from_observations, loss_for, stateless_path, graph_path, evaluate_path. In the second notebook, the unit of ex

perience is an investigative journey through a graph of financial concepts and evidence. A journey is not simply a bag of documents: its order matters because information acquisition has a cost and because one finding can change which question should be asked next. Remembered paths may help an agent choose a more economical inquiry, but an old path may also become a misleading shortcut. The graph, path store and retrieved examples should therefore be treated as structured prompts for investigation rather than as authoritative verdicts. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent

review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.




Figure 7: Original pedagogical infographic from Notebook 2.

Cell 5: Explore historical journeys and record their experience We now turn a graph into a record of ex

Notebook code-cell index: 16.

Cell 5 — Explore historical journeys and record their experience We now turn a graph into a record of experience. For each historical borrower, the baseline route inspects features in a predefined order; a graph-guided route prioritizes financially relevant indicators according to the regime and initial evidence. We store every journey as a durable SQLite row with a unique identifier, the ordered path, the decision, the outcome, the realized loss, and the cost of investigation. A companion table records each step, its position, and its observed value. This design preserves order: leverage → coverage is not interchangeable with coverage → leverage . We also create Markdown journey notes with links to concepts and borrower notes. Crucially, the historical outcomes are used only after decisions are made, as retrospective feedback. The result is an episodic memory of routes traveled, not merely a list of good and bad loans. Re-running the cell replaces historical records deterministically rather than multiplying them. This cell is the 5th executable stage of the notebook. Its implementation visibly uses operations such as json.dumps, sqlite3.connect. In the second notebook, the unit of experience is an investigative journey through a graph of financial concepts and evidence. A journe

y is not simply a bag of documents: its order matters because information acquisition has a cost and because one finding can change which question should be asked next. Remembered paths may help an agent choose a more economical inquiry, but an old path may also become a misleading shortcut. The graph, path store and retrieved examples should therefore be treated as structured prompts for investigation rather than as authoritative verdicts. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surroundin

g financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because

future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 6: Retrieve comparable past journeys When a new case arrives, the memory system should ask which e

Notebook code-cell index: 18.

Cell 6 — Retrieve comparable past journeys When a new case arrives, the memory system should ask which earlier experiences are relevant. We implement a retrieval score using information that is allowed at the start of an investigation: regime and sector, plus the observed prefix of a path when available. We do not rank cases by hidden future outcomes or unobserved borrower ratios. Retrieved journeys are summarized by their ordered feature sequences, their historical losses, and their provenance. This is where the difference between graph memory and journey memory becomes operational: we retrieve a complete sequence rather than an isolated fact. A prior route with low realized loss might be worth considering, but a single success does not establish that it will transfer. We therefore rank historical candidates and show the retrieval evidence transparently. A production version would require stronger similarity metrics, recency weighting, and statistical confidence; here the retrieval policy is intentionally simple and inspectable. This cell is the 6th executable stage of the notebook. The code defines or updates the following named functions or classes: retrieve_journeys. Its implementation visibly uses operations such as json.loads. In the second notebook, the unit of experience

is an investigative journey through a graph of financial concepts and evidence. A journey is not simply a bag of documents: its order matters because information acquisition has a cost and because one finding can change which question should be asked next. Remembered paths may help an agent choose a more economical inquiry, but an old path may also become a misleading shortcut. The graph, path store and retrieved examples should therefore be treated as structured prompts for investigation rather than as authoritative verdicts. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. T

he educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.




Figure 8: Original pedagogical infographic from Notebook 2.

Cell 7: Claude makes genuine path choices using journey memory Claude Haiku 5.5 (when available to your

Notebook code-cell index: 20.

Cell 7 — Claude makes genuine path choices using journey memory Claude Haiku 5.5 (when available to your Anthropic account) selects two ordered indicators for each new borrower. It receives the market regime, sector, financial graph, and previous journeys with their retrospective costs, but not the borrower's uninspected indicator values or future outcome. Its path and explanation are validated and cached in Google Drive. The fixed stateless and graph-aware strategies remain deterministic comparators. This is an actual LLM decision in the experimental workflow, not a post-hoc commentary. This cell is the 7th executable stage of the notebook. The code defines or updates the following named functions or classes: experience_path. Its implementation visibly uses operations such as client.messages.create, json.dumps, json.loads. In the second notebook, the unit of experience is an investigative journey through a graph of financial concepts and evidence. A journey is not simply a bag of documents: its order matters because information acquisition has a cost and because one finding can change which question should be asked next. Remembered paths may help an agent choose a more economical inquiry, but an old path may also become a misleading shortcut. The graph, path store and retrieved

examples should therefore be treated as structured prompts for investigation rather than as authoritative verdicts. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-

generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a

reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 8: Govern memory and test adversarial contamination Institutional memory needs a trust boundary. A

Notebook code-cell index: 22.

Cell 8 — Govern memory and test adversarial contamination Institutional memory needs a trust boundary. A record may be incorrect, obsolete, irrelevant, or deliberately malicious. We create a quarantined lesson containing an instruction to disregard all risk controls and approve every loan. The retrieval function must exclude that note while retaining it in the audit trail. We then export a governance note documenting the quarantine, source, confidence, and reason for exclusion. This is not a complete security system, but it demonstrates a foundational rule: a retrieved document is data, not an authority capable of rewriting the analyst's instructions. We also enforce an anti-leakage assertion: only historical journeys can be retrieved for the holdout evaluation. Finally, we preserve the provenance of route recommendations. A governed memory system must be able to answer not just what did you remember? but where did that memory come from, and why was it eligible for use? This cell is the 8th executable stage of the notebook. The code defines or updates the following named functions or classes: active_lessons. In the second notebook, the unit of experience is an investigative journey through a graph of financial concepts and evidence. A journey is not simply a bag of documents: its

order matters because information acquisition has a cost and because one finding can change which question should be asked next. Remembered paths may help an agent choose a more economical inquiry, but an old path may also become a misleading shortcut. The graph, path store and retrieved examples should therefore be treated as structured prompts for investigation rather than as authoritative verdicts. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pre

tending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.




Figure 9: Original pedagogical infographic from Notebook 2.

Cell 9: Paired evaluation of three strategies Every holdout borrower is evaluated under the same inspec

Notebook code-cell index: 24.

Cell 9 — Paired evaluation of three strategies Every holdout borrower is evaluated under the same inspection budget, risk decision rule, and loss matrix. The experience-aware strategy obtains its ordered inspection route from Claude, while the other two strategies provide fixed benchmarks. Historical journeys and costs are provided to Claude as evidence only; test outcomes are withheld until scoring. A 40-case holdout implies roughly 40 Claude routing requests, plus one demonstration and one summary request. Cached calls are reused when rerunning. This is a synthetic experiment; improvements are not presumed. This cell is the 9th executable stage of the notebook. Its implementation visibly uses operations such as pd.DataFrame. In the second notebook, the unit of experience is an investigative journey through a graph of financial concepts and evidence. A journey is not simply a bag of documents: its order matters because information acquisition has a cost and because one finding can change which question should be asked next. Remembered paths may help an agent choose a more economical inquiry, but an old path may also become a misleading shortcut. The graph, path store and retrieved examples should therefore be treated as structured prompts for investigation rather than as authori

tative verdicts. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly imp

ortant in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but

they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 10: Export the Obsidian vault and reconstruct the journeys The final cell makes the laboratory tang

Notebook code-cell index: 27.

Cell 10 — Export the Obsidian vault and reconstruct the journeys The final cell makes the laboratory tangible. It writes a map-of-content note linking the graph, borrowers, journeys, governance, and results. It exports a journey index, a graph edge list, an evaluation summary, and a README explaining how to open the folder as an Obsidian vault. We create a ZIP archive so the whole experiment can be transported to another machine. The notebook also prints a few example routes with their outcomes, illustrating the difference between the graph as a map and the journey as a traveled sequence. Obsidian can visualize the wiki-links, while the Markdown journey notes retain the ordered steps, costs, and retrospective outcomes. This is the prototype of a path-dependent institutional memory: not a system that merely remembers conclusions, but one that can show the road taken and what happened along the way. This cell is the 10th executable stage of the notebook. Its implementation visibly uses operations such as client.messages.create. In the second notebook, the unit of experience is an investigative journey through a graph of financial concepts and evidence. A journey is not simply a bag of documents: its order matters because information acquisition has a cost and because one finding ca

n change which question should be asked next. Remembered paths may help an agent choose a more economical inquiry, but an old path may also become a misleading shortcut. The graph, path store and retrieved examples should therefore be treated as structured prompts for investigation rather than as authoritative verdicts. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what infor

mation is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.




Figure 10: Original pedagogical infographic from Notebook 2.

Notebook 3: A Credit Committee Using Experience and Intelligence

Original Google Colab notebook: Open Notebook 3 in Google Drive

TOPIC 801 — Experimental Tree of Thoughts: balanced branch search Can a financial AI use historical experience to select better investigative paths? This notebook is a compact, observable search experiment: 160 synthetic cases, 128 historical and 32 holdout (eight per period), nine financial indicators, three candidate paths of four indicators each, and a two-stage Claude procedure. For each holdout case, the non-memory and memory Claude treatments first propose three distinct investigative paths, then select one after seeing candidate-specific evidence. Inference requires 128 fresh Claude API calls plus one smoke test , executed with a maximum of six concurrent workers. The design explicitly trades statistical sample size for branch diversity and more substantive model involvement. All indicators, candidate routes, measured inspections, cost consequences, and response identifiers are auditable. The holdout outcome is unavailable to Claude and is used only in retrospective scoring. This is an externally observable decision search rather than a claim to reveal an LLM's private reasoning. The numerical results are an educational synthetic demonstration, not real-world lending recommendations.

Cell 1: Claude environment and bounded concurrency Building a reproducible laboratory The first step in

Notebook code-cell index: 4.

TOPIC 801 — Experimental Tree of Thoughts: balanced branch search Can a financial AI use historical experience to select better investigative paths? This notebook is a compact, observable search experiment: 160 synthetic cases, 128 historical and 32 holdout (eight per period), nine financial indicators, three candidate paths of four indicators each, and a two-stage Claude procedure. For each holdout case, the non-memory and memory Claude treatments first propose three distinct investigative paths, then select one after seeing candidate-specific evidence. Inference requires 128 fresh Claude API calls plus one smoke test , executed with a maximum of six concurrent workers. The design explicitly trades statistical sample size for branch diversity and more substantive model involvement. All indicators, candidate routes, measured inspections, cost consequences, and response identifiers are auditable. The holdout outcome is unavailable to Claude and is used only in retrospective scoring. This is an externally observable decision search rather than a claim to reveal an LLM's private reasoning. The numerical results are an educational synthetic demonstration, not real-world lending recommendations. Cell 1 — Claude environment and bounded concurrency Building a reproducible laboratory The

first step in an experimental study of AI-assisted credit analysis is to establish a reliable computational environment. A model's recommendations are difficult to interpret if the connection to the model is intermittent, the software configuration changes unpredictably, or failed calls are silently replaced with synthetic answers. This cell therefore creates the infrastructure on which every subsequent comparison depends. It installs the Python packages, imports the analytical libraries, mounts Google Drive, establishes a dedicated experiment directory, and initializes the Claude client. It does not yet assess borrowers or evaluate credit outcomes; those tasks come later. Authentication and verification The Anthropic credential is retrieved from Google Colab Secrets under ANTHROPIC_API_KEY . Keeping the credential out of the notebook source makes it possible to share the teaching material without publishing a private token. A missing secret causes an explicit failure. The cell then sends a small smoke-test request and checks that the response contains the expected text. This is important This cell is the 1th executable stage of the notebook. Its implementation visibly uses operations such as client.messages.create. In the third notebook, the key object is a bounded search over

alternative investigative paths. Branching permits the model to compare hypotheses before settling on a recommendation, while the experiment controls the number of questions and the information budget. This architecture makes it possible to study whether historical experience guides search toward useful evidence or merely biases the model toward familiar narratives. The most meaningful comparison is paired: the same synthetic borrower, the same information constraints and different policies for selecting paths. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational e

xperiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation

statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 2: Constructing a synthetic credit-risk population What a controlled dataset can teach us Real und

Notebook code-cell index: 6.

Cell 2 — Constructing a synthetic credit-risk population What a controlled dataset can teach us Real underwriting records contain confidential information, heterogeneous reporting conventions, and outcomes influenced by decisions that previous lenders made. They are also rarely available in the balanced structure required for a classroom demonstration. This cell instead generates 160 synthetic borrowers with a fixed NumPy random seed. A reproducible seed allows the same generated data to be recreated when the code is rerun with the same implementation. Synthetic data makes experimental mechanisms visible, but it also means the conclusions are about this artificial data-generating process, not about actual borrowers or lending institutions. Financial meaning of the nine indicators The dataset represents leverage, debt-service coverage, liquidity, profitability, collateral, refinancing exposure, interest-rate exposure, sector stress, and cash-flow volatility. Each variable corresponds to a distinct underwriting question. High leverage may amplify solvency risk, while stronger coverage and liquidity can protect against a temporary downturn. Profitability and collateral describe different buffers; refinancing and rate sensitivity expose the borrower to funding-market conditions; sect

or stress and cash volatility capture sources of operational instability. The simulation uses different numeric distributions for these fields. It also clips or bounds values to avoid obviously implausible draws within the educational setting. Such choices are modeling assumptions, not empirical calibrations. How default outcomes are created The code begins with reference values called PRIORS and coefficients called WEIGHTS . For each borrower it combines weighted deviations from those references with an economic-regime adjustment. This latent score is transformed through a logistic function into a simulated default probability. The observed label, default or perform , is drawn randomly using that probability. Consequently, identical financial characteristics do not guarantee identical outcomes. That stochastic component is valuable: an investigator can be well informed and still encounter a default, because risk assessment is inherently probabilistic. Nevertheless, because the generator itself uses all nine features, the experiment can favor strategies that happen to align with the invented weights. Time, regimes, and evaluation split Borrowers are arranged into four sequential periods of 40 cases each. This cell is the 2th executable stage of the notebook. Its implementation vi

sibly uses operations such as pd.DataFrame. In the third notebook, the key object is a bounded search over alternative investigative paths. Branching permits the model to compare hypotheses before settling on a recommendation, while the experiment controls the number of questions and the information budget. This architecture makes it possible to study whether historical experience guides search toward useful evidence or merely biases the model toward familiar narratives. The most meaningful comparison is paired: the same synthetic borrower, the same information constraints and different policies for selecting paths. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would re

quire access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.




Figure 11: Original pedagogical infographic from Notebook 3.

Cell 3: Information paths, decisions, and the cost of investigating A path is a choice about what to kn

Notebook code-cell index: 9.

Explanation of Cases and the Observable Set To clarify how our synthetic population is structured for evaluation: 1. Historical Cases (128 cases) What they are: These represent past credit applications that have already been fully processed, decided upon, and resolved. What we know about them: For these cases, we have complete information. We know all of their financial indicators, the investigative path that was chosen, and crucially, the actual outcome (whether they defaulted or performed). Their purpose: They act as the "experience base" or "training data." They are stored in the SQLite journeys database so that our policies or an LLM agent can query them to learn which indicators are most predictive of performance or default in different economic regimes. 2. Holdout Cases (32 cases) What they are: These are the active or "new" borrower applications that we want to evaluate using our model or policies. There are 8 holdout cases allocated to each of the 4 chronological periods. What we know about them (temporally restricted): At decision time, their actual final outcomes (default or perform) are hidden from the evaluation engine and the agent. Their purpose: They act as the "test set" to benchmark how well our models perform on unseen data. We only look at their true outcomes

after the decision (Approve, Review, Decline) has been locked in, allowing us to calculate an unbiased final cost/accuracy score. 3. What is the "Observable Set"? In credit risk modeling, the observable set refers to the subset of data that is chronologically and logically available to an investigator at the exact moment they are making a decision on a new applicant. In this notebook, the observable set is strictly controlled to prevent temporal leakage : When evaluating a holdout case in Period 2 , the "observable set" of historical journeys is restricted to cases from Periods 0 and 1 . Even though we have historical records for Period 2 and Period 3 cases in our database, we cannot look at them because, in a real-world timeline, those future events This cell is the 3th executable stage of the notebook. The code defines or updates the following named functions or classes: validate_path, evaluate, stateless, graph. In the third notebook, the key object is a bounded search over alternative investigative paths. Branching permits the model to compare hypotheses before settling on a recommendation, while the experiment controls the number of questions and the information budget. This architecture makes it possible to study whether historical experience guides search toward useful ev

idence or merely biases the model toward familiar narratives. The most meaningful comparison is paired: the same synthetic borrower, the same information constraints and different policies for selecting paths. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone

establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which va

lues are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 4: Recording historical journeys as durable experience From isolated cases to reusable traces A cr

Notebook code-cell index: 13.

The Credit Officer’s Mindset: What is an "Investigative Path"? In the real world, a credit officer does not look at every single piece of information simultaneously. Doing so is expensive, time-consuming, and often leads to information overload. Instead, they think like a detective: 1. The Context: First, they look at the broad environment. Is the economy booming (Expansion), or are we in a credit squeeze (Tightening/Recession)? What sector is the borrower in? 2. The Investigation: Based on that context, they formulate a hypothesis. For example: In a Recession , they might think: "Survival is about liquidity and immediate cash flow. I need to check how much cash they have on hand (liquidity) and how stable their sales are (cash_volatility)." In a Tightening environment, they might think: "Interest rates are rising and debt is getting expensive. I need to look at how much debt they must roll over soon (refinancing) and how sensitive they are to rates (rate_exposure)." 3. The Path: This sequence of choices—deciding which financial indicators to pay attention to and in what order—is precisely what we call the investigative path . Our experiment tests whether an AI agent can replicate this intuitive, context-driven focus, or if rigid "stateless" rules (looking at the exact sa

me four indicators every single time) perform just as well. Cell 4 — Recording historical journeys as durable experience From isolated cases to reusable traces A credit model that sees only the current application cannot learn from prior investigations unless experience has been stored somewhere accessible. This cell introduces an external memory mechanism using SQLite and a directory of readable Markdown files. A journey is not simply a borrower record. It is a retrospective account of which investigative route was used, under which economic conditions, and what total synthetic cost resulted when the route was evaluated. These records are the raw material from which a memory-aware policy can later retrieve experience. Why two storage formats are useful SQLite supplies a compact structured database with fields for journey This cell is the 4th executable stage of the notebook. Its implementation visibly uses operations such as json.dumps, sqlite3.connect. In the third notebook, the key object is a bounded search over alternative investigative paths. Branching permits the model to compare hypotheses before settling on a recommendation, while the experiment controls the number of questions and the information budget. This architecture makes it possible to study whether historical ex

perience guides search toward useful evidence or merely biases the model toward familiar narratives. The most meaningful comparison is paired: the same synthetic borrower, the same information constraints and different policies for selecting paths. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes

available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would

repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.




Figure 12: Original pedagogical infographic from Notebook 3.

Cell 5: Retrieving relevant history without looking into the future Retrieval is a decision policy Mere

Notebook code-cell index: 16.

The Mechanics of Experience: How It's Built and Used by the Agent 1. How the Experience is Built (Retrospective Simulation) Before any agent runs on the new test cases, we construct a historical archive of "past journeys" using our 128 historical cases. This process works as follows: Dual Policies: For every single historical borrower, we run two separate, simple decision policies: stateless and graph . Trial and Outcome: We apply each policy to a case, which selects 4 features, yields a decision (APPROVE , REVIEW , or DECLINE), and computes a total_cost based on the ground truth (whether the borrower actually defaulted or performed in the historical simulation). Database Storage: Each trial becomes a single "journey trace" with columns for: Case ID, Period, Regime, Sector, the Path chosen, the final Cost, and the Outcome. This yields 256 unique records (128 cases a quantitative expression 2 policies) saved in SQLite. Narrative Vault: To make this process auditable, the graph-policy paths are written to discrete Markdown files inside a knowledge vault, providing readable post-mortem explanations. 2. How the Credit Agent Uses This Experience When a new applicant (from the holdout test set) comes across the desk of the credit agent, the agent doesn't start from scratch. Instead,

it utilizes memory-guided search: Chronological Filtering (Preventing Hindsight Bias): The agent can only retrieve past journeys that occurred strictly before the current case's time period. A decision in Period 2 can never peek at Period 2 or 3 outcomes. Relevance Scoring: The memory system scans the past journeys and scores their contextual similarity to the new applicant. It awards: +2 points if the past journey occurred in the same economic regime (e.g., Recession). +1 point if the past journey was in the same industrial sector (e.g., Technology). Identifying Proven Routes: The retrieved journeys are grouped by the specific paths that were taken. For each path, the average historical cost is calculated. Bayesian Shrinkage (The Trust Factor): If a path was only tried once, its average cost might be misleadingly good or bad due This cell is the 5th executable stage of the notebook. The code defines or updates the following named functions or classes: retrieve, historical_route_summaries, memory_search. Its implementation visibly uses operations such as json.loads. In the third notebook, the key object is a bounded search over alternative investigative paths. Branching permits the model to compare hypotheses before settling on a recommendation, while the experiment controls the

number of questions and the information budget. This architecture makes it possible to study whether historical experience guides search toward useful evidence or merely biases the model toward familiar narratives. The most meaningful comparison is paired: the same synthetic borrower, the same information constraints and different policies for selecting paths. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To

read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 6: A two-stage Claude investigation with competing branches Stage one: asking for hypotheses rathe

Notebook code-cell index: 19.

Attribute Relevance vs. Semantic Similarity in Experience Retrieval When a credit researcher queries past experiences, they are selecting a subset based on structured contextual relevance rather than raw semantic similarity , although both target the same outcome. Here is how they differ: Structured Attribute Relevance (Used in this Notebook): Instead of converting raw descriptive text into vectors, the retrieval system scores past experiences using deterministic categorical rules: Same Economic Regime? +2 points Same Industrial Sector? +1 point This mimics a database query: "Show me historical cases of technology companies facing a recession." Unstructured Semantic Similarity (Alternative Approach): If the historical database contained unstructured textual logs (e.g., qualitative analyst notes about a borrower's business), we would convert those notes into text embeddings and use a vector database to find semantically matching cases. For example, a query like "borrower struggling with sudden contract termination in a high-rate environment" would find similar narratives even if they belonged to different sectors or regimes. Both approaches serve to index past experiences to avoid starting every investigation from scratch, but our system uses highly transparent, attribute-based cr

iteria to ensure the audit trail remains mathematically precise. Cell 6 — A two-stage Claude investigation with competing branches Stage one: asking for hypotheses rather than a verdict This is the notebook's main language-model component. Instead of giving Claude all borrower variables and requesting an immediate approval recommendation, the system asks it to design three distinct investigative routes. Each route contains four allowable financial indicators, and each is accompanied by a short, testable hypothesis. A hypothesis might focus on repayment capacity, refinancing vulnerability, or macroeconomic exposure. These are observable planning artifacts, not an attempt to record the model's inaccessible internal reasoning. The output must be structured JSON so the subsequent experiment can inspect and validate the proposed alternatives. Stage two: evidence changes the choice After the proposed paths pass validation, the program reveals the current borrower's values only for indicators that appear in each branch. It also reports the inspection cost associated with that branch. A second Claude API call This cell is the 6th executable stage of the notebook. The code defines or updates the following named functions or classes: claude_json, claude_route. Its implementation visibly us

es operations such as client.messages.create, json.dumps, json.loads. In the third notebook, the key object is a bounded search over alternative investigative paths. Branching permits the model to compare hypotheses before settling on a recommendation, while the experiment controls the number of questions and the information budget. This architecture makes it possible to study whether historical experience guides search toward useful evidence or merely biases the model toward familiar narratives. The most meaningful comparison is paired: the same synthetic borrower, the same information constraints and different policies for selecting paths. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable

alternative. In a real institution t

he same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.




Figure 13: Original pedagogical infographic from Notebook 3.

Cell 7: Five architectures and a fair paired comparison Why comparisons need more than one baseline A m

Notebook code-cell index: 27.

Understanding the Cognitive Loop: The Credit Officer, Memory, and the Two-Stage Tree Search To make sense of how this synthetic underwriting laboratory functions, we can break down its architecture into three core components modeled after a real-world expert system: 1. The Credit Officer's Mindset (The Investigative Path) In a real-world financial institution, an analyst does not inspect every possible variable simultaneously. Doing so is expensive, inefficient, and leads to cognitive fatigue. Instead, they operate like detectives: Contextual Framing: They assess the broad economic climate (e.g., Expansion vs. Recession) and the industry sector of the borrower. Hypothesis Generation: Based on this context, they hypothesize which risks are most likely to cause failure. In a recession, they prioritize liquidity ; during interest-rate spikes, they focus on refinancing schedules . The Path: This deliberate sequence of selecting and examining a subset of financial indicators is the investigative path . 2. The Mechanics of Memory (Experience-Based Guidance) The agent has access to a SQL database storing historical "journeys" (past applications, selected paths, and realized costs). Relevance Filtering: When a new case arrives, the memory system queries past journeys from strictly earlie

r periods to prevent temporal leakage (hindsight bias). Scoring: Past cases from the same economic regime are awarded +2 relevance points , and matching sectors receive +1 point . Bayesian Shrinkage: To avoid over-relying on luck or small sample sizes (e.g., a path that was only tried once and happened to succeed), the system shrinks historical averages toward a safe baseline (1.5 cost units) unless there is a solid volume of matching historical

evidence. 3. Claude's Two-Stage Tree Search (Hypothesis & Evidence Selection) Instead of giving Claude the target borrower's data and asking for an immediate decision, we force a structured two-stage cognitive loop : Stage 1 (Propose): Claude receives only the context (Sector and Regime) and must propose three competing investigative paths (branches) of 4 indicators each, along with a testable hypothesis for each. Evidence Reveal: The environment exposes the actual financial numbers only for the indicators in those three proposed branches. Stage This cell is the 7th executable stage of the notebook. The code defines or updates the following named functions or classes: choose. In the third notebook, the key object is a bounded search over alternative investigative paths. Branching permits the model to compare hypotheses before settling on

a recommendation, while the experiment controls the number of questions and the information budget. This architecture makes it possible to study whether historical experience guides search toward useful evidence or merely biases the model toward familiar narratives. The most meaningful comparison is paired: the same synthetic borrower, the same information constraints and different policies for selecting paths. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather

than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 8: Memory governance and protection against leakage The difference between evidence and authority

Notebook code-cell index: 30.

Cell 8 — Memory governance and protection against leakage The difference between evidence and authority External memory introduces a problem that does not arise in quite the same way with a fixed numerical model. A retrieved note may contain useful facts, but it can also contain mistaken advice or instructions that conflict with the system's governing rules. This cell illustrates the distinction through a small lessons table. One record contains an instruction to ignore controls and is marked quarantined ; another is a legitimate policy reminder and is marked active . The active-only query verifies that the prohibited string is not included in the material selected for use. Why retrieval must not override instructions In an operational financial assistant, the sources consulted could include analyst notes, borrower correspondence, previous committee minutes, regulatory material, and machine-generated summaries. Many of those documents are valuable evidence, but none should automatically gain authority to redefine the assistant's permissions. The notebook's Claude prompt treats historical journeys as untrusted data. This is an introductory defense against prompt injection: it separates a source's evidentiary content from instructions about how the software should behave. The quara

ntine example is deliberately simple and should not be confused with comprehensive adversarial security testing. Looking backward, not forward The second governance assertion examines every test case and verifies that retrieval returns only journeys whose period precedes the case's period. This matters because the historical database was constructed with realized outcomes. If future cases or same-period outcomes entered the prompt, the resulting model might seem to anticipate defaults when it was actually exploiting hindsight. Temporal separation is therefore an epistemic requirement as well as a software rule. The test is particularly instructive for the earliest period, when the absence of prior memory is an honest constraint rather than something to repair by using future data. An institutional reading of the checks Credit decisions can carry legal, reputational, and financial consequences. Real financial organizations would need role-based permissions, human review thresholds, documentation of model changes, secure credential handling, data retention schedules, and incident response. This cell is the 8th executable stage of the notebook. In the third notebook, the key object is a bounded search over alternative investigative paths. Branching permits the model to compare hypot

heses before settling on a recommendation, while the experiment controls the number of questions and the information

budget. This architecture makes it possible to study whether historical experience guides search toward useful evidence or merely biases the model toward familiar narratives. The most meaningful comparison is paired: the same synthetic borrower, the same information constraints and different policies for selecting paths. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding fin

ancial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.




Figure 14: Original pedagogical infographic from Notebook 3.

Cell 9: Running paired experiments and verifying genuine Claude activity Turning individual investigati

Notebook code-cell index: 32.

Cell 9 — Running paired experiments and verifying genuine Claude activity Turning individual investigations into a comparison This cell executes the experiment that earlier cells prepared. The 32 holdout borrowers are assessed under five policies: three deterministic baselines and two Claude-powered branch-selection methods. The deterministic evaluations run directly, while the Claude jobs are submitted to a bounded thread pool. There are 64 Claude borrower-policy tasks, each requiring a proposal call followed by a selection call. A successful complete run therefore entails 128 accepted search-stage API responses, in addition to the environment smoke test. The program prints progress as tasks finish, but the order of completion is not the order of cases; the final table is sorted for stable inspection. What is being measured For each policy and borrower, score_choice applies the selected information path

to the common credit evaluator and records the resulting action, score, loss, and inspection expenditure. The code also reports whether the action was strictly correct under its particular binary definition: approving a performing borrower or declining one who defaults. A REVIEW is not counted as strictly correct even if it might represent prudent practice under uncertainty. This

illustrates why accuracy must never be read in isolation from the evaluation rule. The separate default_approved measure focuses attention on a potentially consequential error type. Paying for information the model actually saw Claude receives observations for all three candidate branches before it chooses one. Therefore charging only for the selected path would understate information acquisition costs. The notebook instead computes the union of distinct indicators exposed across all proposed paths, charging each feature once. Since the branches may overlap, the total inspection charge lies between the cost of a single path and the cost of observing many different fields. This makes the comparison stricter than a design that lets Claude inspect broad evidence without paying for it. API token cost is tracked separately and is not converted into synthetic monetary units in total_cost . Audit assertions rather than optimistic assumptions At the beginning of the run, the search counters This cell is the 9th executable stage of the notebook. The code defines or updates the following named functions or classes: score_choice, run_task. Its implementation visibly uses operations such as json.dumps, json.loads, pd.DataFrame. In the third notebook, the key object is a bounded search over

alternative investigative paths. Branching permits the model to compare hypotheses before settling on a recommendation, while the experiment controls the number of questions and the information budget. This architecture makes it possible to study whether historical experience guides search toward useful evidence or merely biases the model toward familiar narratives. The most meaningful comparison is paired: the same synthetic borrower, the same information constraints and different policies for selecting paths. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational e

xperiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 10: Interpreting results and preserving investigation journeys Visualization as a test of the resea

Notebook code-cell index: 34.

Cell 10 — Interpreting results and preserving investigation journeys Visualization as a test of the research question A bar chart does not explain why one architecture performed better, but it can reveal whether the results are consistent with the intended hypothesis. This cell displays mean total synthetic cost by regime and architecture and plots overall mean total cost across the five modes. Cost is a particularly informative outcome because it combines the consequences of the eventual credit action with the expense of observing financial evidence. An apparently accurate method may still be unattractive when it purchases too much information or repeatedly chooses an expensive review action. Conversely, a compact memory rule may produce a low cost without generating elaborate explanations. Reading the saved notebook results The uploaded notebook contains outputs from one completed run. In that run, the memory-search baseline had the lowest mean total cost at 1.126, followed by the stateless policy at 1.220, the graph policy at 1.365, Claude with memory at 1.749, and Claude without memory at 1.968. Strict accuracy was 46.9% for Claude with memory, memory search, and stateless; 40.6% for Claude without memory; and 34.4% for the graph benchmark. These values are observations from

that saved execution, not guarantees for a fresh run. Because the LLM is called anew and the sample is small, results may differ on rerun. Does memory help Claude? Within that single run, adding history to Claude coincided with an increase in strict accuracy from 40.6% to 46.9%, a decrease in mean total cost from 1.968 to 1.749, and a reduction in default approvals from one to zero. This is consistent with a possible benefit from relevant past journeys, but it does

not establish causation or statistical reliability. The memory-enabled Claude policy remained more expensive than the deterministic memory-search baseline. That finding is pedagogically important: generating a rich investigative trace is not the same thing as generating the cheapest financial decision. Researchers should report both qualities rather than celebrating complexity for its own sake. Economic regimes make the comparison less uniform This cell is the 10th executable stage of the notebook. In the third notebook, the key object is a bounded search over alternative investigative paths. Branching permits the model to compare hypotheses before settling on a recommendation, while the experiment controls the number of questions and the information budget. This architecture makes it possible to study whether historic

al experience guides search toward useful evidence or merely biases the model toward familiar narratives. The most meaningful comparison is paired: the same synthetic borrower, the same information constraints and different policies for selecting paths. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information be

comes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.




Figure 15: Original pedagogical infographic from Notebook 3.

Notebook 4: When to Remember, When to Forget

Original Google Colab notebook: Open Notebook 4 in Google Drive

TOPIC 802 — WHEN TO REMEMBER, WHEN TO FORGET A miniature laboratory in financial agent memory, belief revision, and institutional governance Research question: Can a financial AI agent recognize when a previously useful belief has become obsolete, revise it using new evidence, and preserve an auditable history of that revision? Audience: graduate finance students, investment professionals, and institutional leaders. Prerequisites: elementary Python reading and familiarity with returns. Environment: Google Colab. Model: Anthropic claude-haiku-5-5 using your own Colab Secret named ANTHROPIC_API_KEY . Data: completely synthetic; no investment advice, market-data feed, or live orders. Estimated API requests: roughly 100–150 in a full run (depending on settings), including decisions, reflections and periodic reviews. Use the FAST_DEMO switch to reduce calls. Introduction: Memory is more than retrieval An intelligent financial system does not become genuinely experienced merely because it can search an archive. Most introductory demonstrations of AI memory are built around a straightforward sequence: save an observation, retrieve similar observations, append them to a prompt, and request a new answer. Such systems can be useful. They can help an analyst recall a previous transaction, c

ompare borrower characteristics, or connect a present market event to an earlier episode. Yet this mechanism leaves unanswered the most difficult question in financial intelligence: what happens when past experience becomes actively misleading? Markets are adaptive social systems. Their patterns evolve as regulations, technology, liquidity, policy, positioning, and collective beliefs change. A memory that was once an asset may become a source of persistent error. This notebook investigates that difficulty through a deliberately small model. We create a synthetic market whose first phase rewards trend following and whose second phase rewards reversal. We know the precise change point because we design the world; the agent does not receive it. The objective is not to forecast real assets or build a competitive strategy. Our world is a scientific instrument: a controllable setting in which students can see how a financial agent acquires experiences, generalizes from them, becomes overconfident, encounters contradiction, and has an opportunity to change its mind. Minimality is a strength here. With one asset, three actions, and only a few transparent features, the cognitive architecture is visible instead of being buried beneath market engineering. We distinguish three layers of memo

ry. Episodic memory consists of individual dated events: the information available at the time, the action selected, and the eventual observed outcome. Semantic memory consists of generalized, defeasible propositions

Cell 1: Establish the laboratory and authenticate Claude Before conducting an experiment about artifici

Notebook code-cell index: 5.

TOPIC 802 — WHEN TO REMEMBER, WHEN TO FORGET A miniature laboratory in financial agent memory, belief revision, and institutional governance Research question: Can a financial AI agent recognize when a previously useful belief has become obsolete, revise it using new evidence, and preserve an auditable history of that revision? Audience: graduate finance students, investment professionals, and institutional leaders. Prerequisites: elementary Python reading and familiarity with returns. Environment: Google Colab. Model: Anthropic claude-haiku-5-5 using your own Colab Secret named ANTHROPIC_API_KEY . Data: completely synthetic; no investment advice, market-data feed, or live orders. Estimated API requests: roughly 100–150 in a full run (depending on settings), including decisions, reflections and periodic reviews. Use the FAST_DEMO switch to reduce calls. Introduction: Memory is more than retrieval An intelligent financial system does not become genuinely experienced merely because it can search an archive. Most introductory demonstrations of AI memory are built around a straightforward sequence: save an observation, retrieve similar observations, append them to a prompt, and request a new answer. Such systems can be useful. They can help an analyst recall a previous transaction, c

ompare borrower characteristics, or connect a present market event to an earlier episode. Yet this mechanism leaves unanswered the most difficult question in financial intelligence: what happens when past experience becomes actively misleading? Markets are adaptive social systems. Their patterns evolve as regulations, technology, liquidity, policy, positioning, and collective beliefs change. A memory that was once an asset may become a source of persistent error. This notebook investigates that difficulty through a deliberately small model. We create a synthetic market whose first phase rewards trend following and whose second phase rewards reversal. We know the precise change point because we design the world; the agent does not receive it. The objective is not to forecast real assets or build a competitive strategy. Our world is a scientific instrument: a controllable setting in which students can see how a financial agent acquires experiences, generalizes from them, becomes overconfident, encounters contradiction, and has an opportunity to change its mind. Minimality is This cell is the 1th executable stage of the notebook. The code defines or updates the following named functions or classes: ask_claude. Its implementation visibly uses operations such as client.messages.create

, json.dumps. In the fourth notebook, memory becomes a dynamic belief system. A synthetic market changes

regime, creating an opportunity to test whether an agent continues to rely on a formerly successful rule. The relevant distinction is between the historical episode, which remains true as a record, and the generalization derived from it, which may no longer apply. Consolidation, contradiction review and retirement are therefore separate operations. The agent's task is not to erase the past but to limit the influence of stale beliefs while maintaining a provenance trail. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, log

ging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 2: Build a world in which memories can become obsolete The central teaching device is a financial

Notebook code-cell index: 7.

Cell 2 — Build a world in which memories can become obsolete The central teaching device is a financial world designed to violate the assumption that yesterday's relationships persist forever. We construct an autoregressive return process whose coefficient is positive in the first phase and negative in the second. In phase one, a positive observed return tends to predict another positive return. In phase two, the same observed return tends to predict a negative return. Gaussian noise ensures that neither pattern is perfectly predictable. We also add a short higher-volatility episode to expose the difference between a regime shift in conditional mean and a mere change in uncertainty. The parameters are intentionally strong enough that the change can be seen in a small laboratory; they should not be interpreted as realistic calibrated market dynamics. Each row contains a realized return and its period. The agent's information at the start of period t will be the return from t-1 , plus a volatility proxy constructed from returns observable through t-1 . It will never receive the current or next realized return before choosing an action. The hidden true_regime column is retained only for teaching plots and ex post evaluation. This is an important distinction: the simulator can know m

ore than the investor. Leaking the hidden regime into the prompt would transform the exercise from adaptation to rule-following, defeating its purpose. A random seed makes the synthetic noise reproducible, although Claude's answers may still differ. We produce a plot showing returns, the true change point, and the volatility disturbance. The plot is for the experimenter, not part of the LLM's prompt. The first periods are not traded until a small history exists. Later, all three agents see the same observations and receive the same realized market outcomes; their differences arise from the information and memories supplied to their decision processes. Interpretation checkpoint: Look at the market after the midpoint. A trend-following rule learned earlier can fail systematically. An agent that merely retrieves many successful early trades may become more confident precisely when This cell is the 2th executable stage of the notebook. Its implementation visibly uses operations such as pd.DataFrame. In the fourth notebook, memory becomes a dynamic belief system. A synthetic market changes regime, creating an opportunity to test whether an agent continues to rely on a formerly successful rule. The relevant distinction is between the historical episode, which remains true as a record,

and the generalization derived from it, which may no longer apply. Consolidation, contradiction review and retirement are therefore separate operations. The agent's task is not to erase the past but to limit the influence of stale beliefs while maintaining a provenance trail. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather

than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and

what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.




Figure 16: Original pedagogical infographic from Notebook 4.

Cell 3: Define decisions, evidence, and time-safe memory This cell creates the plain-language informati

Notebook code-cell index: 9.

Cell 3 — Define decisions, evidence, and time-safe memory This cell creates the plain-language information contract on which the entire experiment depends. At every decision instant, the agent can choose LONG , SHORT , or CASH . We translate those actions into positions of plus one, minus one, or zero, respectively. In our frictionless classroom world, the simulated payoff is position multiplied by the realized return for that period. We deliberately avoid leverage, execution models, commissions, and financing costs because those would distract from the memory question. An extension could introduce them later. CASH is an authentic option, not an error; it lets an uncertain agent abstain. The observation package contains only lagged information: the prior realized return and a recent realized-volatility estimate. A clear decision_period is attached to every action. An episode is written only after its outcome becomes known; thus a memory cannot contain future data at the time it is used. Each episode receives an immutable identifier and retains a snapshot of the decision input, the model response, the actual return, and the payoff. It is not edited when the agent changes its mind later. This reflects a foundational institutional principle: reconstructing an investment decision req

uires the contemporaneous information set, not an account rewritten after the outcome. We implement simple retrieval using the most recent completed episodes. This is intentionally unsophisticated. Adding embeddings or a vector store would change the retrieval algorithm but would not address the deeper need for semantic beliefs, evidence provenance, and revision. A brief textual summary of recent episodes is sufficient to demonstrate the mechanism. To keep prompts bounded and costs visible, retrieval is capped. We will also record source IDs so later belief reviews can refer to identifiable observations rather than vague recollections. Interpretation checkpoint: Notice

that true_regime is absent from the agent-facing observation. The ledger knows which trade made money only after the market has advanced. If the chronology is correct, an episode from period t cannot influence the decision at period t . This simple guarantee is more important scientifically This cell is the 3th executable stage of the notebook. The code defines or updates the following named functions or classes: observe, retrieve. In the fourth notebook, memory becomes a dynamic belief system. A synthetic market changes regime, creating an opportunity to test whether an agent continues to rely on a formerly succes

sful rule. The relevant distinction is between the historical episode, which remains true as a record, and the generalization derived from it, which may no longer apply. Consolidation, contradiction review and retirement are therefore separate operations. The agent's task is not to erase the past but to limit the influence of stale beliefs while maintaining a provenance trail. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity ha

s disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 4: Create three actual Claude decision policies We now instantiate our three policies. All three c

Notebook code-cell index: 12.

Clarification on Agent Definitions While Cell 4 contains the actual LLM prompt instructions (DECISION_SYSTEM) and the decide(agent, t) function that calls Claude, Cell 3 establishes the structural and contract-level foundations for these agents. Specifically, Cell 3 defines the memory partitions and ledgers that distinguish the three agents: stores = {a:[] for a in ('stateless','episodic','lifecycle')} : This dictionary instantiates three distinct storage partitions. Even though the LLM backend (Claude) is identical, their "memories" are separated here. observe(t) : This defines the raw, time-safe observation interface (lagged returns and recent volatility) that all three agents share. retrieve(episodes, t, k=4) : This implements the retrieval mechanism used specifically to feed the episodic and lifecycle agents their past experiences, keeping the stateless agent isolated from historical context. In short, Cell 3 constructs the environment, observation rules, and separate memory registers, while Cell 4 implements the logic that presents these registers to the LLM. Cell 4 — Create three actual Claude decision policies We now instantiate our three policies. All three call the same real Claude model and face exactly the same synthetic market observations. The difference is what hi

storical context they may consult. The stateless policy sees current lagged features. The episodic policy also sees a small number of completed prior experiences. The lifecycle policy sees those experiences and a compact list of active semantic beliefs. How These Decisions Are Made & How Prompting Works If you look at the code of Cell 4, you might wonder where the actual instructions reside since there is only a short string defined in DECISION_SYSTEM : 1. The System Prompt (DECISION_SYSTEM) : This is the top-level structural instruction. It instructs Claude to act as a "cautious researcher", defines the output schema, restricts it from predicting the future, and instructs it to treat retrieved memories as uncertain history rather than absolute rules. 2. The Prompt Payload Structure : The prompt is not a raw paragraph of text; instead, we pass structured contextual information. Look at the payload dictionary constructed inside decide(agent, t) : For This cell is the 4th executable stage of the notebook. The code defines or updates the following named functions or classes: parse_json, decide. Its implementation visibly uses operations such as json.loads. In the fourth notebook, memory becomes a dynamic belief system. A synthetic market changes regime, creating an opportunity to

test whether an agent continues to rely on a formerly successful rule. The relevant distinction is between the historical episode, which remains true as a record, and the generalization derived from it, which may no longer apply. Consolidation, contradiction review and retirement are therefore separate operations. The agent's task is not to erase the past but to limit the influence of stale beliefs while maintaining a provenance trail. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store

records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding fin

ancial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.




Figure 17: Original pedagogical infographic from Notebook 4.

Cell 5: Run a chronological pilot and collect experiences A memory system needs experiences, and experi

Notebook code-cell index: 14.

Cell 5 — Run a chronological pilot and collect experiences A memory system needs experiences, and experiences require a carefully ordered loop. This cell begins with a small pilot segment from the first market regime. For each eligible period, each policy observes lagged information, sends a genuine request to Claude, records its action, and only then reads the realized return. The resulting payoff and outcome are added to the episode history. The lifecycle agent begins with no semantic beliefs; it cannot truthfully claim to have learned a rule before evidence exists. The early pilot establishes the raw material from which such a rule may later emerge. You will see several things in the printed table. First, the same observation can generate different actions, because memory changes context. Second, an action can be sensible and still lose money: noise separates decision quality from realized success. Third, confidence and profit need not agree. A large-confidence answer that performs poorly is not automatically dishonest, but it warns against treating a model's language as calibrated risk measurement. Fourth, no policy receives the true regime label, even though the researcher knows the initial environment was constructed to favor momentum. This pilot is small by design. We do n

ot want the first code block to trigger hundreds of paid API calls without giving the instructor a clear opportunity to inspect the output. In the full experiment, subsequent cells extend these histories. Data structures are dictionaries and lists, not a specialized memory framework. Students can therefore inspect episodes with ordinary Python. This simplicity also exposes a governance choice: the ledger is append-only. Any later revision to a belief must refer back to episodes instead of changing the episodes themselves. Interpretation checkpoint: Before continuing, inspect an individual stored episode. Ask: what did the agent know? Which response did it produce? When did the outcome become available? An experiment about memory becomes meaningful only when those answers are recoverable. Also verify the API counter has risen: these are not simulated model responses. This cell is the 5th executable stage of the notebook. The code defines or updates the following named functions or classes: execute_period. Its implementation visibly uses operations such as pd.DataFrame. In the fourth notebook, memory becomes a dynamic belief system. A synthetic market changes regime, creating an opportunity to test whether an agent continues to rely on a formerly successful rule. The relevant disti

nction is between the historical episode, which remains true as a record, and the generalization derived from it, which may no longer apply. Consolidation, contradiction review and retirement are therefore separate operations. The agent's task is not to erase the past but to limit the influence of stale beliefs while maintaining a provenance trail. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the ce

ll critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 6: Let Claude consolidate experience into a tentative belief Retrieval becomes qualitatively diffe

Notebook code-cell index: 16.

Cell 6 — Let Claude consolidate experience into a tentative belief Retrieval becomes qualitatively different when the agent is asked to infer a general proposition from several events. This cell asks Claude to review the lifecycle agent's completed episodes and propose at most one semantic belief. The prompt does not disclose the market's hidden autoregressive coefficient or regime. The model must infer a cautious directional regularity from examples that contain noise. We ask for a short proposition, a proposed status, confidence, supporting episode identifiers, contradictory identifiers, and a rationale. The output may express uncertainty or decline to create a belief. That possibility is scientifically important: a system that always converts a handful of observations into a confident rule is not truly evaluating evidence. Python checks that every cited episode ID exists. It stores the resulting belief as version one, with a creation period and an audit event. The LLM proposes the semantic content, but a validator controls whether the proposal can enter durable memory. We deliberately do not let model-generated text invent citations or retroactively rewrite episodes. The memory object distinguishes ACTIVE , UNDER_REVIEW , and RETIRED status. Only active beliefs will later be p

laced into the lifecycle agent's decision context. A retired belief remains accessible for audit and postmortem analysis, not for ordinary active retrieval. What is being learned here? Not neural weights. The Claude model remains unchanged. The learning occurs in an external, persistent representation of experience that can affect future decisions. This is sometimes called an agent memory architecture rather than parameter learning. Students should be able to distinguish those concepts explicitly. Semantic consolidation is also not proof: a compact rule derived from synthetic data can be wrong, poorly supported, or too broad. We therefore treat every belief as provisional and versioned, not as a permanent truth. Interpretation checkpoint: Compare the new proposition with the underlying episodes. Does its confidence seem justified? Are the cited examples genuinely supporting evidence? A well-designed memory layer must invite this inspection rather than hide it. The next stage will test the This cell is the 6th executable stage of the notebook. The code defines or updates the following named functions or classes: review_memory. In the fourth notebook, memory becomes a dynamic belief system. A synthetic market changes regime, creating an opportunity

to test whether an agent continue

s to rely on a formerly successful rule. The relevant distinction is between the historical episode, which remains true as a record, and the generalization derived from it, which may no longer apply. Consolidation, contradiction review and retirement are therefore separate operations. The agent's task is not to erase the past but to limit the influence of stale beliefs while maintaining a provenance trail. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than

pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.




Figure 18: Original pedagogical infographic from Notebook 4.

Cell 7: Continue through a hidden regime transition Now comes the decisive test. We advance the three p

Notebook code-cell index: 18.

Cell 7 — Continue through a hidden regime transition Now comes the decisive test. We advance the three policies across the market's change point. The agents are not informed that the coefficient has switched sign. The stateless agent continues reasoning about today's lagged observations. The episodic agent sees recent successful and unsuccessful examples. The lifecycle agent additionally sees its current active beliefs. All policies make their decision before the new return is revealed. The realized return then becomes a completed episode available on subsequent periods. This is a walk-forward experiment, not a retrospective prompt that includes tomorrow's answer. We

intentionally use a subsampled decision schedule rather than every one of the synthetic observations. The underlying market evolves at every period; the agent acts on selected periods with contemporaneously available lagged features. This reduces API cost while preserving the sequence of market information and the separation between decision and outcome. It does not reproduce continuous portfolio compounding. The objective is a transparent cognitive stress test, not the construction of a commercial systematic strategy. In the full setting there are enough decision points on both sides of the transition for students t

o inspect adaptation; in FAST_DEMO mode, the conclusions are necessarily more fragile. An especially interesting failure mode can appear here. Retrieval might improve early decisions yet keep reinforcing outdated momentum analogies after the transition. More memory does not guarantee better performance. It can produce greater confidence in the wrong model of the world. We record all actions and short rationales so that students can distinguish genuine use of remembered episodes from an apparent improvement caused by chance. We do not assume that the lifecycle agent will succeed. If it fails to adapt, that too is a valid research finding and an invitation to improve consolidation rules. Interpretation checkpoint: Look for disagreement among policies around the change point. Which agent continues to rely on earlier experience? Does the lifecycle policy invoke its belief? Are there cases where abstention is more sensible than either trading direction? Avoid declaring a winner from a few This cell is the 7th executable stage of the notebook. Its implementation visibly uses operations such as pd.DataFrame. In the fourth notebook, memory becomes a dynamic belief system. A synthetic market changes regime, creating an opportunity to test whether an agent continues to rely on a formerly s

uccessful rule. The relevant distinction is between the historical episode, which remains true as a record, and the generalization derived from it, which may no longer apply. Consolidation, contradiction review and retirement are therefore separate operations. The agent's task is not to erase the past but to limit the influence of stale beliefs while maintaining a provenance trail. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexi

ty has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 8: Review, contradict, and retire a stale belief A sophisticated memory system requires more than

Notebook code-cell index: 20.

Cell 8 — Review, contradict, and retire a stale belief A sophisticated memory system requires more than an accumulation of summaries. This cell asks Claude to examine recent outcomes and compare them against the current semantic belief. It may retain the proposition, revise it, place it under review, or retire it from active context. The model receives episode references and a carefully labeled note about the date of the review. It is not given the hidden true regime, so its revision is evidence-driven rather than scripted to follow the experimenter's change point. In this laboratory, the LLM generates the proposed epistemic update. Python validates allowed operations, checks source references, preserves the previous version, and appends an audit event. The distinction between retirement and deletion is crucial for financial governance. A portfolio research team may cease using an old market rule, but it must still be able to explain why the rule influenced yesterday's trades. Erasing the prior rule would compromise historical attribution and model-risk review. We therefore implement a versioned belief record. When the LLM revises a proposition, the old version is retained and the new version becomes current. When a proposition is retired, it is removed only from the active decis

ion prompt. This is selective forgetting, not destruction of evidence. An institution would additionally require human approval, documented policy, and retention controls; our small notebook merely demonstrates the architectural distinction. This cell also highlights an unresolved scientific challenge. A language model can provide plausible explanations for why evidence contradicts a belief, but its confidence may not be calibrated and its causal claims may

be unsupported. The notebook therefore treats the output as a proposal with explicit provenance, not as certified financial knowledge. Students should read the audit entries and inspect which episodes were cited. Any unverified citations are rejected. The system gives no privileged authority to a confident rhetorical style. Interpretation checkpoint: Did the model revise the belief in response to actual conflicting evidence? If not, why? Did it retain a narrow version, demote its confidence, or retire it? This cell is the 8th executable stage of the notebook. Its implementation visibly uses operations such as pd.DataFrame. In the fourth notebook, memory becomes a dynamic belief system. A synthetic market changes regime, creating an opportunity to test whether an agent continues to rely on a formerly successful rule. The releva

nt distinction is between the historical episode, which remains true as a record, and the generalization derived from it, which may no longer apply. Consolidation, contradiction review and retirement are therefore separate operations. The agent's task is not to erase the past but to limit the influence of stale beliefs while maintaining a provenance trail. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To rea

d the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 9: Introduce a provenance-labeled memory-poisoning attempt The preceding cells assumed that rememb

Notebook code-cell index: 22.

Cell 9 — Introduce a provenance-labeled memory-poisoning attempt The preceding cells assumed that remembered material came from the agent's own observed decisions and outcomes. Real institutions face a much harder environment. Their AI systems ingest news, research notes, counterparty communications, internal messages, and other agents' recommendations. A retrieved text can be useful evidence without being an authorized instruction or a verified fact. This cell introduces a deliberately misleading statement that claims momentum remains reliable despite the new observations. Its wording imitates confident financial commentary, but we label its source as UNVERIFIED_EXTERNAL_COMMENTARY and explicitly instruct Claude not to treat it as authority. We perform a controlled challenge using one real Claude call to the consolidation mechanism. The model must decide whether to maintain its belief, revise it, or reject the unverified commentary as inadequate evidence. Importantly, the external note is never promoted to an episode with a realized payoff. It does not masquerade as a trade or change the market history. It enters only as separately labeled text in a review prompt. This distinction is the essence of data provenance: identical sentences can have very different epistemic standing d

ependending on where they came from and whether they can be checked. The LLM response is captured in the audit log, and the notebook prints a compact comparison with the pre-challenge belief. The demonstration should not be mistaken for a rigorous security certification. A single prompt and one injected note cannot quantify resistance to prompt injection or poisoning. Even an apparently successful rejection may not generalize to subtler attacks. Stronger tests would require adversarial variants, permissions, quarantining untrusted sources, independent retrieval validation, and human review. Still, this minimal example makes the relevant institutional issue immediately visible: persistent memory transforms a transient misleading statement into a potential long-lived source of behavior change unless the system distinguishes evidence, instruction, and authority. Interpretation checkpoint: Check whether the model explicitly discusses provenance. Is the unverified note treated as evidence, an instruction, or an unsupported claim? Does the proposed memory action actually follow the completed episodes? A good This cell is the 9th executable stage of the notebook. In the fourth notebook, memory becomes a dynamic belief system. A synthetic market changes regime, creating an opportunity to te

st whether an agent continues to rely on a formerly successful rule. The relevant distinction is between the historical episode, which remains true as a record, and the generalization derived from it, which may no longer apply.

Consolidation, contradiction review and retirement are therefore separate operations. The agent's task is not to erase the past but to limit the influence of stale beliefs while maintaining a provenance trail. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding finan

cial environment rather than pretending that complexity has disappeared. To read the cell critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Cell 10: Evaluate adaptation, memory regret, and auditability Our final code cell turns the chronologica

Notebook code-cell index: 24.

Cell 10 — Evaluate adaptation, memory regret, and auditability Our final code cell turns the chronological record into a compact scientific report. We compare the three agents by their synthetic cumulative payoff, hit rate on non-CASH decisions, and action distribution. We also plot the action sequences near the change point and reconstruct the lifecycle belief's version history. Because the underlying world has a hidden conditional direction, we can measure whether actions align with the known sign of the autoregressive conditional mean at the sampled decision instants. That alignment is not a tradable oracle result: it is an experimenter-only diagnostic for whether the agent has recognized the relationship in the world we constructed. We define memory regret carefully. In ordinary finance, regret is often a nonnegative comparison against a benchmark. Here, to avoid ambiguity, we report incremental memory value : the lifecycle policy's realized payoff minus the stateless policy's realized payoff on matched decision periods. Positive values favor the memory policy; negative values indicate that memory was costly over those periods. We name it explicitly rather than using a sign convention that could confuse students. Adaptation lag is estimated as the number of sampled decisions

after the known change point until a policy delivers a specified short streak of actions aligned with the new conditional relationship. If a streak never occurs, the result is missing rather than fabricated. The plots also show a fundamental limitation. A single path through one synthetic market may reward an agent by chance. The fact that a belief was revised does not establish that the revision improved risk-adjusted performance. We therefore print the number of observations, API calls, and any current belief status; students can judge whether the evidence is sufficiently extensive. A serious extension would run many random seeds, benchmark against an explicit classical online learner, and report uncertainty intervals for treatment effects. Our small notebook is not designed to prove superiority, but to give students a tractable, inspectable research object. Interpretation checkpoint: Do not ask only which line is highest. Ask whether the agent's This cell is the 10th executable stage of the notebook. Its implementation visibly uses operations such as pd.DataFrame. In the fourth notebook, memory becomes a dynamic belief system. A synthetic market changes regime, creating an opportunity to test whether an agent continues to rely on a formerly successful rule. The relevant distin

ction is between the historical episode, which remains true as a record, and the generalization derived from it, which may no longer apply. Consolidation, contradiction review and retirement are therefore separate operations. The agent's task is not to erase the past but to limit the influence of stale beliefs while maintaining a provenance trail. A further methodological issue is the difference between an observable software operation and a claim about intelligence. The cell may store records, select candidates, invoke an API or calculate a metric, but none of those operations alone establishes that the agent has learned a reliable financial principle. The appropriate interpretation is narrower: the operation creates one necessary condition for evaluating memory-informed judgment. Its value depends on the integrity of the underlying data, the temporal ordering of information, the quality of the retrieval policy and the comparison against a suitable alternative. In a real institution the same component would require access controls, versioned inputs, logging, reproducibility and independent review. The educational experiment makes those requirements visible by simplifying the surrounding financial environment rather than pretending that complexity has disappeared. To read the cel

l critically, ask what information is available before its execution and what new information becomes available afterward. Identify which values are synthetic ground truth, which are retrieved historical observations, which are model-generated interpretations and which are evaluation statistics. This distinction is particularly important in finance because future outcomes must not leak into current decisions. A strong extension would repeat the same operation across alternative random seeds, harder cases and adversarial evidence, then measure the distribution of errors rather than relying on a single illustrative trace. Another extension would preserve every retrieved record and prompt as a reproducible audit artifact. Those extensions are not prerequisites for learning the mechanism, but they mark the transition from a classroom demonstration to a research-quality evaluation.

Synthesis: A progression toward situated judgment

The four laboratories form a coherent intellectual progression. The first establishes persistence: an artificial system can preserve episodes, distill lessons and retrieve relevant cases for a subsequent credit decision. The second changes the remembered object from a case to an investigative journey. Rather than asking only what happened, it asks which questions were pursued, in what order, at what cost and with what result. The third introduces deliberate search: remembered experience can guide the exploration of competing investigative branches, but the advantage must be demonstrated against fair alternatives under the same information budget. The fourth adds the most difficult capability, revision: a system must recognize that a useful past generalization may become unreliable after a regime change.

Across the sequence, memory is neither an undifferentiated transcript nor a magic source of accuracy. It is a structured relationship between observations, decisions, outcomes, interpretations and governance. Episodic records should preserve what was known and when; procedural records should preserve the path taken through an investigation; semantic beliefs should identify the evidence supporting their generalization; and meta-memory should describe provenance, contradictions, co

nfidence and active status. Each layer serves a different purpose. Combining them without explicit boundaries risks treating an attractive narrative as if it were verified evidence.

The distinction between memory storage and memory influence has institutional consequences. An audit record should generally be durable, whereas the decision influence of a belief should be conditional and revisable. An old credit episode may remain an important part of the institutional record even when its inferred lesson is no longer relevant. A successful investigative route may be worth recalling but should not automatically determine the next route. A belief formed during a trending market may require retirement after the market begins to mean-revert. In all three cases, responsible design preserves history while controlling its authority over the present.

The experiments also suggest a disciplined evaluation agenda. Comparisons should use paired cases and consistent information constraints. They should report not only headline decision accuracy but also investigation cost, unnecessary retrieval, adaptation lag, sensitivity to stale evidence, confidence calibration and reproducibility. Language-model calls should be verifiable, and deterministic proxies should be labeled as such. The synthetic

environment permits clear causal comparisons of software mechanisms, but it cannot settle whether those mechanisms generalize to real borrowers, live markets or institutional decision committees. That remains an empirical question.

For practitioners, the immediate lesson is architectural. The professional AI system of interest is not simply a powerful conversational interface attached to a large document archive. It is a governed workflow that selects evidence, interprets it, records decisions, observes outcomes and revises its active beliefs without rewriting the past. For graduate students, the deeper lesson is methodological: intelligence must be evaluated through behavior over time, not merely through the plausibility of a single response. The next stage of research is to connect these small, inspectable laboratories to longer horizons, heterogeneous evidence, uncertainty estimates and independent human oversight. Memory is therefore a foundation for financial judgment, but judgment also requires the ability to doubt memory. The practical educational benefit is that students can inspect each mechanism separately before combining them. They can ask whether a remembered case was actually similar, whether a path saved information costs, whether search improved a decision, and

whether an obsolete belief was retired promptly. These questions create a concrete agenda for responsible experimentation.

Conclusions: Situational awareness and research directions

This monograph has introduced memory as a necessary architectural component of financial artificial intelligence. It has not argued that remembering more information automatically makes a system more intelligent. On the contrary, the laboratories show why persistence, retrieval, investigation, reflection and forgetting must be distinguished. Each capability solves a different problem, and each introduces new ways for an agent to make mistakes. A stored case can be irrelevant, a remembered journey can be misleading, a branching investigation can rationalize a preferred answer, and a consolidated belief can survive beyond the regime in which it was useful.

The appropriate level of confidence in these demonstrations is modest but constructive. They show that memory mechanisms can be built, inspected and compared in controlled Colab experiments using synthetic financial environments and explicit language-model participation. They do not establish that any particular configuration delivers superior underwriting performance, better portfolio returns or reliable institutional autonomy in production. Such claims would require independent datasets, prospective evaluation, temporal validation, calibrated uncertainty, stress tests and governance review. This boundary between educational de

monstration and validated financial system is part of the scientific lesson, not a weakness to conceal.

Situational awareness about the current frontier begins with recognizing the gap between retrieving a relevant passage and exercising dependable judgment. Modern language models can integrate extensive context, call tools and produce persuasive explanations. Persistent stores and knowledge graphs can make more evidence available. But the difficult questions concern evidence quality, conflicting histories, temporal relevance, causal interpretation and accountability. There is no general guarantee that a language model will identify a regime change, notice an invalid precedent or appropriately discount a contaminated memory. These capabilities must be designed and tested as explicit processes rather than assumed to emerge from model scale.

Finance provides a demanding environment in which to pursue this research. Decisions are consequential, outcomes are often delayed, and the interpretation of evidence changes with macroeconomic conditions, regulation, liquidity and institutional constraints. Errors can compound through repeated actions. A system that learns the wrong lesson from a previous loss may repeat the same mistake more confidently; a system that discards all history m

ay fail to recognize a recurring vulnerability. The desirable middle ground is selective, accountable memory: preserve evidence, identify provenance, bound influence, detect contradiction and retire outdated interpretations while retaining the audit trail.

The next research steps are therefore clear. Extend the experiments to richer longitudinal credit histories and more realistic market transitions. Evaluate retrieval quality independently of the language model's final recommendation. Test multiple memory horizons, competing belief-update policies and adversarial attempts to inject false lessons. Record full decision traces and compare outcomes across repeated seeds and heterogeneous cases. Explore whether several agents can independently challenge a shared institutional memory and whether human committees can review memory changes before they influence high-stakes actions. These are natural extensions of the four laboratories rather than unrelated research directions.

The reader should leave with both ambition and discipline. Memory can transform an isolated answer into an investigation informed by prior evidence and experience. It can make the reasons for a decision more inspectable and create opportunities for learning from realized outcomes. Yet memory alone is not wisdom.

The goal for financial AI is a system that knows what it has seen, understands the limits of what that history implies, changes its mind when evidence warrants, and remains answerable to the people and institutions responsible for its decisions. That is the direction in which introductory laboratories can grow into serious research and eventually into trustworthy professional infrastructure. The ultimate measure of progress will be whether these architectures help institutions make decisions that are more accurate, better documented, more adaptable, and easier to challenge. That standard is more demanding than fluency and more relevant than a large memory store.

References

1. Lewis, P. et al. (2020). Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks. Advances in Neural Information Processing Systems 33.
2. Yao, S. et al. (2023). Tree of Thoughts: Deliberate Problem Solving with Large Language Models. Advances in Neural Information Processing Systems 36.
3. Park, J. S. et al. (2023). Generative Agents: Interactive Simulacra of Human Behavior. Proceedings of UIST 2023.
4. Packer, C. et al. (2023). MemGPT: Towards LLMs as Operating Systems. arXiv:2310.08560.
5. Shinn, N. et al. (2023). Reflexion: Language Agents with Verbal Reinforcement Learning. Advances in Neural Information Processing Systems 36.
6. Schick, T. et al. (2023). Toolformer: Language Models Can Teach Themselves to Use Tools. Advances in Neural Information Processing Systems 36.
7. Hu, E. J. et al. (2022). LoRA: Low-Rank Adaptation of Large Language Models. International Conference on Learning Representations.
8. Basel Committee on Banking Supervision (2013). Principles for Effective Risk Data Aggregation and Risk Reporting. BCBS 239.
9. National Institute of Standards and Technology (2023). Artificial Intelligence Risk Management Framework (AI RMF 1.0). NIST AI 100-1.
10. Reynoso, A. (2026). Financial Memory Laboratories: Four Google Colab Notebooks. Accompanying teaching materials.