

Alexandra Dones

April 8, 2026

Assignment 5


Assignment Overview:

The goal of this assignment is to review manual DISA STIG checks using a viewing tool. This task involves researching STIG viewing tools. The final deliverable will be a report of your selected manual findings including screenshots of your results from the STIG viewing tool. Further details are included below.

Main Tasks:

This project will encompass the following tasks:

1. Research the manual findings found from your previous DISA STIG scan results.
 2. Select a minimum of 3 findings from each of the Categories. (Minimum of 9 total findings)
 3. Configure your STIG viewing tool and create a checklist.
 4. Remediate all you chosen findings and check them off on your checklist.
 5. Create a report with screenshots of your remediation and the checklist created.
- Include information about your experience remediating the findings.



CAT I

Activities

SCC Report Viewer [file:///home/adones/SCC/Sessions/20...

Apr 8 01:29

Navigation

Back Forward Reload

Search

0 of 0

Key Subject:

C=US, O=U.S. Government, OU=DoD, OU=PKI, OU=USN, CN=CS.NIWC-ATLANTIC.001

Key Issuer:

C=US, O=U.S. Government, OU=DoD, OU=PKI, CN=DOD ID CA-71

Key Validation Dates:

Feb 18 00:00:00 2025 GMT - Feb 17 23:59:59 2028 GMT

Results: High Severity (CAT I)

Automated Checks

- V-257777 - RHEL 9 must be a vendor-supported release. - Not Selected
- V-257784 - The systemd Ctrl-Alt-Delete burst key sequence in RHEL 9 must be disabled. - Not Selected
- V-257785 - The x86 Ctrl-Alt-Delete key sequence must be disabled on RHEL 9. - Not Selected
- V-257820 - RHEL 9 must check the GPG signature of software packages originating from external software repositories before installation. - Not Selected
- V-257821 - RHEL 9 must check the GPG signature of locally installed software packages before installation. - Not Selected
- V-257822 - RHEL 9 must have GPG signature verification enabled for all software repositories. - Not Selected
- V-257826 - RHEL 9 must not have a File Transfer Protocol (FTP) server package installed. - Not Selected
- V-257835 - The Trivial File Transfer Protocol (TFTP) server must not be installed unless it is required, and if required, the RHEL 9 TFTP daemon must be configured to operate in secure mode. - Not Selected
- V-257955 - There must be no .shosts.equiv files on RHEL 9. - Not Selected
- V-257956 - There must be no .shosts files on RHEL 9. - Not Selected
- V-257984 - RHEL 9 SSHD must not allow blank passwords. - Pass
- V-257986 - RHEL 9 must enable the Pluggable Authentication Module (PAM) interface for SSHD. - Not Selected
- V-258018 - RHEL 9 must not allow unattended or automatic login via the graphical user interface. - Pass
- V-258059 - The root account must be the only account having unrestricted access to RHEL 9 system. - Not Selected
- V-258078 - RHEL 9 must use a Linux Security Module configured to enforce limits on system services. - Not Selected
- V-258084 - RHEL 9 must not allow blank or null passwords. - Pass
- V-258230 - RHEL 9 must enable FIPS mode. - Pass
- V-258236 - RHEL 9 cryptographic policy must not be overridden. - Pass

Manual Checks

- V-257789 - RHEL 9 must require a unique superusers name upon booting into single-user and maintenance modes. - Not Selected
- V-257879 - RHEL 9 local disk partitions must implement cryptographic mechanisms to prevent unauthorized disclosure or modification of all information that requires at rest protection. - Not Selected

● V-257789: DONE

Activities

STIG Viewer 3.7

Apr 8 01:31

STIG Viewer 3.7 : STIG Checklists

LOCALHOST_SCC-5.14_2026-04-08_011845_Checklist_RHEL_9_STIG-002.007.011

Checklist Rules

Group ID

- V-257986 RHEL 9 must enable the Pluggable Authent...
- V-257984 RHEL 9 SSHD must not allow blank passw...
- V-257879 RHEL 9 local disk partitions must implemen...
- V-257835 The Trivial File Transfer Protocol (TFTP) se...
- V-257826 RHEL 9 must not have a File Transfer Proto...
- V-257822 RHEL 9 must have GPG signature verificati...
- V-257821 RHEL 9 must check the GPG signature of L...
- V-257820 RHEL 9 must check the GPG signature of s...
- V-257789 RHEL 9 must require a unique superusers ...
- V-257785 The x86 Ctrl-Alt-Delete key sequence must ...
- V-257784 The systemd Ctrl-Alt-Delete burst key sequ...
- V-257777 RHEL 9 must be a vendor-supported release.
- V-258078 RHEL 9 must use a Linux Security Module ...
- V-258059 The root account must be the only account ...
- V-257956 There must be no .shosts files on RHEL 9.
- V-257955 There must be no .shosts.equiv files on RH...

Check Text:

Verify the RHEL 9 boot loader superuser account has been set with the following command:

```
$ sudo grep -A1 "superusers" /etc/grub2.cfg
```

set superusers="<accountname>";
export superusers
password_pbkdf2 <accountname> \${GRUB2_PASSWORD}

Verify <accountname> is not a common name such as root, admin, or administrator.

If superusers contains easily guessable usernames, this is a finding.

Fix Text:

Configure RHEL 9 to have a unique username for the grub superuser account.

Edit the "/etc/grub.d/01_users" file and add or modify the following lines with a nondefault username for the superuser account:

```
set superusers="&lt;accountname&gt;";  
export superusers
```

Once the superuser account has been added, update the grub.cfg file by running:

20 CAT I Rules

20 Rules

Not Reviewed 15
Not A Finding 5
Open 0
Not Applicable 0

Score 100%

Checklist Type Computing

Host Name LOCALHOST.LOCALDOMAIN

IP Address 10.0.2.15

MAC Address 08:00:27:58:5c:9e

Fully Qualified Domain Name LOCALHOST.LOCALDOMAIN.attlocal.net

Target Comments

Role None

```
root@localhost:/home/adones

Usage: /usr/sbin/grub2-setpassword [OPTION]
/usr/sbin/grub2-setpassword prompts the user to set a password on the grub bootl
oader. The password
is written to a file named user.cfg which lives in the GRUB directory
located by default at /boot/grub2.

-h, --help                print this message and exit
-v, --version              print the version information and exit
-o, --output_path <DIRECTORY> put user.cfg in a user-selected directory

Report bugs at https://bugs.rockylinux.org.
[adones@localhost ~]$ sudo -s
[root@localhost adones]# grub2-setpassword
Enter password:
Confirm password:
[root@localhost adones]# sudo grub2-mkconfig -o /boot/grub2/grub.cfg
Generating grub configuration file ...
Adding boot menu entry for UEFI Firmware Settings ...
done
[root@localhost adones]# sudo grep -A1 "superusers" /etc/grub2.cfg
set superusers="stigadmin"
export superusers
password_pbkdf2 root ${GRUB2_PASSWORD}
[root@localhost adones]#
```

Activities STIG Viewer 3.7 Apr 8 01:41

STIG Viewer 3.7 : STIG Checklists

LOCALHOST_SCC-5.14_2026-04-08_011845_Checklist_RHEL_9_STIG-002.007.011

Checklist Rules

Group ID

- V-257986 RHEL 9 must enable the Pluggable Authent...
- V-257984 RHEL 9 SSHD must not allow blank passw...
- V-257879 RHEL 9 local disk partitions must implemen...
- V-257835 The Trivial File Transfer Protocol (TFTP) se...
- V-257826 RHEL 9 must not have a File Transfer Proto...
- V-257822 RHEL 9 must have GPG signature verificati...
- V-257821 RHEL 9 must check the GPG signature of L...
- V-257820 RHEL 9 must check the GPG signature of s...
- V-257799 RHEL 9 must require a unique superusers...
- V-257785 The x86 Ctrl-Alt-Delete key sequence must ...
- V-257784 The systemd Ctrl-Alt-Delete burst key sequ...
- V-257777 RHEL 9 must be a vendor-supported release.
- V-258078 RHEL 9 must use a Linux Security Module ...
- V-258059 The root account must be the only account ...
- V-257956 There must be no .shosts files on RHEL 9.
- V-257955 There must be no shosts.equiv files on RH...

20 CAT I Rules

Red Hat Enterprise Linux 9
Version: 2 Release: 7 Benchmark Date: 05 Jan 2026

GROUP ID: V-257789 RULE ID: SV-2577891137691 STIG ID: RHEL-09-212020

CHECK REFERENCE: ocl:navy.navwar.niwcatlantic.scc.rhel9os:questionnaire:2301 SEVERITY: CAT I

CLASSIFICATION: Unclassified

Rule Title:
RHEL 9 must require a unique superusers name upon booting into single-user and maintenance modes.

Discussion:
Having a nondefault grub superuser username makes password-guessing attacks less effective.

Check Text:
Verify the RHEL 9 boot loader superuser account has been set with the following command:

```
$ sudo grep -A1 "superusers" /etc/grub2.cfg
```

set superusers="<accountname>";

Comments

Finding Details

Tool: cpe:/a:niwc:scc:5.14
Time : 2026-04-08T01:19:22
Result: notselected

Score: 100%

Checklist Type: Computing

Host Name: LOCALHOST.LOCALDOMAIN

ID Address: 10.0.2.15

MAC Address: 08:00:27:58:5c:9e

Fully Qualified Domain Name: LOCALHOST.LOCALDOMAIN.attlocal.net

Target Comments

Role: None

20 Rules

20 CAT I Rules

- V-257879: This finding is not applicable because the system is running in a virtual machine, and the requirement only applies to physical hardware.

Activities Terminal Apr 8 01:46

STIG Viewer 3.7 : STIG Checklists

LOCALHOST_SCC-S.14_2026-04-08_011845_Checklist_RHEL_9_STIG-002.007.011

Checklist Rules

Group ID

- V-257986 RHEL 9 must enable the Pluggable Authent...
- V-257984 RHEL 9 SSHD must not allow blank passw...
- V-257879 RHEL 9 local disk partitions must implemen...
- V-257835 The Trivial File Transfer Protocol (TFTP) se...
- V-257826 RHEL 9 must not have a File Transfer Proto...
- V-257822 RHEL 9 must have GPG signature verificati...
- V-257821 RHEL 9 must check the GPG signature of l...
- V-257820 RHEL 9 must check the GPG signature of s...
- V-257789 RHEL 9 must require a unique superusers ...
- V-257785 The x86 Ctrl-Alt-Delete key sequence must ...
- V-257784 The systemd Ctrl-Alt-Delete burst key sequ...
- V-257777 RHEL 9 must be a vendor-supported release.
- V-258078 RHEL 9 must use a Linux Security Module ...
- V-258059 The root account must be the only account ...
- V-257956 There must be no .shosts files on RHEL 9.
- V-257955 There must be no shosts.equiv files on RH...

20 CAT I Rules

\$ sudo lsblk --tree

NAME	MAJ:MIN	RM	SIZE	RO	TYPE	MOUNTPOINTS
zram0	252:0	0	8G	0	disk	[SWAP]
nvme0n1	259:0	0	476.9G	0	disk	
-nvme0n1p1	259:1	0	1G	0	part	/boot/efi
-nvme0n1p2	259:2	0	1G	0	part	/boot
-nvme0n1p3	259:3	0	474.9G	0	part	
-luks-<encrypted_id>	253:0	0	474.9G	0	crypt	
-rhel-root	253:1	0	16G	0	lvm	/
-rhel-varcache	253:2	0	8G	0	lvm	/var/cache

root@localhost/home/adones

root@localhost adones@lo... root@localhost root@localhost

```
[root@localhost adones]# lsblk
NAME MAJ:MIN RM SIZE RO TYPE MOUNTPOINTS
sda 8:0 0 40G 0 disk
├─sda1 8:1 0 1G 0 part /boot
├─sda2 8:2 0 39G 0 part
├─rlm-root 253:0 0 35.1G 0 lvm /
├─rlm-swap 253:1 0 3.9G 0 lvm [SWAP]
sr0 11:0 1 1024M 0 rom

[root@localhost adones]# sudo lsblk --tree
NAME MAJ:MIN RM SIZE RO TYPE MOUNTPOINTS
sda 8:0 0 40G 0 disk
├─sda1 8:1 0 1G 0 part /boot
├─sda2 8:2 0 39G 0 part
├─rlm-root 253:0 0 35.1G 0 lvm /
├─rlm-swap 253:1 0 3.9G 0 lvm [SWAP]
sr0 11:0 1 1024M 0 rom

[root@localhost adones]#
```

20 Rules

Not Reviewed 13 Not A Finding 6

Not Applicable 1 Open 0

Score 100%

Checklist Type Computing

Host Name LOCALHOST.LOCALDOMAIN

IP Address 10.0.2.15


MAC Address 08:00:27:58:5c:9e

Fully Qualified Domain Name LOCALHOST.LOCALDOMAIN.attlocal.net

Target Comments

Role None

CAT II



● V-258044: DONE

Activities STIG Viewer 3.7 Apr 8 01:57

STIG Viewer 3.7 : STIG Checklists

LOCALHOST_SCC-5.14_2026-04-08_011845_Checklist_RHEL_9_STIG-002.007.011 X +

Checklist Rules AUTO-SAVE ENABLED Import Export Edit Checklist

All Cat I Cat II Cat III

Group ID

- V-258052 All RHEL 9 local interactive user home dire...
- V-258050 Executable search paths within the initializa...
- V-258049 RHEL 9 must disable account identifiers (in...
- V-258048 All RHEL 9 interactive users must have a pr...
- V-258047 RHEL 9 must automatically expire temporar...
- V-258044 RHEL 9 must set the umask value to 077 fo...**
- V-258042 RHEL 9 user account passwords must have...
- V-258041 RHEL 9 user account passwords for new us...
- V-258039 RHEL 9 Bluetooth must be disabled.
- V-258038 RHEL 9 must block unauthorized peripheral...
- V-258036 RHEL 9 must have the USBGuard package...
- V-258035 RHEL 9 must have the USBGuard package...
- V-258034 RHEL 9 must be configured to disable USB ...
- V-258033 RHEL 9 must disable the user list at logon f...
- V-258032 RHEL 9 must prevent a user from overridin...
- V-258031 RHEL 9 must disable the ability of a user to ...

411 CAT II Rules

Check Text:

Verify that the default umask for all local interactive users is "077".

Identify the locations of all local interactive user home directories by looking at the "/etc/passwd" file.

Check all local interactive user initialization files for interactive users with the following command:

Note: The example is for a system that is configured to create users home directories in the "/home" directory.

```
$ sudo find /home -maxdepth 2 -type f -name "[^.]*" -exec grep -iH -d skip --exclude=.bash_history umask {} \;
```

```
/home/wadea/.bash_history:grep -i umask /etc/bashrc /etc/csh.cshrc /etc/profile /home/wadea/.bash_history:grep -i umask /etc/login.defs
```

If any local interactive user initialization files are found to have a umask statement that sets a value less restrictive than "077", this is a finding.

Comments

Finding Details

Tool: cpe:/a:niwc:scc:5.14
Time : 2026-04-08T01:19:22
Result: notselected

411 Rules

Score 100%

Checklist Type Computing

Host Name LOCALHOST.LOCALDOMAIN

IP Address 10.0.2.15

MAC Address 08:00:27:58:5c:9e

Fully Qualified Domain Name LOCALHOST.LOCALDOMAIN.attlocal.net

Target Comments

Role None

Activities Terminal STIG Viewer 3.7 Apr 8 02:08

STIG Viewer 3.7 : STIG Checklists

LOCALHOST_SCC-5.14_2026-04-08_011845_Checklist_RHEL_9_STIG-002.007.011 X +

Checklist Rules AUTO-SAVE ENABLED Import Export Edit Checklist

All Cat I Cat II Cat III

Group ID

- All RHEL 9 interactive users must have a pr...
- V-258047 RHEL 9 must automatically expire temporar...
- V-258044 RHEL 9 must set the umask value to 077 fo...**
- V-258042 RHEL 9 user account passwords must have...
- V-258041 RHEL 9 user account passwords for new us...
- V-258039 RHEL 9 Bluetooth must be disabled.
- V-258038 RHEL 9 must block unauthorized peripheral...
- V-258036 RHEL 9 must have the USBGuard package...
- V-258035 RHEL 9 must have the USBGuard package...
- V-258034 RHEL 9 must be configured to disable USB ...
- V-258033 RHEL 9 must disable the user list at logon f...
- V-258032 RHEL 9 must prevent a user from overridin...
- V-258031 RHEL 9 must disable the ability of a user to ...
- V-258030 RHEL 9 must prevent a user from overridin...
- V-258029 RHEL 9 must disable the ability of a user to ...
- V-258027 RHEL 9 must conceal, via the session lock, ...
- V-258026

411 CAT II Rules

Check Text:

Verify that the default umask for all local interactive users is "077".

Identify the locations of all local interactive user home directories by looking at the "/etc/passwd" file.

```
root@localhost:~# umask
bash: umask: command not found...
[root@localhost adones]# cd
[root@localhost ~]# umask
bash: umask: command not found...
[root@localhost ~]# umask
0022
[root@localhost ~]# sudo nano /etc/profile
[root@localhost ~]# sudo nano /etc/bashrc
[root@localhost ~]# sudo nano /etc/login.defs
[root@localhost ~]# umask
0022
[root@localhost ~]# source /etc/profile
[root@localhost ~]# sudo nano /etc/profile
[root@localhost ~]# sudo nano /etc/bashrc
[root@localhost ~]# sudo nano /etc/bashrc
[root@localhost ~]# umask
0077
[root@localhost ~]#
```

Comments

Finding Details

Tool: cpe:/a:niwc:scc:5.14
Time : 2026-04-08T01:19:22
Result: notselected

411 Rules

Score 100%

Checklist Type Computing

Host Name LOCALHOST.LOCALDOMAIN

IP Address 10.0.2.15

MAC Address 08:00:27:58:5c:9e

Fully Qualified Domain Name LOCALHOST.LOCALDOMAIN.attlocal.net

Target Comments

Role None

DONE

● V258052: DONE

STIG Viewer 3.7: STIG Checklists

LOCALHOST_SCC-5.14_2026-04-08_011845_Checklist_RHEL_9_STIG-002.007.011

Checklist Rules

Group ID

- V-258057 RHEL 9 must maintain an account lock until...
- V-258056 RHEL 9 must automatically lock an account...
- V-258055 RHEL 9 must automatically lock the root ac...
- V-258052 All RHEL 9 local interactive user home dire...**
- V-258050 Executable search paths within the initializa...
- V-258049 RHEL 9 must disable account identifiers (in...
- V-258048 All RHEL 9 interactive users must have a pr...
- V-258047 RHEL 9 must automatically expire temporar...
- V-258044 RHEL 9 must set the umask value to 077 fo...
- V-258042 RHEL 9 user account passwords must have...
- V-258041 RHEL 9 user account passwords for new us...
- V-258039 RHEL 9 Bluetooth must be disabled.
- V-258038 RHEL 9 must block unauthorized peripheral...
- V-258036 RHEL 9 must have the USBGuard package...
- V-258035 RHEL 9 must have the USBGuard package...
- V-258034 RHEL 9 must be configured to disable USB ...

411 CAT II Rules

Red Hat Enterprise Linux 9
Version: 2 Release: 7 Benchmark Date: 05 Jan 2026

GROUP ID: V-258052 RULE ID: SV-258052r1155588 STIG ID: RHEL-09-411065

CHECK REFERENCE: ocil:navy.navwar.niwcatlantic.scc.rhel9os.questionnaire:53301 CAT II

SEVERITY: **CAT II**

CLASSIFICATION: Unclassified

Rule Title:
All RHEL 9 local interactive user home directories defined in the /etc/passwd file must exist.

Discussion:
If a local interactive user has a home directory defined that does not exist, the user may be given access to the / directory as the current working directory upon login. This could create a denial of service because the user would not be able to access their login configuration files, and it may give them visibility to system files they normally would not be able to access.

Check Text:
Verify the assigned home directories of all interactive users on the system exist with the following command:

Comments

Finding Details

Tool: cpe:/a:niwc:scc:5.14
Time: 2026-04-08T01:19:22
Result: notselected

411 Rules

Score: 100%

Checklist Type: Computing

Host Name: LOCALHOST.LOCALDOMAIN

IP Address: 10.0.2.15

MAC Address: 08:00:27:58:5c:9e

Fully Qualified Domain Name: LOCALHOST.LOCALDOMAIN.attlocal.net

Target Comments

Role: None

STIG Viewer 3.7: STIG Checklists

LOCALHOST_SCC-5.14_2026-04-08_011845_Checklist_RHEL_9_STIG-002.007.011

Checklist Rules

Group ID

- RHEL 9 must log username information wh...
- V-258068 RHEL 9 must automatically exit interactive ...
- V-258060 RHEL 9 must ensure account lockouts persi...
- V-258058 RHEL 9 must not have unauthorized accou...
- V-258057 RHEL 9 must maintain an account lock until...
- V-258056 RHEL 9 must automatically lock an account...
- V-258055 RHEL 9 must automatically lock the root ac...
- V-258052 All RHEL 9 local interactive user home dire...**
- V-258050 Executable search paths within the initializa...
- V-258049 RHEL 9 must disable account identifiers (in...
- V-258048 All RHEL 9 interactive users must have a pr...
- V-258047 RHEL 9 must automatically expire temporar...
- V-258044 RHEL 9 must set the umask value to 077 fo...
- V-258042 RHEL 9 user account passwords must have...
- V-258041 RHEL 9 user account passwords for new us...
- V-258039 RHEL 9 Bluetooth must be disabled.
- V-258038 RHEL 9 must have the USBGuard package...

411 CAT II Rules

/etc/passwd

If any interactive users do not have a home directory assigned, this is a finding.

Fix Text:
Create home directories for all users who do not have a home directory assigned to the user home directory assigned.

Note: The example will be for the user "wadea", a user identifier (UID) of "users assigned" in "/etc/passwd".

\$ sudo mkdir /home/wadea
\$ sudo chown wadea /home/wadea
\$ sudo chgrp users /home/wadea
\$ sudo chmod 0750 /home/wadea

CC1-000366

Implement the security configuration settings.

Comments: DONE

Finding Details

Tool: cpe:/a:niwc:scc:5.14
Time: 2026-04-08T01:19:22
Result: notselected

08:00:27:58:5c:9e

Fully Qualified Domain Name: LOCALHOST.LOCALDOMAIN.attlocal.net

Target Comments

Role: None

CAT III

Activities SCC Report Viewer [file:///home/adones/SCC/Sessions/20... Apr 8 02:25]

Navigation: Back Forward Reload Search: Search Match Case 0 of 0

Results: Low Severity (CAT III)

Automated Checks

- V-270174 - RHEL 9 must display the standard mandatory DVD notice and Consent Banner before granting local or remote access to the system via a graphical user login. - Not Selected
- V-257782 - RHEL 9 must enable the hardware random number generator entropy gatherer service. - Not Selected
- V-257795 - RHEL 9 must enable mitigations against processor-based vulnerabilities. - Pass
- V-257796 - RHEL 9 must enable auditing of processes that start prior to the audit daemon. - Pass
- V-257824 - RHEL 9 must remove all software components after updated versions have been installed. - Not Selected
- V-257845 - RHEL 9 must use a separate file system for /var. - Not Selected
- V-257846 - RHEL 9 must use a separate file system for /var/log. - Not Selected
- V-257847 - RHEL 9 must use a separate file system for the system audit data path. - Not Selected
- V-257880 - RHEL 9 must disable mounting of cramps. - Pass
- V-257946 - RHEL 9 must disable the chrony daemon from acting as a server. - Pass
- V-257947 - RHEL 9 must disable network management of the chrony daemon. - Pass
- V-258037 - RHEL 9 must enable Linux audit logging for the USBGuard daemon. - Not Selected
- V-258069 - RHEL 9 must limit the number of concurrent sessions to ten for all accounts and/or account types. - Not Selected
- V-258173 - RHEL 9 must allocate an audit_backlog_limit of sufficient size to capture processes that start prior to the audit daemon. - Not Selected

Manual Checks

- V-258138 - RHEL 9 must be configured so that the file integrity tool verifies Access Control Lists (ACLs). - Not Selected
- V-258139 - RHEL 9 must be configured so that the file integrity tool verifies extended attributes. - Not Selected

Detailed Results: High Severity (CAT I)

V-257984 - RHEL 9 SSHD must not allow blank passwords.

Rule ID:	xccdf_mil.disa.stig_rule_SV-257984r1045026_rule
----------	---

- V-258138: DONE

Activities STIG Viewer 3.7 Apr 8 02:27

STIG Viewer 3.7 : STIG Checklists

LOCALHOST_SCC-5.14_2026-04-08_011845_Checklist_RHEL_9_STIG-002.007.011

Checklist Rules

Group ID

- V-258173 RHEL 9 must allocate an audit_backlog_lim...
- V-258139 RHEL 9 must be configured so that the file i...
- V-258138 RHEL 9 must be configured so that the file i...
- V-258037 RHEL 9 must enable Linux audit logging for...
- V-257880 RHEL 9 must disable mounting of cramps.
- V-257847 RHEL 9 must use a separate file system for...
- V-257846 RHEL 9 must use a separate file system for...
- V-257845 RHEL 9 must use a separate file system for...
- V-257824 RHEL 9 must remove all software compone...
- V-257796 RHEL 9 must enable auditing of processes ...
- V-257795 RHEL 9 must enable mitigations against pr...
- V-258069 RHEL 9 must limit the number of concurrent...
- V-257947 RHEL 9 must disable network management...
- V-257946 RHEL 9 must disable the chrony daemon fr...
- V-257782 RHEL 9 must enable the hardware random ...

15 CAT III Rules

Check Text:

Verify that AIDE is verifying ACLs with the following command:

```
$ sudo grep acl /etc/aide.conf
```

All= p+i+n+u+g+s+m+S+sha512+acl+xattrs+selinux

If the "acl" rule is not being used on all uncommented selection lines in the "/etc/aide.conf" file, or ACLs are not being checked by another file integrity tool, this is a finding.

Fix Text:

Configure the file integrity tool to check file and directory ACLs.

If AIDE is installed, ensure the "acl" rule is present on all uncommented file and directory selection lists.

References

CCI-000366

Implement the security configuration settings.

Comments

Finding Details

```
Tool: cpe:/a:niwc:scc:5.14
Time : 2026-04-08T01:19:22
Result: notselected
```

Rules

Not Reviewed 10

Open 0

Not A Finding 5

Not Applicable 0

Score 100%

Checklist Type Computing

Host Name LOCALHOST.LOCALDOMAIN

IP Address 10.0.2.15

MAC Address 08:00:27:58:5c:9e

Fully Qualified Domain Name LOCALHOST.LOCALDOMAIN.attlocal.net

Target Comments

Role None

Technology Area

Web or Database STIG

Activities Terminal STIG Viewer 3.7 : STIG Checklists Apr 8 02:34

LOCALHOST_SCC-5.14_2026-04-08_011845_Checklist_RHEL_9_STIG-002.007.011

Checklist Rules

Group ID

- V-258173 RHEL 9 must allocate an audit_backlog_lim...
- V-258139 RHEL 9 must be configured so that the file i...
- V-258138 RHEL 9 must be configured so that the file i...
- V-258037 RHEL 9 must enable Linux audit logging for...
- V-257880 RHEL 9 must disable mounting of cramps.
- V-257847 RHEL 9 must use a separate file system for...
- V-257846 RHEL 9 must use a separate file system for...
- V-257845 RHEL 9 must use a separate file system for...
- V-257824 RHEL 9 must remove all software compone...
- V-257796 RHEL 9 must enable auditing of processes ...
- V-257795 RHEL 9 must enable mitigations against pr...
- V-258069 RHEL 9 must limit the number of concurrent...
- V-257947 RHEL 9 must disable network management...
- V-257946 RHEL 9 must disable the chrony daemon fr...
- V-257782 RHEL 9 must enable the hardware random ...

15 CAT III Rules

Check Text:

Verify that AIDE is verifying ACLs with the following command:

```
$ sudo grep acl /etc/aide.conf
```

All= p+i+n+u+g+s+m+S+sha512+acl+xattrs+selinux

If the "acl" rule is not being used on all uncommented selection lines in the "/etc/aide.conf" file, or ACLs are not being checked by another file integrity tool, this is a finding.

Fix Text:

Configure the file integrity tool to check file and directory ACLs.

If AIDE is installed, ensure the "acl" rule is present on all uncommented file and directory selection lists.

References

CCI-000366

Implement the security configuration settings.

Comments

DONE

Finding Details

```
Tool: cpe:/a:niwc:scc:5.14
Time : 2026-04-08T01:19:22
Result: notselected
```

Rules

Not Reviewed 9

Open 0

Not A Finding 6

Not Applicable 0

Score 100%

Checklist Type Computing

Host Name LOCALHOST.LOCALDOMAIN

IP Address 10.0.2.15

MAC Address 08:00:27:58:5c:9e

Fully Qualified Domain Name LOCALHOST.LOCALDOMAIN.attlocal.net

Target Comments

Role None

Technology Area

Web or Database STIG

```
root@localhost:~
root@local... x adones@lo... x root@local... x root@local... x
Installed:
aide-0.16-105.el9.x86_64
Complete!
[root@localhost ~]# ls /etc | grep aide
aide.conf
[root@localhost ~]# sudo grep acl /etc/aide.conf
#acl:
Access Control Lists
#R:
p+i+n+u+g+s+m+c+acl+selinux+xattrs+md5
#L:
p+i+n+u+g+acl+selinux+xattrs
#>:
Growing logfile p+u+g+i+n+S+acl+selinux+xattrs
NORMAL = p+i+n+u+g+s+m+c+acl+selinux+xattrs+sha512
DIR = p+i+n+u+g+acl+selinux+xattrs
PERMS = p+u+g+acl+selinux+xattrs
LOG = p+u+g+n+S+acl+selinux+xattrs
CONTENT_EX = sha512+ftype+p+u+g+n+acl+selinux+xattrs
DATAONLY = p+n+u+g+s+acl+selinux+xattrs+sha512
[root@localhost ~]# sudo nano /etc/aide.conf
[root@localhost ~]#
```

● V-258139: DONE

Activities STIG Viewer 3.7 Apr 8 02:36

STIG Viewer 3.7 : STIG Checklists

LOCALHOST_SCC-5.14_2026-04-08_011845_Checklist_RHEL_9_STIG-002.007.011

Checklist Rules

Group ID

- V-258173 RHEL 9 must allocate an audit_backlog_lim...
- V-258139 RHEL 9 must be configured so that the file i...
- V-258138 RHEL 9 must be configured so that the file i...
- V-258037 RHEL 9 must enable Linux audit logging for...
- V-257880 RHEL 9 must disable mounting of cramps.
- V-257847 RHEL 9 must use a separate file system for...
- V-257846 RHEL 9 must use a separate file system for...
- V-257845 RHEL 9 must use a separate file system for...
- V-257824 RHEL 9 must remove all software compone...
- V-257796 RHEL 9 must enable auditing of processes ...
- V-257795 RHEL 9 must enable mitigations against pr...
- V-258069 RHEL 9 must limit the number of concurrent...
- V-257947 RHEL 9 must disable network management...
- V-257946 RHEL 9 must disable the chrony daemon fr...
- V-257782 RHEL 9 must enable the hardware random ...

15 CAT III Rules

Check Text:

Verify that AIDE is configured to verify extended attributes with the following command:

```
$ sudo grep xattrs /etc/aide.conf
```

All= p+i+n+u+g+s+m+S+sha512+acl+xattrs+selinux

If the "xattrs" rule is not being used on all uncommented selection lines in the "/etc/aide.conf" file, or extended attributes are not being checked by another file integrity tool, this is a finding.

Fix Text:

Configure the file integrity tool to check file and directory extended attributes.

If AIDE is installed, ensure the "xattrs" rule is present on all uncommented file and directory selection lists.

References

CC1-000366

Comments

Finding Details

Tool: cpe:/a:niwc:sc:5.14
Time : 2026-04-08T01:19:22
Result: notselected

Rules

Not Reviewed 9
Open 0
Not A Finding 6
Not Applicable 0

Score 100%

Checklist Type Computing

Host Name LOCALHOST.LOCALDOMAIN

IP Address 10.0.2.15

MAC Address 08:00:27:58:5c:9e

Fully Qualified Domain Name LOCALHOST.LOCALDOMAIN.attlocal.net

Target Comments

Role None

Technology Area

☐ Web or Database STIG

Activities Terminal Apr 8 02:38

STIG Viewer 3.7 : STIG Checklists

LOCALHOST_SCC-5.14_2026-04-08_011845_Checklist_RHEL_9_STIG-002.007.011

Checklist Rules

Group ID

- V-258173 RHEL 9 must allocate an audit_backlog_lim...
- V-258139 RHEL 9 must be configured so that the file i...
- V-258138 RHEL 9 must be configured so that the file i...
- V-258037 RHEL 9 must enable Linux audit logging for...
- V-257880 RHEL 9 must disable mounting of cramps.
- V-257847 RHEL 9 must use a separate file system for...
- V-257846 RHEL 9 must use a separate file system for...
- V-257845 RHEL 9 must use a separate file system for...
- V-257824 RHEL 9 must remove all software compone...
- V-257796 RHEL 9 must enable auditing of processes ...
- V-257795 RHEL 9 must enable mitigations against pr...
- V-258069 RHEL 9 must limit the number of concurrent...
- V-257947 RHEL 9 must disable network management...
- V-257946 RHEL 9 must disable the chrony daemon fr...
- V-257782 RHEL 9 must enable the hardware random ...

15 CAT III Rules

Check Text:

Verify that AIDE is configured to verify extended attributes with the following command:

```
$ sudo grep xattrs /etc/aide.conf
```

All= p+i+n+u+g+s+m+S+sha512+acl+xattrs+selinux

If the "xattrs" rule is not being used on all uncommented selection lines in the "/etc/aide.conf" file, or extended attributes are not being checked by another file integrity tool, this is a finding.

Fix Text:

Configure the file integrity tool to check file and directory extended attributes.

If AIDE is installed, ensure the "xattrs" rule is present on all uncommented file and directory selection lists.

References

CC1-000366

Comments

DONE

Finding Details

Tool: cpe:/a:niwc:sc:5.14
Time : 2026-04-08T01:19:22
Result: notselected

Rules

Not Reviewed 8
Open 0
Not A Finding 7
Not Applicable 0

Score 100%

Checklist Type Computing

Host Name LOCALHOST.LOCALDOMAIN

IP Address 10.0.2.15

Fully Qualified Domain Name LOCALHOST.LOCALDOMAIN.attlocal.net

Target Comments

Role None

Technology Area

☐ Web or Database STIG

```
root@localhost:~# sudo grep xattrs /etc/aide.conf
#xattrs: Extended file attributes
#R: p+i+n+u+g+s+m+c+acl+selinux+xattrs+md5
#L: p+i+n+u+g+acl+selinux+xattrs
#> Growing logfile p+u+g+i+n+S+acl+selinux+xattrs
NORMAL = p+i+n+u+g+s+m+c+acl+selinux+xattrs+sha512
DIR = p+i+n+u+g+acl+selinux+xattrs
PERMS = p+u+g+acl+selinux+xattrs
LOG = p+u+g+n+S+acl+selinux+xattrs
CONTENT_EX = sha512+ftype+p+u+g+n+acl+selinux+xattrs
DATAONLY = p+n+u+g+s+acl+selinux+xattrs+sha512
[root@localhost ~]#
```