




STRUCTURAL ANALYSIS

From a Mathematical Solution to Physical Reachability

A Structural Analysis of the Time-Travel Problem

Mathematical existence, physical constraints and the reachability of the required effect

DOCUMENT ID	NEL-TIME-SA-EN
VERSION	1.0
AUTHOR	Alexey Gudilin
ISSUE DATE	30 September 2026
STATUS	Research and analytical article (working version)

*Not a proof that time travel is possible or impossible.
An author-developed analytical model. Version for discussion.*

Status and abstract

Statement on the status of this work. This article is not a proof that time travel is physically possible or impossible. It applies structural analysis to selected published physical models and their associated constraints. The proposed author-developed formalisation organises the conditions of the problem; it does not replace physical theory, experimental verification or the calculation of a specific design. It is one way of examining the problem, not a claim to have resolved it conclusively.

Abstract

The existence of a mathematical description of a configuration does not, by itself, establish whether that configuration can be physically produced. Moving from a solution of equations to an engineering formulation requires the geometry, material sources, initial conditions, admissible interventions, stability and criteria for an observable result to be connected.

This article examines that distinction using time travel through traversable wormholes as an example. Four levels of analysis are distinguished: mathematical existence, physical consistency, reachability and controlled implementation. Selected studies in general relativity and quantum field theory are used to examine constraints that prevent an automatic transition between these levels. A conditional formalisation in terms of admissible spacetime histories is proposed, together with a simplified kinematic example.

The result is not a new model of a time machine, but a framework for assessing claims about its possibility. It distinguishes an established result, a conditional consequence, an unproven premise and a regime in which the description being used is no longer sufficient.

Scope of the author's contribution

The 1988 paper by Morris, Thorne and Yurtsever already treats the creation and maintenance of a traversable wormhole as a separate and fundamentally difficult question. Accordingly, this article does not claim to identify a gap that physicists have overlooked. It offers a systematic structural examination of the conditions concealed within the expression “an engineering problem”. [4]

CENTRAL RESULT

The existence of a solution is not yet a route to its implementation. This analysis identifies the conditions that must be established to substantiate such a route.

Contents

Status and abstract	2
1 What, exactly, is being called an engineering problem?	4
2 Four levels that must not be conflated	5
3 What a specific wormhole geometry reveals	6
4 Quantum constraints and the limits of the model	7
4.1 Negative energy is not an unlimited resource	7
4.2 Support for a conjecture is not a universal proof	7
4.3 Breakdown of a description is a distinct result	8
5 Traversability is not equivalent to a return to the past	8
6 A conditional mathematical formulation of the problem	9
6.1 Why an ordinary chain of states is insufficient	9
6.2 Premises, initial data and interventions	9
6.3 Defining the target property	10
6.4 Which conclusions does this framework permit?	10
7 A simplified example: from a time shift to a closed route	11
8 What a claim of feasibility must contain	12
9 What this analysis establishes	13
Conclusion	13
References and original source	14

1 What, exactly, is being called an engineering problem?

This analysis was prompted by a social media post referring to Michio Kaku's article *A User's Guide to Time Travel*. The original does contain the phrase *simply an engineering problem*. However, it is a Wired magazine article dated **1 August 2003**, published in a themed issue on superpowers, rather than a report of a new experimental result. Both its date and its genre matter when interpreting the statement. [1]

The following analysis concerns neither the researcher's authority nor the appeal of the idea itself. It examines the logical structure of the claim: which conditions must be satisfied before an unusual spacetime configuration can reasonably be discussed as something to be constructed?

Two meanings of time travel must first be distinguished.

The first concerns differences in the proper time elapsed for observers under different conditions of motion and gravity. These differences can be tested experimentally. For example, the study of optical atomic clocks by Chou and colleagues demonstrates relativistic differences in clock rates at laboratory speeds and over small changes in elevation. This is a measurement of differences in elapsed time, not a return to one's own past. [2]

The second concerns geometries that admit **closed timelike curves**. Along such a curve, an observer moves locally towards the future, yet the trajectory closes in spacetime. The emergence of these curves is the subject of research into possible chronology violation. It cannot be reduced to changes in clock readings or to clocks running more slowly. [7]

The remainder of this article focuses on the second case. Traversable wormholes are treated as a specific research example, not as an exhaustive account of every proposed form of time travel.

2 Four levels that must not be conflated

In the approach proposed here, structural analysis means examining the relationships between the conditions under which a system exists, the means of obtaining it and the required outcome. Its purpose is not to permit or prohibit time travel in advance, but to make explicit the obligations that arise when moving from one level of claim to the next.

This analytical discipline follows the PEMS requirement to separate definitions from interpretations, and interpretations from validation. The documentation and analysis standard is not itself a physical theory and cannot serve as evidence for the effect under consideration. [10]

Mathematical existence means that an object with specified properties can be described within a given model. The equations, geometry, boundary conditions and logical consistency of the description are examined at this level.

Physical consistency additionally requires establishing whether the necessary sources and states of matter can satisfy the laws included in the physical model under consideration. A source that formally supports the desired geometry cannot simply be assumed to be available without further justification.

Reachability concerns the origin of the configuration. Initial conditions and a process connecting them to the required result must be specified. Describing an object that already exists and showing how to obtain it from an accessible starting situation are different tasks.

Controlled implementation adds requirements concerning interventions in the system, its stability, reproducibility and observation of the result. Even an admissible process is not automatically a usable device.

These levels can be arranged in a sequence:

$$\text{existence} \longrightarrow \begin{matrix} \text{physical} \\ \text{consistency} \end{matrix} \longrightarrow \text{reachability} \longrightarrow \begin{matrix} \text{controlled} \\ \text{implementation} \end{matrix} \quad (1)$$

The arrows represent additional verification tasks, not automatic logical implications.

It is particularly important not to substitute a continuous path between mathematical descriptions for reachability. The system $\dot{x} = 0$ provides a simple counterexample. Its state space can be taken to be the entire real line, with a continuous geometric path between any two points. Yet the dynamics leave the system at its initial point. The connectedness of the state space therefore does not, by itself, provide a transition.

This elementary distinction establishes an important requirement for the present analysis: **a sequence of admissible representations of a system is not yet an admissible physical process.**

The boundary of the system under consideration must therefore include not only the proposed passage, but also the field sources, the surrounding region, the preparation mechanism, the control interventions and the object that is to follow the required trajectory. Otherwise, some of the necessary conditions will quietly remain outside the analysis.

3 What a specific wormhole geometry reveals

Consider the static, spherically symmetric Morris–Thorne geometry. In units where $G = c = 1$, its metric is

$$ds^2 = -e^{2\Phi(r)}dt^2 + \frac{dr^2}{1 - b(r)/r} + r^2d\Omega^2. \quad (2)$$

Here r is the areal radius of the spheres, $\Phi(r)$ is the redshift function, $b(r)$ determines the shape of the geometry, and $d\Omega^2$ denotes the angular part of the metric. For the smooth, non-degenerate throat of radius r_0 considered here, the conditions are

$$b(r_0) = r_0, \quad b'(r_0) < 1, \quad (3)$$

with a regular, finite Φ that excludes a horizon at the throat. These conditions apply to a particular class of models. [3]

Einstein's equations connect this geometry to the required stress-energy tensor. If ρ denotes the local energy density and p_r the radial pressure, then at the throat

$$(\rho + p_r)|_{r_0} = \frac{b'(r_0) - 1}{8\pi r_0^2} < 0. \quad (4)$$

This violates the null energy condition in the radial direction. It does not necessarily mean that ρ itself is negative: the relevant quantity is the combination of energy density and pressure. A static geometry of this kind does not, by itself, define a time machine. [3]

For structural analysis, the nature of this dependency is important. A requirement on the shape of the throat becomes a requirement on the material source. Geometry and source therefore cannot be treated as independent components that can later be combined arbitrarily.

The stated conditions yield a limited conclusion directly: requiring both this particular throat and $\rho + p_r \geq 0$ at that throat produces incompatible requirements. This is not a universal prohibition of wormholes. It identifies a contradiction **within a specified set of premises**.

This result illustrates what a structural assessment should produce: not an impression of how difficult a project is, but a precisely located condition identifying what is required, what it depends on and which assumptions produce an incompatibility.

It also follows that discussing the quantity of energy does not exhaust the problem. Before resources are estimated, it must be established whether the required source structure is admissible. A large resource and a suitable resource are not logically equivalent.

4 Quantum constraints and the limits of the model

4.1 Negative energy is not an unlimited resource

Ford and Roman investigated constraints on the magnitude and duration of negative energy density. For a free, massless, minimally coupled scalar field in Minkowski spacetime without boundaries, along an inertial trajectory, the inequality is

$$\frac{\tau_0}{\pi} \int_{-\infty}^{+\infty} \frac{\langle T_{\mu\nu} u^\mu u^\nu \rangle_{\text{ren}}}{\tau^2 + \tau_0^2} d\tau \geq -\frac{3}{32\pi^2 \tau_0^4}, \quad (5)$$

in units where $\hbar = c = 1$. Here τ is the observer's proper time, u^μ the observer's four-velocity, and $\tau_0 > 0$ the sampling scale. The formula constrains the averaged negative energy density; it does not make it arbitrarily available. [6]

The authors applied these considerations to static wormholes, discussing a local approximation on scales small compared with characteristic curvature radii and distances to boundaries. The inequality therefore cannot be transferred to every geometry or regime without examination. [6]

Our methodological conclusion is that including a component called “negative energy” in the description is insufficient. Its state, spatial distribution, duration and the domain of validity of the calculation must be specified. Naming a resource does not replace specifying it.

4.2 Support for a conjecture is not a universal proof

In his work on chronology protection, Stephen Hawking considered the formation of causality violations under specified geometric conditions. He argued that the quantum stress-energy tensor may become very large as causal trajectories approach closure, and that its backreaction on the geometry may prevent the formation of a time machine. The paper presents these results as support for the chronology protection conjecture, not as a final proof covering all possible physical models. [7]

For our analysis, the type of examination matters: the target geometry cannot be studied while entirely ignoring changes caused by the fields that support it. The assumption that a configuration remains unchanged during preparation and use must be justified, rather than introduced implicitly.

4.3 Breakdown of a description is a distinct result

Kay, Radzikowski and Wald obtained rigorous results for a quantum linear scalar field on spacetimes with a compactly generated Cauchy horizon. Under the assumptions specified in their paper, certain points on such a horizon obstruct the continuation of the standard description of the quantum state; the renormalised stress-energy tensor becomes ill-defined or singular. [8]

For the purposes of this article, three conclusions must be distinguished: the model prohibits a configuration; the model admits a configuration; or the model loses its applicability in the regime needed to answer the question. The third case must not quietly be converted into either of the first two.

The insufficiency of a calculation does not imply that the required effect is permitted. Yet this insufficiency alone also provides no universal proof that the effect is absent. It identifies the point at which a particular conclusion ceases to be justified.

5 Traversability is not equivalent to a return to the past

The work of Gao, Jafferis and Wall establishes traversability of a bridge in a specific model where an interaction couples the two boundaries of an eternal BTZ black hole. The resulting quantum source, with negative averaged null energy, changes the geometry. The authors explicitly state that the construction does not allow causality violation. This is a theoretical model with specified conditions, not an experiment that creates a passage through space. [9]

This example limits an excessively broad formulation. All constructions called traversable wormholes cannot be grouped together and assigned identical capabilities. The result depends not only on the local structure of the passage, but also on the conditions connecting the regions, the admissible interactions and the causal structure of the entire model.

In structural terms, this means that **a property of a component does not replace verification of a property of the system**. The ability to cross a region and the possibility of closing a timelike trajectory must be examined separately.

The question should therefore not be posed simply as whether traversable wormholes exist in general. More precisely: which construction is being considered, which conditions make it traversable, and do those same conditions permit the required temporal effect?

6 A conditional mathematical formulation of the problem

We can now state an analytical framework of our own. It adds no new equations of gravitation. Its purpose is to connect premises, initial conditions, admissible interventions and the target property explicitly.

6.1 Why an ordinary chain of states is insufficient

The notation $S_0 \rightarrow S_1 \rightarrow \dots \rightarrow S_n$ is useful as a preliminary illustration. In this case, however, it can conceal precisely the issue that needs to be examined: which temporal relations connect the events, and whether a single global ordering exists for the entire description.

Our formalisation therefore starts not with a sequence of pictures arranged along a common time assumed in advance, but with a **candidate spacetime history**.

Let this history be

$$H = (M, g, \Psi), \quad (6)$$

where M is the set of events equipped with the necessary mathematical structure, g specifies the geometry, and Ψ denotes the matter fields and, where required by the chosen description, information about their quantum state.

This notation is a way of organising the problem. It does not assert that every formally specified H is physically admissible.

6.2 Premises, initial data and interventions

Let $\mathcal{A}$ denote the set of accepted premises. It includes the theory of gravitation, the matter model, boundary conditions, approximations and their domains of validity.

Let D_0 specify initial data in an accessible initial region. The important word is “accessible”: assuming a ready-made wormhole must not quietly become a claim that it can be created.

Let $\mathcal{U}$ denote admissible preparation and control protocols. They must describe physical interventions rather than the arbitrary assignment of a desired metric. Otherwise, the ability to obtain the desired result is built into the concept of control in advance.

Introduce the set

$$\mathfrak{H}_{\mathcal{A}}(D_0, u), \quad (7)$$

consisting of histories that satisfy the chosen equations and constraints and are consistent with the initial data D_0 and the protocol $u \in \mathcal{U}$.

At this level, what has been assumed, what has been derived and what remains to be checked are recorded separately. Changing the premises changes the problem; it does not merely add another solution to the previous problem.

6.3 Defining the target property

For a minimal geometric criterion, let $Q(H) = 1$ indicate that the history contains a closed, future-directed timelike curve.

With metric signature $(-+++)$, this means that there exists a smooth curve $\gamma : [0, 1] \rightarrow M$ such that

$$\gamma(0) = \gamma(1), \quad g(\dot{\gamma}, \dot{\gamma}) < 0, \quad (8)$$

and its tangent is future-directed everywhere. This condition describes the causal structure of the trajectory, not a reversal of the traveller's own clock. This understanding of a temporal loop follows the formulation used in studies of chronology violation. [7]

The set of candidates possessing the required property can be written as

$$\mathfrak{F}_{\mathcal{A}}(D_0, \mathcal{U}) = \left\{ H \mid \exists u \in \mathcal{U} : \right. \\ \left. H \in \mathfrak{S}_{\mathcal{A}}(D_0, u), \quad Q(H) = 1 \right\}. \quad (9)$$

The point of this expression is that the required causal structure must belong to the same history in which the accepted physical constraints and preparation conditions hold. Geometry cannot be validated using one model, the material source using another and reachability using a third without checking their compatibility.

6.4 Which conclusions does this framework permit?

A non-empty $\mathfrak{F}_{\mathcal{A}}$ would mean that at least one compatible scenario exists **within the chosen description**. It would not yet prove that such a scenario occurs in nature or can be reliably produced by a control intervention.

A proof that the set is empty would establish that the requirements are incompatible under the stated premises. It would not automatically extend the prohibition to other theories of matter, other boundary conditions or a different initial state.

The absence of an established answer about whether the set is empty is a distinct status. It must not be replaced either by confidence in feasibility or by a claim of impossibility.

A compatible extension must also be distinguished from controlled production of the result. If the description admits several extensions, the mere existence of a desirable one does not show that a device can select it. An engineering formulation will require criteria for predictability and robustness to admissible changes in initial data and interventions.

Nor may the absence of closed timelike curves throughout the desired history be imposed in advance and then presented as a research result. For example, requiring the entire geometry to be globally hyperbolic would exclude the effect under consideration from the outset. This is precisely why studies of time-machine formation examine the boundaries of the region whose development is determined by the initial data. [7]

The proposed formalisation does not yet calculate the set $\mathfrak{F}_{\mathcal{A}}$. It specifies the structure of the problem and shows what information will be required to solve it. This is a model of the conditions for assessment, not a numerical prediction, a probability estimate or a completed physical design.

7 A simplified example: from a time shift to a closed route

To keep the framework from remaining entirely abstract, consider a conditional kinematic example. Its motivation follows the transition discussed in the literature from a pre-existing wormhole to a time machine by changing the temporal relationship between its mouths. In particular, Visser treats obtaining a wormhole, creating a time shift and changing the mouths' relative positions as separate steps. [5]

We now introduce our simplifying assumptions. Suppose that two mouths already exist, are maintained and remain at rest at an external separation L in an approximately flat region. The passage permits travel from the first mouth to the second. Their spacetime identification contains a shift $\Delta > 0$, and transit introduces a delay $\delta \geq 0$ in the chosen external time coordinate.

Here Δ characterises the physical connection between events through the passage, not an arbitrary difference between the settings of two clocks. The quantity δ is likewise defined in the chosen external time coordinate and is not identified with the traveller's proper time.

Suppose that emergence takes place at the external time

$$t_{\text{exit}} = t_{\text{departure}} + \delta - \Delta. \quad (10)$$

The traveller then returns externally to the first mouth at speed $v < c$. Under the stated simplifications, the external return leg takes L/v , so

$$t_{\text{return}} - t_{\text{departure}} = \delta - \Delta + \frac{L}{v}. \quad (11)$$

A sufficient condition for returning before departure is

$$\Delta > \delta + \frac{L}{v}. \quad (12)$$

Within this conditional geometric scheme, the traveller can then wait until the original departure event, thereby completing a closed timelike route.

The inequality shows the interdependence of the requirements: the time shift must exceed the combined external-time cost of transit and return. Mentioning a "time shift" alone does not describe the complete route.

However, the calculation is performed **after strong initial assumptions have been accepted**. It does not derive the existence of the passage, the possibility of preparing it, its stability, the admissibility of the source or consistent field dynamics. Nor can L , Δ and δ be regarded as independently controllable until a specific physical model establishes this.

The example therefore provides a conditional criterion for kinematic compatibility, not confirmation of feasibility. Its value is that it makes clear which premises produced the result and which questions remain outside the calculation.

8 What a claim of feasibility must contain

The proposed analysis can be developed into a programme for assessing a specific model. Listing difficulties is not enough. The result that must be provided for each question needs to be defined.

Subject of assessment	Required result
Geometry and target property	An explicit model and verification that it actually possesses the required causal structure
Material sources	A consistent description of the fields or states of matter supporting this geometry
Initial conditions	A statement of what is assumed to be accessible and which special objects are already included in the starting situation
Preparation process	Admissible dynamics connecting the initial data to the target configuration
Stability and applicability	An assessment of perturbations, field backreaction and the limits of the approximations used
Observable result	A criterion distinguishing the required physical effect from other changes in instrument readings

This table sets requirements for subsequent work; it does not report that those requirements have already been met.

The practical research output of this analysis is a specification of a particular hypothesis: the chosen model, its premises, a defined target effect, verified consequences and unresolved conditions. Every substantive conclusion must be linked to the premises on which it rests.

It is especially important to distinguish using an existing object from creating it. If the passage is included in D_0 , a subsequent solution may describe its control but does not explain its origin. These two tasks cannot be merged into a single claim of engineering feasibility.

The most productive next step would be to select one specific model, rather than add arbitrary parameters to an abstract formula. Its geometry, source and preparation process could then be examined consistently, without borrowing convenient properties from incompatible constructions.

9 What this analysis establishes

The contribution of this article lies in organising the problem, not in obtaining a new physical solution. The studies considered show that the research problem includes conditions for the existence of sources, quantum-field constraints and consistency of the causal structure. These questions are already present in the physics literature; they do not originate in the methodology proposed here. [4]

The analysis itself separates conclusions that are often combined under a general statement of possibility. The mathematical existence of a configuration, its compatibility with the chosen physics, its reachability from initial conditions and its controlled use require different justifications.

The proposed set of admissible histories expresses this distinction formally. The simplified example shows how a testable conditional consequence can be obtained without presenting accepted assumptions as established facts. The assessment programme specifies the results needed to move to a stronger claim.

The limits of the work are also defined. No self-consistent dynamical model of time-machine creation has been constructed here, no quantum backreaction has been calculated, and no physically accessible preparation protocol has been established. The analysis therefore neither permits travel into the past nor establishes a universal prohibition against it.

This does not make the investigation empty. It clarifies **which question each argument actually answers and which conditions still separate that answer from the next level of claim.**

Conclusion

An interest in time travel does not require choosing in advance between belief in its possibility and certainty that it is impossible. A research position can begin with a more precise action: define the object, disclose the premises and establish the strength of the conclusion they justify.

In the formulation considered here, the central question is not simply whether an unusual geometry can be described. It is whether there exists a consistent spacetime history in which initial conditions, material sources, the preparation process and the required effect are compatible. A separate question then arises: can that result be produced and controlled?

Structural analysis does not replace physics. It helps prevent a premise from being mistaken for a consequence, a mathematical example for an accessible state, and an accessible state for a working technology.

CONCLUSION

The existence of a solution is not yet a route to its implementation. But identifying precisely what is missing from such a route is already a substantive research result.

References and original source

The verified links below identify the publications used in this analysis. This is a selection of supporting works, not an exhaustive literature review. The first item is the original magazine article; items [2]–[9] are scientific sources. Methodological document [10] is listed separately and is not used as physical evidence.

- [1] **Kaku, M. (2003).** *A User's Guide to Time Travel*. Wired, 1 August 2003.
<https://www.wired.com/2003/08/pwr-timetravel/>
- [2] **Chou, C. W., Hume, D. B., Rosenband, T., Wineland, D. J. (2010).** *Optical Clocks and Relativity*. Science, 329, 1630–1633.
DOI: [10.1126/science.1192720](https://doi.org/10.1126/science.1192720)
https://tsapps.nist.gov/publication/get_pdf.cfm?pub_id=905055
- [3] **Morris, M. S., Thorne, K. S. (1988).** *Wormholes in spacetime and their use for interstellar travel: A tool for teaching general relativity*. American Journal of Physics, 56, 395–412.
DOI: [10.1119/1.15620](https://doi.org/10.1119/1.15620)
<https://www.pas.rochester.edu/~tim/introframe/AmJPhysBlackHoles.pdf>
- [4] **Morris, M. S., Thorne, K. S., Yurtsever, U. (1988).** *Wormholes, Time Machines, and the Weak Energy Condition*. Physical Review Letters, 61, 1446–1449.
DOI: [10.1103/PhysRevLett.61.1446](https://doi.org/10.1103/PhysRevLett.61.1446)
<https://authors.library.caltech.edu/records/m644f-tbz27>
- [5] **Visser, M. (1993).** *From wormhole to time machine: Comments on Hawking's Chronology Protection Conjecture*. Physical Review D, 47, 554–565.
DOI: [10.1103/PhysRevD.47.554](https://doi.org/10.1103/PhysRevD.47.554)
<https://arxiv.org/abs/hep-th/9202090>
- [6] **Ford, L. H., Roman, T. A. (1996).** *Quantum Field Theory Constrains Traversable Wormhole Geometries*. Physical Review D, 53, 5496–5507.
DOI: [10.1103/PhysRevD.53.5496](https://doi.org/10.1103/PhysRevD.53.5496)
<https://arxiv.org/abs/gr-qc/9510071>
- [7] **Hawking, S. W. (1992).** *Chronology protection conjecture*. Physical Review D, 46, 603–611.
DOI: [10.1103/PhysRevD.46.603](https://doi.org/10.1103/PhysRevD.46.603)
<https://link.aps.org/doi/10.1103/PhysRevD.46.603>
- [8] **Kay, B. S., Radzikowski, M. J., Wald, R. M. (1997).** *Quantum Field Theory on Spacetimes with a Compactly Generated Cauchy Horizon*. Communications in Mathematical Physics, 183, 533–556.
DOI: [10.1007/s002200050042](https://doi.org/10.1007/s002200050042)
<https://arxiv.org/abs/gr-qc/9603012>
- [9] **Gao, P., Jafferis, D. L., Wall, A. C. (2017).** *Traversable Wormholes via a Double Trace Deformation*. Journal of High Energy Physics, 12, 151.
DOI: [10.1007/JHEP12\(2017\)151](https://doi.org/10.1007/JHEP12(2017)151)
<https://arxiv.org/abs/1608.05687>

Methodological basis

- [10] **Gudilin, A.** *Pelena Engineering Manual Style (PEMS), v1.0*. Universal Writing and Documentation Standard. Author-supplied writing and documentation standard. Internal document; no public URL is claimed.

Bibliographic links checked on 30 September 2026. Checking source accessibility is not an independent physical verification of the models discussed.