

TextBox class

-> BaseElement

Button class

-> BaseElement

ImageLabel class

-> BaseElement

Dropdown class

-> BaseElement

RadioButton class

-> BaseElement

TextBox class

-> BaseElement

CheckBox class

-> BaseElement

Container class

-> BaseElement

BrowserJsActions class

+ field: \_\_driver

+ method(): StopPageLoading

BrowserFactory class

+ field: \_\_driverThreadLocal

+ method(): GetDriver  
- method(): InitDriver  
-method(): InitDriverByType  
+method(): QuitBrowser

BrowserSettings class

- field: \_\_browserSettings

+ Property: BrowserName

+ method(): BrowserSettings

BrowserSettingsReader class

- field: \_\_browserSettings  
- field: browserSettingsPath

+ Property: BrowserSettings

+ method(): BrowserSettingsReader  
- method(): ReadSettingsFile

BaseElement abstract class

+ field: \_\_driver

+ propertie: Actions  
+ propertie: Element  
+ propertie: JsActions  
+ propertie: Locator  
+ propertie: Visibility

+ method(): BaseElement  
+ method(): Click  
+ method(): GetText  
+ method(): GetWebElement  
+ method(): SameElementsCount

PageObject abstract class

+ field: \_\_uniqueElement

+ method(): PageObject  
+ method(): WaitForOpened

ElementVisibility class

+ Property: Element

+ method(): ElementVisibility  
+ method(): IsDisplayed  
+ method(): IsEnabled  
+ method(): IsExistInDOM  
+ method(): IsNotExist

ElementJsActions class

- field: \_\_driver  
- field: \_\_webElement

+ method(): DeleteElement  
+ method(): ElementJsActions  
+ method(): HighlightElement  
+ method(): ScrollToElement

ElementsCollection<T> generic class

- field: \_\_driver

+ Property: CommonLocator  
+ Property: Elements

+ method(): ElementsCollection  
- method(): GetFoundCount

WaitConditions static class

- field: \_\_driver

- method(): ExpireMessage  
+ method(): WaitForDisappeared  
+ method(): WaitForDisplayed  
+ method(): WaitForNotExist