

SabMag/VFR List Microfiche & Manuals Electronic Reader Project

The microfiche and manuals contained herein are provided as a service to the Internet mailing-list community for non-commercial use only. No warranties, express or implied, are given for the accuracy of this material. All materials contained on this CD are in Adobe Portable Document Format (PDF). You may freely copy this information provided it is used in its entirety and includes this message. The free Adobe Acrobat Reader® for each of the supported computer platforms is included to allow reading. Separate license agreements are provided for this software by Adobe and included in the installation package.

**Back to
Index**

Continue
To next page

HONDA

PARTS CATALOG

VF700S'84-'85
Sabre

Table of Contents

	Grid	Page
How To Use This Catalog	A 2	II
Serial Numbers	A 3	IV
Construction Of Vehicle Identification Number (V.I.N.) ..	A 3	V
Color Tables	A 4	VI
Manuals	A 6	X
Model ID Photos	A 7	XII
Specifications	A 7	XIII
Bulk Hose	A 9	XVI
Commonly Required Replacement Parts	A 10	XVIII
Contents By Page No. Sequence	A 11	XX
Contents In Alphabetical Order	A 11	1
Part Groups		
Engine Group	B 1	2
Frame Group	E 1	54
Index		
Part Number Index	I 1	134
Description Index	J 1	146

AMERICAN HONDA MOTOR CO., INC.

© AMERICAN HONDA MOTOR CO., INC. 1993

PRINTED IN USA

July, 1993
Second Edition
14MB0EM

14MB0EM © American Honda Motor Co., Inc. 1993 I

GRID

A1

How To Use This Catalog

This parts catalog is to be used when ordering replacement parts for the model (s) specified on the microfiche strip.

CATALOG PAGE BREAKDOWN

MODEL(S)			MODEL		AREA CODE	ENGINE SERIAL NUMBER		QTY REQ	HONDA CODE							
			APPLICATION													
			1	1							1	1	1	1	1	1
REF. NO.	BLOCK NO.	E-1	9	9	9	9	9	9	9	FROM	TO	PART NUMBER	HONDA CODE			
			8	8	8	8	8	8	8					8		
			4	5	6	7	4	5	6					7		
			4	5	6	7	4	5	6	7						

1. **REF NO.** — Reference number corresponding with the reference numbers on the illustrations. *
* All illustrations are representative only and do not necessarily correspond exactly to the actual part. "NI" signifies the part is not illustrated.

2. **DESCRIPTION** — Describes the part for the related part number. Abbreviations:

ASSY.	- Assembly	Link (100 Links)	
COMP.	- Complete	A.C.	- Alternating
R.	- Right		Current
L.	- Left	D.C.	- Direct Current
STD.	- Standard	IN	- Inlet
MM	- Millimeter	EX.	- Exhaust
G	- Gram	FR.	- Front
T (22T)	- Tooth	RR.	- Rear
	(22 Teeth)	HEX.	- Hexagonal
A	- Ampere	A.M.	- Attaching Mark
V	- Volt	T.M.	- Transcript Mark
W	- Watt	C.D.I.	- Capacitive
KPH	- Kilometer		Discharge Ignition
	Per Hour	WL	- With Labeling
MPH	- Miles Per	WOL	- Without Labeling
	Hour		

Decision for 'R' or 'L'.

'R' or 'L' in the description of a part stands for the Right hand side or the Left hand side which is decided by the forward direction of travel of the vehicle.

3. **MODEL APPLICATION** — Model application for the various models listed within the catalog. Single model applications will not require this section.

3a. **MODEL YEAR GUIDE** — A guide to the part application. (prior to 1976 the guide reference is the model designation i.e., K0, K1, etc... For 1976 and above the guide reference is the last digit of the model year i.e., 1976=6; 1977=7; 1985=5 etc...)

4. **AREA CODE** — Area codes for parts that are unique to a particular area. Area codes are defined in the Serial Number application chart when applicable. This column will not be used in catalogs which do not include unique area codes.

5. **SERIAL NUMBER** — Applies to Engine or Frame serial numbers depending on the section.

The serial number of the vehicle (frame, engine, carburetor) should be checked prior to ordering parts for a specific unit. In cases where a part has been modified, the serial number of the vehicle bearing the modification is listed in the "SERIAL NUMBER" column.

The modification parts are controlled by each pertinent serial number below:

Engine serial number — Engine group parts (Block numbers beginning with 'E').

Carburetor identification number — Carburetor component parts.

Frame serial numbers — Frame group parts (Block numbers beginning with 'F'). Serial number application chart and Serial number locations are provided.

Note: Some models may be controlled by one serial number only.

How To Use This Catalog

6. **QTY REQ** — Quantity required per unit as specified.
A. "N" in place of the quantity indicates AS REQUIRED.
B. "()" or "()" by the quantity required indicates "optional".

7. **PART NUMBER** — Part number corresponding to the reference numbers and application. Several part numbers may be listed under one (1) reference number. For your convenience the current supersede chain, as of print date, has been listed for you. Supersede chains are subject to change without notice.

MAKE-UP OF PART NUMBERS

All parts are classified into two groups consisting of "GENERAL PARTS" and "STANDARD PARTS". All parts are numbered in accordance with system described below:

General Parts

Example: Fork comp. Part No. 51105-GR1-700ZA
Function No. 51
Component No. 105
Parts Classification No. -GR1-
Classification No. 700
*Color Code ZA

Standard Parts

Example: 8 x 8 Hex. Bolt rt No. 92000-08018-1A
Function No. 92
Type No. 000
Dimensions -08018-
ISO Standard Designation 1
Chemical Surface Treatment A

* The color code at the end of a General Part's part number indicate the color. However, color codes such as ZA, ZB, ZC onward except ZZ, do not indicate the color directly but refer to the notes " " in the Description Column of this Parts Catalog Microfiche. If the color description is not indicated in the text, refer to the color table.

8. **HONDA CODE** — The Honda Code is listed to the right of each Part Number.

A. **ADDITIONAL INFORMATION** — The table of contents located at the right of each microfiche grid lists sectioned titles in alphabetical order. Some microfiche will require separate tables of contents for the Engine and Frame sections which will be noted in a sub-heading; the introduction section (Row "A") of these microfiche will have the contents of the Engine Section on even number grids and the contents of the Frame Section on odd number grids.





NOTE:

1. The Block No. listed in the upper right hand corner of the Description heading refers to a complete illustration page and it's text, and should not be confused with the GRID NO. when using microfiche.
2. Rear view mirrors are standard equipment on all street legal models.

Serial Numbers

Models and applicable serial numbers
Models and applicable serial Nos. given in this parts catalog can be identified as follows.

Model	Area Code	Unique Area	Applicable Engine Serial No.	Applicable Frame Serial No.	Applicable Carburetor Identification No.
VF700S '84	A	EXCEPT CALIFORNIA	RC22E-2000008 To 2005978	RC220* EM000007 To EM005012	VD50E
VF700S '84	AC	CALIFORNIA	RC22E-2002575 To 2006097	RC221* EM000006 To EM001081	VD02A
VF700S '85	A	EXCEPT CALIFORNIA	RC22E-2100001 To 2103668	RC220* FM100001 To FM102800	VD50E VD50E
VF700S '85	AC	CALIFORNIA	RC22E-2100001 To 2103285	RC221* FM100001 To FM100863	VD02A



Construction of Vehicle Identification Number (V.I.N.)

(Example)

W.M.I.
J H 2

V.D.S.
R C 0 4 0

*

B

M

V.I.S.
2 0 0 0 1

W.M.I. ... World manufacturer identifier
V.D.S. Vehicle descriptor section
V.I.S. Vehicle indicator section

Sequential Production number

Plant representation
A ... OHIO factory in U.S.A
B ... AALST factory in BELGIUM
C ... SAITAMA factory in JAPAN
D ... GUADALAJARA factory in MEXICO
E ... MONTESA factory in SPAIN
F ATESSA factory in ITALY
K ... KUMAMOTO factory in JAPAN
M ... HAMAMATSU factory in JAPAN
R ... MANAUS factory in BRAZIL
S ... SUZUKA factory in JAPAN
T TOCHIGI factory in JAPAN

Model year
(Example)
B .. 1981 C .. 1982 D .. 1983 X .. 1999
<Except I.O.Q.U>

Check digit
This code is used to detect errors in the V.I.N. and consists of a single-digit number (0-9) or a letter "X". It has no direct bearing upon the V.D.S. and V.I.S.

Vehicle description code
(Example) RC040 ... CB750F NC030 ... CB400T
Refer to: SERIAL NUMBERS

Make and Type of vehicle
JH2 ... HONDA, Motorcycle (Manufactured in JAPAN)
1HF ... HONDA, Motorcycle (Manufactured in U.S.A.)
YC1 .. HONDA, Motorcycle (Manufactured in BELGIUM)
9C2 ... HONDA, Motorcycle (Manufactured in BRAZIL)
3H1 ... HONDA, Motorcycle (Manufactured in MEXICO)
VTM ... HONDA, Motorcycle (Manufactured in SPAIN)
ZDC .. HONDA, Motorcycle (Manufactured in ITALY)
JH3 ... HONDA, All terrain vehicle (Manufactured in JAPAN)
478 ... HONDA, All terrain vehicle (Manufactured in U.S.A.)

Any change or modification of parts is directly related to the V.D.S. and V.I.S.
A V.I.S. number will appear in the "Serial No." column of the Parts Catalog if a part is changed or modified.

COMMENT:
This example is generic and applies to 1981 and newer vehicles. 1980 models and prior are referred to as "FRAME NUMBERS" and the construction is designed by using the model designation or code followed by a sequential number.

Color Tables

Color Chart

- (WL) = Stripes and labels other than caution labels are included in parts whose part name end in (WL).
- (WOL) = Stripes and labels are not included in parts whose part name end in (WOL).

COLOR CODE TABLE (Color Descriptions omitted from the main text of the catalog)

TYPE OF PARTS	COLOR CODE	COLOR DESCRIPTION
PAINTED PARTS	A	WHITE
	B	BLACK
	C	SCARLET
	E	ROYAL BLUE
	N	DARK BLUE
	Q	MARUEM BLUE
	R	IVORY YELLOW
	S	DARK SILVER
	T	METALLIC SILVER
	XW	CHROME
	Z	PRIMER
	ZZ	PRIMER
VINYL PARTS	A	BLACK
	B	BLUE
	D	LIGHT BLUE
	E	SCARLET
	G	DARK ROSE
	N	ELEPHANT GRAY & IVORY
	Q	WHITE
	V	IVORY

Color Tables

Color Application Chart

- When ordering a part of a particular color or type, refer to the chart below for the model color and color label application.
- (WL) = Stripes and labels other than caution labels are included in parts whose part name end in (WL).
- (WOL) = Stripes and labels are not included in parts whose part name end in (WOL).

MODEL	VF700S _E '84	
COLOR	Black	Black
COLOR CODE	NH-1	NH-1
BODY COMP., FRAME A/C: A	NH-1	NH-1
BODY COMP., FRAME A/C: AC	NH-1	NH-1
COVER SET, R. SIDE	NH-1/TYPE 1	NH-1/TYPE 2
COVER SET, L. SIDE	NH-1/TYPE 1	NH-1/TYPE 2
COWL SET, RR.	NH-1/TYPE 1	NH-1/TYPE 2
FENDER COMP., FR.	NH-1	NH-1
FORK ASSY., RR.	NH-1	NH-1
MARK, DRIVE CAUTION	A-03	A-03
STRIPE, R. FUEL TANK	TYPE 1	TYPE 2
STRIPE, L. FUEL TANK	TYPE 1	TYPE 2
STRIPE, R. RR. COWL	TYPE 1	TYPE 2
STRIPE, L. RR. COWL	TYPE 1	TYPE 2
STRIPE, R. SIDE COVER	TYPE 1	TYPE 2
STRIPE, L. SIDE COVER	TYPE 1	TYPE 2
SUB FRAME CO.MP. A/C: A	NH-1	NH-1
SUB FRAME COMP. A/C: AC	NH-1	NH-1
TANK SET, FUEL A/C: A	NH-1/TYPE 1	NH-1/TYPE 2
TANK SET, FUEL A/C: AC	NH-1/TYPE 1	NH-1/TYPE 2

Note: When applicable, "From:" and "To:" followed by a Serial Number in the Description column, indicates the application range when present; "A/C:" followed by a code indicates the Area Code.

Color Tables

Color Application Chart

- When ordering a part of a particular color or type, refer to the chart below for the model color and color label application.
- (WL) = Stripes and labels other than caution labels are included in parts whose part name end in (WL).
- (WOL) = Stripes and labels are not included in parts whose part name end in (WOL).

MODEL	VF700S, '85	
COLOR LABEL	NH1K	NH1H
COLOR	Black	Black
COLOR CODE	NH-1	NH-1
BODY COMP., FRAME A/C: A	NH-1	NH-1
BODY COMP., FRAME A/C: AC	NH-1	NH-1
COVER SET, R. SIDE	NH-1/TYPE 1	NH-1/TYPE 2
COVER SET, L. SIDE	NH-1/TYPE 1	NH-1/TYPE 2
COWL SET, RR.	NH-1/TYPE 1	NH-1/TYPE 2
EMBLEM, R. FUEL TANK	TYPE 1	TYPE 2
EMBLEM, L. FUEL TANK	TYPE 1	TYPE 2
EMBLEM, RR. COWL	TYPE 1	TYPE 2
EMBLEM, SIDE COVER	TYPE 1	TYPE 2
FENDER COMP., FR.	NH-1	NH-1
FORK ASSY., RR.	NH-1	NH-1
MARK, DRIVE CAUTION	A-03	A-03
STRIPE, R. FUEL TANK	TYPE 1	TYPE 2
STRIPE, L. FUEL TANK	TYPE 1	TYPE 2
STRIPE, R. RR. COWL	TYPE 1	TYPE 2
STRIPE, L. RR. COWL	TYPE 1	TYPE 2
STRIPE, R. SIDE COVER	TYPE 1	TYPE 2
STRIPE, L. SIDE COVER	TYPE 1	TYPE 2
SUB FRAME COMP. A/C: A	NH-1	NH-1
SUB FRAME COMP. A/C: AC	NH-1	NH-1
TANK COMP., FUEL A/C: A	NH-1/TYPE 1	NH-1/TYPE 2

Color Tables

Color Application Chart

- When ordering a part of a particular color or type, refer to the chart below for the model color and color label application.
- (WL) = Stripes and labels other than caution labels are included in parts whose part name end in (WL).
- (WOL) = Stripes and labels are not included in parts whose part name end in (WOL).

MODEL	VF700S, '85	
COLOR LABEL	NH1K	NH1H
COLOR	Black	Black
COLOR CODE	NH-1	NH-1
TANK COMP., FUEL A/C: AC	NH-1/TYPE 1	NH-1/TYPE 2


Note: When applicable, 'From:' and 'To:' followed by a Serial Number in the Description column, indicates the application range when present; 'A/C:' followed by a code indicates the Area Code.

Manuals


DESCRIPTION	MANUAL NUMBER	H/C
VF700S '84-'85 SERVICE MANUAL	61MB004	1844505
VF700S '84 OWNER'S MANUAL	31MB0610	1783976
VF700S '85 OWNER'S MANUAL	31MB0620	1844513

Memo

Model ID Photo



VF700S'84 SABRE




VF700S'85 SABRE

Specifications


SECTION/SUBJECT	VF700S'84	VF700S'85
ENGINE		
Cylinder	Four Cylinder	Four Cylinder
Strokes	4-Stroke	4-Stroke
Cooling	Liquid Cooled	Liquid Cooled
Camshaft	DOHC	DOHC
Valves per cylinder	4-Valve	4-Valve
Displacement	699cc	699cc
Lubrication system	Wet Sump	Wet Sump
Carburetor	C.V.A-ACVD50E/VD02A	C.V.A-ACVD50E/VD02A
Main jet	# 122 / # 130	# 122 / # 130
Slow jet	# 40	# 40
TRANSMISSION		
Transmission type	Manual	Manual
Transmission speeds	6-Speed	6-Speed
Clutch	Manual	Manual
Shift pattern	1-N-2-3-4-5-OD	1-N-2-3-4-5-OD
CHASSIS		
Fuel tank capacity (Std)	4.8gal	4.8gal
Fuel tank capacity (Res)	1.1gal	1.1gal
Air filter type	Foam	Foam
Foam filter oil - Pro Honda	P. N. 08207-0001	P. N. 08207-0001
Drive chain	Shaft Drive	Shaft Drive
Front Brake	Double Disc	Double Disc
Rear Brake	Internal expand shoe	Internal expand shoe
Front tire	110-90X18-61H	110-90X18-61H
Tire pressure	32PSI	32PSI
Rear tire	130-90X17-68H	130-90X17-68H
Tire pressure	40PSI	40PSI
SERVICE/TUNING		
Valve clearance:		
Intake	0.12mm (0.005")	0.12mm (0.005")
Exhaust	0.12mm (0.005")	0.12mm (0.005")
Ignition type	Fully Transitionized	Fully Transitionized
Spark plug gap	0.8-0.9mm (0.031-0.035")	0.8-0.9mm (0.031-0.035")
LUBRICATION		
Recommended fuel	86+Octane	86+Octane

(Continued)

Model ID Photo



VF700S'84 SABRE



VF700S'85 SABRE

Specifications

SECTION/SUBJECT	VF700S'84	VF700S'85
LUBRICATION (continued)		
Engine oil - Pro Honda:		
GN4 10W40	P/N: 08206-0001	P/N: 08206-0001
GN4 20W50	P/N: 08206-0002	P/N: 08206-0002
Engine oil capacity:		
After draining	3.2qts	3.2qts
Coolant type	P/N: CU08730	P/N: CU08730
Coolant ratio	50:50	50:50
Drive shaft and final gear case		
Pro Honda shaft drive oil	P/N: 08208-0080	P/N: 08208-0080
Fork oil:		
Pro Honda	P/N: 08208-0010	P/N: 08208-0010
Viscosity	10W	10W
Capacity after draining	R/L 340/360CC	R/L 340/360CC
Brake fluid - Pro Honda DOT 4	P/N: 08203-0004	P/N: 08203-0004
Hydraulic clutch fluid		
Pro Honda DOT 4 Brake fluid	P/N: 08203-0004	P/N: 08203-0004

Bulk Hose

BULK HOSE CROSS REFERENCE CHART

To convert a cut hose part number to the equivalent of roll hose simply match the two part numbers using the following chart, cutting the required length indicated by the cut hose part number.

FUEL HOSE			VACUUM HOSE		
CATALOG	CURRENT LISTING	BULK HOSE PART NUMBER	CATALOG	CURRENT LISTING	BULK HOSE PART NUMBER
95001-35	---	2	95001-35003-20M	---	2
95001-35	---	4	95001-35003-40M	---	3
95001-45	---	2	95001-45003-20M	---	1
95001-45	---	4	95001-45008-40M	---	2
95001-55	---	2	95001-55008-20M	---	3
95001-55	---	4	95001-55008-40M	---	3
95001-75	---	4	95001-75008-40M	---	2
			95005-35	---	2
			95005-35	---	3
			95005-35	---	1
			95005-45	---	2
			95005-45	---	3
			95005-50	---	3
			95005-55	---	2
			95005-70	---	3
			95005-75	---	1
			95005-75	---	2
			95005-80	---	1
			95005-80	---	2
			95005-80	---	3
			95005-12	---	2

ORDERING INFORMATION

FUEL HOSE

PART NUMBER	H/C	INSIDE DIAMETER	ROLL LENGTH
95001-35003-20M	2380533	3.5 mm	3M (9.9ft)
95001-35003-40M	2380541	3.5 mm	3M (9.9ft)
95001-45003-20M	2380558	4.5 mm	3M (9.9ft)
95001-45008-30M	2324986	4.5 mm	3M (26.4ft)
95001-55008-20M	2386134	5.3 mm	8M (26.4ft)
95001-55008-30M	2385896	5.3 mm	8M (26.4ft)
95001-75003-20M	2385094	7.5 mm	3M (9.9ft)
95001-75003-30M	2385904	7.5 mm	3M (9.9ft)

VACUUM HOSE

PART NUMBER	H/C	INSIDE DIAMETER	ROLL LENGTH
95005-35008-10M	2325058	3.5 mm	8M (26.4ft)
95005-45008-10M	2325082	4.5 mm	8M (26.4ft)
95005-50003-30M	2380608	5.0 mm	3M (9.9ft)
95005-55008-10M	2386886	5.5 mm	8M (26.4ft)
95005-65003-20M	2380624	6.5 mm	3M (9.9ft)
95005-75003-10M	2380640	7.3 mm	3M (9.9ft)
95005-80008-10M	2325108	8.0 mm	8M (26.4ft)
95005-12003-10M	2380657	12.0 mm	3M (9.9ft)
95005-14003-20M	2380665	14.0 mm	3M (9.9ft)


CAUTION: Damage to vacuum hose will result from contact with fuel. Do not use vacuum hose in place of fuel hose.

Bulk Hose

CONSTRUCTION OF FUEL AND VACUUM HOSE PART NUMBER

Part Number
(Example)

9 5 0 0 1 - 7 5 0 0 8 - 4 0 M



CAUTION: Damage to vacuum hose will result from contact with fuel. Do not use vacuum hose in place of fuel hose.

COMMONLY REQUIRED REPLACEMENT PARTS

4 = VF700S'84 5 = VF700S'85		VF700S		AREA CODE	SERIAL NUMBER		QTY REQ	PART NUMBER		HONDA CODE
Ref. No.	DESCRIPTION	1 9 8 4	1 9 8 5		FROM	TO				
	BATTERY (12V14)	4	5		-----	-----	1	31500-461-771		1053990
	BATTERY (12V14)	4	5		-----	-----	1	31500-461-772		1288521
	BATTERY ASSY. (YUASA)	4	5		-----	-----	1	31500-415-601		0905455
	BATTERY ASSY. (YUASA)	4	5		-----	-----	1	31500-415-671		0668244
	BATTERY ASSY. (YUASA)	4	5		-----	-----	1	31500-425-671		0742981
	BATTERY ASSY. (YUASA)	4	5		-----	-----	1	31500-425-677		1550631
	BULB, HEADLIGHT (H4 JA12V60/55W)	4	5		-----	-----	1	34901-MC7-601		1288612
	BULB, TAILLIGHT (12V27/7W 2057HD)	4	5		-----	-----	2	34906-MG9-771		1700301
	BULB, TAILLIGHT (12V 27/8W)	4	5		-----	-----	2	34906-341-671		0273540
	BULB, TURN SIGNAL (12V23/8W) (STANLEY)	4	5		-----	-----	2	34905-425-671		0824326
	BULB, TURN SIGNAL (12V 23W)	4	5		-----	-----	2	34905-268-671		0145318
	DISK, CLUTCH FRICTION	4	5		-----	-----	6	22201-MB0-003		1242551
	DISK, CLUTCH FRICTION	4	5		-----	-----	6	22201-MM5-000		3143401
	FILTER, OIL	4	5		-----	-----	1	15410-MJ0-C		1689611
	FILTER, OIL	4	5		-----	-----	1	15410-MJ0-004		3481355
	FUSE B (10A)	4	---		-----	-----	2	98200-21000		0562793
	FUSE B (15A)	4	---		-----	-----	5	98200-21500		0252387
	FUSE F (30A)	4	5		-----	-----	2	98200-53000		0412676
	FUSE, BLADE (10A)	---	5		-----	-----	7	98200-31000		1644228
	FUSE, BLADE (15A)	---	5		-----	-----	2	98200-31500		1644244
	GASKET SET	4	5	A	-----	-----	4	16010-MB0-671		1241736
	GASKET SET	4	5	A	-----	-----	4	16010-MB0-871		3516416
	GASKET SET	4	5	AC	-----	-----	4	16010-MB4-621		1426014
	GASKET SET	4	5	AC	-----	-----	4	16010-MB4-622		2249340
	GASKET SET	4	5	AC	-----	-----	4	16010-MB6-305		3911518
	GASKET SET	4	5	AC	-----	-----	4	16010-MB6-681		2076362
	GRIP, L. HANDLEBAR	4	5		-----	-----	1	53166-390-780		0483438
	GRIP, R. HANDLEBAR	4	5		-----	-----	1	53165-390-780		0483420
	HANDLEBAR	4	5		-----	-----	1	53100-MB0-950		1782218
	HANDLEBAR, COMP., R.	4	5		-----	-----	1	53175-MJ6-006		1776590

XVIII © American Honda Motor Co., Inc. 1993 14MB0EM

COMMONLY REQUIRED REPLACEMENT PARTS

4 = VF700S'84 5 = VF700S'85		VF700S		AREA CODE	SERIAL NUMBER		QTY REQ	PART NUMBER		HONDA CODE
Ref. No.	DESCRIPTION	1 9 8 4	1 9 8 5		FROM	TO				
	HEADLIGHT UNIT	4	5		-----	-----	1	33120-ME5-670		1390517
	KEY, BLANK (TYPE 1)	4	5		-----	-----	(1)	35121-KW3-771		3029840
	KEY, BLANK (TYPE 1)	4	5		-----	-----	(1)	35121-MA6-811		1246750
	KEY, BLANK (TYPE 2)	4	5		-----	-----	(1)	35122-KW3-771		3029857
	KEY, BLANK (TYPE 2)	4	5		-----	-----	(1)	35122-MA6-811		1246768
	LENS, TURN SIGNAL	4	5		-----	-----	4	33402-MB1-003		1260397
	MIRROR, L.	4	5		-----	-----	1	88120-MB0-003		1250729
	MIRROR, R.	4	5		-----	-----	1	88110-MB0-003		1250703
	PLUG, SPARK (DPR7EA-9 NGK)	4	5		-----	-----	(2)	98069-57916		1103076
	PLUG, SPARK (DPR7EA-9 NGK)	4	5		-----	-----	(2)	98069-57916		1103076
	PLUG, SPARK (DPR8EA-9 NGK)	4	5		-----	-----	2	98069-58916		1103084
	PLUG, SPARK (DPR8EA-9 NGK)	4	5		-----	-----	2	98069-58916		1103084
	PLUG, SPARK (DPR9EA-9 NGK)	4	5		-----	-----	(2)	98069-59916		1103092
	PLUG, SPARK (DPR9EA-9 NGK)	4	5		-----	-----	(2)	98069-59916		1103092
	PLUG, SPARK (X22EPR-U9 ND)	4	5		-----	-----	(2)	98069-57926		1096817
	PLUG, SPARK (X22EPR-U9 ND)	4	5		-----	-----	(2)	98069-57926		1096817
	PLUG, SPARK (X24EPR-U9 ND)	4	5		-----	-----	2	98069-58926		1096825
	PLUG, SPARK (X24EPR-U9 ND)	4	5		-----	-----	2	98069-58926		1096825
	PLUG, SPARK (X27EPR-U9 ND)	4	5		-----	-----	(2)	98069-59926		1096833
	PLUG, SPARK (X27EPR-U9 ND)	4	5		-----	-----	(2)	98069-59926		1096833

14MB0EM © American Honda Motor Co., Inc. 1993 XIX

CONTENTS BY PAGE NO. SEQUENCE					
PAGE TITLE	PAGE	GRID	PAGE TITLE	PAGE	GRID
CYLINDER HEAD COVER	2	B1	FRAME	123	G11
FRONT CYLINDER HEAD	3	B1	TOOLS	126	H1
REAR CYLINDER HEAD	6	B3	STRIPE	128	H2
CAMSHAFT • VALVE	8	B4	CANISTER (AC)	132	H4
CAM CHAIN • TENSIONER	10	B5			
RIGHT CRANKCASE COVER	13	B6			
CLUTCH	14	B7			
PULSE ALTERNATOR • STARTER CLUTCH	16	B8			
ALTERNATOR	18	B9			
LEFT CRANKCASE COVER • WATER					
PUMP	20	B10			
STARTER MOTOR	22	B11			
OIL FILTER • OIL PAN • OIL PUMP	23	B11			
CYLINDER BLOCK	26	C1			
CRANKSHAFT • PISTON	30	C3			
TRANSMISSION	36	C6			
GEARSHIFT DRUM	38	C7			
WATER PIPE • THERMOSTAT	40	C8			
CROSS SHAFT	42	C9			
CARBURETOR ASSY. • CARBURETOR					
LINK	44	C10			
CARBURETOR COMPONENT	48	C12			
GASKET KIT A	50	D1			
GASKET KIT B	51	D1			
HEADLIGHT	54	E1			
INSTRUMENTS	56	E2			
CONTROL LEVER • SWITCHES • CABLES	59	E3			
FRONT BRAKE MASTER • CYLINDER	61	E4			
CLUTCH MASTER CYLINDER	64	E6			
HANDLEBAR • TOP BRIDGE	66	E7			
STEERING STEM • HORN	68	E8			
FRONT FENDER	70	E9			
FRONT SHOCK ABSORBER	71	E9			
FRONT BRAKE CALIPER	76	E12			
FRONT WHEEL	78	F1			
REAR BRAKE PANEL	80	F2			
REAR WHEEL	82	F3			
FINAL DRIVEN GEAR	84	F4			
FUEL TANK • FUEL VALVE	87	F5			
SEAT	90	F7			
SIDE COVER	92	F8			
BATTERY	95	F9			
AIR CLEANER	97	F10			
MUFFLER	100	F12			
BRAKE PEDAL • SHIFT PEDAL	102	G1			
STEP	104	G2			
STAND	106	G3			
SWINGARM	108	G4			
SHOCK ABSORBER	110	G5			
REAR FENDER • SPARK UNIT	112	G6			
TURN SIGNAL	114	G7			
TAILLIGHT	116	G8			
WIRE HARNESS • ELECTRIC PARTS	117	G8			
RADIATOR	120	G10			

CONTENTS IN ALPHABETICAL ORDER					
PAGE TITLE	PAGE	GRID	PAGE TITLE	PAGE	GRID
AIR CLEANER	97	F10	STARTER CLUTCH	16	B8
ALTERNATOR	18	B9	STARTER MOTOR	22	B11
BATTERY	95	F9	STEERING STEM	68	E8
BRAKE CALIPER, FR.	76	E12	STEP	104	G2
BRAKE MASTER, FR.	61	E4	STRIPE	128	H2
BRAKE PANEL, RR.	80	F2	SWINGARM	108	G4
BRAKE PEDAL	102	G1	SWITCHES	59	E3
CABLES	59	E3	TAILLIGHT	116	G8
CAM CHAIN	10	B5	TENSIONER	10	B5
CAMSHAFT	8	B4	THERMOSTAT	40	C8
CANISTER (AC)	132	H4	TOOLS	126	H1
CARBURETOR ASSY.	44	C10	TOP BRIDGE	66	E7
CARBURETOR COMPONENT	48	C12	TRANSMISSION	36	C6
CARBURETOR LINK	44	C10	TURN SIGNAL	114	G7
CLUTCH	14	B7	VALVE	8	B4
CLUTCH MASTER CYLINDER	64	E6	WATER PIPE	40	C8
CONTROL LEVER	59	E3	WATER PUMP	20	B10
CRANKCASE COVER, L.	20	B10	WHEEL, FR.	78	F1
CRANKCASE COVER, R.	13	B6	WHEEL, RR.	82	F3
CRANKSHAFT	30	C3	WIRE HARNESS	117	G8
CROSS SHAFT	42	C9			
CYLINDER	61	E4			
CYLINDER BLOCK	26	C1			
CYLINDER HEAD COVER	2	B1			
CYLINDER HEAD, FR.	3	B1			
CYLINDER HEAD, RR.	6	B3			
ELECTRIC PARTS	117	G8			
FENDER, FR.	70	E9			
FENDER, RR.	112	G6			
FINAL DRIVEN GEAR	84	F4			
FRAME	123	G11			
FUEL TANK	87	F5			
FUEL VALVE	87	F5			
GASKET KIT A	50	D1			
GASKET KIT B	51	D1			
GEARSHIFT DRUM	38	C7			
HANDLEBAR	66	E7			
HEADLIGHT	54	E1			
HORN	68	E8			
INSTRUMENTS	56	E2			
MUFFLER	100	F12			
OIL FILTER	23	B11			
OIL PAN	23	B11			
OIL PUMP	23	B11			
PISTON	30	C3			
PULSE ALTERNATOR	16	B8			
RADIATOR	120	G10			
SEAT	90	F7			
SHIFT PEDAL	102	G1			
SHOCK ABSORBER	110	G5			
SHOCK ABSORBER, FR.	71	E9			
SIDE COVER	92	F8			
SPARK UNIT	112	G6			
STAND	106	G3			