Documentation

Afrivate Volunteer Module — Plain English Guide

This document explains the **website** (the React app in this project) in everyday language: who it is for, what each area does, how a typical visit flows, and how it talks to the **backend server** (API). You do not need to be a programmer to read the overview sections; the API section is a reference for anyone checking endpoints.

---

1. What is this website?

Afrivate helps match **organizations** that post volunteering roles (**Enablers**) with **people who want to volunteer** (**Pathfinders**).

- **Enabler** — Posts opportunities, reads applications, contacts or bookmarks pathfinders, manages an organization-style profile.
- **Pathfinder** — Browses and saves opportunities, applies with a cover letter (and optional CV), bookmarks organizations, maintains a volunteer profile.

The app stores **login tokens** in the browser (`localStorage`) so you stay signed in. If the session expires, the app tries to **refresh** the token automatically; if that fails, you sign in again.

---

2. Big picture: the two sides

(Diagram: Pathfinder and Enabler both connect to the same Backend API.)

- **Pathfinder:** Browse opportunities → Apply / save → Profile & bookmarks
- **Enabler:** Post opportunities → Review applicants → Org profile & settings
- **Server:** One Afrivate backend API for both roles

---

3. How you get in (authentication)

Step	What you see	What happens behind the scenes
Sign up	`/signup`	Account is created; you may get tokens and a **role** (enabler or pathfinder).
Log in	`/login`	Email/password sent to the server; **access** and **refresh** tokens saved; **role** saved.
Google	Button on login/signup	Google token sent to server; same idea as login.
Forgot password	`/forgot-password` → `/verify-otp` → `/reset-password`	Email/OTP/password reset flow.
Log out	From menus / context	Logout request; local tokens cleared.

Protected pages use a wrapper that checks: “Is there a token? Is the role correct (enabler vs pathfinder)?” If not, you are sent to login.

---

4. Map of every page (URL → purpose)

Routes come from `src/App.js`. **"Auth"** means you must be logged in; **role** means enabler or pathfinder only.

Public (anyone)

URL	Page	What it's for
`/`	Landing	Main marketing / entry.
`/landingpathfinder`	Landing (pathfinder)	Pathfinder-focused landing.
`/landingenabler`	Landing (enabler)	Enabler-focused landing.
`/opportunity`	Opportunities list	Browse open opportunities (pathfinder-oriented).
`/volunteer-details`	Volunteer details	One opportunity's detail (often opened with state from list).
`/organization/:id`	Organization profile	**Public** view of an enabler/organization by **user id** (from API). Bookmark if logged in as pathfinder.
`/about`	About	About the product/company.
`/contact`	Contact	Contact form/info.
`/privacy`	Privacy policy	Legal text.
`/road`	Roadmap	Roadmap content.
`/deep-pay-info`	Deep pay info	Information page.
`/login`, `/signup`	Auth	Sign in / register.
`/forgot-password`, `/verify-otp`, `/reset-password`	Auth	Password recovery.

Pathfinder (logged in, role = pathfinder)

URL	Purpose
`/dashf`, `/pathf`	Pathfinder dashboard.
`/my-applications`	List of your applications.
`/apply/:opportunityId`	Apply or edit application for one opportunity.
`/bookmarks`	Saved **opportunities** (not org bookmark list).
`/available-opportunities`	Discover opportunities (filters/search).
`/enabler-profile/:id`	View an enabler profile (alternate route; auth required).
`/edit-new-profile`, `/pathfinder/profile-setup`	Edit pathfinder profile (same editor).

Enabler (logged in, role = enabler)

URL	Purpose
`/enabler/dashboard`	Enabler home: summary, shortcuts.
`/create-opportunity`	Create a new volunteering opportunity.
`/enabler/recommendations`	Suggested pathfinders (from applications data).
`/enabler/profile`	View organization profile.
`/enabler/edit-profile`	Edit organization profile.
`/enabler/opportunity/:id`	View one of **your** opportunities (enabler).
`/enabler/edit-opportunity/:id`	Edit that opportunity.
`/enabler/opportunities-posted`	All opportunities you posted.
`/enabler/settings`	Settings (profile, password, picture, etc.).
`/enabler/pathfinder/:id`	View a pathfinder's profile (often from applicants).
`/enabler/contact/:id`	Contact a pathfinder (sends notification).
`/enabler/bookmarked-pathfinders`	Pathfinders you bookmarked (applicants saved).
`/enabler/applicants/:id`	`:id` = **opportunity id** — list of applicants.
`/enabler/profile-setup`	First-time enabler profile setup wizard.

Other logged-in (any role, or generic)

URL	Purpose
`/emppro`	Profile-related page (`emppro.js`).
`/dash-employer`, `/dash-freelance`	Dashboard-style pages for employer/freelance flows.
`/dashboard`, `/profile`, `/kyc`	Generic dashboard, profile settings UI, KYC form (wrapped with layout `Navbar`).

---

5. Main user flows

Pathfinder: from browsing to applying

1. Open opportunities list → API fetches open roles.
2. Open details → API fetches one opportunity.
3. Optional: **Save** opportunity → POST saved opportunities.
4. **Apply** → POST application + cover letter.
5. Optional: upload CV → POST profile credentials (file).

Typical buttons: Save / Saved; Apply / View application; View organization profile.

Enabler: post a role → review people

1. Create opportunity → POST to API.
2. Opportunity appears in “mine” list.
3. Pathfinders apply.
4. Open **Applicants** for that opportunity.
5. View pathfinder profile, bookmark, approve or reject.

Pathfinder: bookmark an organization

On **organization profile** (`/organization/:id`), **Save organization** uses the **generic bookmark** API (pathfinder ↔ enabler), not the “saved applicants” API.

---

6. Where the API is used (plain English)

All calls go through `src/services/api.js`. Full URLs: `{REACT_APP_API_BASE_URL}` + `/api` + path (default base is Railway unless `.env` overrides).

Login & account (`auth`)

Plain English	HTTP	Path (after `/api`)
Log in (legacy)	POST	`/auth/login/`
Register	POST	`/auth/register/`
Log out	POST	`/auth/logout/`
Get tokens	POST	`/auth/token/`
Refresh token	POST	`/auth/token/refresh/`
Forgot / verify OTP / reset password	POST	`/auth/forgot-password/`, etc.
Google sign-in	POST	`/auth/google/`
User CRUD	various	`/auth/user/` etc. (see `api.js`)

Profiles (`profile`)

Plain English	HTTP	Path
Get my enabler profile	GET	`/profile/enablerprofile/`
Get enabler by user id (public org)	GET	`/profile/enablerprofile/user/{userId}/`
Enabler create/update/patch	POST/PUT/PATCH	`/profile/enablerprofile/`
Get my pathfinder profile	GET	`/profile/pathfinderprofile/`
Get pathfinder by id (enabler view)	GET	`/profile/view-profile/{id}/`
Pathfinder create/update/patch	POST/PUT/PATCH	`/profile/pathfinderprofile/`
Profile picture	GET/PATCH	`/profile/profile/picture/`

Credentials (CV, etc.)	GET/POST/DELETE	`/profile/credentials/` …

Bookmarks

Plain English	HTTP	Path
List generic bookmarks	GET	`/bookmark/`
Create / delete bookmark	POST / DELETE	`/bookmark/`, `/bookmark/{id}/delete/`
Pathfinder: saved opportunities	GET/POST/DELETE	`/bookmark/opportunities/saved/` …
Enabler: saved applicants	GET/POST/DELETE	`/bookmark/applicants/saved/` …

Opportunities

Plain English	HTTP	Path
List / create	GET / POST	`/opportunities/`
My opportunities	GET	`/opportunities/mine/`
One opportunity CRUD	GET/PUT/PATCH/DELETE	`/opportunities/{id}/`
Applicants list / one applicant	GET	`/opportunities/{id}/applicants/`, `.../applicants/{applicantId}/`

Applications

Plain English	HTTP	Path
List / submit / update	GET / POST / PUT / PATCH	`/applications/` …
Change status	PATCH	`/applications/{id}/change_status/`

Notifications & waitlist

- **Notifications:** e.g. enabler contacting pathfinder — `notifynotifications` paths in `api.js`.
- **Waitlist:** `/waitlist/` — lightly used in UI.

---

7. Important code files (technical)

File	Role
`src/services/api.js`	All HTTP calls to backend; auth header; token refresh.
`src/context/UserContext.js`	Current user from profile after login.
`src/components/auth/RequireAuth.js`	Route protection by role.
`src/utils/pathfinderProfilePayload.js`	Pathfinder profile JSON shape.
`src/utils/websiteUrl.js`	Normalize website URLs (`https://`).

`src/utils/bookmarkHelpers.js`	Bookmark list normalization.
`src/utils/opportunityUtils.js`	Opportunity navigation helpers.

---

8. Cookies & analytics

Cookie consent; Google Analytics only if user consents.

---

9. Appendix — Primary buttons by area

- **Auth:** Submit, links between login/signup/recovery, Google.
- **Pathfinder opportunities:** Search, Save/Saved, Apply, View organization profile, bookmark on details.
- **Apply:** Form fields, CV upload, Submit.
- **Bookmarks / My applications:** Open items, remove saves.
- **Edit profile:** Fields, photo, CV, Save.
- **Organization profile:** Save organization, contact links.
- **Enabler dashboard:** Post, View Profile, opportunity cards.
- **Create/edit opportunity:** Save, delete, applicants link.
- **Applicants:** Approve/Reject, View Profile, Bookmark, Contact.
- **Pathfinder profile (enabler view):** Bookmark, contact.
- **Enabler profile/settings:** Edit, Save, uploads.
- **Bookmarked pathfinders:** View profile, Contact, Remove.
- **Nav:** Home, Recommendations, Posted, Bookmarked pathfinders, Settings, Logout, Post opportunity.

---

10. Document history

- Matches `src/services/api.js` and `src/App.js` at time of writing.

PDF copy

The file **`Documentation.pdf`** in the project root is the printable copy of this guide. To regenerate it after you edit **`Documentation.md`**:

1. Run: `python scripts/md_to_html.py` (requires Python and the `markdown` package: `pip install markdown`).
2. Run Chrome in headless mode to print the HTML to PDF, for example:
   - `chrome.exe --headless --disable-gpu --print-to-pdf=Documentation.pdf file:///FULL/PATH/TO/Documentation.html`

End of Documentation.