




nodemon

Ferramenta importante para monitorar alterações no código-fonte e reiniciar conforme necessário, funcionando em conjunto com o ts-node

```
npm install -g nodemon
```



TS index.ts ×



```
1 import Calculator from './Calculator';
2
3 const calculator = new Calculator();
4 const result = calculator.add(2, 2);
5 console.log(result);
6
```

```
[rodrigobranas fullstackjs $ nodemon src/index.ts
```

```
[nodemon] 2.0.15
```

```
[nodemon] to restart at any time, enter `rs`
```

```
[nodemon] watching path(s): *.*
```


```
[nodemon] watching extensions: ts,json
```

```
[nodemon] starting `ts-node src/index.ts`
```

```
4
```

```
[nodemon] clean exit - waiting for changes before restart
```

TS index.ts ×



```
1 import Calculator from './Calculator';  
2  
3 const calculator = new Calculator();  
4 const result = calculator.add(5, 5);  
5 console.log(result);  
6
```

```
[rodrigobranas fullstackjs $ nodemon src/index.ts
```

```
[nodemon] 2.0.15
```

```
[nodemon] to restart at any time, enter `rs`
```

```
[nodemon] watching path(s): *.*
```

```
[nodemon] watching extensions: ts,json
```

```
[nodemon] starting `ts-node src/index.ts`
```

```
4
```

```
[nodemon] clean exit - waiting for changes before restart
```

```
[nodemon] restarting due to changes...
```

```
[nodemon] starting `ts-node src/index.ts`
```

```
10
```

```
[nodemon] clean exit - waiting for changes before restart
```