Event and waveform supplement: historical

Independent archive reanalysis

13 October 2026


Each event below is a USGS catalog record. Counts refer to traces actually used in this dataset's images, not all downloaded stations. An asterisk flags a historical catalog value outside the published magnitude/depth bounds. Both processed displacement and processed plus source-deconvolved waveforms are shown for every used trace. Event pages with zero used traces give rejection summaries. Records retain at least 80 s before S and 65 s after ScS so noise can be assessed. The blue vertical line marks ScS; red dots mark S. The displacement and deconvolved curves are each normalized to their own S peak. Display clipping at twice that amplitude does not alter stored data. SNR is a peak-to-pre-S-RMS ratio. Receiver splitting corrections have not been applied because the complete original station/path correction set was not recovered. Phase selection is automatic and requires expert review.

USGS ID	UTC date/time	Latitude	Longitude	Depth km	Mag/type	Used
usp0004taw*	1991-06-23 21:22:28	-26.802	-63.349	558.0	7.3/mw	0
usp0005te6	1993-05-24 23:51:28	-22.671	-66.543	221.0	7.0/mwb	8
usp000628b	1993-10-19 04:02:21	-22.378	-65.971	272.0	6.0/mw	10
usp000669u	1994-01-10 15:53:50	-13.339	-69.446	596.0	6.9/mwb	0
usp0006bt7	1994-04-29 07:11:29	-28.299	-63.252	561.5	6.9/mwb	1
usp0006cbq	1994-05-10 06:36:28	-28.501	-63.096	600.5	6.9/mwb	0
usp0006h5m	1994-08-19 10:02:51	-26.642	-63.421	563.6	6.5/mw	2
usp0007w7v	1997-01-23 02:15:22	-21.999	-65.719	276.2	7.1/mwc	10
usp000853a	1997-07-20 10:14:22	-22.982	-66.301	256.1	6.1/mwc	0
usp0008bg2	1997-11-28 22:53:41	-13.740	-68.788	586.0	6.7/mwc	23
usp0008u3b*	1998-08-30 07:52:25	-23.934	-66.906	219.5	5.7/mwc	4
usp0009eex	1999-09-15 03:01:24	-20.934	-67.275	218.0	6.4/mwc	21
usp0009rrz	2000-04-23 17:01:17	-28.384	-62.943	609.8	6.1/mwc	1
usp0009suu	2000-05-12 18:43:18	-23.548	-66.452	225.0	7.2/mwc	0
usp000ahpv	2001-06-29 18:35:51	-19.522	-66.254	273.9	6.1/mwc	0


The printed historical date 1999-08-30 is inferred to mean 1998-08-30: USGS event usp0008u3b matches the printed latitude and longitude exactly and its depth within 0.5 km. The year correction is an explicit identification assumption; its preferred magnitude of 5.7 is flagged as a historical catalog exception.

usp0004taw / 1991-06-23T21:22:28.940000Z
No accepted trace in this dataset.
phase peak at search boundary: 4
ScS peak at joint search boundary: 1

usp0005te6: 8 used traces; page 1/1




usp000628b: 10 used traces; page 1/1




usp000669u / 1994-01-10T15:53:50.110000Z
No accepted trace in this dataset.
unstable or weak SH radiation (<0.6): 17

usp0006bt7: 1 used traces; page 1/1




usp0006cbq / 1994-05-10T06:36:28.380000Z
No accepted trace in this dataset.
unstable or weak SH radiation (<0.6): 14
S or ScS below peak/RMS SNR threshold: 1

usp0006h5m: 2 used traces; page 1/1




usp0007w7v: 10 used traces; page 1/1




usp000853a / 1997-07-20T10:14:22.800000Z
No accepted trace in this dataset.
unstable or weak SH radiation (<0.6): 20


usp0008bg2: 23 used traces; page 1/1




usp0008u3b: 4 used traces; page 1/1



usp0009eex: 21 used traces; page 1/1



usp0009rrz: 1 used traces; page 1/1



usp0009suu / 2000-05-12T18:43:18.120000Z
No accepted trace in this dataset.
unstable or weak SH radiation (<0.6): 53

usp000ahpv / 2001-06-29T18:35:51.980000Z
No accepted trace in this dataset.
unstable or weak SH radiation (<0.6): 59