

Tables::EAPPLICATION_LINK

```

«column»
*PK EAPPLICATION_LINK_ID: INTEGER
EAPPLICATION_LINK_NAME: VARCHAR(200)
EAPPLICATION_LINK_TYPE: VARCHAR(50)
EAPPPLICAION_ID_LINK_FROM: INTEGER
EAPPPLICAION_ID_LINK_TO: INTEGER
EAPPPLICAITON_NAME_LINK_FROM: VARCHAR(100)
EAPPPLICAITON_NAME_LINK_TO: VARCHAR(100)

«PK»
+ PK_APPLICATION_LINK(INTEGER)

```

Tables::ECOMPONENT_LINK

```

«column»
*PK ECOMPONENT_LINK_ID: INTEGER
ECOMPONENT_LINK_NAME: VARCHAR(200)
ECOMPONENT_LINK_TYPE: VARCHAR(50)
ECOMPONENT_ID_LINK_FROM: INTEGER
ECOMPONENT_ID_LINK_TO: INTEGER
ECOMPONENT_NAME_LINK_FROM: VARCHAR(100)
ECOMPONENT_NAME_LINK_TO: VARCHAR(100)

«PK»
+ PK_ECOMPONENT_LINK(INTEGER)

```

Tables::ESERVICE_LINK

```

«column»
*PK ESERVICE_LINK_ID: INTEGER
ESERVICE_LINK_NAME: VARCHAR(200)
ESERVICE_LINK_TYPE: VARCHAR(50)
ESERVICE_ID_LINK_FROM: INTEGER
ESERVICE_ID_LINK_TO: INTEGER
ESERVICE_NAME_LINK_FROM: VARCHAR(100)
ESERVICE_NAME_LINK_TO: VARCHAR(100)

«PK»
+ PK_ESERVICE_LINK(INTEGER)

```

+PK_COMPANY_ADDRESS

Tables::EBUSINESS_UNIT

```

«column»
*PK EBUSINESS_UNIT_ID: INTEGER
EBUSINESS_UNIT_NAME: VARCHAR(100)
EBUSINESS_UNIT_DESCRIPTION: VARCHAR(250)
EBUSINESS_UNIT_DESCRIPTION: VARCHAR(250)

«PK»
+ PK_EBUSINESS_UNIT(INTEGER)

```

Tables::EBUSINESS_SERVICE

```

«column»
*PK EBUSINESS_SERVICE_ID: INTEGER
EBUSINESS_SERVICE_NAME: VARCHAR(100)
EBUSINESS_SERVICE_TYPE: VARCHAR(50)
EBUSINESS_SERVICE_DESCRIPTION: VARCHAR(250)
FK_EBUSINESS_UNIT_ID: INTEGER

«FK»
+ FK_EBUSINESS_SERVICE_EBUSINESS_UNIT(INTEGER)
«index»
+ IXFK_EBUSINESS_SERVICE_EBUSINESS_UNIT(INTEGER)
«PK»
+ PK_EBUSINESS_SERVICE(INTEGER)

```

Tables::ESYNC

```

«column»
*PK ESYNC_ID: VARCHAR(100)
ESYNC_NAME: VARCHAR(100)
ESYNC_TYPE: VARCHAR(50)
ESYNC_DESCRIPTION: VARCHAR(250)
ESYNC_DATE: TIMESTAMP
SYNC_APP_NAME: VARCHAR(50)
SYNC_USER: VARCHAR(50)

«PK»
+ PK_ESYNC(VARCHAR)

```

Tables::EPROJECT

```

«column»
*PK EPROJECT_ID: INTEGER
EPROJECT_NAME: VARCHAR(100)
EPROJECT_TYPE: FK_EDEPARTMENT_EBUSINESS_UNIT
EPROJECT_DESCRIPTION: VARCHAR(250)
EPROJECT_STATE: VARCHAR(50)
EPROJECT_STATUS: VARCHAR(50)
EPROJECT_START_DATE: TIMESTAMP
EPROJECT_DEPLOYMENT_DATE: TIMESTAMP
EPROJECT_END_DATE: TIMESTAMP
FK_ERERELEASE_ID: INTEGER

«FK»
+ FK_ERERELEASE_EPROJECT(ERERELEASE_ID)
+ FK_EPROJECT_ERELEASE(ERERELEASE_ID)
+ FK_EPROJECT_EENVIRONMENT(EENVIRONMENT_ID)

```

Tables::EDEPARTMENT

```

«column»
*PK EDEPARTMENT_ID: INTEGER
EDEPARTMENT_NAME: VARCHAR(100)
EDEPARTMENT_TYPE: VARCHAR(50)
EDEPARTMENT_DESCRIPTION: VARCHAR(250)
EDEPARTMENT_MANAGER_NAME: VARCHAR(100)
EDEPARTMENT_MANAGER_ID: INTEGER
FK_EBUSINESS_UNIT_ID: INTEGER

«FK»
+ FK_EEMPLOYEE_EDEPARTMENT(EMPLOYEE_ID)
+ IXFK_EEMPLOYEE_EDEPARTMENT(EMPLOYEE_ID)

```

Tables::EEMPLOYEE

```

«column»
*PK EEMPLOYEE_ID: INTEGER
EEMPLOYEE_NAME: VARCHAR(100)
EEMPLOYEE_TYPE: VARCHAR(50)
EEMPLOYEE_DESCRIPTION: VARCHAR(250)
FK_EDEPARTMENT_ID: INTEGER

«FK»
+ FK_EEMPLOYEE_EDEPARTMENT(EMPLOYEE_ID)
+ IXFK_EEMPLOYEE_EDEPARTMENT(EMPLOYEE_ID)

«PK»
+ PK_EEMPLOYEE(INTEGER)

```

Tables::EFILE	
«column»	
*PK EFILE_ID: INTEGER EFILE_NAME: VARCHAR(100) EFILE_TYPE: VARCHAR(50) EFILE_DESCRIPTION: VARCHAR(250) EFILE_CONTENT: MEDIUMTEXT EFILE_BLOB: MEDIUMBLOB EFILE_PATH: VARCHAR(250) EFILE_URL: VARCHAR(250)	
«PK»	+ PK_EFILE(INTEGER)


Tables::ELOGGING	
«column»	
*PK ELOGGING_ID: VARCHAR(100) ELOGGING_NAME: VARCHAR(100) ELOGGING_TYPE: VARCHAR(50) ELOGGING_DESCRIPTION: VARCHAR(250) SERVICE_MODULE: VARCHAR(50) COMPONENT: VARCHAR(50) ELOGGING_SEVERITY: VARCHAR(50) DATE: TIMESTAMP	
«PK»	+ PK_ELOGGING(VARCHAR)


Tables::ORGANISM_OBJECTID_MAPPING	
«column»	
*PK EORGANISM_EID: INTEGER ORGANISM_OBJECTID: INTEGER ORGANISM_TYPE: VARCHAR(50) EOBJECT_DESCRIPTION: VARCHAR(250)	
«PK»	+ PK_EORGANISM_OBJECTID_MAPPING(INTEGER)


Tables::EUSER	
«column»	
PK EUSER_ID: INTEGER EUSER_NAME: VARCHAR(100) EUSER_TYPE: VARCHAR(50) EMPLOYEE_DESCRIPTION: VARCHAR(250) FK_EEMPLOYEE_ID: INTEGER	
«FK»	+ FK_EUSER_EEMPLOYEE(INTEGER)
«index»	+ IXFK_EUSER_EEMPLOYEE(INTEGER)
«PK»	+ PK_EUSER(INTEGER)

Tables::EPERSON
«column»
*PK ECOMPANY_ID: VARCHAR(100) ECOMPANY_NAME: VARCHAR(100) ECOMPANY_TYPE: VARCHAR(50) ECOMPANY_DESCRIPTION: VARCHAR(250)

Tables::EDEPARTMENT
«column»
*PK ECOMPANY_ID: VARCHAR(100) ECOMPANY_NAME: VARCHAR(100) ECOMPANY_TYPE: VARCHAR(50) ECOMPANY_DESCRIPTION: VARCHAR(250)











+ PK_COMPANY(VARCHAR)


+ PK_COMPANY(VARCHAR)












```
+   FK_EATTRIBUTE_EENTITY(INTEGER)
+   FK_EATTRIBUTE_EINTERFACE(INTEGER)
  «index»
+   IXFK_EATTRIBUTE_EENTITY(INTEGER)
+   IXFK_EATTRIBUTE_EINTERFACE(INTEGER)
  «PK»
+   PK_EATTRIBUTE(INTEGER)
```