grade 100%

Week 4 Quiz LATEST SUBMISSION GRADE 100%					
2.	What method on the Image Generator is used to normalize the image? ● rescale ○ normalize_image ○ normalize ○ Rescale_image	1/1 point			
3.	How did we specify the training size for the images? The target_size parameter on the validation generator The training_size parameter on the validation generator The training_size parameter on the training generator The training_size parameter on the training generator The training_size parameter on the training generator	1/1 point			
4.	When we specify the input_shape to be (300, 300, 3), what does that mean? There will be 300 horses and 300 humans, loaded in batches of 3 Every Image will be 300x300 pixels, with 3 bytes to define color Every Image will be 300x300 pixels, and there should be 3 Convolutional Layers There will be 300 images, each size 300, loaded in batches of 3	1/1 point			
5.	If your training data is close to 1.000 accuracy, but your validation data isn't. what's the risk here? You're underfitting on your validation data You're overfitting on your training data No risk, that's a great result	1/1 point			
6.	Convolutional Neural Networks are better for classifying images like horses and humans because: In these images, the features may be in different parts of the frame There's a wide variety of horses There's a wide variety of humans All of the above	1/1 point			
7.	After reducing the size of the images, the training results were different. Why? We removed some convolutions to handle the smaller images The training was faster There was less information in the images There was more condensed information in the images	1/1 point			