

Structural Bioinformatics (pt. 2)

Alexis Galano (PID: A17628362)

AlphaFold has changed the game for protein structure predictions and allows anyone with sufficient bioinformatics knowledge to predict the structure of virtually any protein.

We ran AlphaFold via GoogleCollab: <https://github.com/sokrypton/ColabFold>

In particular we used their AlphaFold2_mmseqs2 version that uses mmseqs2 rather than HMMer for sequence search.

The main outputs include a set of **PDB structure files** along with matching **JSON format files** that tell us how good the resulting models might be.

Let's start by loading the PDB structures up in Mol*

```
# Change this for YOUR results dir name
results_dir <- "hivpr1dimer_23119/"

# File names for all PDB models
pdb_files <- list.files(path=results_dir,
                        pattern="*.pdb",
                        full.names = TRUE)

# Print our PDB file names
basename(pdb_files)
```

```
[1] "hivpr1dimer_23119_unrelaxed_rank_001_alphafold2_multimer_v3_model_1_seed_000.pdb"
[2] "hivpr1dimer_23119_unrelaxed_rank_002_alphafold2_multimer_v3_model_5_seed_000.pdb"
[3] "hivpr1dimer_23119_unrelaxed_rank_003_alphafold2_multimer_v3_model_4_seed_000.pdb"
[4] "hivpr1dimer_23119_unrelaxed_rank_004_alphafold2_multimer_v3_model_2_seed_000.pdb"
[5] "hivpr1dimer_23119_unrelaxed_rank_005_alphafold2_multimer_v3_model_3_seed_000.pdb"
```

```
library(bio3d)
```

```
# Read all data from Models
# and superpose/fit coords
pdbs <- pdbaln(pdb_files, fit=TRUE, exefile="msa")
```

Reading PDB files:

```
hivpr1dimer_23119/hivpr1dimer_23119_unrelaxed_rank_001_alphafold2_multimer_v3_model_1_seed_0
hivpr1dimer_23119/hivpr1dimer_23119_unrelaxed_rank_002_alphafold2_multimer_v3_model_5_seed_0
hivpr1dimer_23119/hivpr1dimer_23119_unrelaxed_rank_003_alphafold2_multimer_v3_model_4_seed_0
hivpr1dimer_23119/hivpr1dimer_23119_unrelaxed_rank_004_alphafold2_multimer_v3_model_2_seed_0
hivpr1dimer_23119/hivpr1dimer_23119_unrelaxed_rank_005_alphafold2_multimer_v3_model_3_seed_0
.....
```

Extracting sequences

```
pdb/seq: 1 name: hivpr1dimer_23119/hivpr1dimer_23119_unrelaxed_rank_001_alphafold2_multimer
pdb/seq: 2 name: hivpr1dimer_23119/hivpr1dimer_23119_unrelaxed_rank_002_alphafold2_multimer
pdb/seq: 3 name: hivpr1dimer_23119/hivpr1dimer_23119_unrelaxed_rank_003_alphafold2_multimer
pdb/seq: 4 name: hivpr1dimer_23119/hivpr1dimer_23119_unrelaxed_rank_004_alphafold2_multimer
pdb/seq: 5 name: hivpr1dimer_23119/hivpr1dimer_23119_unrelaxed_rank_005_alphafold2_multimer
```

```
#install.packages("BiocManager")
#BiocManager::install("msa")
```

pdbs

```

1 . . . . 50
[Truncated_Name:1]hivpr1dime PQITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWPKPMIGGI
[Truncated_Name:2]hivpr1dime PQITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWPKPMIGGI
[Truncated_Name:3]hivpr1dime PQITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWPKPMIGGI
[Truncated_Name:4]hivpr1dime PQITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWPKPMIGGI
[Truncated_Name:5]hivpr1dime PQITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWPKPMIGGI
*****
1 . . . . 50

51 . . . . 100
[Truncated_Name:1]hivpr1dime GGF1KVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNFP
[Truncated_Name:2]hivpr1dime GGF1KVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNFP
[Truncated_Name:3]hivpr1dime GGF1KVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNFP
[Truncated_Name:4]hivpr1dime GGF1KVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNFP
[Truncated_Name:5]hivpr1dime GGF1KVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNFP
```

```

*****
51          .          .          .          .          100

101         .          .          .          .          150
[Truncated_Name:1]hivpr1dime QITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWPKMIGGIG
[Truncated_Name:2]hivpr1dime QITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWPKMIGGIG
[Truncated_Name:3]hivpr1dime QITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWPKMIGGIG
[Truncated_Name:4]hivpr1dime QITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWPKMIGGIG
[Truncated_Name:5]hivpr1dime QITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWPKMIGGIG
*****
101         .          .          .          .          150

151         .          .          .          .          198
[Truncated_Name:1]hivpr1dime GFIKVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNF
[Truncated_Name:2]hivpr1dime GFIKVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNF
[Truncated_Name:3]hivpr1dime GFIKVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNF
[Truncated_Name:4]hivpr1dime GFIKVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNF
[Truncated_Name:5]hivpr1dime GFIKVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNF
*****
151         .          .          .          .          198

```

Call:

```
pdbaln(files = pdb_files, fit = TRUE, exefile = "msa")
```

Class:

```
pdb, fasta
```

Alignment dimensions:

```
5 sequence rows; 198 position columns (198 non-gap, 0 gap)
```

```
+ attr: xyz, resno, b, chain, id, ali, resid, sse, call
```

```
rd <- rmsd(pdb, fit=T)
```

Warning in rmsd(pdb, fit = T): No indices provided, using the 198 non NA positions


```
range(rd)
```

```
[1] 0.000 14.631
```

```
#install.packages("pheatmap")
```

```
library(pheatmap)
```


```
colnames(rd) <- paste0("m",1:5)
rownames(rd) <- paste0("m",1:5)
pheatmap(rd)
```



```
# Read a reference PDB structure
pdb <- read.pdb("1hsg")
```

Note: Accessing on-line PDB file

```
plotb3(pdb$b[1,], typ="l", lwd=2, sse=pdb)
points(pdb$b[2,], typ="l", col="red")
points(pdb$b[3,], typ="l", col="blue")
points(pdb$b[4,], typ="l", col="darkgreen")
points(pdb$b[5,], typ="l", col="orange")
abline(v=100, col="gray")
```



```
core <- core.find(pdb)
```

```
core size 197 of 198 vol = 4578.346
core size 196 of 198 vol = 3931.108
core size 195 of 198 vol = 3709.733
core size 194 of 198 vol = 3496.019
core size 193 of 198 vol = 3302.432
core size 192 of 198 vol = 3146.474
core size 191 of 198 vol = 3048.964
core size 190 of 198 vol = 2970.354
core size 189 of 198 vol = 2893.012
core size 188 of 198 vol = 2831.825
core size 187 of 198 vol = 2774.506
core size 186 of 198 vol = 2728.043
core size 185 of 198 vol = 2704.946
core size 184 of 198 vol = 2701.981
core size 183 of 198 vol = 2715.909
core size 182 of 198 vol = 2809.853
core size 181 of 198 vol = 2888.95
core size 180 of 198 vol = 2967.282
core size 179 of 198 vol = 3036.256
core size 178 of 198 vol = 3066.287
```

core size 177 of 198	vol = 3096.833
core size 176 of 198	vol = 3056.414
core size 175 of 198	vol = 3014.768
core size 174 of 198	vol = 2975.013
core size 173 of 198	vol = 2898.051
core size 172 of 198	vol = 2810.173
core size 171 of 198	vol = 2747.532
core size 170 of 198	vol = 2684.434
core size 169 of 198	vol = 2620.353
core size 168 of 198	vol = 2550.877
core size 167 of 198	vol = 2492.582
core size 166 of 198	vol = 2422.978
core size 165 of 198	vol = 2358.916
core size 164 of 198	vol = 2298.292
core size 163 of 198	vol = 2235.918
core size 162 of 198	vol = 2171.02
core size 161 of 198	vol = 2093.559
core size 160 of 198	vol = 2029.144
core size 159 of 198	vol = 1950.957
core size 158 of 198	vol = 1881.015
core size 157 of 198	vol = 1801.506
core size 156 of 198	vol = 1728.892
core size 155 of 198	vol = 1660.037
core size 154 of 198	vol = 1586.149
core size 153 of 198	vol = 1532.718
core size 152 of 198	vol = 1460.186
core size 151 of 198	vol = 1399.251
core size 150 of 198	vol = 1333.908
core size 149 of 198	vol = 1271.747
core size 148 of 198	vol = 1219.496
core size 147 of 198	vol = 1176.003
core size 146 of 198	vol = 1138.478
core size 145 of 198	vol = 1102.124
core size 144 of 198	vol = 1049.642
core size 143 of 198	vol = 1014.063
core size 142 of 198	vol = 970.575
core size 141 of 198	vol = 929.178
core size 140 of 198	vol = 889.104
core size 139 of 198	vol = 846.668
core size 138 of 198	vol = 805.8
core size 137 of 198	vol = 775.034
core size 136 of 198	vol = 743.09
core size 135 of 198	vol = 715.695

core size 134 of 198	vol = 689.788
core size 133 of 198	vol = 660.329
core size 132 of 198	vol = 630.966
core size 131 of 198	vol = 597.207
core size 130 of 198	vol = 566.989
core size 129 of 198	vol = 532.89
core size 128 of 198	vol = 496.208
core size 127 of 198	vol = 463.183
core size 126 of 198	vol = 431.893
core size 125 of 198	vol = 408.864
core size 124 of 198	vol = 376.61
core size 123 of 198	vol = 362.377
core size 122 of 198	vol = 353.633
core size 121 of 198	vol = 331.501
core size 120 of 198	vol = 312.518
core size 119 of 198	vol = 286.715
core size 118 of 198	vol = 262.336
core size 117 of 198	vol = 245.109
core size 116 of 198	vol = 228.342
core size 115 of 198	vol = 210.366
core size 114 of 198	vol = 197.519
core size 113 of 198	vol = 179.392
core size 112 of 198	vol = 161.891
core size 111 of 198	vol = 148.359
core size 110 of 198	vol = 134.477
core size 109 of 198	vol = 121.261
core size 108 of 198	vol = 109.516
core size 107 of 198	vol = 103.031
core size 106 of 198	vol = 96.443
core size 105 of 198	vol = 88.455
core size 104 of 198	vol = 81.816
core size 103 of 198	vol = 74.88
core size 102 of 198	vol = 68.386
core size 101 of 198	vol = 65.937
core size 100 of 198	vol = 62.345
core size 99 of 198	vol = 58.836
core size 98 of 198	vol = 52.868
core size 97 of 198	vol = 47.796
core size 96 of 198	vol = 41.292
core size 95 of 198	vol = 33.831
core size 94 of 198	vol = 24.912
core size 93 of 198	vol = 18.912
core size 92 of 198	vol = 12.7

```

core size 91 of 198  vol = 7.35
core size 90 of 198  vol = 4.922
core size 89 of 198  vol = 3.421
core size 88 of 198  vol = 2.553
core size 87 of 198  vol = 1.917
core size 86 of 198  vol = 1.513
core size 85 of 198  vol = 1.201
core size 84 of 198  vol = 1.046
core size 83 of 198  vol = 0.922
core size 82 of 198  vol = 0.755
core size 81 of 198  vol = 0.668
core size 80 of 198  vol = 0.596
core size 79 of 198  vol = 0.549
core size 78 of 198  vol = 0.493
FINISHED: Min vol ( 0.5 ) reached

```

```
core.inds <- print(core, vol=0.5)
```

```

# 79 positions (cumulative volume <= 0.5 Angstrom^3)
  start end length
1    10  25     16
2    28  48     21
3    53  94     42

```


```
xyz <- pdbfit(pdb, core.inds, outpath="corefit_structures")
```

```
rf <- rmsf(xyz)
```

```


plotb3(rf, sse=pdb)
abline(v=100, col="gray", ylab="RMSF")

```

```
rf <- rmsf(xyz)

plotb3(rf, sse=pdb)
abline(v=100, col="gray", ylab="RMSF")
```



```
library(jsonlite)

# Listing of all PAE JSON files
pae_files <- list.files(path=results_dir,
                        pattern=".*model.*\\.json",
                        full.names = TRUE)

pae1 <- read_json(pae_files[1],simplifyVector = TRUE)
pae5 <- read_json(pae_files[5],simplifyVector = TRUE)

attributes(pae1)
```

```
$names
[1] "plddt"  "max_pae" "pae"     "ptm"     "iptm"
```

```
# Per-residue pLDDT scores
# same as B-factor of PDB..
head(pae1$plddt)
```

```
[1] 87.81 92.00 91.81 91.88 94.25 88.00
```


```
pae1$max_pae
```

```
[1] 14.09375
```


```
pae5$max_pae
```

```
[1] 29.29688
```


```
plot.dmat(pae1$pae,  
          xlab="Residue Position (i)",  
          ylab="Residue Position (j)")
```



```
plot.dmat(pae5$pae,  
          xlab="Residue Position (i)",  
          ylab="Residue Position (j)",  
          grid.col = "black",  
          zlim=c(0,30))
```



```
plot.dmat(pae1$pae,
          xlab="Residue Position (i)",
          ylab="Residue Position (j)",
          grid.col = "black",
          zlim=c(0,30))
```



```
aln_file <- list.files(path=results_dir,
                       pattern=".a3m$",
                       full.names = TRUE)

aln_file
```

```
[1] "hivpr1dimer_23119/hivpr1dimer_23119.a3m"
```

```
aln <- read.fasta(aln_file[1], to.upper = TRUE)
```


```
[1] " ** Duplicated sequence id's: 101 **"
[2] " ** Duplicated sequence id's: 101 **"
```

```
dim(aln$ali)
```

```
[1] 5378 132
```

```
sim <- conserv(aln)
```

```
plotb3(sim[1:99], sse=trim.pdb(pdb, chain="A"),
       ylab="Conservation Score")
```



```
con <- consensus(aln, cutoff = 0.9)
con$seq
```

```
[1] "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-"
[19] "-" "-" "-" "-" "-" "-" "D" "T" "G" "A" "-" "-" "-" "-" "-" "-" "-"
[37] "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-"
[55] "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-"
[73] "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-"
[91] "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-"
[109] "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-"
[127] "-" "-" "-" "-" "-" "-"
```

```
m1.pdb <- read.pdb(pdb_files[1])
occ <- vec2resno(c(sim[1:99], sim[1:99]), m1.pdb$atom$resno)
write.pdb(m1.pdb, o=occ, file="m1_conserv.pdb")
```

With this data we can analyze these predicted structures, interpret new interactions, and to get to know each protein of interest in sufficient detail.