Project Harbinger+Air What I've learned

Alexander "Jarvis" Buck

April 28, 2022

the overview I

Project Harbinger+Air

So, where's the data?

Where is the project now?

What we learned

Questions

Who am I?

Just some pilot

LCDR Alex "Jarvis" Buck

- ► USNA '11, MIT '13
- ► MH-60R Seahawk Weapons & Tactics Instructor
- ▶ Mostly based from San Diego, C7F + C5F deployments
- Currently at Carrier Air Wing EIGHT in NAS Oceana

In the right place at the right time

Project Harbinger+Air

Project Harbinger+Air

Use machine learning to real-time classify acoustic contact in the spectrogram (*gram*) from an SSQ-53 series DIFAR buoy.




Figure 1: Example Gram Data

Needle in a Haystack

$$SE = SL - PL - NL + DI - RD$$

There are lots of things that make sound in the water other than submarines.

Finding and discriminating subsurface contact from other sources is hard.

Doing so, while managing 4 other sensors is harder.

Let my sensors monitor themselves when I am not.

So, where's the data?

What happens after a flight

It gets deleted

Once any immediate debrief or VI is complete, re-format the cards.


Except ESM... sometimes

Previously the only sensor data collection effort in the MH-60R fleet. $^{\rm 1}$

Multiple steps for the aircrew:

- Run a program to parse ESM data
- Find output in obscure folder
- Rename output according to specific format
- ► Upload output to IntelDocs

¹I am not counting maintenance data/IMDS in this.



Every Byte, Every Flight

Minimize aircrew actions and decisions.

Save everything, build batch processing on the backside. Build future value for other sensors, e.g. ISAR, FLIR, etc. . .

There are lots of bytes

- ► ~20 GB/flight-hour²
- ► ~240 GB/flight-day (12-hour fly day)
- ► ~36 TB/2-bird detachment (150 fly days)
- ► ~60 TB/CVN element (20-hour fly day, 150 fly days)

Not enough storage

We needed a better simple storage solution.

 $^{^2}$ Depends highly on what sensors are being used and recorded. Ranges from 10 to 30 GB/flight-hour.

Alone with a Snowball

Harbinger+Air uses AWS Secret Commercial Cloud Services.

AWS Snowball Edge migrates up to 80TB into AWS S3.

Security Manager: "What the *\$%! is this?"





Data Pipeline: The fleet side




Figure 2: Data Flow

Cronus, the harvester

Tool that:

- Automates the snowball setup
- Minimizes aircrew decisions
- Minimizes aircrew post-flight actions

Its really just a fancy copy/paste operation right now.

Initial version built in 3 weeks. Iterated with users over 4 HARPs throughout 2020 and 2021.

Usage checklist is a single kneeboard sized page.



Status of Harbinger+Air fleet collections

Data collection process used on **14** operational deployments and numerous HARP classes.

Replaced snowballs on ships with several 10TB hard drives.

Testing initial algorithm later this year on P-8A.

Roadmap to MH-60R integration is unknown.



What we learned

Understand the user workflow

Minimize what the user needs to learn

Shipping SECRET material is easier than you might think.

Long-term snowball rental can be expensive.³

Snowballs can fail.

This is not fun when its stuck on a ship for 6 months.

Details:

ARPDD discriminator data is huge. Nothing uses this data yet.

³The first 10 days are free. Intended as dump and ship back.

