USERS

Save

POST | http://localhost:3000/api/v1/users/register | **Send** | Ctrl+↵

Params Authorization Headers (8) Body ● Pre-request Script Tests Settings ookies

● none ● form-data ● x-www-form-urlencoded ● raw ● binary ● GraphQL JSON ⌄ Beautify

```
1  {
2      "name" : "dani",
3      "email" : "dani@gmail.com",
4      "password" : "password03",
5      "role": "normal"
6  }
```

Body Cookies Headers (8) Test Results   Status: **201 Created** Time: **1105 ms** Size: **493 B**   Save as example ∘∘∘

Pretty Raw Preview Visualize   JSON ⌄

```
1  {
2      "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpZCI6MywiaWF0IjoxNzA0MjYyODQ5LCJleHAiOjE3MDQzNDkyNDl9.
              tvk13F6oQv9Iwnfnp-VzM17Y7D12RBobj1gpoZzRqrI",
3      "user": {
4          "id": 3,
5          "name": "dani",
6          "email": "dani@gmail.com",
7          "role": "normal"
8      }
9  }
```

Save

POST http://localhost:3000/api/v1/users/login **Send** Ctrl+↵

Params Authorization Headers (8) Body ● Pre-request Script Tests Settings okies

● none ● form-data ● x-www-form-urlencoded ● raw ● binary ● GraphQL JSON ˅ Beautify

```
1  {
2      "email" : "dani@gmail.com",
3      "password" : "password03"
4  }
```

Body Cookies Headers (8) Test Results Status: **200 OK** Time: **1208 ms** Size: **488 B** Save as example ○○○

Pretty Raw Preview Visualize JSON ˅

```
1  {
2      "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpZCI6MywiaWF0IjoxNzA0MjYyODc5LCJleHAiOjE3MDQzNDkyNzl9.
          -YWjxTjsekFhp60H8LL1PIveAt5NNVp75No-yW2KUcg",
3      "user": {
4          "id": 3,
5          "name": "dani",
6          "email": "dani@gmail.com",
7          "role": "normal"
8      }
9  }
```

Save

PATCH http://localhost:3000/api/v1/users/1

Send

Ctrl+↵

Params   Authorization ●   Headers (9)   Body ●   Pre-request Script   Tests   Settings   ookies

○ none   ○ form-data   ○ x-www-form-urlencoded   ● raw   ○ binary   ○ GraphQL   JSON ∨   Beautify

```
1  {
2      "name" : "alexis",
3      "email" : "alexis@gmail.com"
4  }
```

Body   Cookies   Headers (8)   Test Results   Status: 200 OK   Time: 900 ms   Size: 507 B   Save as example   ooo

Pretty   Raw   Preview   Visualize   JSON ∨

```
1   {
2       "id": 1,
3       "name": "alexis",
4       "email": "alexis@gmail.com",
5       "password": "$2b$12$.79G/cTi73bH6QwYsmufAe.1aGnOxYeflhjY8z2Zfy5ZbvqvWb81y",
6       "role": "admin",
7       "status": "available",
8       "createdAt": "2024-01-03T01:32:47.674Z",
9       "updatedAt": "2024-01-03T06:31:45.495Z"
10  }
```

Save

| DELETE | http://localhost:3000/api/v1/users/3 |

Send

Ctrl+↵

Params   **Authorization** •   Headers (7)   Body   Pre-request Script   Tests   Settings

Type   Bearer T...   Token   eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.ey...

The authorization header will be
automatically generated when you send
the request. Learn more about
Bearer Token authorization

Body   Cookies   Headers (6)   Test Results   Status: **204 No Content**   Time: **922 ms**   Size: **207 B**   Save as example   °°°

Pretty   Raw   Preview   Visualize   Text

1

💾 Save ⌄   ✏️ 💬

GET ⌄ | http://localhost:3000/api/v1/users/orders | **Send** ⌄

Ctrl+↵ ⌄ ookies

Params | **Authorization** ● | Headers (7) | Body | Pre-request Script | Tests | Settings

Type   Bearer T... ⌄   Token   eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.ey....

The authorization header will be
automatically generated when you send
the request. Learn more about
Bearer Token authorization

Body | Cookies | Headers (8) | Test Results   🌐 Status: **200 OK** Time: **810 ms** Size: **1.47 KB**   💾 Save as example ○○○

Pretty | Raw | Preview | Visualize   JSON ⌄ ⇥

```
 1  [
 2    {
 3      "id": 3,
 4      "mealId": 2,
 5      "userId": 1,
 6      "totalPrice": 100,
 7      "quantity": 5,
 8      "status": "active",
 9      "createdAt": "2024-01-03T05:07:37.227Z",
10      "updatedAt": "2024-01-03T05:07:37.227Z",
11      "user_id": 1,
12      "user": {
13        "id": 1,
14        "name": "alex",
```

🔎 Postbot   ▶ Runner   ⚙ Start Proxy   🍪 Cookies   🗑 Trash

Save

GET http://localhost:3000/api/v1/users/orders/3 **Send**

Params **Authorization** • Headers (7) Body Pre-request Script Tests Settings **Cookies**

Type Bearer T... **Token** eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.ey. ...

The authorization header will be automatically generated when you send the request. Learn more about Bearer Token authorization

Body Cookies Headers (8) Test Results Status: 200 OK Time: 962 ms Size: 436 B Save as example

Pretty Raw Preview Visualize JSON

```json
{
    "id": 3,
    "mealId": 2,
    "userId": 1,
    "totalPrice": 100,
    "quantity": 5,
    "status": "active",
    "createdAt": "2024-01-03T05:07:37.227Z",
    "updatedAt": "2024-01-03T05:07:37.227Z",
    "user_id": 1
}
```

RESTAURANTS

POST CREATE

No Environment

HTTP ACADEMLO-MEALS / RESTAURANTS / **CREATE**

💾 Save

POST http://localhost:3000/api/v1/restaurants

Send

Params Authorization ● Headers (9) **Body** ● Pre-request Script Tests Settings

Cookies

● none ● form-data ● x-www-form-urlencoded ● raw ● binary ● GraphQL **JSON** ⌄

Beautify

```
1  {
2  ····"name": "Sabor Peruano",
3  ····"address": "calle nn #0678",
4     "rating" : 5
5  }
```

Body Cookies Headers (8) Test Results

🌐 Status: **201 Created** Time: **930 ms** Size: **341 B** 💾 Save as example ⁙

Pretty Raw Preview Visualize **JSON** ⌄

```
1  {
2     "id": 4,
3     "name": "Sabor Peruano",
4     "address": "calle nn #0678",
5     "rating": 5
6  }
```

Save

GET http://localhost:3000/api/v1/restaurants

Send

Ctrl+↵

Params   Authorization   Headers (6)   Body   Pre-request Script   Tests   Settings

Query Params

	Key	Value	Description	··· Bulk Edit
	Key	Value	Description	

Body   Cookies   Headers (8)   Test Results   🌐 Status: 200 OK Time: 814 ms Size: 513 B   💾 Save as example ∘∘∘

Pretty   Raw   Preview   Visualize   JSON ⌄   ⇥

```
15          "id": 3,
16          "name": "RT3",
17          "address": "calle nn #03",
18          "rating": 4
19      },
20      {
21          "id": 4,
22          "name": "Sabor Peruano",
23          "address": "calle nn #0678",
24          "rating": 5
25      }
26  ]
```

Save

GET http://localhost:3000/api/v1/restaurants/4 **Send**

Params   Authorization   Headers (6)   Body   Pre-request Script   Tests   Settings   **Cookies**

Query Params

	Key	Value	Description	··· Bulk Edit
	Key	Value	Description	

Body   Cookies   Headers (8)   Test Results   Status: 200 OK   Time: 752 ms   Size: 433 B   Save as example   ○○○

Pretty   Raw   Preview   Visualize   JSON ∨

```
1  {
2      "id": 4,
3      "name": "Sabor Peruano",
4      "address": "calle nn #0678",
5      "rating": 5,
6      "status": "active",
7      "createdAt": "2024-01-03T06:38:09.942Z",
8      "updatedAt": "2024-01-03T06:38:09.942Z"
9  }
```

Save

PATCH http://localhost:3000/api/v1/restaurants/3

Send

Ctrl+↵

Params   Authorization •   Headers (9)   **Body** •   Pre-request Script   Tests   Settings   okies

⬤ none   ⬤ form-data   ⬤ x-www-form-urlencoded   🔘 raw   ⬤ binary   ⬤ GraphQL   JSON ⌄   **Beautify**

```
1  {
2  ····"name": "RT03",
3    "address": "calle nn #0303"
4  }
```

Body   Cookies   Headers (8)   Test Results

Status: **200 OK**   Time: **1462 ms**   Size: **424 B**   💾 Save as example   ◦◦◦

Pretty   Raw   Preview   Visualize   JSON ⌄

```
1  {
2    "id": 3,
3    "name": "RT03",
4    "address": "calle nn #0303",
5    "rating": 4,
6    "status": "active",
7    "createdAt": "2024-01-03T01:33:39.461Z",
8    "updatedAt": "2024-01-03T06:40:56.054Z"
9  }
```

Save ⌄   🖉 💬

DELETE ⌄ | http://localhost:3000/api/v1/restaurants/3   **Send** ⌄

Params   **Authorization** ●   Headers (7)   Body   Pre-request Script   Tests   Settings   Ctrl+↵ okies

Type   Bearer T... ⌄   Token   eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.ey...

The authorization header will be
automatically generated when you send
the request. Learn more about
Bearer Token authorization

Body   Cookies   Headers (6)   Test Results   🌐 Status: **204 No Content**   Time: **1314 ms**   Size: **207 B**   💾 Save as example ⠇

Pretty   Raw   Preview   Visualize   Text ⌄ ⇥   ⧉ 🔍

1

Save

POST | http://localhost:3000/api/v1/restaurants/reviews/1

Send

Params Authorization ● Headers (9) **Body** ● Pre-request Script Tests Settings Cookies

● none ● form-data ● x-www-form-urlencoded ● raw ● binary ● GraphQL JSON ⌄ Beautify

```
1  {
2      "comment": "excelente todo",
3      "rating": 5
4  }
```

Body Cookies Headers (8) Test Results   Status: **201 Created** Time: **1007 ms** Size: **443 B** Save as example

Pretty Raw Preview Visualize JSON ⌄

```
1  {
2      "status": "active",
3      "id": 8,
4      "comment": "excelente todo",
5      "rating": 5,
6      "userId": 1,
7      "restaurantId": 1,
8      "updatedAt": "2024-01-03T06:43:16.132Z",
9      "createdAt": "2024-01-03T06:43:16.132Z"
10  }
```

Save

PATCH ∨   http://localhost:3000/api/v1/restaurants/reviews/1/1   **Send** ∨

Ctrl+↵ okies

Params   Authorization ●   Headers (9)   Body ●   Pre-request Script   Tests   Settings

● none   ● form-data   ● x-www-form-urlencoded   ● raw   ● binary   ● GraphQL   JSON ∨   **Beautify**

```
1  {
2      "comment": " comida MUY SABROSA",
3      "rating": 5
4  }
```

Body   Cookies   Headers (8)   Test Results   🌐 Status: **200 OK**   Time: **1172 ms**   Size: **687 B**   💾 Save as example   ⋯

Pretty   Raw   Preview   Visualize   JSON ∨   ≡

```
1  {
2      "id": 1,
3      "userId": 1,
4      "comment": " comida MUY SABROSA",
5      "restaurantId": 1,
6      "rating": 5,
7      "status": "active",
8      "createdAt": "2024-01-03T01:49:14.735Z",
9      "updatedAt": "2024-01-03T06:44:52.073Z",
10     "user": {
11         "id": 1,
12         "name": "alex",
```

🐾 Posthot   ▶ Runner   ⚡ Start Proxy   🍪 Cookies   🗑 Trash

Save

DELETE http://localhost:3000/api/v1/restaurants/reviews/1/4 **Send**

Params   Authorization ●   Headers (7)   **Body**   Pre-request Script   Tests   Settings   **Cookies**

● none   ● form-data   ● x-www-form-urlencoded   ● raw   ● binary   ● GraphQL

This request does not have a body

Body   Cookies   Headers (6)   Test Results   Status: **204 No Content**   Time: **534 ms**   Size: **207 B**   Save as example   ○○○

Pretty   Raw   Preview   Visualize   Text ∨

1

MEALS

💾 Save ⌄   ✏️ 💬

POST ⌄ http://localhost:3000/api/v1/meals/1 **Send** ⌄

Params Authorization ● Headers (9) **Body** ● Pre-request Script Tests Settings **Cookies**

● none ● form-data ● x-www-form-urlencoded ⦿ raw ● binary ● GraphQL **JSON** ⌄ **Beautify**

```
1  {
2      "name": "BANDEJA PAISA",
3      "price": 40
4  }
```

Body Cookies Headers (8) Test Results   🌐 Status: **201 Created** Time: **938 ms** Size: **331 B** 💾 Save as example ⚬⚬⚬

Pretty Raw Preview Visualize **JSON** ⌄ ⇄   📋 🔍

```
1  {
2      "id": 5,
3      "name": "BANDEJA PAISA",
4      "price": 40,
5      "restaurantId": 1
6  }
```

💾 Save ⌄   ✏️ 💬

GET ⌄   http://localhost:3000/api/v1/meals   **Send** ⌄

Ctrl+↵ ookies

Params   Authorization   Headers (6)   Body   Pre-request Script   Tests   Settings

Query Params

	Key	Value	Description	••• Bulk Edit
	Key	Value	Description	

Body   Cookies   Headers (8)   Test Results   🌐 Status: **200 OK** Time: **814 ms** Size: **942 B**   💾 Save as example   ∘∘∘

Pretty   Raw   Preview   Visualize   JSON ⌄   ⇥   📋 🔍

```
30              }
31          },
32          {
33              "id": 5,
34              "name": "BANDEJA PAISA",
35              "price": 40,
36              "restaurantId": 1,
37              "restaurant": {
38                  "id": 1,
39                  "name": "RT1",
40                  "address": "calle nn #01",
41                  "rating": 5,
42                  "-+-+-": "-+-+-"
```

Save

GET   http://localhost:3000/api/v1/meals/5   **Send**

Ctrl+↵

Params   Authorization   Headers (6)   Body   Pre-request Script   Tests   Settings   ~~okies~~

Query Params

	Key	Value	Description	··· Bulk Edit
	Key	Value	Description	

Body   Cookies   Headers (8)   Test Results   Status: **200 OK** Time: **134 ms** Size: **587 B**   Save as example ○○○

Pretty   Raw   Preview   Visualize   JSON ⌄

```json
{
    "id": 5,
    "name": "BANDEJA PAISA",
    "price": 40,
    "restaurantId": 1,
    "status": true,
    "createdAt": "2024-01-03T06:47:43.500Z",
    "updatedAt": "2024-01-03T06:47:43.500Z",
    "restaurant": {
        "id": 1,
        "name": "RT1",
        "address": "calle nn #01",
        "rating": 5,
        "status": "active",
        "createdAt": "2024-01-03T01:33:23.510Z",
        "updatedAt": "2024-01-03T01:33:23.510Z"
```

Save

PATCH   http://localhost:3000/api/v1/meals/2   **Send**

Params   Authorization ●   Headers (9)   **Body** ●   Pre-request Script   Tests   Settings   Cookies

● none   ● form-data   ● x-www-form-urlencoded   ● raw   ● binary   ● GraphQL   JSON ∨   Beautify

```
1  {
2      "name": "chaufa",
3      "price": 45
4  }
```

Body   Cookies   Headers (8)   Test Results   ⊕ Status: **200 OK**   Time: **1004 ms**   Size: **580 B**   💾 Save as example   ⊙⊙⊙

Pretty   Raw   Preview   Visualize   JSON ∨   ⇥

```
1  {
2      "id": 2,
3      "name": "chaufa",
4      "price": 45,
5      "restaurantId": 2,
6      "status": true,
7      "createdAt": "2024-01-03T03:28:59.669Z",
8      "updatedAt": "2024-01-03T06:50:20.388Z",
9      "restaurant": {
10         "id": 2,
11         "name": "RT2",
12         "address": "calle nn #02",
13         "rating": 5
```

Save

DELETE   http://localhost:3000/api/v1/meals/2   **Send**   Ctrl+⏎

Params   Authorization ●   Headers (7)   Body   Pre-request Script   Tests   Settings   okies

Query Params

	Key	Value	Description	··· Bulk Edit
	Key	Value	Description	

Body   Cookies   Headers (6)   Test Results   Status: **204 No Content**   Time: **1399 ms**   Size: **207 B**   Save as example   ○○○

Pretty   Raw   Preview   Visualize   Text ⌄

1

ORDERS

Save

GET ∨ http://localhost:3000/api/v1/orders/me

Send ∨

Params Authorization ● Headers (7) Body Pre-request Script Tests Settings Cookies

Query Params

	Key	Value	Description	••• Bulk Edit

Body Cookies Headers (8) Test Results

Status: **200 OK** Time: **1191 ms** Size: **2.59 KB** Save as example °°°

Pretty Raw Preview Visualize JSON ∨

```json
1  [
2      {
3          "id": 6,
4          "mealId": 1,
5          "userId": 2,
6          "totalPrice": 150,
7          "quantity": 5,
8          "user_id": 2,
9          "meal": {
10             "id": 1,
11             "name": "lomo saltado",
12             "price": 30,
13             "restaurantId": 1,
14             "status": true,
15             "createdAt": "2024-01-03T03:28:31.660Z",
16             "updatedAt": "2024-01-03T03:28:31.660Z",
17             "restaurant": {
18                 "id": 1,
```

 Save

PATCH http://localhost:3000/api/v1/orders/3 Send

Ctrl+↵ okies

Params Authorization ● Headers (8) **Body** Pre-request Script Tests Settings

● none ● form-data ● x-www-form-urlencoded ● raw ● binary ● GraphQL JSON ⌄ Beautify

```
1
```

Body Cookies Headers (8) Test Results ⊕ Status: 200 OK Time: 565 ms Size: 683 B 🖫 Save as example ∘∘∘

Pretty Raw Preview Visualize JSON ⌄ ⇄

```json
1  {
2      "id": 3,
3      "mealId": 2,
4      "userId": 1,
5      "totalPrice": 100,
6      "quantity": 5,
7      "status": "completed",
8      "createdAt": "2024-01-03T05:07:37.227Z",
9      "updatedAt": "2024-01-03T07:12:34.935Z",
10     "user_id": 1,
11     "user": {
12         "id": 1,
13         "name": "alex",
14         "email": "alex@gmail.com",
15         "password": "$2b$12$.79G/cTi73bH6QwYsmufAe.1aGnOxYeflhjY8z2Zfy5ZbvqvWb81y",
16         "role": "admin",
```

Save

DELETE http://localhost:3000/api/v1/orders/4

Send

Ctrl+↵

Params | Authorization ● | Headers (7) | Body | Pre-request Script | Tests | Settings

okies

Type   Bearer T...   ⌄   Token   eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.ey...

The authorization header will be
automatically generated when you send
the request. Learn more about
Bearer Token authorization

Body | Cookies | Headers (6) | Test Results   Status: **204 No Content**   Time: **1745 ms**   Size: **207 B**   Save as example   ○○○

Pretty | Raw | Preview | Visualize   Text ⌄

1