


DEVICES · EQUIPOS · ציוד

- **TAB** · Door tablet (iPad / Android) – call and voice, h 1.40 m
  Door tablet – call and voice · טאבלט כניסה – שיחה וקול · טאבלט כניסה – שיחה וקול, גובה 1.40 מ׳
- **VOZ** · Voice panel with buttons ACE82182451 – living room and bedrooms, h 1.20–1.30 m
  Voice panel with buttons – living room and bedrooms · פאנל קולי עם כפתורים – סלון וחדרי שינה · פאנל קולי עם כפתורים – סלון וחדרי שינה, גובה 1.20–1.30 מ׳
- Call pear next to the bed (bedrooms)
  Call pear next to the bed (bedrooms) · אגסון ליד המיטה (חדרי שינה)
- **TI / TD** · Pull-cord ACE40320303W – toilet and shower, h 1.85 m
  Pull-cord – toilet and shower, h 1.85 m · חבל משיכה – שירותים ומקלחת – גובה 1.85 מ׳
- **LP** · Corridor light ACE41020309 – above each public toilet door
  Corridor light – above each public toilet door · מנורת מסדרון – מעל דלת כל שירותים ציבוריים
- **LC** · LCom ACE71610003 – apartment hub (ceiling)
  LCom – apartment hub (ceiling) · LCom – רכזת דירה (בתקרה)
- **GAB** · 12U floor rack: 2 Buscomm ACE70810000 + PoE switch ACEUCM6302
  Floor rack: 2 Buscomm + PoE switch · מתלה ברזל 2 Buscomm + מתג PoE


QUANTITIES PER FLOOR × 8 FLOORS

Code	Device	Per floor	8 floors
TAB	Door tablet	4	32
VOZ	Voice panel with buttons	10	80
TI/TD	Pull-cord (toilet + shower)	17	136
LP	Corridor light (public toilet)	1	8
LC	LCom	5	40
BC	Buscomm	2	16
SW	PoE switch	1	8

NOTES · NOTAS

1. Base: architectural plan L5 (typical floor) – all 8 floors are identical: 4 apartments per floor, 32 in total.
2. Apartments x01 and x02: 1 bedroom, living room with kitchen and 2 bathrooms. Apartments x03 and x04: 2 bedrooms and 2 bathrooms.
3. Tablet at the door of each apartment (iPad / Android) to call and talk to the nurse.
4. Voice panel with buttons (ACE82182451) in the living room and in each bedroom; in bedrooms, with a pear next to the bed.
5. Pull-cords (ACE40320303W) at the toilet and shower of every bathroom, at 1.85 m.
6. One public toilet per floor in the common room: pull-cord + corridor light above the door. With the 2 on GF, 10 public toilets in total.
7. Floor rack in the service corridor next to the lifts (Tripp Lite 12U, as in the IT plan).
8. Preliminary locations: confirm on site with the installer and Advantecnia.

MOUNTING HEIGHTS



MIGDALEI YAM A TIJON · ASSISTED LIVING

Nurse call – GF + 8 floors · 32 apartments


System: ACE BG · Advantecnia Prepared by: Telab International

TYPICAL FLOOR F1–F8 · NURSE CALL

SCALE · ESCALA	DATE · FECHA	REV	SHEET
1:60	15/10/2026	B	01

Base: architect's plan L5 (Massad Oz / Triplet) · dimensions in m

A1 format · Rev. B – on the real plan



WIRING · CABLEADO · סוגיות

Cat6 radial: each device → its apartment LCom
Cat6 radial: each device → apartment LCom · Cat6 רדיאלי: כל התקן → LCom הדירה שלו

Cat6 / Cat7 chain: LCom → LCom → rack Buscomm
Cat6 / Cat7 chain: LCom → LCom → Buscomm · Cat6 / Cat7 שרשרת: LCom ← LCom ← Buscomm

Cat6A / Cat7 network: Buscomm → switch → riser → GF server
Cat6A / Cat7 network: Buscomm → switch → riser → GF server · Cat6A / Cat7 רשת: Buscomm ← מתג ← רייזר ← שרת GF

TYPICAL FLOOR LENGTHS (no spare)

Cat6 radial inside the apartments	**202 m**
Cat6 / Cat7 chain LCom → Buscomm	**82 m**
Cat6A / Cat7 rack and riser	**4 m**

NOTES · NOTAS

1. Each device runs radially (Cat6) to its apartment LCom, in the hall ceiling.
2. The LComs are chained along the lobby tray to the floor rack:
x01 → x04 → common room → Buscomm 1 · x02 → x03 → Buscomm 2.
3. The floor PoE switch runs up the Cat6A / Cat7 riser to
the GF server.
4. Everything is PoE: no 230 V needed for the apartment devices.

NOTES · NOTAS

1. Base: architectural plan L5 (typical floor) – all 8 floors are identical: 4 apartments per floor, 32 in total.
2. Apartments x01 and x02: 1 bedroom, living room with kitchen and 2 bathrooms. Apartments x03 and x04: 2 bedrooms and 2 bathrooms.
3. Tablet at the door of each apartment (iPad / Android) to call and talk to the nurse.
4. Voice panel with buttons (ACE82182451) in the living room and in each bedroom; in bedrooms, with a pear next to the bed.
5. Pull-cords (ACE40320303W) at the toilet and shower of every bathroom, at 1.85 m.
6. One public toilet per floor in the common room: pull-cord + corridor light above the door. With the 2 on GF, 10 public toilets in total.
7. Floor rack in the service corridor next to the lifts (Tripp Lite 12U, as in the IT plan).
8. Preliminary locations: confirm on site with the installer and Advantecnia.

MIGDALEI YAM A TIJON · ASSISTED LIVING

Nurse call – GF + 8 floors · 32 apartments


System: ACE BG · Advantecnia Prepared by: Telab International

TYPICAL FLOOR F1–F8 · WIRING

SCALE · ESCALA	DATE · FECHA	REV	SHEET
1:60	**15/10/2026**	**B**	**02**

Base: architect's plan L5 (Massad Oz / Triplet) · dimensions in m

A1 format · Rev. B – on the real plan



APARTMENT DEVICES

ID	Device	Room	Height
TAB	Door tablet	Hall	1,40 m
VOZ-S	Voice panel with buttons	Living room and kitchen	1,30 m
VOZ-D	Voice panel with buttons + pear	Bedroom	1,20 m
TI1	Pull-cord	En-suite bathroom	1,85 m
TD1	Pull-cord	En-suite bathroom	1,85 m
TI2	Pull-cord	Bathroom 2	1,85 m
TD2	Pull-cord	Bathroom 2	1,85 m
LCOM	LCom ACE71610003	Hall	2,55 m

SYMBOLS · SÍMBOLOS · סימנים

TAB · Door tablet (iPad / Android) – call and voice, h 1.40 m
Door tablet – call and voice · טבליה לאורינג – לשיחה וקולאנס

VOZ · Voice panel with buttons ACE82182451 – living room and bedrooms, h 1.20–1.30 m
Voice panel with buttons – living room and bedrooms · לוחית קריאה עליה – לסלון וחדרי שינה

Call pear next to the bed (bedrooms)
Call pear next to the bed (bedrooms) · השמיכה ליד המיטה (חדרי שינה)

TI / TD · Pull-cord ACE40320303W – toilet and shower, h 1.85 m
Pull-cord – toilet and shower, h 1.85 m · חבל משיכה לשירותים ולמקלחת – לגובה של 1.85 מ'

LP · Corridor light ACE41020309 – above each public toilet door
Corridor light – above each public toilet door · סימנורית למסדרון לידי כל שירותים ציבוריים

LC · LCom ACE71610003 – apartment hub (ceiling)
LCom – apartment hub (ceiling) · LCom – בהרחבה (בתקרה)

NOTES · NOTAS

1. Apartment x02 mirrors x01 (same devices).
2. Tablet in the hall next to the front door.
3. Voice panel in the living room and in the bedroom (with pear next to the bed).
4. 2 bathrooms: pull-cord at the toilet and at the shower of each (4 pull-cords).
5. Everything runs radially in Cat6 to the hall LCom.

MIGDALEI YAM A TIJON · ASSISTED LIVING

Nurse call – GF + 8 floors · 32 apartments


System: ACE BG · Advantecnia Prepared by: Telab International

1-BEDROOM APT. (x01 / x02)

SCALE · ESCALA	DATE · FECHA	REV	SHEET
1:30	15/10/2026	B	03

Base: architect's plan LS (Massad Oz / Triplet) · dimensions in m

A1 format · Rev. B – on the real plan



APARTMENT DEVICES

ID	Device	Room	Height
TAB	Door tablet	Hall	1,40 m
VOZ-S	Voice panel with buttons	Living room	1,30 m
LCOM	LCom ACE71610003	Bedroom 1	2,55 m
VOZ-D1	Voice panel with buttons + pear	Bedroom 1	1,20 m
VOZ-D2	Voice panel with buttons + pear	Bedroom 2	1,20 m
TI1	Pull-cord	Bathroom 1	1,85 m
TD1	Pull-cord	Bathroom 1	1,85 m
TI2	Pull-cord	Bathroom 2	1,85 m
TD2	Pull-cord	Bathroom 2	1,85 m

SYMBOLS · SÍMBOLOS · סימנים

TAB · Door tablet (iPad / Android) – call and voice, h 1.40 m
Door tablet – call and voice · טאבלט כניסה – שיחה וקולי

VOZ · Voice panel with buttons ACE82182451 – living room and bedrooms, h 1.20–1.30 m
Voice panel with buttons – living room and bedrooms · פאנל קולי עם כפתורים – סלון וחדרי שינה

Call pear next to the bed (bedrooms)
Call pear next to the bed (bedrooms) · כפתור דחיפה ליד המיטה (חדרי שינה)

TI / TD · Pull-cord ACE40320303W – toilet and shower, h 1.85 m
Pull-cord – toilet and shower, h 1.85 m · חבל משיכה – שירותים ומקלחת – גובה 1.85 מ׳

LP · Corridor light ACE41020309 – above each public toilet door
Corridor light – above each public toilet door · מנורת מסדרון מעל כל דלת שירותים ציבוריים

LC · LCom ACE71610003 – apartment hub (ceiling)
LCom – apartment hub (ceiling) · LCom – מרכזת דירה (בתקרה)

NOTES · NOTAS

1. Apartment x03 has the same devices (bathrooms laid out differently).
2. Tablet in the hall next to the front door.
3. Voice panel in the living room and in both bedrooms (with pear next to the bed).
4. 2 bathrooms: pull-cord at the toilet and at the shower of each (4 pull-cords).
5. Everything runs radially in Cat6 to the LCom in the bedroom corridor.

MIGDALEI YAM A TIJON · ASSISTED LIVING

Nurse call – GF + 8 floors · 32 apartments


System: ACE BG · Advantecnia Prepared by: Telab International

2-BEDROOM APT. (x04 / x03)


SCALE · ESCALA	DATE · FECHA	REV	SHEET
1:35	15/10/2026	B	04

Base: architect's plan LS (Massad Oz / Triplet) · dimensions in m

A1 format · Rev. B – on the real plan



DETAIL · RECEPTION AND NURSE DESK (1:40)



NOTES · NOTAS

1. Nurse desk at reception, facing the entrance and the lifts.
2. On the desk: Android desk phone ACE52190200 (receives calls and voice).
3. Behind the desk: nurse office with the main rack: server ACE51010103, PoE switch ACEUCM6302 and GF Buscomm.
4. 2 public toilets on GF: pull-cord next to the toilet and corridor light above each door.
5. The riser from the 8 floors runs down the core to the main rack.
6. Proposed GF layout: to be adjusted when the architect's plan arrives.

SYMBOLS · SÍMBOLOS · סמלים

- **T** — TI / TD · Pull-cord ACE40320303W – toilet and shower, h 1.85 m
  Pull-cord – toilet and shower, h 1.85 m · מתקן חיתוך – שירותים ומקלחת, גובה 1.85 מ'
- **LP** — LP · Corridor light ACE41020309 – above each public toilet door
  Corridor light – above each public toilet door · מיקרוגל מיקרוגל לך חדר לעשה – נורית חירום
- **LC** — LC · LCom ACE71610003 – apartment hub (ceiling)
  LCom – apartment hub (ceiling) · LCom – נורית חירום ונורה
- **TEL** — TEL · Android desk phone ACE52190200
  Android desk phone · דיאודוגא קולולא פתלה
- **SRV** — SRV · GF rack: server ACE51010103 + switch + Buscomm
  GF rack: server + switch + Buscomm · מתקן – שרת + מתג + Buscomm

MIGDALEI YAM A TIJON · ASSISTED LIVING

Nurse call – GF + 8 floors · 32 apartments

System: ACE BG · Advantecnia Prepared by: Telab International

GROUND FLOOR · LOBBY AND NURSE DESK

SCALE · ESCALA	DATE · FECHA	REV	SHEET
1:60	15/10/2026	B	05


Base: architect's plan LS (Massad Oz / Triplet) · dimensions in m

A1 format · Rev. B – on the real plan

A · BUILDING GF + 8 FLOORS



B · TOPOLOGY OF ONE APARTMENT



NOTES · NOTAS

1. 8 identical floors with 4 apartments (2 one-bedroom and 2 two-bedroom).
2. On each floor: rack with 2 Buscomm and a PoE switch.
3. Chain 1: x01 → x04 → public toilet. Chain 2: x02 → x03.
4. The switches run up the riser to the main GF rack.
5. Calls arrive by voice on the Android phone at the nurse desk.
6. The whole system is PoE.
7. Preliminary quantities: validate with Advantecnia and on site.

MIGDALEI YAM A TIJON · ASSISTED LIVING

Nurse call – GF + 8 floors · 32 apartments

System: ACE BG · Advantecnia Prepared by: Telab International

RISER DIAGRAM AND TOPOLOGY

SCALE · ESCALA	DATE · FECHA	REV	SHEET
S/E	15/10/2026	B	06

Base: architect's plan LS (Massad Oz / Triplet) · dimensions in m

A1 format · Rev. B – on the real plan

BILL OF MATERIALS – WHOLE BUILDING (GF + 8 floors · 32 apartments · 10 public toilets)

Code	Description	Qty.	Remark
IN THE APARTMENTS (32)			
TAB	Door tablet (iPad / Android) – call and voice	**32**	1 per apartment
VOZ	Voice call panel with buttons – ACE82182451	**80**	living room + each bedroom
TI/TD	Pull-cord – ACE40320303W (toilet and shower)	**128**	4 per apartment
LC	LCom – ACE71610003	**32**	1 per apartment
PUBLIC TOILETS (10)			
T	Pull-cord – ACE40320303W	**10**	8 floors + 2 on GF
LP	Corridor light – ACE41020309	**10**	above each door
LC	LCom – ACE71610003	**9**	1 per floor + 1 on GF
RACKS AND HEAD-END			
BC	Buscomm – ACE70810000	**17**	2 per floor + 1 on GF
SW	PoE switch – ACEUCM6302	**9**	1 per floor + GF
GAB	12U wall rack (Tripp Lite SRW12US) with patch panel	**8**	1 per floor
GAB-PB	Main floor-standing rack with UPS	**1**	GF
SRV	Server + Advantecnia software – ACE51010103	**1**	GF
TEL	Android desk phone – ACE52190200	**1**	nurse desk
CABLES (+ 15 % spare)			
—	Cat6 radial inside the apartments (green)	**1880 m**	202 m por piso
—	Cat6 / Cat7 chain LCom → Buscomm (orange)	**780 m**	82 m per floor
—	Cat6A / Cat7 racks and riser (red)	**100 m**	includes riser

NOTES · NOTAS

1. Quantities calculated from the model (typical floor × 8 + GF).

2. Cable lengths measured on the drawn route, + 15 %.

3. Prices: per current Advantecnia price list.

4. Validate on site before purchasing.

MIGDALEI YAM A TIJON · ASSISTED LIVING

Nurse call – GF + 8 floors · 32 apartments


System: ACE BG · Advantecnia Prepared by: Telab International

BILL OF MATERIALS


SCALE · ESCALA	DATE · FECHA	REV	SHEET
S/E	15/10/2026	B	07

Base: architect's plan LS (Massad Oz / Triplet) · dimensions in m


A1 format · Rev. B – on the real plan



A · Floor tipo – 4 departamentos



B · Tablet de la puerta






D · Baño – tiradores en inodoro y ducha



E · PB – desk de enfermería



F · Edificio PB + 8 pisos

MIGDALEI YAM A TIJON · ASSISTED LIVING

Nurse call – GF + 8 floors · 32 apartments


System: ACE BG · Advantecnia Prepared by: Telab International

3D VIEWS

SCALE · ESCALA	DATE · FECHA	REV	SHEET
S/E	15/10/2026	B	08

Base: architect's plan LS (Massad Oz / Triplet) · dimensions in m

A1 format · Rev. B – on the real plan



A · Floor tipo – cableado (verde radial · naranja cadena LCom · rojo red)



B · Planta baja – lobby y recepción



C · Salón – panel con voz y botones

COLOURS · COLORES · סיעבג

- Cat6 radial: each device → its apartment LCom
  Cat6 radial: each device → apartment LCom · Cat6 רדיאל: כל מכשיר → LCom של הדירה
- Cat6 / Cat7 chain: LCom → LCom → rack Buscomm
  Cat6 / Cat7 chain: LCom → LCom → Buscomm · Cat6 / Cat7 שרשרת: LCom → LCom → Buscomm
- Cat6A / Cat7 network: Buscomm → switch → riser → GF server
  Cat6A / Cat7 network: Buscomm → switch → riser → GF server · Cat6A / Cat7 רשת: Buscomm → מתג → רייזר → שרת GF

MIGDALEI YAM A TIJON · ASSISTED LIVING

Nurse call – GF + 8 floors · 32 apartments

System: ACE BG · Advantecnia Prepared by: Telab International

3D VIEWS – WIRING

SCALE · ESCALA	DATE · FECHA	REV	SHEET
S/E	15/10/2026	B	09

Base: architect's plan LS (Massad Oz / Triplet) · dimensions in m

A1 format · Rev. B – on the real plan