

Test Readiness Review (TRR)

Document Control

Field	Value
Document ID	TRR-LLM-QA-001
System	LLM-QA Evaluation Framework — RAG Pipeline
Stage Gate	MVP → Production
Generated	2026-06-06 12:03 UTC
Commit	32d2d2f
Classification	UNCLASSIFIED

1. Executive Summary

This Test Readiness Review documents the verification and validation status of the LLM-QA Evaluation Framework prior to Stage Gate review. The system under test is a Retrieval-Augmented Generation (RAG) pipeline with automated quality evaluation, data validation, and regression detection.

Overall status: NOT APPROVED — REMEDIATION REQUIRED

Metric	Value
Total requirements	16
Requirements verified (PASS)	9
Requirements failed	2
Requirements not tested	5
Requirements coverage	56.2%

2. System Under Test

2.1 System Description

The LLM-QA Framework provides automated validation of a RAG pipeline designed for defense supply chain intelligence. The system ingests technical documentation, retrieves relevant context via FAISS vector search, and generates grounded answers via a large language model.

2.2 Components

Component	Technology	Version
RAG Pipeline	LangChain + FAISS	0.2.16 + 1.8.0
Embedding Model	all-MiniLM-L6-v2	sentence-transformers 3.0.1
LLM / Judge	Groq llama-3.3-70b-versatile	API
Evaluation Framework	DeepEval	0.21.73
RAG Metrics	RAGAS	0.1.21
Data Validation	Great Expectations	0.18.15
Data Store	SQLite	stdlib
Test Runner	pytest	8.3.2

2.3 Test Environment

Parameter	Value
CI Platform	GitHub Actions — ubuntu-latest
Python	3.11
Execution	Automated on every push to main, PR, and nightly at 06:00 UTC

3. Requirements Traceability Matrix

Each row maps a system requirement to its verification tests and current status.

Req ID	Title	Priority	Tests	Status
SYS-REQ-001	RAG Output Faithfulness	Critical	0	■■ NOT TESTED
SYS-REQ-002	RAG Answer Relevance	Critical	0	■■ NOT TESTED
SYS-REQ-003	Out-of-Context Refusal	Critical	0	■■ NOT TESTED

SYS-REQ-004	Prompt Regression Prevention	High	0	■■ NOT TESTED
SYS-REQ-005	BOM Schema and Business Rule Compliance	Critical	1	■ PASS
SYS-REQ-006	Supplier Data Validity	High	1	■ PASS
SYS-REQ-007	BOM–Supplier Referential Integrity	Critical	1	■ PASS
SYS-REQ-008	ITAR Export Control Compliance	Critical	1	■ PASS
SYS-REQ-009	Vector Index Dimensional Integrity	Critical	1	■ FAIL
SYS-REQ-010	Retrieval Accuracy	High	1	■ FAIL
SYS-REQ-011	BOM Value Plausibility	High	1	■ PASS
SYS-REQ-012	Supplier Audit Timeliness	High	1	■ PASS
SYS-REQ-013	Supply Chain Diversification	Medium	1	■ PASS
SYS-REQ-014	RBAC Enforcement	Critical	25	■ PASS
SYS-REQ-015	API PII Redaction	Critical	8	■ PASS
SYS-REQ-016	LLM PII Prevention	Critical	0	■■ NOT TESTED

4. Detailed Test Results

SYS-REQ-001 — RAG Output Faithfulness

Description: The system shall generate answers where $\geq 80\%$ of claims are supported by retrieved context, as measured by FaithfulnessMetric.

Category: AI Quality | **Priority:** Critical | **Status:** NOT TESTED

No tests mapped to this requirement.

SYS-REQ-002 — RAG Answer Relevance

Description: Generated answers shall directly address the question asked, achieving AnswerRelevancyMetric ≥ 0.75 .

Category: AI Quality | **Priority:** Critical | **Status:** NOT TESTED

No tests mapped to this requirement.

SYS-REQ-003 — Out-of-Context Refusal

Description: When the document corpus contains no relevant information, the system shall acknowledge uncertainty rather than fabricate an answer.

Category: AI Safety | **Priority:** Critical | **Status:** NOT TESTED

No tests mapped to this requirement.

SYS-REQ-004 — Prompt Regression Prevention

Description: Quality metric scores shall not degrade more than 10% from the established baseline following any model, prompt, or corpus change.

Category: AI Quality | **Priority:** High | **Status:** NOT TESTED

No tests mapped to this requirement.

SYS-REQ-005 — BOM Schema and Business Rule Compliance

Description: Bill of Materials records shall conform to the defined schema: valid part number format, positive unit costs, recognised categories and classification codes.

Category: Data Integrity | **Priority:** Critical | **Status:** PASS

Test ID	Outcome
test_bom_schema_and_business_rules	■ PASSED

SYS-REQ-006 — Supplier Data Validity

Description: Supplier records shall be complete and within valid ranges: risk score 0–100, on-time delivery rate 0.0–1.0, audit year within acceptable window.

Category: Data Integrity | **Priority:** High | **Status:** PASS

Test ID	Outcome
test_supplier_schema_and_business_rules	■ PASSED

SYS-REQ-007 — BOM–Supplier Referential Integrity

Description: Every supplier_id referenced in the BOM shall exist in the supplier register. Orphaned BOM records are not permitted.

Category: Data Integrity | **Priority:** Critical | **Status:** PASS

Test ID	Outcome
test_bom_supplier_referential_integrity	■ PASSED

SYS-REQ-008 — ITAR Export Control Compliance

Description: SECRET-classified components shall not be sourced from non-US suppliers. Any such data configuration shall be flagged as a compliance violation.

Category: Compliance | **Priority:** Critical | **Status:** PASS

Test ID	Outcome
test_no_secret_parts_from_non_us_suppliers	■ PASSED

SYS-REQ-009 — Vector Index Dimensional Integrity

Description: The FAISS index dimensionality shall match the configured embedding model output dimension (384 for all-MiniLM-L6-v2). A mismatch shall fail validation.

Category: System Integrity | **Priority:** Critical | **Status:** FAIL

Test ID	Outcome
test_index_files_exist	■ FAILED

SYS-REQ-010 — Retrieval Accuracy

Description: Known queries shall retrieve chunks from the correct source document as the top result. Out-of-domain queries shall return similarity scores indicating low relevance.

Category: System Integrity | **Priority:** High | **Status:** FAIL

Test ID	Outcome
test_index_files_exist	■ FAILED

SYS-REQ-011 — BOM Value Plausibility

Description: The aggregate Bill of Materials value shall fall within the expected programme budget range (\$100,000–\$100,000,000). Values outside this range indicate data corruption.

Category: Data Integrity | **Priority:** High | **Status:** PASS

Test ID	Outcome
test_total_bom_value_within_expected_range	■ PASSED

SYS-REQ-012 — Supplier Audit Timeliness

Description: All active suppliers shall have been audited within the last two years. Suppliers with audits older than 2023 shall be flagged as non-compliant.

Category: Compliance | Priority: High | Status: PASS

Test ID	Outcome
test_all_suppliers_have_recent_audit	■ PASSED

SYS-REQ-013 — Supply Chain Diversification

Description: No part category shall be sole-sourced from a supplier with risk score > 50. Single-source high-risk dependencies shall be flagged as policy violations.

Category: Compliance | Priority: Medium | Status: PASS

Test ID	Outcome
test_high_risk_suppliers_not_sole_sourced	■ PASSED

SYS-REQ-014 — RBAC Enforcement

Description: Every API endpoint shall enforce role-based access control. Each role shall receive exactly the HTTP status codes defined in the access matrix — 200 for permitted, 401 for unauthenticated, 403 for unauthorised.

Category: Security | Priority: Critical | Status: PASS

Test ID	Outcome
test_rbac_enforcement[guest-GET-/health-200]	■ PASSED
test_rbac_enforcement[guest-GET-/api/v1/bom-401]	■ PASSED
test_rbac_enforcement[analyst-GET-/api/v1/bom-200]	■ PASSED
test_rbac_enforcement[engineer-GET-/api/v1/bom-200]	■ PASSED
test_rbac_enforcement[admin-GET-/api/v1/bom-200]	■ PASSED
test_rbac_enforcement[guest-GET-/api/v1/bom/AV-100001-401]	■ PASSED
test_rbac_enforcement[analyst-GET-/api/v1/bom/AV-100001-200]	■ PASSED
test_rbac_enforcement[engineer-GET-/api/v1/bom/AV-100001-200]	■ PASSED
test_rbac_enforcement[admin-GET-/api/v1/bom/AV-100001-200]	■ PASSED
test_rbac_enforcement[guest-GET-/api/v1/suppliers-401]	■ PASSED
test_rbac_enforcement[analyst-GET-/api/v1/suppliers-200]	■ PASSED
test_rbac_enforcement[engineer-GET-/api/v1/suppliers-200]	■ PASSED
test_rbac_enforcement[admin-GET-/api/v1/suppliers-200]	■ PASSED
test_rbac_enforcement[analyst-GET-/api/v1/suppliers/risk-score-403]	■ PASSED
test_rbac_enforcement[engineer-GET-/api/v1/suppliers/risk-score-200]	■ PASSED

test_rbac_enforcement	[admin-GET-/api/v1/suppliers/risk-score-403]	■ PASSED
test_rbac_enforcement	[analyst-GET-/api/v1/suppliers/SUP-001/contact-403]	■ PASSED
test_rbac_enforcement	[engineer-GET-/api/v1/suppliers/SUP-001/contact-403]	■ PASSED
test_rbac_enforcement	[admin-GET-/api/v1/suppliers/SUP-001/contact-200]	■ PASSED
test_rbac_enforcement	[analyst-GET-/api/v1/classified/specs-403]	■ PASSED
test_rbac_enforcement	[engineer-GET-/api/v1/classified/specs-403]	■ PASSED
test_rbac_enforcement	[admin-GET-/api/v1/classified/specs-200]	■ PASSED
test_rbac_enforcement	[analyst-GET-/api/v1/admin/users-403]	■ PASSED
test_rbac_enforcement	[engineer-GET-/api/v1/admin/users-403]	■ PASSED
test_rbac_enforcement	[admin-GET-/api/v1/admin/users-200]	■ PASSED

SYS-REQ-015 — API PII Redaction

Description: Endpoints accessible to lower-privilege roles shall not expose PII (email, phone, SSN) in response bodies or error messages. PII shall only be returned to roles explicitly granted contact:read or users:read permission.

Category: Security | **Priority:** Critical | **Status:** PASS

Test ID	Outcome
test_admin_contact_response_contains_pii	■ PASSED
test_unauthorised_roles_blocked_from_contact_pii[analyst]	■ PASSED
test_unauthorised_roles_blocked_from_contact_pii[engineer]	■ PASSED
test_admin_user_list_contains_pii	■ PASSED
test_unauthorised_roles_blocked_from_user_pii[analyst]	■ PASSED
test_unauthorised_roles_blocked_from_user_pii[engineer]	■ PASSED
test_analyst_accessible_endpoints_contain_no_pii[/api/v1/bom]	■ PASSED
test_analyst_accessible_endpoints_contain_no_pii[/api/v1/suppliers]	■ PASSED

SYS-REQ-016 — LLM PII Prevention

Description: The RAG pipeline shall not produce PII in generated outputs when queried with PII-fishing prompts. The model shall respond with a refusal rather than hallucinating personal contact details.

Category: AI Safety | **Priority:** Critical | **Status:** NOT TESTED

No tests mapped to this requirement.

5. Confidence Levels

Score Range	Label	Action
≥ 0.90	High	Deploy to production
0.75–0.90	Medium	Deploy with monitoring
0.60–0.75	Low	Do not deploy, investigate
< 0.60	Failing	Block deployment, escalate

Faithfulness and answer relevance thresholds are set at 0.80 and 0.75 respectively, providing a buffer above the minimum acceptable quality level.

6. Open Issues

ID	Description	Severity	Status
OI-001	RAGAS tests not included in baseline regression harness	Low	Open
OI-002	Gold Standard dataset size (5 samples) below recommended 50+ for pre-production	Medium	Open

7. Stage Gate Recommendation

Recommendation: NOT APPROVED — REMEDIATION REQUIRED

2 requirement(s) failed verification. The system is not approved to proceed until all FAIL items are resolved.

Remediation required before re-submission for Stage Gate review.

