Cooking App

Step 1: Brainstorm

- Username
- Email
- Name of user
- Recipes
- Instructions
- Time frame to make it
- Ingredients
- Private or public
- Grocery list
- Occasion list

Step 2: Table Ideas

- Authorization Table:
 - o userID
 - Email
 - o username
 - Password
- User Table:
 - UserId
 - Name
 - Age
 - o DOB
- Recipe Table:
 - Recipe ID
 - o userld
 - public/private
 - Pic of meal
 - Instructions
 - Ingredients
 - Time to make
 - List Id
- Grocery Table:
 - o Grocery List ID
 - o Recipe Id
 - Items in cart
 - o Date added
- Occasions List table:

- Occasion List Id
- List name
- Type
- Approximate number of people
- List Item table:
 - List item id
 - Occasion List Id
 - o Recipe Id

Step 3: Relationships:

- One-to-One:
 - Users auth: each user has unique info
 - Recipe to grocery list: each grocery list is specific to one recipe
- One to many:
 - User to recipe: one user can have many recipes, but one recipe has one owner
- Many to Many:
 - Recipe to occasion: Each recipe can have multiple occasions and each occasion can have multiple recipes.

Part 2 - Step 2:

- Authorization:
 - User id: each user must have a unique identifier in backend
 - Username: unique name for user
 - Email: can login using username or email
 - Password: must store password(hash) so user can login
- Users:
 - user_ld: helps with login, as well as link to recipe
 - o first name/last name: to know who this user is
 - DOB/Age: can help with pointing them towards recipes that may interest them.
- Recipes:
 - Recipe id: each recipe needs a unique id
 - User id: points the recipe back to the user who made it
 - Public: boolean to show if the recipe is public or private
 - Pic of meal: text because picture could be large
 - Ingredients: text because list could be large
 - Instructions: text because instructions could be large
 - Cook time: integer for minutes to make the meal
- Grocery:
 - Grocery list id: each list must have unique identifier

- Recipe_id: points back to a specific recipe
- Ingredients_to_buy: list of what needs to be bought, used text because it could be a long list
- Date made: date that the list was made
- list_Item (association table):
 - o list item id: id for current recipes list item number
 - Recipe_id: what recipe is being added to list
 - Occasion list id: what occasion list the recipe is being added to
- Occasion list:
 - Occasion_id: unique identifier for the occasion list
 - List name: name of the list for the occasion
 - Type: ie casual, formal, etc
 - Feeds: how many people it feeds, int

Part 3:

```
CREATE TABLE users (
 user Id SERIAL PRIMARY KEY,
first name VARCHAR(255),
last_name VARCHAR(255),
 DOB DATE,
age INT
CREATE TABLE auth (
 user Id INT,
 username VARCHAR(255),
email VARCHAR(255),
 password TEXT,
 FOREIGN KEY (user Id) REFERENCES users(user Id)
CREATE TABLE recipes (
 user Id INT,
 recipe Id SERIAL PRIMARY KEY,
 public BOOLEAN,
 pic of meal TEXT,
ingredients TEXT,
instruction TEXT,
 cook time INT,
 FOREIGN KEY (user Id) REFERENCES users(user Id)
CREATE TABLE grocery (
```

```
recipe Id INT,
 grocer list id SERIAL PRIMARY KEY,
 ingredients to buy TEXT,
 date created TIMESTAMP,
 FOREIGN KEY (recipe_Id) REFERENCES recipes(recipe_id)
CREATE TABLE occasion list(
      occasion id SERIAL PRIMARY KEY,
 list name VARCHAR(255),
 type VARCHAR(255),
 feeds INT
CREATE TABLE list item (
 recipe Id INT,
 list_item_id SERIAL PRIMARY KEY,
 occasion_id INT,
 FOREIGN KEY (recipe Id) REFERENCES recipes (recipe id),
 FOREIGN KEY (occasion id) REFERENCES occasion list(occasion id)
Intermediate:
INSERT INTO users (first name, last name, DOB, age)
      VALUES ('Alex', 'Lamb', '2000-03-09', 22),
      ('Mariah', 'Ashby', '2001-04-22', 20),
  ('Jaren', 'Lamb', '2002-09-04', 19);
INSERT INTO auth (user Id, username, email, password)
      VALUES (1, 'alexlamb10', 'alexlamb104@gmail.com', 'password1'),
      (2, 'mashby3', 'mariahashby2001@gmail.com', 'password10'),
  (3, 'jarenl10', 'jarenlamb12@gmail.com', 'password100');
INSERT INTO recipes (user Id, public, pic of meal, ingredients, instruction, cook time)
      VALUES (1, false, 'PHOTO', 'list of ingredients', 'cooking instructions', 60),
      (2, true, 'PHOTO', 'list of ingredients', 'cooking instructions', 20),
  (1, false, 'PHOTO', 'list of ingredients', 'cooking instructions', 75);
INSERT INTO grocery (recipe Id, ingredients to buy, date created)
      VALUES (1, 'ingredients list', '2022-01-09 00:00:01'),
 (3, 'ingredients list', '2022-03-09 00:00:01'),
 (2, 'ingredients list', '2022-02-09 00:00:01');
```

```
INSERT INTO occasion_list (list_name, type, feeds)

VALUES ('Special', 'Vegan', 8),

('Casual', 'BBQ', 12),

('Breakfast', 'Modern', 2);

INSERT INTO list_item (recipe_Id, occasion_id)

VALUES (2, 1),

(3, 2),

(1, 3)
```