



Configuration and Installation


















Top repositories



Find a repository...

- alexlaww/Webprogramming_project
- alexlaww/lab1 apu
- hui-12/TechMart
- xiaolee1414/Library-Systems-
- Ruile1101/Pharmacy-System-
- Jasonyappp/Medical-System
- ijelim36/Hotel-Booking-System-Cpp

Show more



Latest changes

2 days ago

Enterprise custom properties, enterprise rulesets, and pull request merge metho...

5 days ago

Create, add, and remove sub-issues on GitHub Mobile

5 days ago

Enhance your productivity with Copilot Edits in JetBrains IDEs

Last week

Notification of upcoming breaking changes in GitHub Actions

View changelog →

Explore repositories



richzhang / colorization



Automatic colorization using deep neural networks. "Colorful Image Colorization." In ECCV, 2016.

GitHub Desktop

Download

Release Notes

Help

Download GitHub Desktop

Focus on what matters instead of fighting with Git. Whether you're new to Git or a seasoned user, GitHub Desktop simplifies your development workflow.

Download for Windows (64bit)

Try beta features and help improve future releases


Prefer the MSI?


Need to download the package to install

Mac?


Need to download for macOS?


Law Teng Yi - 26-03-2025








Use this interface to manage your domains. For more information, read the <u>documentation</u>.











Installation

Database

Choose database driver

Moodle supports several types of database servers. Please contact server administrator if you do not know which type to use.

Type

Improved MySQL (native/mysqli)

Improved MySQL (native/mysqli)

Aurora MySQL (native/auroramysql)

MariaDB (native/mariadb)

Not available

PostgreSQL (native/pgsql)

SQL*Server Microsoft (native/sqlsrv)

| Database host | localhost |
|-------------------|-----------|
| Database name | moodle |
| Database user | |
| Database password | |
| Tables prefix | mdl_ |
| Database port | |
| Unix socket | |
| | |

« Previous

Next »

Manage User Privileges

User: aicommy_moodletesting

Database: aicommy_moodletesting

ALL PRIVILEGES

| ✓ ALTER | ALTER ROUTINE |
|---------|---------------|
|---------|---------------|

| - ✓ | CREATE | ✓ CREATE ROUTINE |
|-----|--------|------------------|

| ✓ CREATE TEMPORARY TABLES | CREATE VIEW |
|---------------------------|-------------|
|---------------------------|-------------|

| DELETE | ✓ | DROF |
|--------|----------|------|
|--------|----------|------|

| ✓ EVENT | ✓ EXECUTE |
|---------|-----------|

| ✓ INDEX | ✓ INSERT |
|---------|----------|
| INDLA | V INSLIT |

| V | LOCK TABLES | ✓ REFERENCES |
|---|-------------|--------------|

Make Changes Reset

Moodle 5.0dev+ (Build: 20250326)

For information about this version of Moodle, please see the online Release Notes

Server checks

| Name | Information | Report | Plugin | Status |
|---------------|----------------|---|--------|--------|
| database | mysql (8.0.37) | eversion 8.4 is required and you are running 8.0.37 | | Check |
| php_extension | sodium | must be installed and enabled 2 | | Check |
| php_extension | soap | should be installed and enabled for best results 2 | | Check |
| | | Installing the optional SOAP extension is useful for web services and some plugins. | | |
| php_setting | opcache.enable | ■ PHP setting should be changed. | | Check |
| | | PHP opcode caching improves performance and lowers memory requirements, OPcache extension is recommended and fully supported. | | |

Other checks

| Information | Report | Plugin | Status |
|----------------|---|--------|--------|
| max_input_vars | ■ this test must pass | Ch | Check |
| | PHP setting max_input_vars must be at least 5000. | | |

MultiPHP Manager

System PHP Version

The system default PHP version is set by the system administrator.

Any domain that is set to the inherit value indicates that it does not have its own PHP version explicitly set. Read more about inherit.

PHP 8.1 (ea-php81)

Search

Set PHP Version per Domain

Select the domains that you wish to change from the table, then apply a PHP version from the list.

Warning: PHP versions PHP 5.6, PHP 7.0, PHP 7.1, PHP 7.2, PHP 7.3, PHP 7.4, and PHP 8.0 are deprecated. We recommend that you update to a supported version of PHP. For more information, read our PHP documentation.

PHP Version PHP 8.3 (ea-php83) Apply

Q Selected 1 Showing 1 - 5 of 5 items Domain A **PHP Version** PHP-FPM 0 PHP 8.1 (ea-php81) 1 Inherited ai365.com.my 0 bbnetwork.com.my PHP 8.1 (ea-php81) 1 Inherited 0 kh.ai365.com.my PHP 8.1 (ea-php81) 1 Inherited **6** 0 PHP 8.1 (ea-php81) 1 Inherited moodletesting.com.my

Law Teng Yi – 26-03-2025

MultiPHP INI Editor

The MultiPHP INI editor writes to the .htaccess, .user.ini, and php.ini files. The system will only write a directive to a file if it is a valid directive for that file type. For more information, read our MultiPHP INI Editor documentation.

Basic Mode

Editor Mode

Configure PHP INI basic settings

Select the home directory or a domain's document root to open the corresponding PHP configuration.

moodletesting.com.my ~

Path /home/aicommy/public_html/moodletesting.com.my/php.ini

PHP Version ea-php81

Domain moodletesting.com.my


| PHP Directive | Information | Setting |
|-----------------|---|----------|
| allow_url_fopen | This option enables the URL-aware fopen wrappers that enable accessing URL object like files. Default wrappers are provided for the access of remote files using the ftp or http protocol, some extensions like zlib may register additional wrappers. | Disabled |
| display_errors | This determines whether errors should be printed to the screen as part of the output or if they should be hidden from the user. | Disabled |
| enable_dl | This directive is really only useful in the Apache module version of PHP. You can turn dynamic loading of PHP extensions with dl() on and off per virtual server or per directory. The main reason for turning dynamic loading off is security. With dynamic loading, it is possible to ignore all open_basedir restrictions. The default is to allow dynamic loading, except when using safe mode. This feature is deprecated, and will be removed at a future time. | Disabled |
| file_uploads | Whether or not to allow HTTP file uploads. | Enabled |

```
/EA4ModityINI)
<IfModule php8 module>
   php_flag_display_errors_Off
   php value max execution time 1000
   php value max input time 600
   php value max input vars 5000
   php value memory limit 2024M
   php value post max size 1024M
   php value session.gc maxlifetime 1440
   php value session.save path "/var/cpanel/php/sessions/ea-php81"
   php value upload max filesize 1024M
   php flag zlib.output compression Off
</IfModule>
<IfModule lsapi module>
   php flag display errors Off
   php value max execution time 1000
   php value max input time 600
   php value max input vars 5000
   php value memory limit 2024M
   php value post max size 1024M
   php value session.gc maxlifetime 1440
   php value session.save path "/var/cpanel/php/sessions/ea-php81"
   php value upload max filesize 1024M
   php flag zlib.output compression Off
</IfModule>
<IfModule mod lsapi.c>
    php value opcache.enable 1
    php value extension sodium
    php value extension soap
</IfModule>
# END cPanel-generated php ini directives, do not edit
# php -- BEGIN cPanel-generated handler, do not edit
# This domain inherits the "PHP" package.
# php -- END cPanel-generated handler, do not edit
```

Keyboard shortcuts



```
1 ; cPanel-generated php ini directives, do not edit
2 ; Manual editing of this file may result in unexpected behavior.
3 ; To make changes to this file, use the cPanel MultiPHP INI Editor (Home >>
        Software >> MultiPHP INI Editor)
   ; For more information, read our documentation (https://go.cpanel.net
        /EA4ModifyINI)
    allow url fopen = Off
    display errors = Off
    enable dl = Off
    file uploads = On
    max execution time = 1000
    max input time = 600
    max input vars = 5000
    memory limit = 2024M
    post max size = 1024M
    session.gc maxlifetime = 1440
    session.save path = "/var/cpanel/php/sessions/ea-php81"
    upload max filesize = 1024M
    zlib.output_compression = Off
19
    opcache.enable cli = 1
    opcache.memory consumption = 128
21
    opcache.interned strings buffer = 8
    opcache.max_accelerated_files = 4000
    opcache.revalidate freq = 60
25
    extension=sodium.so
26
27
    extension=soap.so
28
    opcache.enable=1
29
```





▲ Bahasa Melayu (ms) ∨

Log masuk





Foundation

Themes ::: theme_foundation

Maintained by **Gareth J Barnard**



This is a Bootstrap theme that aims to be minimalistic and modern in look.

♣ Latest release: 2 hari
♦ 916 sites
♣ 734 downloads
♦ 40 fans

Description

Versions

Ⅲ Stats

Translations

Introduction

This is a Bootstrap version 4 theme that aims to be different and yet at the same time have some traditions of the past. It does not extend the Boost theme but rather 'pull' the files it needs from it because that is where they are currently stored. No navigation drawer or docking has been implemented. However, you can collapse and expand blocks and put them in a 'drawer' region.

Release **405.0.2**

Moodle 4.5

Download

code prechecks 2324 | 156