

Операционные системы

Редактор Vi

Ли Алексей Борисович

2026-04-04

Цели и задачи работы

Процесс выполнения лабораторной работы


Выводы по проделанной работе

1. Цели и задачи работы

Познакомиться с операционной системой Linux. Получить практические навыки работы с редактором vi, установленным по умолчанию практически во всех дистрибутивах.

1 Изучить возможности редактора Vi

2. Процесс выполнения лабораторной работы

A terminal window with a dark background and green text. The prompt 'alexli@alexli:~\$' is repeated three times. The first line shows the command 'cd' being entered. The second line shows the command 'touch hello.sh' being entered. The third line shows the prompt with a white cursor block.

```
alexli@alexli:~$ cd  
alexli@alexli:~$ touch hello.sh  
alexli@alexli:~$
```

Рисунок 1: Создание каталога



The screenshot shows a terminal window with a dark background. The title bar at the top reads "alexli@alexli:~ — vi he". The terminal content shows a script being edited in the vi editor. The script is as follows:

```
#!/bin/bash
HELL=Hello
function hello
{
LOCAL HELLO=World
echo $HELLO
}
echo $HELLO
hello
```

The cursor is positioned at the end of the "hello" command on the last line. Below the script, there are several tilde (~) characters representing empty lines. A vertical bar (I) is visible on the right side of the terminal window, indicating the current line and column position.


Рисунок 2: Работа в редакторе Vi


```
alexli@alexli:~$ cd
alexli@alexli:~$ touch hello.sh
alexli@alexli:~$ vi hello.sh
alexli@alexli:~$
alexli@alexli:~$ vi hello.sh
alexli@alexli:~$ chmod +x hello.sh
alexli@alexli:~$ ./hello.sh

./hello.sh: line 5: LOCAL: command not found

alexli@alexli:~$
```

Рисунок 3: Запуск файла



The screenshot shows a terminal window with a dark background. The title bar at the top reads "alexli@alexli:~ — vi hello.sh". The terminal content shows a shell script being edited in the vi editor. The script is as follows:

```
#!/bin/bash
HELLO=Hello
function hello
{
    local HELLO=World
    echo $HELLO
}
echo $HELLO
hello
```

The cursor is positioned at the end of the "hello" command on the last line. Below the script, there are several tilde (~) characters, indicating the end of the file or the editor's buffer. A small icon is visible in the bottom right corner of the terminal window.

Рисунок 4: Работа в редакторе Vi

```
alexli@alexli:~$ cd
alexli@alexli:~$ touch hello.sh
alexli@alexli:~$ vi hello.sh
alexli@alexli:~$
alexli@alexli:~$ vi hello.sh
alexli@alexli:~$ chmod +x hello.sh
alexli@alexli:~$ ./hello.sh

./hello.sh: line 5: LOCAL: command not found

alexli@alexli:~$ vi hello.sh
alexli@alexli:~$ ./hello.sh
Hello
World
alexli@alexli:~$
```

Рисунок 5: Повторный запуск файла

3. Выводы по проделанной работе

В ходе работы мы получили практические навыки работы с редактором vi, установленным по умолчанию практически во всех дистрибутивах UNIX. А также освоили основные режимы и команды