Tasks on Clyde Barrow Case:

_								•			
u	r	Δ	n	2	r	2	•		$\boldsymbol{\cap}$	n	•
Г		C	ν	a		a	L		v	n	

- a) Create a new case using EnCase V6, Call it "Windows Artefacts Case"
- b) Add Clyde Barrow evidence file "CBARROW.E01" to the case.

Tasks:

- 1) Locate the Master Boot Record for this evidence file, *Note*: use the disk view using EnCase.
- 2) Locate the Volume Boot Record and find out the file system type,
- 3) Do quick google search in order to find the table for NTFS volume boot record structure, DON'T DECODE IT!
- 4) Locate the NTFS file system files: \$MFT, \$MFTMirr etc, *Note*: through EnCase table pane.
- 5) Find and View the \$MFT (master file table) records, *Note*: You can view \$MFT records by selecting \$MFT in the table pane and then by creating a new Text Style (**ISO Latin @1024** bytes i.e. 1024 length). Then you can view the \$MFT records properly.
- 6) Find the record for \$LogFile in the \$MFT (master file table).

7)	List five resident files in the \$MFT (master file table) and observe their
	contents.

8) Locate and observe the root directory for the user (Clyde)

- 9) Locate and observe what is inside the folder: C:\Documents and Settings\Clyde\Recent and find link files point to a place outside the C: Drive. Research if you could reason on where are these places?
 - 10) Locate the file called Thumbs.db in the directory C:\Documents and Settings\Clyde\My Documents \My Pictures. In addition view its file structure, *Note: by right click view file structure*, and notice the Money thumbnail file there, try to find this folder!
 - 11) Locate the .SHD and .SPL files:

Note: The Shadow .SHD and Spool files are located under the following directory:

Windows Artefacts\Clyde's HDD\C\WINDOWS\system32\spool\PRINTERS\


A) You can decode the printed documents by selecting the 41 bytes prior to the EMF tag in the .SPL file and then bookmark the selected/highlighted area as Picture Data Type.

Now find the following printed document:




B) Find out the website link in which this document was printed. *Note: this is could be found from associated .SHD file.*


- 12) Observe the recycle bin folder (Recycler)
 - A) Find how many users' deleted items?
 - B) Locate the Money folder in the recycler and then research the image to find a copy of the folder.
 - C) Locate the Info2 file in the recycler and
 - (i) Create a text style to handle 800 bytes record length: by going to Filter Pane > Text Styles tab > Choose ISO Latin Folder and right click on it > Choose new. Name:Info2File@800 and change Wrap length to 800 and in the code page tab choose other radio button and select Western European (Windows) code page. Click Okay



- (ii) View the Info2 file using the newly created text style.
- 13) Observe to the store point directories created as shown in the following figure! *Note: these files can be examined as registry files.*



Note: You view the registry file structure by right click on it and view file structure, DON'T DECODE IT NOW!



- 14) Locate three compound files in the case thumbs.db, .doc and .zip and view their files structures
 - A) For thumbs.db explore the images inside.
 - B) For the zipped file explore the files inside.
 - C) For the document file explore metadata of the file.

15) Explore the following Registry Hives.

NTUSER.DAT Registry HIV

Note: Can be found under Documents and Settings\Clyde\
To view the NTUSER.DAT structure, right click and choose view file structure.

- View recently used files organized in groups: NTUSER.DAT\NTRegistry\\$\$\$PROTO.HIV\Software\Microsoft\Windows\ CurrentVersion\Explorer\RecentDocs
- 2) View Types URLs NTUSER.DAT\NTRegistry\\$\$\$PROTO.HIV\Software\Microsoft\Internet Explorer\TypedURLs
- 3) List of applications and filenames of the most recent files opened in windows NTUSER.DAT\NTRegistry\\$\$\$PROTO.HIV\Software\Microsoft\Windows\ CurrentVersion\Explorer\ComDlg32\LastVisitedMRU
- 4) Most recent saved (or copied) files NTUSER.DAT\NTRegistry\\$\$\$PROTO.HIV\Software\Microsoft\Windows\ CurrentVersion\Explorer\ComDlg32\OpenSaveMRU

Software Registry HIV

Note: Can be found under Windows\system32\config\

- 5) Quick list of installed programs, have a look at Adobe Photoshop 6.0 Software\NTRegistry\Microsoft\Windows\CurrentVersion\Uninstall
- 6) Quick list of .EXE files and the path of the executables
 Software\NTRegistry\Microsoft\Windows\CurrentVersion\App Paths
- 7) Microsoft Windows Installation Information Software\Microsoft\WindowsNT\CurrentVersion\
- 8) Files to run on windows startup
 Software\NTRegistry\Microsoft\Windows\CurrentVersion \Run

System Registry HIV (System)

Note: Can be found under Windows\system32\config\

- 9) Computer name under the System HIV NTRegistry\\$\$\$PROTO.HIV\System\CurrentControlSet001\Control\ComputerName
- 10) Last shutdown time NTRegistry\\$\$PROTO.HIV\System\CurrentControlSet001\Control\Wind ows\ShutDownTime Select 8 bytes and book mark > choose Windows Dates and Time.
- 11) View mounted devices
 NTRegistry\\$\$\$PROTO.HIV\System\MountedDevices\

Or

NTRegistry\\$\$\$PROTO.HIV\System\CurrentControlSet\Enum\USBSTORE\

- 16) Going back to Documents and Settings \Clyde\Recent\, You have investigated previously, bookmark the following recently opened file.

 D:\Secret\Good Stuff\Keepers\Ouro_difate004.jpg
- 17) Locate the partition table in the MBR (master boot record) and decode it using EnCase. Note: by selecting/highlighting 64 byes backward starting from the byte before the bytes 55 AA "signature" and then right click on selected bytes and bookmark data > choose windows > partition entry
 - A) Find the volumes types.
 - B) Find Volume Boot Record positions.
 - C) Find the starting CHS (Cylinder, Head, Sector) Addresses.
- 18) Create and search for the following two keywords: (MSDOS5.1 and MSWIN4.1).
 - A) Select the two keywords and perform keywords search.
 - B) Bookmark your findings related volume boot records.

- 19) Locate the volume slack entry under the NTFS mounted volume in EnCase and find the backup Volume Boot Record (VBR) for the first volume. *Note: by going directly to the disk view while selecting the volume slack entry.*
- 20) Locate the Extended Partition Sector. *Note: is the next sector after the backup VBR.*
 - A) Decode the partition table.
 - B) Find out the file system type of the deleted/hidden partition.
 - C) Find out the starting CHS.
 - D) Find out the relative starting sector.
- 21) Locate the VBR for the discovered partition and right click on it and choose add partition.
- 22) Navigate the discovered partition to discover more evidence.

End of Lab