

CDYSTONIA Dataset – Study Background and Description

The CDYSTONIA dataset comes from a multicenter randomized clinical trial studying the treatment of **cervical dystonia**, a neurological movement disorder characterized by involuntary muscle contractions of the neck, leading to abnormal head posture and pain. The condition can substantially impair quality of life, and pharmacologic treatments are commonly evaluated using longitudinal clinical outcomes.

In this study, patients were randomized to receive either an active treatment or a control condition and were followed prospectively over multiple clinic visits. The primary outcome measure is the **Total Toronto Western Spasmodic Torticollis Rating Scale (TWSTRS)** score, a continuous clinical severity measure commonly used in cervical dystonia trials. Higher TWSTRS scores indicate greater symptom severity.

Participants were evaluated repeatedly over time, making the dataset appropriate for longitudinal data analysis. Because measurements are taken on the same individuals across multiple weeks, observations within a subject are correlated. The data also come from multiple clinical sites, introducing an additional potential source of clustering.

Variables in the Dataset

- **id**: Unique subject identifier
- **week**: Time (in weeks) at which the outcome was measured
- **treat**: Treatment group indicator
- **twstrs**: Total TWSTRS score (continuous outcome)
- **age**: Age of the participant at baseline
- **sex**: Participant sex
- **site**: Clinical site identifier

```
proc import file= '/home/mclaina0/Longitudinal
Data/cdystonia.csv' out=cdystonia dbms=csv replace;
getnames=Yes;
run;
*variables: week, site, id, treat, age, sex, twstrs;

proc contents data=cdystonia;
run;

data cdystonia;
set cdystonia;
new_id = site*100 + id;
week2 = week;
run;
```

The CONTENTS Procedure			
Data Set Name	WORK.CDYSTONIA	Observations	631
Member Type	DATA	Variables	7
Engine	V9	Indexes	0
Created	02/12/2026 09:23:32	Observation Length	56
Last Modified	02/12/2026 09:23:32	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	NO
Label			
Data Representation	SOLARIS_X86_64, LINUX_X86_64, ALPHA_TRU64, LINUX_IA64		
Encoding	utf-8 Unicode (UTF-8)		
Engine/Host Dependent Information			
Data Set Page Size	131072		
Number of Data Set Pages	1		
First Data Page	1		
Max Obs per Page	2334		
Obs in First Data Page	631		
Number of Data Set Repairs	0		
Filename	/saswork/SAS_work8C5200017700_odaws02-usw2.oda.sas.com/SAS_workECD900017700_odaws02-usw2.oda.sas.com/cdystonia.sas7bdat		

Engine/Host Dependent Information					
Release Created	9.0401M8				
Host Created	Linux				
Inode Number	1610731496				
Access Permission	rw-r--r--				
Owner Name	mclaina0				
File Size	256KB				
File Size (bytes)	262144				
Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Informat
5	age	Num	8	BEST12.	BEST32.
3	id	Num	8	BEST12.	BEST32.
6	sex	Num	8	BEST12.	BEST32.
2	site	Num	8	BEST12.	BEST32.
4	treat	Num	8	BEST12.	BEST32.
7	twstrs	Num	8	BEST12.	BEST32.
1	week	Num	8	BEST12.	BEST32.

*Now we will include the mean line on the graph by TRT;
proc sort data=cdystonia;

```

by treat week;


*Calculate the mean by week;
proc means mean data=cdystonia noprint;
by treat week;
var twstrs;
output out = MN_cdystonia mean = mn_twstrs;
run;

*We'll look at the means by TRT group with the rest of the data;
data stacked_cdystonia;
set cdystonia MN_cdystonia;
run;

proc sort data=stacked_cdystonia;
by treat week;

* Now we'll combine them onto one plot with two panels;
Proc SGpanel data = stacked_cdystonia;
PanelBy treat / columns=3;
series x=week y=twstrs / group =new_id LineAttrs= (pattern=1
color="black");
series x=week y=mn_twstrs / LineAttrs= (pattern=1 color="blue"
thickness=4);
run;

```



```
proc sort data=cdystonia;
by week;

proc freq data = cdystonia;
by week;
tables treat*sex/chisq;
run;
```

The FREQ Procedure
week=0

Frequency Percent Row Pct Col Pct	Table of treat by sex			
	treat	sex		
		1	2	Total
	1	28	9	37
		25.69	8.26	33.94
		75.68	24.32	
		41.79	21.43	
	2	18	18	36
		16.51	16.51	33.03
		50.00	50.00	
		26.87	42.86	
	3	21	15	36
		19.27	13.76	33.03
		58.33	41.67	
		31.34	35.71	
	Total	67	42	109
		61.47	38.53	100.00

Statistics for Table of treat by sex

Statistic	DF	Value	Prob
Chi-Square	2	5.3017	0.0706
Likelihood Ratio Chi-Square	2	5.4578	0.0653
Mantel-Haenszel Chi-Square	1	2.3368	0.1263

Statistic	DF	Value	Prob
Phi Coefficient		0.2205	
Contingency Coefficient		0.2154	
Cramer's V		0.2205	

Sample Size = 109

The FREQ Procedure
week=2

Frequency Percent Row Pct Col Pct	Table of treat by sex			
	treat	sex		
		1	2	Total
	1	28	8	36
		27.18	7.77	34.95
		77.78	22.22	
		41.79	22.22	
	2	18	16	34
		17.48	15.53	33.01
		52.94	47.06	
		26.87	44.44	
	3	21	12	33
		20.39	11.65	32.04
		63.64	36.36	
		31.34	33.33	
	Total	67	36	103
		65.05	34.95	100.00

Statistics for Table of treat by sex

Statistic	DF	Value	Prob
Chi-Square	2	4.7868	0.0913

Statistic	DF	Value	Prob
Likelihood Ratio Chi-Square	2	4.8951	0.0865
Mantel-Haenszel Chi-Square	1	1.6110	0.2044
Phi Coefficient		0.2156	
Contingency Coefficient		0.2107	
Cramer's V		0.2156	

Sample Size = 103

The FREQ Procedure
week=4

Frequency Percent Row Pct Col Pct	Table of treat by sex			
	treat	sex		
		1	2	Total
1		27	9	36
		25.47	8.49	33.96
		75.00	25.00	
		40.91	22.50	
2		18	17	35
		16.98	16.04	33.02
		51.43	48.57	
		27.27	42.50	
3		21	14	35
		19.81	13.21	33.02
		60.00	40.00	
		31.82	35.00	
Total		66	40	106
		62.26	37.74	100.00

Statistics for Table of treat by sex

Statistic	DF	Value	Prob
Chi-Square	2	4.3106	0.1159
Likelihood Ratio Chi-Square	2	4.4136	0.1101
Mantel-Haenszel Chi-Square	1	1.7172	0.1900
Phi Coefficient		0.2017	
Contingency Coefficient		0.1977	
Cramer's V		0.2017	

Sample Size = 106

The FREQ Procedure
week=8

Frequency Percent Row Pct Col Pct	Table of treat by sex			
	treat	sex		
		1	2	Total
	1	26 25.00 76.47 40.63	8 7.69 23.53 20.00	34 32.69
	2	17 16.35 48.57 26.56	18 17.31 51.43 45.00	35 33.65
	3	21 20.19 60.00 32.81	14 13.46 40.00 35.00	35 33.65
	Total	64	40	104

	61.54	38.46	100.00
--	-------	-------	--------

Statistics for Table of treat by sex

Statistic	DF	Value	Prob
Chi-Square	2	5.7244	0.0571
Likelihood Ratio Chi-Square	2	5.8829	0.0528
Mantel-Haenszel Chi-Square	1	1.9125	0.1667
Phi Coefficient		0.2346	
Contingency Coefficient		0.2284	
Cramer's V		0.2346	

Sample Size = 104

The FREQ Procedure
week=12

Frequency	Table of treat by sex			
Percent	treat	sex		
Row Pct		1	2	Total
Col Pct				
1	28	6	34	
	26.92	5.77	32.69	
	82.35	17.65		
	42.42	15.79		
2	18	18	36	
	17.31	17.31	34.62	
	50.00	50.00		
	27.27	47.37		
3	20	14	34	
	19.23	13.46	32.69	
	58.82	41.18		

	30.30	36.84	
Total	66	38	104
	63.46	36.54	100.00

Statistics for Table of treat by sex

Statistic	DF	Value	Prob
Chi-Square	2	8.3618	0.0153
Likelihood Ratio Chi-Square	2	8.8782	0.0118
Mantel-Haenszel Chi-Square	1	4.0199	0.0450
Phi Coefficient		0.2836	
Contingency Coefficient		0.2728	
Cramer's V		0.2836	

Sample Size = 104

The FREQ Procedure
week=16

Frequency	Table of treat by sex			
Percent	sex			
Row Pct	treat	1	2	Total
Col Pct				
	1	28	8	36
		26.67	7.62	34.29
		77.78	22.22	
		43.08	20.00	
	2	17	18	35
		16.19	17.14	33.33
		48.57	51.43	
		26.15	45.00	
	3	20	14	34

	19.05	13.33	32.38
	58.82	41.18	
	30.77	35.00	
Total	65	40	105
	61.90	38.10	100.00

Statistics for Table of treat by sex

Statistic	DF	Value	Prob
Chi-Square	2	6.6215	0.0365
Likelihood Ratio Chi-Square	2	6.8508	0.0325
Mantel-Haenszel Chi-Square	1	2.7449	0.0976
Phi Coefficient		0.2511	
Contingency Coefficient		0.2436	
Cramer's V		0.2511	

Sample Size = 105

```
proc mixed data=cdystonia covtest;
class new_id treat sex week;
model twstrs = treat sex week treat*week/ solution;
repeated /sub=new_id type=UN r rcorr;
run;
```

The Mixed Procedure

Model Information	
Data Set	WORK.CDYSTONIA
Dependent Variable	twstrs

Model Information		
Covariance Structure	Unstructured	
Subject Effect	new_id	
Estimation Method	REML	
Residual Variance Method	None	
Fixed Effects SE Method	Model-Based	
Degrees of Freedom Method	Between-Within	
Class Level Information		
Class	Levels	Values
new_id	109	101 102 103 104 105 106 107 108 109 110 111 112 201 202 203 204 205 206 207 208 209 210 211 212 213 214 301 302 303 304 305 306 307 308 309 310 311 312 401 402 403 404 405 406 407 408 501 502 503 504 505 506 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 701 702 703 704 705 706 707 708 709 710 711 712 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 901 902 903 904 905 906 907 908 909 910 911
treat	3	1 2 3
sex	2	1 2
week	6	0 2 4 8 12 16
Dimensions		
Covariance Parameters	21	
Columns in X	30	
Columns in Z	0	
Subjects	109	
Max Obs per Subject	6	

Number of Observations	
Number of Observations Read	631
Number of Observations Used	631
Number of Observations Not Used	0

Iteration History			
Iteration	Evaluations	-2 Res Log Like	Criterion
0	1	4870.93144224	
1	2	4218.01611914	0.00002044
2	1	4217.98349390	0.00000005
3	1	4217.98341314	0.00000000

Convergence criteria met.

Estimated R Matrix for new_id 101						
Row	Col1	Col2	Col3	Col4	Col5	Col6
1	91.3488	89.9025	95.4841	101.13	87.8430	76.7037
2	89.9025	162.46	134.43	127.79	112.98	94.7134
3	95.4841	134.43	173.81	154.45	123.13	109.56
4	101.13	127.79	154.45	177.59	136.83	114.40
5	87.8430	112.98	123.13	136.83	147.10	122.67
6	76.7037	94.7134	109.56	114.40	122.67	145.41

Estimated R Correlation Matrix for new_id 101						
Row	Col1	Col2	Col3	Col4	Col5	Col6
1	1.0000	0.7380	0.7578	0.7940	0.7578	0.6655

Estimated R Correlation Matrix for new_id 101						
Row	Col1	Col2	Col3	Col4	Col5	Col6
2	0.7380	1.0000	0.8000	0.7524	0.7308	0.6162
3	0.7578	0.8000	1.0000	0.8791	0.7700	0.6892
4	0.7940	0.7524	0.8791	1.0000	0.8466	0.7119
5	0.7578	0.7308	0.7700	0.8466	1.0000	0.8387
6	0.6655	0.6162	0.6892	0.7119	0.8387	1.0000

Covariance Parameter Estimates					
Cov Parm	Subject	Estimate	Standard Error	Z Value	Pr Z
UN(1,1)	new_id	91.3488	12.5991	7.25	<.0001
UN(2,1)	new_id	89.9025	14.7821	6.08	<.0001
UN(2,2)	new_id	162.46	22.4519	7.24	<.0001
UN(3,1)	new_id	95.4841	15.4054	6.20	<.0001
UN(3,2)	new_id	134.43	20.9929	6.40	<.0001
UN(3,3)	new_id	173.81	23.9634	7.25	<.0001
UN(4,1)	new_id	101.13	15.8678	6.37	<.0001
UN(4,2)	new_id	127.79	20.7688	6.15	<.0001
UN(4,3)	new_id	154.45	22.7908	6.78	<.0001
UN(4,4)	new_id	177.59	24.5143	7.24	<.0001
UN(5,1)	new_id	87.8430	14.2333	6.17	<.0001
UN(5,2)	new_id	112.98	18.7474	6.03	<.0001
UN(5,3)	new_id	123.13	19.7483	6.23	<.0001

Covariance Parameter Estimates					
Cov Parm	Subject	Estimate	Standard Error	Z Value	Pr Z
UN(5,4)	new_id	136.83	20.7195	6.60	<.0001
UN(5,5)	new_id	147.10	20.4360	7.20	<.0001
UN(6,1)	new_id	76.7037	13.7040	5.60	<.0001
UN(6,2)	new_id	94.7134	17.9543	5.28	<.0001
UN(6,3)	new_id	109.56	19.1636	5.72	<.0001
UN(6,4)	new_id	114.40	19.4880	5.87	<.0001
UN(6,5)	new_id	122.67	18.9179	6.48	<.0001
UN(6,6)	new_id	145.41	20.7474	7.01	<.0001

Fit Statistics	
-2 Res Log Likelihood	4218.0
AIC (Smaller is Better)	4260.0
AICC (Smaller is Better)	4261.5
BIC (Smaller is Better)	4316.5

Null Model Likelihood Ratio Test		
DF	Chi-Square	Pr > ChiSq
20	652.95	<.0001

Solution for Fixed Effects								
Effect	treat	sex	week	Estimate	Standard Error	DF	t Value	Pr > t
Intercept				40.9022	2.3133	105	17.68	<.0001
treat	1			4.7360	2.8713	105	1.65	0.1020

Solution for Fixed Effects								
Effect	treat	sex	week	Estimate	Standard Error	DF	t Value	Pr > t
treat	2			2.7696	2.8704	105	0.96	0.3368
treat	3			0	.	.	.	.
sex		1		3.7884	1.8656	105	2.03	0.0448
sex		2		0	.	.	.	.
week			0	0.2967	1.5433	105	0.19	0.8479
week			2	-3.3247	1.8659	105	-1.78	0.0777
week			4	-4.2609	1.6902	105	-2.52	0.0132
week			8	-1.9615	1.6364	105	-1.20	0.2334
week			12	-1.1431	1.1759	105	-0.97	0.3332
week			16	0	.	.	.	.
treat*week	1		0	-1.9975	2.1315	105	-0.94	0.3508
treat*week	1		2	-9.1725	2.5620	105	-3.58	0.0005
treat*week	1		4	-9.2833	2.3329	105	-3.98	0.0001
treat*week	1		8	-7.8364	2.2607	105	-3.47	0.0008
treat*week	1		12	-3.9373	1.6386	105	-2.40	0.0180
treat*week	1		16	0	.	.	.	.
treat*week	2		0	0.4877	2.1522	105	0.23	0.8212
treat*week	2		2	-5.3718	2.6004	105	-2.07	0.0413
treat*week	2		4	-4.2616	2.3619	105	-1.80	0.0741
treat*week	2		8	-3.9762	2.2903	105	-1.74	0.0855

Solution for Fixed Effects								
Effect	treat	sex	week	Estimate	Standard Error	DF	t Value	Pr > t
treat*week	2		12	-1.2886	1.6498	105	-0.78	0.4365
treat*week	2		16	0	.	.	.	.
treat*week	3		0	0	.	.	.	.
treat*week	3		2	0	.	.	.	.
treat*week	3		4	0	.	.	.	.
treat*week	3		8	0	.	.	.	.
treat*week	3		12	0	.	.	.	.
treat*week	3		16	0	.	.	.	.

Type 3 Tests of Fixed Effects				
Effect	Num DF	Den DF	F Value	Pr > F
treat	2	105	0.08	0.9265
sex	1	105	4.12	0.0448
week	5	105	30.24	<.0001
treat*week	10	105	2.69	0.0056

```

proc mixed data=cdystonia covtest;
class new_id treat sex week;
model twstrs = treat sex week treat*week/ solution;
random intercept week2/sub=new_id type=un v vcorr g gcorr;
run;

```

Estimated V Matrix for new_id 101						
Row	Col1	Col2	Col3	Col4	Col5	Col6
1	143.82	111.15	110.37	108.81	107.26	105.70
2	111.15	142.83	110.73	110.31	109.89	109.48
3	110.37	110.73	142.98	111.81	112.53	113.25
4	108.81	110.31	111.81	146.70	117.81	120.81
5	107.26	109.89	112.53	117.81	154.97	128.36
6	105.70	109.48	113.25	120.81	128.36	167.80

Estimated V Correlation Matrix for new_id 101						
Row	Col1	Col2	Col3	Col4	Col5	Col6
1	1.0000	0.7755	0.7697	0.7491	0.7184	0.6804
2	0.7755	1.0000	0.7748	0.7621	0.7386	0.7072
3	0.7697	0.7748	1.0000	0.7720	0.7560	0.7312
4	0.7491	0.7621	0.7720	1.0000	0.7813	0.7700
5	0.7184	0.7386	0.7560	0.7813	1.0000	0.7960
6	0.6804	0.7072	0.7312	0.7700	0.7960	1.0000

Fit Statistics	
-2 Res Log Likelihood	4307.6
AIC (Smaller is Better)	4315.6
AICC (Smaller is Better)	4315.6
BIC (Smaller is Better)	4326.3

```
proc mixed data=cdystonia covtest method=ML;
```

```

class new_id treat sex week;
model twstrs = treat sex week treat*week/ solution;
repeated /sub=new_id type=UN r rcorr;
run;

```

Fit Statistics	
-2 Log Likelihood	4260.5
AIC (Smaller is Better)	4340.5
AICC (Smaller is Better)	4346.1
BIC (Smaller is Better)	4448.2

```

proc mixed data=cdystonia covtest method=ML;
class new_id treat sex week;
model twstrs = treat week treat*week/ solution;
repeated /sub=new_id type=UN r rcorr;
run;

```

Fit Statistics	
-2 Log Likelihood	4264.6
AIC (Smaller is Better)	4342.6
AICC (Smaller is Better)	4347.9
BIC (Smaller is Better)	4447.6

```

proc mixed data=cdystonia covtest method=ML;
class new_id treat sex week;
model twstrs = treat sex week treat*week sex*treat sex*week
sex*week*treat / solution;
repeated /sub=new_id type=UN r rcorr;
run;

```

Fit Statistics	
-2 Log Likelihood	4244.3
AIC (Smaller is Better)	4358.3
AICC (Smaller is Better)	4369.8
BIC (Smaller is Better)	4511.7

```
proc mixed data=cdystonia covtest;
class new_id treat(ref='1') sex week(ref='0');
model twstrs = treat sex week treat*week/ solution;
repeated /sub=new_id type=UN r rcorr;
run;
```

The Mixed Procedure																																							
Model Information																																							
Data Set			WORK.CDYSTONIA																																				
Dependent Variable			twstrs																																				
Covariance Structure			Unstructured																																				
Subject Effect			new_id																																				
Estimation Method			REML																																				
Residual Variance Method			None																																				
Fixed Effects SE Method			Model-Based																																				
Degrees of Freedom Method			Between-Within																																				
Class Level Information																																							
Class	Levels	Values																																					
new_id	109	101	102	103	104	105	106	107	108	109	110	111	112	201	202	203	204	205	206	207	208	209	210	211	212	213	214	301	302	303	304	305	306	307	308	309	310	311	312

Class Level Information																					
Class	Levels	Values																			
		401 402 403 404 405 406 407 408 501 502 503 504 505 506 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 701 702 703 704 705 706 707 708 709 710 711 712 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 901 902 903 904 905 906 907 908 909 910 911																			
treat	3	2 3 1																			
sex	2	1 2																			
week	6	2 4 8 12 16 0																			
Dimensions																					
Covariance Parameters			21																		
Columns in X			30																		
Columns in Z			0																		
Subjects			109																		
Max Obs per Subject			6																		
Number of Observations																					
Number of Observations Read				631																	
Number of Observations Used				631																	
Number of Observations Not Used				0																	
Iteration History																					
Iteration	Evaluations	-2 Res Log Like				Criterion															
0	1	4870.93144224																			
1	2	4218.01611914				0.00002044															
2	1	4217.98349390				0.00000005															

Iteration History			
Iteration	Evaluations	-2 Res Log Like	Criterion
3	1	4217.98341314	0.00000000
Convergence criteria met.			

Estimated R Matrix for new_id 101						
Row	Col1	Col2	Col3	Col4	Col5	Col6
1	91.3488	89.9025	95.4841	101.13	87.8430	76.7037
2	89.9025	162.46	134.43	127.79	112.98	94.7134
3	95.4841	134.43	173.81	154.45	123.13	109.56
4	101.13	127.79	154.45	177.59	136.83	114.40
5	87.8430	112.98	123.13	136.83	147.10	122.67
6	76.7037	94.7134	109.56	114.40	122.67	145.41

Estimated R Correlation Matrix for new_id 101						
Row	Col1	Col2	Col3	Col4	Col5	Col6
1	1.0000	0.7380	0.7578	0.7940	0.7578	0.6655
2	0.7380	1.0000	0.8000	0.7524	0.7308	0.6162
3	0.7578	0.8000	1.0000	0.8791	0.7700	0.6892
4	0.7940	0.7524	0.8791	1.0000	0.8466	0.7119
5	0.7578	0.7308	0.7700	0.8466	1.0000	0.8387
6	0.6655	0.6162	0.6892	0.7119	0.8387	1.0000

Covariance Parameter Estimates					
Cov Parm	Subject	Estimate	Standard Error	Z Value	Pr Z
UN(1,1)	new_id	91.3488	12.5991	7.25	<.0001
UN(2,1)	new_id	89.9025	14.7821	6.08	<.0001
UN(2,2)	new_id	162.46	22.4519	7.24	<.0001
UN(3,1)	new_id	95.4841	15.4054	6.20	<.0001
UN(3,2)	new_id	134.43	20.9929	6.40	<.0001
UN(3,3)	new_id	173.81	23.9634	7.25	<.0001
UN(4,1)	new_id	101.13	15.8678	6.37	<.0001
UN(4,2)	new_id	127.79	20.7688	6.15	<.0001
UN(4,3)	new_id	154.45	22.7908	6.78	<.0001
UN(4,4)	new_id	177.59	24.5143	7.24	<.0001
UN(5,1)	new_id	87.8430	14.2333	6.17	<.0001
UN(5,2)	new_id	112.98	18.7474	6.03	<.0001
UN(5,3)	new_id	123.13	19.7483	6.23	<.0001
UN(5,4)	new_id	136.83	20.7195	6.60	<.0001
UN(5,5)	new_id	147.10	20.4360	7.20	<.0001
UN(6,1)	new_id	76.7037	13.7040	5.60	<.0001
UN(6,2)	new_id	94.7134	17.9543	5.28	<.0001
UN(6,3)	new_id	109.56	19.1636	5.72	<.0001
UN(6,4)	new_id	114.40	19.4880	5.87	<.0001
UN(6,5)	new_id	122.67	18.9179	6.48	<.0001

Covariance Parameter Estimates					
Cov Parm	Subject	Estimate	Standard Error	Z Value	Pr Z
UN(6,6)	new_id	145.41	20.7474	7.01	<.0001

Fit Statistics	
-2 Res Log Likelihood	4218.0
AIC (Smaller is Better)	4260.0
AICC (Smaller is Better)	4261.5
BIC (Smaller is Better)	4316.5

Null Model Likelihood Ratio Test		
DF	Chi-Square	Pr > ChiSq
20	652.95	<.0001

Solution for Fixed Effects								
Effect	treat	sex	week	Estimate	Standard Error	DF	t Value	Pr > t
Intercept				43.9374	2.1055	105	20.87	<.0001
treat	2			0.5188	2.2770	105	0.23	0.8202
treat	3			-2.7385	2.2514	105	-1.22	0.2266
treat	1			0	.	.	.	.
sex		1		3.7884	1.8656	105	2.03	0.0448
sex		2		0	.	.	.	.
week			2	-10.7964	1.4255	105	-7.57	<.0001
week			4	-11.8434	1.4194	105	-8.34	<.0001
week			8	-8.0971	1.3695	105	-5.91	<.0001

Solution for Fixed Effects								
Effect	treat	sex	week	Estimate	Standard Error	DF	t Value	Pr > t
week			12	-3.3797	1.3254	105	-2.55	0.0122
week			16	1.7008	1.4702	105	1.16	0.2500
week			0	0	.	.	.	.
treat*week	2		2	1.3155	2.0404	105	0.64	0.5205
treat*week	2		4	2.5365	2.0231	105	1.25	0.2127
treat*week	2		8	1.3750	1.9391	105	0.71	0.4798
treat*week	2		12	0.1636	1.8677	105	0.09	0.9304
treat*week	2		16	-2.4852	2.1003	105	-1.18	0.2394
treat*week	2		0	0	.	.	.	.
treat*week	3		2	7.1750	2.0572	105	3.49	0.0007
treat*week	3		4	7.2858	2.0325	105	3.58	0.0005
treat*week	3		8	5.8389	1.9452	105	3.00	0.0034
treat*week	3		12	1.9398	1.8909	105	1.03	0.3073
treat*week	3		16	-1.9975	2.1315	105	-0.94	0.3508
treat*week	3		0	0	.	.	.	.
treat*week	1		2	0	.	.	.	.
treat*week	1		4	0	.	.	.	.
treat*week	1		8	0	.	.	.	.
treat*week	1		12	0	.	.	.	.
treat*week	1		16	0	.	.	.	.

Solution for Fixed Effects								
Effect	treat	sex	week	Estimate	Standard Error	DF	t Value	Pr > t
treat*week	1		0	0	.	.	.	.

Type 3 Tests of Fixed Effects				
Effect	Num DF	Den DF	F Value	Pr > F
treat	2	105	0.08	0.9265
sex	1	105	4.12	0.0448
week	5	105	30.24	<.0001
treat*week	10	105	2.69	0.0056