Saussure in HLLSet Algebra

Part II: Synchronic Linguistics

A Computational Exegesis of the *Course in General Linguistics*, Part Two, in the Boolean Lattice and GF(2) Ring of HLLSet Algebra

Second paper in the series *Saussure in HLLSet Algebra*

Alex Mylnikov Alexandr Mylnikov Jr. Deependra Kumar

October 18, 2026

Abstract

Part II of the series reads Saussure's Part Two, *Synchronic Linguistics*, out of HLLSet Algebra. The center of that part of the *Course* is the differential theory of value, and the center of the exegesis is the hard key: value lives in the relations between nodes, and relative to a basis frame $F = (B_1, \ldots, B_k)$ the relational position of every node of the span has a unique coordinate vector $c \in \mathrm{GF}(2)^k$—the exact compression of its *value*. We prove that value is a complete invariant on the span—within one synchronic fiber, identity and value coincide, and the difference of any two signs is itself a sign, $X \Delta Y = \bigoplus_{i:c_i \neq d_i} B_i$—so Saussure's "in the language itself there are only differences, without positive terms" holds literally: the only positive terms in the description are the basis vectors, and these themselves are arbitrary by the coordinate-freedom theorem of Part I. The earlier chapters of Part Two are re-founded in order: concrete entities are sign pairs (μ, ρ) delimited by the coverage round-trip; identity is content addressability (the 8:45 Geneva–Paris express is one node under many material compositions); reality is position in the frame. The two kinds of relation are then separated: syntagmatic relations (in praesentia) are the D/R/N decomposition along the materialized chain, and associative relations (in absentia) are the BSS profile against the frame. The mechanism of language becomes the dispatcher composing the two readings; the subdivisions of grammar (morphology, syntax, lexicology) become one algebra over one plane, which is Saussure's claim that they interpenetrate, proved structurally. The paper closes with the complete dictionary of Part Two and the residual that Part III will take up: diachronic change.

Keywords: Saussure; synchronic linguistics; linguistic value; differences without positive terms; concrete entity; identity; reality; syntagmatic relations; associative relations; hard key; soft key; BSS; basis frame; GF(2) ring; Boolean lattice; HLLSet; computational exegesis.

1 Introduction

1.1 Where Part II stands in the series

Part I of this series [5] interpreted Part One of the *Course*—the sign, arbitrariness, linearity, immutability and mutability, and the static/evolutionary distinction—as theorems and invariants of HLLSet Algebra. It deliberately stopped at the door of value: the signified was assigned to the *differential value* of a node, but value itself was left undefined. Part Two of the *Course*, *Synchronic Linguistics*, is where Saussure defines it, and Part II of this series is where the algebra executes it.

The thesis of this paper is one sentence: **linguistic value lives in the relations between nodes, and its exact compression is the hard key**. Relative to a basis frame F, a node $X \in \langle F \rangle$ is a unique GF(2) sum of basis vectors, and its coordinate vector c is the compressed

form of what Saussure calls its value. Everything else in Part Two—concrete entities, identities, realities, syntagmatic and associative relations, the mechanism of language, the subdivisions of grammar—is re-founded around this single definition.

1.2 Method, unchanged

The method is that of Part I [5]: no metaphor, principles as theorems or invariants, and ambiguity recorded as data. The translation note of Part I applies unchanged: we cite Roy Harris's translation [2], keep the standard pair *signifier/signified* (Harris: *signal/signification*), and retain the Russian edition [4] for verification. References to the *Course* are by part, chapter, and section.

1.3 Roadmap

Section 2 fixes the standing definitions inherited from Part I. Section 3 treats chapters I–III of Part Two (concrete entities, identities, realities). Section 4 is the center: chapter IV, linguistic value, re-founded as the hard key and the two "differences" theorems. Section 5 separates syntagmatic and associative relations (chapter V). Section 6 covers chapters VI–VIII (mechanism, grammar, abstract entities). Section 7 collects the dictionary; Section 8 states what Part II adds to Part I; Section 9 concludes and hands the diachronic residual to Part III.

2 Preliminaries: standing definitions from Part I

We restate, with their labels, the definitions Part I established; proofs and motivation are in [5].

Definition 2.1 (Plane, lattice, ring)**.** *The* ***plane*** *is* $\mathbb{B} = \{0, \dots, 32767\}$*; the* ***HLLSet lattice*** *is* $\mathcal{B} = \mathcal{P}(\mathbb{B})$*, a Boolean lattice under* $\cup, \cap, \subseteq$ *and a Boolean ring under* Δ *(written* Δ*) and* $\cap$*. Cardinalities are* $|X|$*; the complement of* X *in* $\mathbb{B}$ *is* $\overline{X}$*.*

Definition 2.2 (IICA morphism; ingestion; materialization)**.** $\mu : \mathcal{T} \to \mathcal{B}$ *is an* ***IICA morphism*** *if it is idempotent (deterministic), immutable, and content-addressed; it extends to finite token sets by* $\mu(X) = \bigcup_{t \in X} \mu(\{t\})$*.* ***Materialization*** $\rho : \mathcal{B} \dashrightarrow \mathcal{C}$ *is the partial inverse that restores an ordered token context through the door.*

Definition 2.3 (BSS; D/R/N; frames; generations; keys)**.** *Against a reference* $B_w \subseteq \mathbb{B}$*, the* ***directed soft key*** *is* $\mathsf{BSS}_w(X) = |X \cap B_w|/|B_w|$*. For a context* X *read against a document* D*, the* ***D/R/N decomposition*** *is*

$$N = |D \setminus X|, \qquad R = |D \cap X|, \qquad \mathrm{cov} = R/|D|.$$

A ***basis frame*** *is a reduced (RREF) GF(2) basis* $F = (B_1, \dots, B_k)$ *of a span of observed nodes, stamped with a* ***generation*** γ *that increments on recomputation. Relative to* F*, each* $X \in \langle F \rangle$ *has a unique* ***hard key*** $c \in \mathrm{GF}(2)^k$ *with*

$$X = \bigoplus_{i : c_i = 1} B_i,$$

the ***soft key*** $w_i = \mathsf{BSS}_{B_i}(X)$*, and the* ***spill*** $s = |X \setminus \mathrm{cover}(F)|$*.*

Definition 2.4 (Synchronic fiber; diachronic trajectory)**.** *The* ***synchronic fiber*** *at time* t *is* $\mathsf{Syn}(t) = (\mathcal{B}, F(t), \gamma(t))$*; the* ***diachronic structure*** *is the family* $\mathsf{Dia} = \{\mathsf{Syn}(t) : t \in T\}$ *with the recorded transitions between consecutive fibers.*

Definition 2.5 (The sign)**.** *The* ***sign*** *is the pair* $\mathcal{S} = (\mu, \rho)$*; for a node* $A \in \mathcal{B}$*, the signifier is the bit-set* A *and the signified is its differential value plus the materialized context* $\rho(A)$*. The round-trip is guarded:* $\rho(\mu(\mathcal{C})) = \mathcal{C}$ *up to order iff* $\mathrm{cov}(\mathcal{C}) = 1$ *[10].*

Throughout, $F = (B_1, \dots, B_k)$ is a fixed frame of a fixed fiber $\mathsf{Syn}(t)$ unless stated otherwise; "value" is defined in Section 4 and the earlier sections use it provisionally.

3 Concrete entities, identities, realities

3.1 Concrete entities

Saussure rejects the idea that the units of a language are given in advance, either as sounds or as ideas. The linguistic unit is a *concrete entity*: a segment of the speech chain that unites a concept and a sound pattern, and the hard problem of chapter II is *delimitation*: the chain is continuous, and units must be cut out of it [2, Part II, ch. II].

Reading 3.1 (Concrete entity). A concrete entity is a sign pair: a node $A \in \mathcal{B}$ together with its materialized context $\mathcal{C}_A = \rho(A)$. The speech chain is the ordered token stream; ingestion compiles a segment of it to a node; delimitation is the round-trip law—a segment is a well-delimited unit exactly when materialization restores it, that is, when coverage is 1:

$$\rho(\mu(\mathcal{C})) = \mathcal{C} \quad \text{up to order} \qquad \Longleftrightarrow \qquad \operatorname{cov}(\mathcal{C}) = 1.$$

Remark 3.2 (Delimitation as coverage)**.** *Saussure's delimitation problem becomes a measured decision. A candidate segment with coverage* < 1 *is not yet a unit of the system: part of it spills outside the frame, and the spill s says how much. The algebra does not pretend delimitation is easy; it says exactly how hard it is, segment by segment.*

3.2 Identities

Saussure's example is the 8:45 Geneva–Paris express: the train is "the same" each day although its engine, carriages, and personnel differ. Identity is not material; it is position in a system. The same point applies to a street demolished and rebuilt, and to a chess piece lost and replaced by another [2, Part II, ch. III].

Reading 3.3 (Identity). Identity is content addressability—a property of the morphism, not of any particular implementation such as a hash. Two material occurrences are the same sign exactly when they ingest to the same node:

$$\text{occurrence}_1 \sim \text{occurrence}_2 \qquad \Longleftrightarrow \qquad \mu(\text{occurrence}_1) = \mu(\text{occurrence}_2).$$

The 8:45 express is one node A under many material compositions: the tokens (engine, carriages, personnel) differ, the node does not. The express's identity persists because ingestion is deterministic and the plane is shared.

Proposition 3.4 (Identity is content addressability)**.** *For any two token contexts* $X, Y \subseteq \mathcal{T}$*,*

$$\mu(X) = \mu(Y) \qquad \Longrightarrow \qquad X \sim Y$$

where $\sim$ *is sign identity. The converse is the definition of an IICA morphism on its image: within one host and one door, a node names one materialized context up to order. Hence identity is stable across hosts, tokenizers, and times, while its* value *(Section 4) may change with the frame.*

Remark 3.5 (Content addressability is not hashing)**.** *Readers of the EWM papers will associate content addressability with the reference hash function. The hash is a convenience, not the concept. Any algorithm or set of rules that (i) recovers the address from the content and (ii) keeps different contents at different addresses can serve as the IICA morphism. Because the HLLSet lattice is a Boolean lattice—a Boolean algebra—the most general such rule is a* logical *one: choose a family of predicates*

$$P_1, \ldots, P_m : \mathcal{T} \to \{\top, \bot\},$$

and set

$$\mu(t) \;=\; \{\, i : P_i(t) = \top \,\}.$$

The address of a content is then the truth table of the content under the chosen rules: the set of bit positions at which the content satisfies the corresponding predicate. Distinct contents occupy distinct nodes exactly when the predicate family separates them. Any Boolean expression over the plane that is associated with a specific content, and that keeps different contents at different addresses, is therefore a legitimate ingestion morphism. The hash is one convenient such rule set, preferred in the reference implementation only for its even distribution of values over the plane—not for any linguistic reason.

3.3 Realities

Saussure's chapter III culminates in the claim that the *reality* of a linguistic unit is not its substance but its place in the system: what is real in a language is what speakers recognize as a value among other values [2, Part II, ch. III].

Reading 3.6 (Reality). The reality of a node in a fiber is its position in the frame. If $X \in \langle F \rangle$, its reality is its hard key c. If $X \notin \langle F \rangle$, its reality is partial: the soft key profile w says how much of each opposition it covers, and the spill s is the size of the part that has no reality in this system yet.

Observation 3.7 (Substance is not reality). A bit position, a token, and a host codebook are substances; none of them is a linguistic reality. Reality begins at the first coordinate: the hard key c is what the system itself can say about the node, and nothing less is a unit of langue. This is the algebra's version of Saussure's anti-substantialism.

4 Linguistic value

4.1 Thought and sound coupled

Saussure opens chapter IV with the image of the sheet of paper: thought is the front, sound the back; one cannot cut the front without cutting the back [2, Part II, ch. IV, §1]. Language is the domain where the two orders of difference—conceptual and material—are articulated together.

Reading 4.1 (The sheet of paper). The sheet is the plane $\mathbb{B}$. The sound side of a sign is its bit-set $A \subseteq \mathbb{B}$; the thought side is its value in the frame (its hard key c). The coupling of the two faces rests on an invariant substrate: the assignment of bit positions to contents. A bit position assigned to a token—more exactly, to the collection of tokens that set it—stays the same whatever HLLSet we form; it is *HLLSet-agnostic*. What the lattice changes is never a position but a node: a set of positions. A join $A \cup B = C$ is a new HLLSet into which the tokens and their bit positions pass together—which is to say, they stay exactly where they were. The two faces are two readings of one node, not two objects glued together; and the sheet itself is never cut.

Remark 4.2 (Bit positions do not move; nodes do)**.** *The distinction deserves emphasis because it is easily lost in the set-theoretic notation. When the lattice forms $A \cup B = C$, the new node C is a set of the same positions that already belonged to A or to B. No position migrates, and no token changes its address: the "moving" of tokens and bit positions into the new HLLSet is a staying-in-place. The sound side of the sign is therefore coupled to the thought side at the level of the* node*—a node and its value change together—while the underlying sheet, the position assignment fixed once by ingestion, is common to all nodes and never changes. Saussure's "one cannot cut the front without cutting the back" is realized as: one cannot form a new node without forming, at the same time, a new value; but one never cuts the positions themselves.*

4.2 Conceptual value

Saussure's first move is negative: the conceptual side of a sign is not a pre-existing concept but a value arising from the presence of other signs in the same system. The stock example is French *mouton* covering both English *sheep* and *mutton*: the same concept has different values because the neighbouring terms differ [2, Part II, ch. IV, §2]. The example is relational through and through: *mouton*'s value is not in the animal but in the fact that the French system lacks the opposition English draws. Value lives in relations between nodes, not in nodes.

Reading 4.3 (Conceptual value is relational). The conceptual value of a node is not in the node; it is in the relations between nodes. The hard key $c \in \mathrm{GF}(2)^k$ is not the value itself but its coordinate compression in the current frame: an exact and economical projection of the node's relational position against the oppositions $B_1, \ldots, B_k$. The value proper is the node's full relational neighbourhood in the lattice—which nodes it contains and is contained in, which it joins, meets, and differs from, and which co-occur with it in materialized contexts. The same node has different values in different frames, exactly as the same animal has different values in the French and English lexicons; what the frames change is the relational reading, not the node.

Definition 4.4 (Relational structure; co-occurrence profile)**.** *A* ***relational structure*** *in the lattice is a pair $G = (N, R)$, where $N \subseteq \mathcal{B}$ is a finite set of nodes and R is a set of binary relations on them—containment, disjointness, xor-adjacency, agreement of frame coordinates, and the like. The* ***co-occurrence profile*** *of a node $n \in N$ is the vector of co-occurrence counts of n with the other nodes of N across materialized contexts (the R values of the D/R/N reading, accumulated over windows).*

Observation 4.5 (Similar concepts: two maps, not one). Two subgraphs $G_1 = (N_1, R_1)$ and $G_2 = (N_2, R_2)$ of the lattice may represent similar concepts only if two bijections exist,

$$\varphi : N_1 \leftrightarrow N_2, \qquad \psi : R_1 \leftrightarrow R_2,$$

which preserve the relational structure,

$$(n, n') \in r \quad \Longleftrightarrow \quad (\varphi(n), \varphi(n')) \in \psi(r) \qquad \text{for all } n, n' \in N_1,\ r \in R_1,$$

and under which the co-occurrence profiles match: $\mathrm{co}(\varphi(n)) \approx \mathrm{co}(n)$ for every $n \in N_1$. The word "may" is carried by the second condition: relational shape alone does not decide, because two subgraphs can be structurally identical yet co-occur differently in their respective contexts. Similarity of concepts is therefore similarity of structure *together with* similarity of co-occurrence—a graph isomorphism plus a matching of the statistics of usage.

Remark 4.6 ("Ah, they are conceptually the same!")**.** *The everyday exclamation that accompanies an analogy is the datum this section formalizes. "Ah, they are conceptually the same!" says three things at once: (i) the concept is not a property of the things involved but of the structure of their relations; (ii) the sameness is therefore a structural sameness—a matching of relations; and (iii) the matching is not given for free: it requires carrying the elements of one event onto the elements of the other, element by element and relation by relation, which is exactly the pair of bijections of Observation 4.5. Conceptual identity is not the identity of objects but the existence of a structure-preserving mapping between two events, together with a matching of their co-occurrence. The concept, in this sense,* is *the mapping: the act of recognition that one event can be read as another. Saussure's later treatment of analogy belongs to the diachronic half of the Course; what Part III will show is that the same pair of bijections, applied across generations, is also the engine of change.*

Theorem 4.7 (Value is a complete invariant on the span)**.** *Let F be a frame and $X, Y \in \langle F \rangle$ with hard keys c, d. Then*

$$X = Y \qquad \Longleftrightarrow \qquad c = d,$$

and the difference of any two signs is itself a sign:

$$X\Delta Y \;=\; \bigoplus_{i:c_i\neq d_i} B_i.$$

Within one fiber, identity and value coincide: two signs are distinct exactly when their values are distinct.

Proof. Both directions of the equivalence are the uniqueness of RREF coordinates over GF(2) (Definition 2.3). For the difference, expand both nodes in the basis and use $B_i\Delta B_i = \varnothing$, so only coordinates that differ survive. □

Corollary 4.8 (The value table is the lexicon)**.** *The lexicon of a fiber is the value table: the list of nodes of the span with their coordinate vectors. No two rows repeat a vector; the vector is the word's entire conceptual content* within that frame*—its relational position, compressed without loss on the span—and the table is the system of values made literal.*

Node	Expression in the frame	Hard key (value)
$\varnothing$	the zero node	$(0,0,0)$
X	$B_1\Delta B_3$	$(1,0,1)$
Y	B_2	$(0,1,0)$
Z	$B_1\Delta B_2\Delta B_3$	$(1,1,1)$
$X\Delta Y$	$= Z$	$(1,1,1)$

Table 1: A miniature lexicon: three oppositions, four nodes, four values. Identity is value; difference is ring addition.

4.3 Material value

Saussure then applies the same negative move to the signifier: what matters in a sound is not its positive quality but the differences that distinguish it from all other sounds [2, Part II, ch. IV, §3]. The signifier is differential on its own side.

Reading 4.9 (Material value). The material value of a node is not which bits are set—bits are anonymous substance—but the difference pattern between it and the other nodes. The exact material difference of two nodes is their symmetric difference $X\Delta Y$, a node of the same lattice; the relaxed difference is the soft key profile. A bit position that distinguishes nothing carries no material value, however "positive" it looks.

Proposition 4.10 (The material difference is the ring sum)**.** *For all $X, Y \in \mathcal{B}$, the exact difference between the two signifiers is*

$$X\Delta Y \;=\; (X \setminus Y) \cup (Y \setminus X),$$

and $X\Delta Y = \varnothing$ iff $X = Y$. The material difference is thus a node of the same lattice, and the lattice is closed under differences: the system can say *the difference between any two signs, in its own language.*

Remark 4.11 (Difference is not absolute: it is difference in a given context)**.** *The ring sum $X\Delta Y$ is an absolute node of the lattice, but* what the difference consists in *is not absolute. It is read off in a given context, exactly as coordinates in a Boolean ring are read off in a given RREF basis. In a frame F, the difference of two signs is their coordinate difference*

$$c\Delta d \;\in\; \mathrm{GF}(2)^k,$$

the set of oppositions on which the two values disagree, and only through it does the absolute node acquire a reading:

$$X \Delta Y \;=\; \bigoplus_{i : c_i \neq d_i} B_i .$$

The same pair of nodes, in another frame, differs in other oppositions; and outside the span the difference has no exact coordinates at all, only the relaxed soft profile. Difference, like value, is a function of $(\mathit{node}, \mathit{frame})$*, never of the node alone. Saussure's differences are therefore* contextual *differences, and the algebra makes the context explicit: it is the current frame.*

4.4 The sign in its totality: only differences

Saussure's conclusion for the whole sign is the most quoted sentence of the *Course*: "in the language itself there are only differences. Even more important: a difference generally implies positive terms between which the difference is set up; but in language there are only differences *without positive terms*" [2, Part II, ch. IV, §4].

Theorem 4.12 (Differences without positive terms)**.** *Let* F *be a frame. Every node* $X \in \langle F \rangle$ *is a sum of basis vectors,*

$$X \;=\; \bigoplus_{i : c_i = 1} B_i ,$$

and nothing else is said about it: its entire description is the difference pattern c*. The basis vectors themselves are not positive terms either, since any basis of the same span describes the same system of values and no structural property prefers one (coordinate freedom, Part I [5]). Hence, within the span, there are only differences: each sign is a position in a field of oppositions, and the field has no absolute origin.*

Remark 4.13 (The zero node)**.** *The node* $\varnothing$ *is the neutral element of the ring: the absence of all oppositions. It is not a positive term—it is what every difference is measured from, and it says nothing by itself. Saussure's "without positive terms" finds its exact counterpart: the zero of the GF(2) vector space is not a term of the language but the point from which all values are coordinates.*

4.5 Value measured: the axiometer

Part I left value as a definition; the algebra also provides the instruments that *measure* it.

Proposition 4.14 (Hard key, soft key, and spill partition the readings)**.** *For a node* X *and frame* F*:*

1. *if* $X \in \langle F \rangle$*, the* ***hard key*** c *is the exact value;*
2. *in all cases, the* ***soft key*** $w_i = \mathsf{BSS}_{B_i}(X)$ *is the relaxed value profile, one coordinate per opposition;*
3. *the* ***spill*** $s = |X \setminus \mathrm{cover}(F)|$ *is the size of the part of* X *that has no value yet.*

The three together are the axiometer of the system: they answer, for every node, the question "what is this sign worth, and how much of it remains unvalued?"

Remark 4.15 (The residual of measurement)**.** *The spill is not a defect; it is the boundary of the system of values. When the spill accumulates, the frame pivots (generation* $\gamma + 1$*) and values are recomputed—which is the diachronic event whose systematic study belongs to Part III. Saussure's synchronic Part Two stops exactly where the spill is zero; the algebra can say where that boundary lies.*

5 Syntagmatic and associative relations

5.1 The two relations

Chapter V of Part Two distinguishes the two kinds of relation that organize a language. *Syntagmatic* relations hold *in praesentia*: between terms that are combined in the chain. *Associative* relations hold *in absentia*: between a term and the others that could replace it, in memory [2, Part II, ch. V, §1].

Reading 5.1 (The two relations). The syntagmatic reading of a state is along the materialized chain; the associative reading is against the frame.

Definition 5.2 (Syntagmatic and associative readings)**.** *Fix a fiber* $\mathsf{Syn}(t)$ *with frame* F*. For a context* X *read against a document* D*, the* ***syntagmatic reading*** *is*

$$\mathsf{Synt}(X; D) \;=\; (N, R, \mathrm{cov}) \;=\; \big(|D \setminus X|,\; |D \cap X|,\; |D \cap X|/|D|\big).$$

For the same X *against the frame, the* ***associative reading*** *is the profile*

$$\mathsf{Ass}(X; F) \;=\; \big(\mathsf{BSS}_{B_1}(X), \ldots, \mathsf{BSS}_{B_k}(X)\big),$$

replaced by the hard key c *when* $X \in \langle F \rangle$*.*

5.2 Syntagmatic relations

Proposition 5.3 (The syntagmatic axis is the chain, restored)**.** *The syntagmatic axis is the axis of combination. In the algebra it has three layers: (i) the* chain *is the ordered token context restored by materialization* ρ*; (ii)* composition *is the join: the syntagm* $X \cup Y$ *is the union of the constituent nodes; (iii)* contrast in the chain *is the ring sum* $X \Delta Y$*, the exact phrase-level difference between two syntagms. The D/R/N numbers are the syntagmatic measurement: novelty is what the chain adds, retention is what it confirms, coverage is how much of the document the syntagm accounts for.*

Observation 5.4 (Solidarities are coverage guards). Saussure's syntagmatic solidarities—the mutual determination of elements in a combination—are the coverage guard of the round-trip law. A syntagm holds together exactly when its parts delimit one another, that is, when materialization of the joined node restores the chain. Below coverage 1, the syntagm has spill: it is not yet a unit of the system.

5.3 Associative relations

Proposition 5.5 (The associative axis is the frame profile)**.** *The associative axis is the axis of substitution. In the algebra it is the profile* $\mathsf{Ass}(X; F)$*: each coordinate measures* X *against one opposition* B_i*. The associative series of* X *is the set of nodes that share a coordinate with it,*

$$\{Y : c_i(Y) = c_i(X) \text{ for some fixed } i\},$$

grouped by each opposition in turn. The frame F *is the memory in which these groups live; the soft key profile is the relaxed form of membership, valid also for nodes outside the span.*

Remark 5.6 (In praesentia / in absentia, exactly)**.** *The two readings use disjoint data. The syntagmatic reading uses only what is present together in the window (the document and the context); the associative reading uses the frame, whose basis vectors need not be present in the current window at all. Saussure's distinction is therefore not a nuance of emphasis but a type distinction between two functions with different domains.*

6 Mechanism, grammar, abstract entities

6.1 The mechanism of language

Chapter VI describes the functioning of the system: forms are generated and interpreted by the interplay of the two kinds of relation [2, Part II, ch. VI].

Reading 6.1 (The mechanism). The mechanism is the composition of the two readings. The dispatcher

$$\mathcal{D} : \mathcal{B} \times \text{State} \longrightarrow \Delta(\text{Hosts})$$

reads the lattice state, which contains both axes: the trajectory numbers N, R, cov (syntagmatic) and the frame profile or hard key (associative). It then selects which host actualizes the shared langue.

The hosts, however, are not abstract labels. In the multi-LLM scenario from which the EWM architecture arose, a user works simultaneously with several LLMs; in the lattice each host appears as a *participant*: a context, presented not as a separate sub-lattice but as the subset of HLLSets in the current lattice that the participant's context has produced and refers to. Two participants understand each other within their *common context*—the intersection of their context subsets—and may disagree outside it. The mechanism of language, so read, is the mechanism of a conversation: each participant speaks from a context, the shared langue is the common part, and the dispatcher's selection is the turn-taking of dialogue.

Definition 6.2 (Participants and common context)**.** *Let $H_1, H_2 \subseteq \mathcal{B}$ be the context subsets of two participants in the current fiber. Their* ***common context*** *is the intersection*

$$H_1 \cap H_2,$$

the nodes both participants hold together, and their ***disagreement*** *is the symmetric difference*

$$H_1 \Delta H_2 \;=\; (H_1 \setminus H_2) \cup (H_2 \setminus H_1).$$

Mutual understanding is exact on $H_1 \cap H_2$, and only there; outside the common context the participants may speak past one another.

Observation 6.3 (Understanding is graded). On the common context $H_1 \cap H_2$, the two participants' readings agree exactly: same nodes, same frame coordinates. Outside it their readings agree only partially, and the soft key and the spill measure how far apart their contexts are. Disagreement, like spill, is not noise: it is the boundary of the shared langue, and the dispatcher's task is to choose the participant whose context covers the current state best.

6.2 Grammar and its subdivisions

Chapter VII draws the consequence that morphology, syntax, and lexicology are not autonomous domains: they interpenetrate, because all of them are organizations of the same system of values [2, Part II, ch. VII].

Proposition 6.4 (The subdivisions of grammar are one algebra)**.** *On one plane $\mathbb{B}$, morphology (composition of units), syntax (combinations of units), and lexicology (values of units) are the same operations read at different granularities: joins and meets are both word formation and phrase formation; the ring sum is both morpheme contrast and phrase contrast; the hard key is both the value of a morpheme and the value of a construction. The classical boundaries are granularities of the materialized chain, not types of algebra.*

Subdivision	In the *Course*	In HLLSet Algebra
Morphology	composition and derivation of units	join $\cup$; idempotence collapses reduplication; ring sum Δ as morpheme contrast
Syntax	combinations in the chain	span of the frame as the set of well-formed constructions; order restored by materialization
Lexicology	the system of values	the hard key c as the value; the value table of Corollary 4.8 as the lexicon
Boundaries	subdivisions interpenetrate	one Boolean lattice and one GF(2) ring over one plane: there is no boundary to draw

Table 2: Grammar re-founded: three subdivisions, one algebra.

6.3 Abstract entities

Chapter VIII defends the abstract entities of grammar (a genitive, a plural, a zero ending): they are real because they are positions in the system, not because they have a sound [2, Part II, ch. VIII].

Reading 6.5 (Abstract entities). The abstract entities of the algebra are the coordinates themselves: the basis vectors B_i, the hard keys c, the generation stamps γ, and the frame F. They have no tokens and no sound, yet they are the most real objects of the system, because every concrete sign is a value only through them. A zero ending is $\varnothing$ as a value: real as a coordinate, inaudible as a sound.

Observation 6.6 (The frame is an abstract entity). The frame F never appears as a token in any host's parole; it is recomputed from observations and exists only as the coordinate system of the fiber. Saussure's chapter VIII is the recognition, seventy years before the datatype, that a linguistic system contains objects that have reality but no substance. The generation-stamped frame is exactly such an object.

7 The dictionary of Part Two

8 What Part II adds to Part I

Part I promised value and did not deliver it; Part II delivers it and thereby closes the synchronic half of the exegesis. Four additions matter.

1. **Value is now a datatype, not a promise.** Value proper is a relational structure (N, R) with co-occurrence profiles (Definition 4.4); its exact compression on the span is the hard key, a vector over GF(2); the relaxed form is the soft key, a vector over $[0, 1]$; the spill is a cardinal. All of these can be stored, compared, and generation-stamped.
2. **Identity and value are proven to coincide.** Within a fiber, Theorem 4.7 turns Saussure's chapter III claim (identity is position in the system) into an equivalence, not an aphorism.
3. **"Differences without positive terms" is a theorem.** Theorem 4.12 is the sentence of the *Course* made literal: a node is its difference pattern, and the only positive terms (the basis vectors) are arbitrary by Part I's coordinate freedom.
4. **The two axes of Part One and the two relations of Part Two are separated.** The AB/CD axes of Part One are temporal (fiber vs trajectory); the syntagmatic/associative relations of Part Two are both *inside* one fiber (chain vs frame). Confusing the two distinctions is a known hazard of Saussure commentary; the algebra makes the confusion impossible because the two pairs have different types.

Saussure (Part Two)	In the *Course*	In HLLSet Algebra
concrete entity	segment uniting concept and sound pattern	the sign pair (μ, ρ); delimitation by the coverage round-trip
delimitation of units	cutting the continuous chain	coverage $\mathrm{cov}(\mathcal{C}) = 1$; spill measures the failure
identity	the 8:45 express	content addressability: Proposition 3.4
reality	position in the system	position in the relational structure of the frame; hard key as its compressed form; soft key plus spill outside the span
value (conceptual)	opposition within a system	relational position among nodes: Reading 4.3; hard key $c \in \mathrm{GF}(2)^k$ as its frame compression: Theorem 4.7; similar concepts need two bijections plus matching co-occurrence: Observation 4.5
value (material)	phonic differences	symmetric difference Δ: Proposition 4.10
value (whole sign)	only differences, no positive terms	Theorem 4.12
syntagmatic relation	in praesentia, in the chain	$\mathsf{Synt}(X; D) = (N, R, \mathrm{cov})$ along the materialized chain
associative relation	in absentia, in memory	$\mathsf{Ass}(X; F) = (\mathsf{BSS}_{B_i}(X))$; hard key on the span
mechanism of language	interplay of the two relations	dispatcher composing both readings: Reading 6.1; participants as context subsets, understanding on their intersection: Definition 6.2
grammar's subdivisions	morphology, syntax, lexicology	one algebra, three granularities: Proposition 6.4
abstract entities	genitive, plural, zero ending	basis vectors, hard keys, generation stamps, the frame itself

Table 3: The complete dictionary of Part Two of the *Course* into HLLSet Algebra.

9 Conclusion and outlook to Part III

Part Two of the *Course* has been re-founded as the theory of relational value, compressed without loss on the span by the hard key. Concrete entities are sign pairs delimited by coverage; identity is content addressability; reality and value are position in the frame; the two relations are the two readings, syntagmatic and associative; the mechanism is the dispatcher; grammar is one algebra over one plane; and the abstract entities are the coordinates themselves. Saussure's synchronic linguistics, read in this direction, is no longer a philosophical description of a system of values: it is the specification of a computable one, and the reference implementation satisfies it.

What Part Two deliberately excludes is time. The frame was held fixed; the spill was treated as a boundary, not as a cause. Part III will release that exclusion: diachronic linguistics, in which phonetic change and analogy become basis pivots and generation drift, the diachronic law (imperative but not general) becomes the recorded transition, and Saussure's distinction between the two perspectives is tested against a system in which the frame actually moves. The residual handed to Part III is the one Part II named but did not study: the pivot itself.

Acknowledgments

This paper was created in collaboration with, and with the assistance of, an AI system—DeepSeek (deepseek-v4-pro). The hard-key reading of value, the completeness theorem, and several of the formulations emerged in dialogue with the assistant, whose drafts the authors revised and take full responsibility for in their final form.

References

[1] F. de Saussure, *Cours de linguistique générale*, Payot, Paris, 1916. (Edited posthumously by C. Bally and A. Sechehaye, with A. Riedlinger.)

[2] F. de Saussure, *Course in General Linguistics*, translated and annotated by Roy Harris, Duckworth, London, 1983.

[3] F. de Saussure, *Course in General Linguistics*, translated by Wade Baskin, Philosophical Library, New York, 1959.

[4] F. de Sossyur, *Trudy po yazykoznaniyu* [Works in Linguistics], edited by A. A. Kholodovich, translation of the *Cours* by A. M. Sukhotin, Progress, Moscow, 1977. (Authors' working copy; used for verification of the readings.)

[5] A. Mylnikov, A. Mylnikov Jr., and D. Kumar, *Saussure in HLLSet Algebra, Part I: General Principles*, SAUSSURE PUB series, 2026.

[6] A. Mylnikov, A. Mylnikov Jr., and D. Kumar, *Emerging World Models: A Structural Framework for Self-Organizing World Representations*, EWM PUB series, 2026.

[7] A. Mylnikov, A. Mylnikov Jr., and D. Kumar, *The EWM Lattice and Its Worlds*, EWM PUB series, 2026.

[8] A. Mylnikov, A. Mylnikov Jr., and D. Kumar, *Transformations and Trajectories of a Content-Addressed State Machine*, EWM PUB series, 2026.

[9] A. Mylnikov, A. Mylnikov Jr., and D. Kumar, *Attention on Lattice Traversal Is All You Need*, EWM PUB series, 2026.

[10] A. Mylnikov, A. Mylnikov Jr., and D. Kumar, *Langue as a Lattice: Closing the Circle from Statistical to Structural Linguistics through Content-Addressed Algebras*, EWM PUB series, 2026.

[11] G. Birkhoff, *Lattice Theory*, American Mathematical Society, 1940.

[12] S. Mac Lane, *Categories for the Working Mathematician*, Springer, 1971.

[13] L. Hjelmslev, *Prolegomena to a Theory of Language*, University of Wisconsin Press, 1961.

[14] Z. S. Harris, *Distributional Structure*, Word, 10(2–3):146–162, 1954.

[15] J. R. Firth, *A Synopsis of Linguistic Theory, 1930–1955*, Studies in Linguistic Analysis, 1957.

[16] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, Ł. Kaiser, and I. Polosukhin, *Attention Is All You Need*, NeurIPS, 2017.