A simple two-dimensional parameterisation for Flux Footprint Prediction (FFP)

For details of the derivation of the footprint parameterisation, see Kljun, N., P. Calanca, M.W. Rotach, H.P. Schmid, 2015: A simple two-dimensional parameterisation for Flux Footprint Prediction (FFP). Geosci. Model Dev., 8, 3695-3713. doi:10.5194/gmd-8-3695-2015.

Please acknowledge the source of your footprint estimates by citing the above article. Thanks!

How to use FFP Python code

The FFP function is not meant to be a stand-alone function, but a function that can be called from within your own data processing code. For example, FFP can be called from within a loop of your own python function to calculate a series of footprints for a selected time series of your flux data. In the following examples, calc_footprint_FFP is imported as **myfootprint**. Please note that all input variables below need to be entered as real numbers, not as integers.

1) Single footprint

To calculate a single FFP flux footprint call **calc_footprint_FFP** as described below. To rotate a single flux footprint into the main wind direction, call calc_footprint_FFP with an optional input value for the wind direction. To derive the source area of R% of the flux footprint, call calc_footprint_FFP with an optional additional single value of R (e.g., 80. or 0.8 for 80%), or with an array of Rs (e.g., [20., 40., 60., 80.]). You can also plot an example figure of your footprint by setting fig = 1.

import calc_footprint_FFP as myfootprint
FFP = myfootprint.FFP(zm,z0,umean,h,ol,sigmav,ustar,optional_inputs)

FFP Input

All inputs as scalars

zm = Measurement height above displacement height (i.e. z-d) [m]

z0 = Roughness length [m] - enter [None] if not known

umean = Mean wind speed at zm [ms-1] - enter [None] if not known

h = Boundary layer height [m]

ol = Obukhov length [m]

sigmav = Standard deviation of lateral velocity fluctuations [ms⁻¹]

ustar = Friction velocity [ms⁻¹]

Note: Either z0 or umean is required. If both are given, z0 is selected to calculate the footprint.

Optional input:

wind_dir = Wind direction in degrees (of 360) for rotation of the footprint

rs = Percentage of source area, i.e. a value between 10% and 90%.

Can be either a single value (e.g., "80") or an array of increasing percentage values (e.g., "[10:10:80]"). Expressed either in percentages ("80") or in fractions of 1 ("0.8").

Default is [10:10:80]. Set to "NaN" for no output of percentages.

nx = Integer scalar defining the number of grid elements of the scaled footprint. Large nx results

in higher spatial resolution and higher computing time. Default is 1000, nx must be >=600.

rslayer = Calculate footprint even if zm within roughness sublayer: set rslayer = 1. Note that this only

gives a rough estimate of the footprint as the model is not valid within the roughness

sublayer. Default is 0 (i.e. no footprint for within RS).

crop = Crop output area to size of the 80% footprint or the largest r given if crop=1 fig = Plot an example figure of the resulting footprint on the screen: set fig = 1.

Default is 0 (i.e. no figure).

FFP output

FFP = Structure array with footprint data

x ci max = x location of footprint peak (distance from measurement) [m]

x_ci = x array of crosswind integrated footprint [m]

f_ci = Footprint function values of crosswind integrated footprint [m⁻¹]

x_2d = x-grid of 2-dimensional footprint [m] y_2d = y-grid of 2-dimensional footprint [m]

f 2d = Footprint function values of 2-dimensional footprint [m⁻²]

rs = Percentage of footprint as in input, if provided

fr = Footprint value at r, if r is provided

xr = x-array for contour line of r, if r is provided yr = y-array for contour line of r, if r is provided

flag_err = 0 if no error, 1 in case of error

Example

```
FFP = myfootprint.FFP (zm=20., z0=0.1, h=2000., ol=-100., sigmav=0.6, ustar=0.4, wind_dir=30, rs= [20., 40., 60., 80.])
```

2) Single footprint within a given, fixed domain

In some cases it may be useful to derive a footprint for a pre-set given domain. For such a case, use **calc_footprint_FFP_climatology** with a single set of input parameters. For details of input and output parameters, see Section 3 below.

3) Footprint climatology

A footprint climatology is an aggregation of footprints over several time steps. To calculate a footprint climatology with FFP, call **calc_footprint_FFP_climatology** as described below. Again, optional input parameters can be provided to rotate each single flux footprint of the footprint climatology into the wind direction of the corresponding time step. To derive the source area of R% of the flux footprint climatology, call calc_footprint_FFP_climatology with an optional additional single value of R (e.g., 80 or 0.8 for 80%), or with an array of Rs (e.g., [20., 40., 60., 80.]). You can also plot an example figure of your footprint climatology by setting fig = 1.

This function calculates footprints within a fixed physical domain (either default area or user input). For determining the optimal extent of the domain (large enough to include the footprints) use the function calc_footprint_FFP as described in Section 1.

```
import calc_footprint_FFP_climatology as myfootprint
FFP = myfootprint .FFP climatology(zm,z0,umean,h,ol,sigmav,ustar,optional inputs)
```

FFP Input

All vectors need to be of equal length (one value for each time step, scalars possible)

zm = Measurement height above displacement height (i.e. z-d) [m]

Usually a scalar, but can also be a vector

z0 = Roughness length [m] - enter [None] if not known

Usually a scalar, but can also be a vector

umean = Vector of mean wind speed at zm [ms⁻¹] - enter [None] if not known

Either z0 or umean is required. If both are given, z0 is selected to calculate the footprint

h = Vector of boundary layer height [m]
ol = Vector of Obukhov length [m]

sigmav = Vector of standard deviation of lateral velocity fluctuations [ms⁻¹]

ustar = Vector of friction velocity [ms⁻¹]

wind dir = Vector of wind direction in degrees (of 360) for rotation of the footprint

Optional input:

domain = Domain size as an array of [xmin xmax ymin ymax] [m].

Footprint will be calculated for a measurement at $[0\ 0\ zm]\ m$. Default is smallest area including the r% footprint or $[-1000\ 1000\ -1000\ 1000]m$, whichever smallest (80%)

footprint if r not given).

dx, dy = Cell size of domain [m]. Small dx,dy result in higher spatial resolution and higher

computing time. Default is dx = dy = 2 m (if neither domain nor nx and ny are given).

If only dx is given, dx=dy.

nx, ny = Two integer scalars defining the number of grid elements in x and y. Large nx and ny

result in higher spatial resolution and higher computing time. Default is nx = ny = 1000.

If only nx is given, nx=ny. If dx,dy and nx,ny are given, dx,dy is given priority.

rs = Percentage of source area for which to provide contours, must be between 10% and

90%. Can be either a single value (e.g., "80") or an array of percentage values (e.g., "[10:10:80]"). Expressed either in percentages ("80") or in fractions of 1 ("0.8"). Default

is [10:10:80]. Set to "NaN" for no output of percentages.

rslayer = Calculate footprint even if zm within roughness sublayer: set rslayer = 1. Note that this

only gives a rough estimate of the footprint as the model is not valid within the

roughness sublayer. Default is 0 (i.e. no footprint for within RS).

smooth_data = Apply convolution filter to smooth footprint climatology if smooth_data=1 (default).

crop = Crop output area to size of the 80% footprint or the largest r given if crop=1 pulse = Display progress of footprint calculations every pulse-th footprint (e.g., "100").

verbosity = Level of verbosity at run time: 0 = completely silent, 1 = notify only of fatal errors,

2 = all notifications.

fig = Plot an example figure of the resulting footprint (on the screen): set fig = 1.

Default is 0 (i.e. no figure)

FFP output

FFP = Structure array with footprint climatology data for measurement at [0 0 zm] m

x_2d = x-grid of footprint climatology [m] y_2d = y-grid of footprint climatology [m]

fclim_2d = Normalised footprint function values of footprint climatology [m⁻²]

rs = Percentage of footprint as in input, if provided fr = Footprint value at r, if r is provided [m⁻²] xr = x-array for contour line of r, if r is provided [m] yr = y-array for contour line of r, if r is provided [m]

n = Number of footprints calculated and included in footprint climatology

flag_err = 1 in case of error, 2 if not all contour plots (r%) within specified domain, 0 otherwise

If the source area is calculated for 20%, 40%, 60% and 80%, and the 80% contour is extending further than the domain (but the other r's are within the domain), flag_err = 2

and all results are provided apart from those for the contour at 80%.

Example

zmt=20., z0t=0.01, ht=[2000., 1800., 1500.], olt=[-10., -100., -500.], sigmavt=[0.9, 0.7, 0.3,], ustart=[0.5, 0.3, 0.4], wind_dirt=[30., 50., 70.], domaint=[-100., 1000., -100., 1000.], nxt=1100, rst=[20.,40.,60.,80.]

FFP = myfootprint .FFP_climatology (zm=zmt, z0=z0t, umean = None, h=ht, ol=olt, sigmav=sigmavt, ustar=ustart, wind dir=wind dirt, domain=domaint, nx=nxt, rs=rst, smooth data=1)

4) Plotting footprints

To plot the footprint in python, either set the output option fig to 1, or call the function **plot_footprint**. Note, this is using matplotlib.

Please note that the plotting convention for matrices varies with software package or even with the selected plotting command, i.e. point (1/1) of the matrix may be the lower left corner or the upper left corner. It hence is suggested that **the footprint plot is always checked against a wind rose**. For complex footprint climatologies, it is sufficient to check just one single footprint. It may be necessary to transpose the footprint matrix depending on the plotting tool.

5) Python version

The FFP code version 1.4 is compatible with Python 3.7.5 and should also run with older Python versions (tested with Python 2.7.5). You may need to install additional libraries to use the FFP code.

Copyright (c) 2015, 2016, 2017, 2018, 2019 Natascha Kljun