

Article Type	Support
Article #	000107114
Title	After successfully undeploying a platform from a remote node the platform is still visible in the platform manager and log viewer on all other nodes.
Confidence	Work In Progress
Published on	11/3/2025
Last updated on	11/3/2025

! This article is only available for AVEVA employees. ! This article has not been reviewed and should not be shared externally.

Issue

This article provides a solution to the situation when after successfully undeploying a platform from a remote node the platform is still visible in the platform manager and OCMC log viewer on all other nodes.

The solution is applicable to the situation when the undeployed platform was successfully removed from a remote node and no traces of the previously deployed platform are found on that node.

The solution doesn't require galaxy redeployment.

Environment

Application Server.


Cause

Unknown

Resolution

The below steps must be performed on the Galaxy Repository Node only. The registry key and modified files must be backed up before modification.

1. Disable and stop aaGlobalDataCacheMonitorSvr (Aveva GlobalDataCacheMonitorServer) service.
2. Delete a registry entry/key for the undeployed platform from the following path -
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Archestra\A\Framework\Platform\PlatformNodes (see the Platform 3 registry entry/key in the screenshot below as an example).



3. Delete a platform entry of the undeployed platform from PlatformMapping.xml located at the C:\Program Files (x86)\Archestra\Framework\Bin\GalaxyData\<galaxy name>\GlobalDataRepository\Repository\PlatformMapping\.

See the example of the platform entry in the file below.

```
<Entry PlatformId="3" PlatformName="WinPlatform_001" PlatformHost="2023R2-65" MxPort="5026" PmcPort="30000" SmcPort="30001" MasterBuildNumber="6200" MinorBuildNumber="4448" StoreFwdRedundancyTCPPort="32565" StoreFwdDir=""/>
```

4. Enable and start aaGlobalDataCacheMonitorSvr (Aveva GlobalDataCacheMonitorServer) service.

5. Check that the PlatformMapping.xml file is copied by the aaGlobalDataCacheMonitorSvr service from C:\Program Files (x86)\Archestra\Framework\Bin\GalaxyData\<galaxy name>\GlobalDataRepository\Repository\PlatformMapping\ to the following two locations.

- C:\Program Files (x86)\Archestra\Framework\Bin\GalaxyData\<Galaxy name>\GlobalDataRepository\DistributionRepository\PlatformMapping
- C:\Program Files (x86)\Archestra\Framework\Bin\GlobalDataCache\PlatformMapping

6. After a short period of time the PlatformMapping.xml file will automatically be copied to all galaxy machines to the C:\Program Files (x86)\Archestra\Framework\Bin\GlobalDataCache\PlatformMapping folder by the service.

7. Open the platform manger and OCMC log viewer and check that the undeployed platform is not visible anymore there on all galaxy machines.

8. In case the undeployed platform is still visible in the OCMC log viewer on the GR node, delete the platform entry of the undeployed platform from the NodeListManager.cfg file at the C:\ProgramData\Archestra\SMC folder.

See the example of platform entry in the file below.

```
<Node><DisplayName>WinPlatform_001</DisplayName><HostName>2023R2-65</HostName></Node>
```