

This export is for internal use only. Do not share it with anyone outside AVEVA.

Information

Article Record Type	Article Number
Support	000052631
Title	Validation Status
How to rebuild a Galaxy from aaPKG file	Work In Progress
Article Governance	Visible to Customer
Solve Loop	true
Visible In Public Knowledge Base	
false	

Article

Summary

Support Article

PRODUCTS:{2}

1.

Application Server [Wonderware]
2.

Application Server [Control Software]

Issue

In some cases, it may be necessary to rebuild a Galaxy that is not performing optimally. While restoring from a backup *.cab file is possible, this method may replicate issues and corruptions present in the Galaxy at the time of the backup.

Alternatively, importing an *.aaPKG file offers a cleaner restoration approach. During the *.aaPKG import, the ArchestrA IDE performs validation on each object, helping to correct corruptions and inconsistencies. This makes the *.aaPKG method a preferred strategy for a clean rebuild.

However, this process is more time-consuming and requires manual intervention, particularly for reapplying security settings and other customizations.

Environment

Cause**Resolution**

The *.aaPKG restore process consists of the following steps:

- In the current Galaxy export all customizations such as imported **Style Libraries**, **Script Libraries**, **Localization**.



- If **Security** is configured, take screenshots of the current configuration for later reference.

←

Home

+

New

📁

Open

👤

User

🔗

AVEVA Connect

📄

Import

📄

Export

⚙️

Configure

✕

Close

Configure

🛡️ Security

Configure or review the galaxy's security settings

🌌 Galaxy

🗑️ Integrated development environment

💬 Communication

🖨️ System

Security

Authentication mode

Security groups

Roles

Users


Credentials

Define users

Authorized users	Full name
.test	test
Administrator	
DefaultUser	

Role	Access level
☒ Administrator	9999
☒ Default	0

- Export all objects:



- Create a **New Galaxy** by selecting the **Blank Galaxy** template:

Galaxies

Type the server name
GR01

Connect to server

▼ New

Default Galaxy

Blank Galaxy

InTouch Base

Reactor Demo

Recent Pinned On server

	Name	Server
	TEST	GR01

Create Galaxy

Galaxy name


Template name
Default_EMPTY.cab

☒ Connect to this Galaxy

Cancel

OK

- After creating the galaxy, import **Script Libraries, Style libraries, Localization**.
- Recreate the **Security** configuration based on your screenshots or documentation.
- Import all objects that were exported from the previous Galaxy.



NOTE: This process consists of two steps, **Import** and **Validation** and may take considerable time. The duration of this process will vary depending on the number o objects.

Internal Only

Internal Notes

Article Tracking

Article Created By

Alessandro Panzetta

Article Created Date

Wed Apr 30 14:41:07 GMT 2025

Last Published Date

Wed Apr 30 15:26:32 GMT 2025