

The title of your very nice and highly important, never before seen scientific work of stellar excellence

Possibly a subtitle


Your Name

March 12, 2021



Your amazing university!

A brief teaser to get attention!


UPSHOT



UPSHOT



UPSHOT



1. Core

2. Supplementary

3. Third Section

AGENDA

1. Core


1.1 Operating Conditions and Boundaries

1.2 Diffuser

2. Supplementary

3. Third Section

RESERVOIRS APPROACH



1. Isentropic conditions

$$pv^\gamma = \text{const.}$$

2. Mass conservation

$$\dot{m} = \rho \tilde{A} \tilde{v} = \text{const.}$$


3. Energy conservation

$$0 = dh + (v_2^2 - v_1^2)/2$$

4. Turbine work

$$p_r = K_1 p_0$$

RESERVOIRS APPROACH



1. Isentropic conditions

$$pv^\gamma = \text{const.}$$

2. Mass conservation

$$\dot{m} = \rho \vec{A} \vec{v} = \text{const.}$$


3. Energy conservation

$$0 = dh + (v_b^2 - v_a^2) / 2$$

4. Ideal gas

$$pv = RT$$

RESERVOIRS APPROACH



1. Isentropic conditions

$$pv^\gamma = \text{const.}$$

2. Mass conservation

$$\dot{m} = \rho \vec{A} \vec{v} = \text{const.}$$


3. Energy conservation

$$0 = dh + (v_b^2 - v_a^2) / 2$$

4. Ideal gas

$$pv = RT$$

RESERVOIRS APPROACH



1. Isentropic conditions

$$pv^\gamma = \text{const.}$$

2. Mass conservation

$$\dot{m} = \rho \vec{A} \vec{v} = \text{const.}$$


3. Energy conservation

$$0 = dh + (v_b^2 - v_a^2)/2$$

4. Ideal gas

$$pv = RT$$

RESERVOIRS APPROACH



1. Isentropic conditions

$$pv^\gamma = \text{const.}$$

2. Mass conservation

$$\dot{m} = \rho \vec{A} \vec{v} = \text{const.}$$

3. Energy conservation

$$0 = dh + (v_b^2 - v_a^2)/2$$

4. Ideal gas

$$pv = RT$$

AGENDA


1. Core

1.1 Operating Conditions and Boundaries

1.2 Diffuser

2. Supplementary


3. Third Section

OPERATING CONDITIONS^{1,2,3,4,5,6,7}

Similitude $\rightarrow M \stackrel{!}{=} \text{const.}$

meridional $\rightarrow \dot{m}_{\text{cor}} := \dot{m} \sqrt{\frac{T_{\text{tot}}}{T_{\text{ref}}} \frac{\rho_{\text{ref}}}{\rho_{\text{tot}}}}$


tangential $\rightarrow n_{\text{cor}} := n \sqrt{\frac{T_{\text{ref}}}{T_{\text{tot}}}}$

OPERATING CONDITIONS^{1,2,3,4,5,6,7}

Similitude $\rightarrow M \stackrel{!}{=} \text{const.}$

meridional $\rightarrow \dot{m}_{cor} := \dot{m} \sqrt{\frac{T_{tot}}{T_{ref}} \frac{\rho_{ref}}{\rho_{tot}}}$


tangential $\rightarrow n_{cor} := n \sqrt{\frac{T_{ref}}{T_{tot}}}$

OPERATING CONDITIONS^{1,2,3,4,5,6,7}

Similitude $\rightarrow M \stackrel{!}{=} \text{const.}$

meridional $\rightarrow \dot{m}_{cor} := \dot{m} \sqrt{\frac{T_{tot}}{T_{ref}} \frac{\rho_{ref}}{\rho_{tot}}}$


tangential $\rightarrow n_{cor} := n \sqrt{\frac{T_{ref}}{T_{tot}}}$


OPERATING CONDITIONS^{1,2,3,4,5,6,7}


Similitude $\rightarrow M \stackrel{!}{=} \text{const.}$

meridional $\rightarrow \dot{m}_{\text{cor}} := \dot{m} \sqrt{\frac{T_{\text{tot}}}{T_{\text{ref}}}} \frac{\rho_{\text{ref}}}{\rho_{\text{tot}}}$


tangential $\rightarrow n_{\text{cor}} := n \sqrt{\frac{T_{\text{ref}}}{T_{\text{tot}}}}$

INSTABILITY LIMIT^{8,4,9}

INSTABILITY LIMIT^{8,4,9}

INSTABILITY LIMIT^{8,4,9}


Rotating stall into surge at X

DIFFUSION FACTOR^{8,4}solidity $\sigma = l/s$

$$D = 1 - \frac{v_2}{v_1} + \frac{\Delta v_\theta}{v_1} \cdot \frac{1}{2\sigma} > 0.6$$

regular deceleration

normalized
redirection


DIFFUSION FACTOR^{8,4}

$$D = 1 - \frac{v_2}{v_1} + \frac{\Delta v_\theta}{v_1} \cdot \frac{1}{2\sigma} > 0.6$$

solidity $\sigma = l/s$

regular deceleration


normalized
redirection

DIFFUSION FACTOR^{8,4}

$$D = 1 - \frac{v_2}{v_1} + \frac{\Delta v_\theta}{v_1} \cdot \frac{1}{2\sigma} > 0.6$$

regular deceleration


solidity $\sigma = l/s$ normalized
redirection

DIFFUSION FACTOR^{8,4}

$$D = 1 - \frac{v_2}{v_1} + \frac{\Delta v_\theta}{v_1} \cdot \frac{1}{2\sigma} > 0.6$$

regular deceleration


solidity $\sigma = l/s$ normalized
redirection

DIFFUSION FACTOR^{8,4}

$$D = 1 - \frac{v_2}{v_1} + \frac{\Delta v_\theta}{v_1} \cdot \frac{1}{2\sigma} > 0.6$$

regular deceleration


solidity $\sigma = l/s$ normalized
redirection


DIFFUSION FACTOR^{8,4}

$$D = 1 - \frac{v_2}{v_1} + \frac{\Delta v_\theta}{v_1} \cdot \frac{1}{2\sigma} > 0.6$$

regular deceleration


normalized
redirectionsolidity $\sigma = l/s$

DIFFUSION FACTOR^{8,4}

CHOKING^{1,10}


$\dot{m}_{\text{ch}} \stackrel{!}{=} \dot{m}_{\text{ch}}(n)$, where
 $d\dot{m}_{\text{ch}}/dn > 0$ and $n \propto u$

$$\dot{m}_{\text{ch}}(u) = A_p \rho a_0 \left[\frac{2 + (\gamma - 1)(u/a_0)^2}{\gamma + 1} \right]^{(\gamma+1)/[2(\gamma-1)]}$$

CHOKING^{1,10}


$\dot{m}_{\text{ch}} \stackrel{!}{=} \dot{m}_{\text{ch}}(n)$, where
 $d\dot{m}_{\text{ch}}/dn > 0$ and $n \propto u$

$$\dot{m}_{\text{ch}}(u) = A \rho a_0 \left[\frac{2 + (\gamma - 1)(u/a_0)^2}{\gamma + 1} \right]^{(\gamma+1)/[2(\gamma-1)]}$$

CHOKING^{1,10}

$\dot{m}_{ch} \stackrel{!}{=} \dot{m}_{ch}(n)$, where
 $d\dot{m}_{ch}/dn > 0$ and $n \propto u$

$$\dot{m}_{ch}(u) = A \rho a_0 \left[\frac{2 + (\gamma - 1)(u/a_0)^2}{\gamma + 1} \right]^{(\gamma+1)/[2(\gamma-1)]}$$

CHOKING^{1,10}

$\dot{m}_{ch} \stackrel{!}{=} \dot{m}_{ch}(n)$, where
 $d\dot{m}_{ch}/dn > 0$ and $n \propto u$

$$\dot{m}_{ch}(u) = A\rho a_0 \left[\frac{2 + (\gamma - 1)(u/a_0)^2}{\gamma + 1} \right]^{(\gamma+1)/[2(\gamma-1)]}$$

AGENDA


1. Core

1.1 Operating Conditions and Boundaries

1.2 Diffuser

2. Supplementary

3. Third Section


DIFFUSER^{11,12,13,14,15,16,17}

Key improvements:

- varying density
- calibratable friction

Assumptions:

→ two coupled ODEs

DIFFUSER^{11,12,13,14,15,16,17}


Key improvements:

- varying density
- calibratable friction

Assumptions:

- adiabatic

→ two coupled ODEs

DIFFUSER^{11,12,13,14,15,16,17}


Key improvements:

- varying density
- calibratable friction

Assumptions:

- adiabatic
- $\mu = \text{const.}$

→ two coupled ODEs

DIFFUSER^{11,12,13,14,15,16,17}


Key improvements:

- varying density
- calibratable friction

Assumptions:

- adiabatic
- $h = \text{const.}$
- fully radial channel

→ two coupled ODEs

DIFFUSER^{11,12,13,14,15,16,17}


Key improvements:

- varying density
- calibratable friction

Assumptions:

- adiabatic
- $h = \text{const.}$
- fully radial channel

→ two coupled ODEs

DIFFUSER^{11,12,13,14,15,16,17}


Key improvements:

- varying density
- calibratable friction

Assumptions:

- adiabatic
- $h = \text{const.}$
- fully radial channel

→ two coupled ODEs

DIFFUSER^{11,12,13,14,15,16,17}

Key improvements:


- varying density
- calibratable friction

Assumptions:


- adiabatic
- $h = \text{const.}$
- fully radial channel

→ two coupled ODEs

DIFFUSER PLOT



DIFFUSER PLOT



AGENDA


1. Core

2. Supplementary


3. Third Section

GAS PROPERTIES^{10,18,19,20,21,22,23}


Caloric properties



Viscosity




Phase change




GAS PROPERTIES^{10,18,19,20,21,22,23}


Caloric properties



Viscosity




Phase change




GAS PROPERTIES^{10,18,19,20,21,22,23}


Caloric properties




Viscosity




Phase change



GAS VOLUMES^{24,1,25,26}

→ two coupled ODEs for $p(t)$ and $T(t)$

GAS VOLUMES^{24,1,25,26}

→ two coupled ODEs for $p(t)$ and $T(t)$

AGENDA

1. Core

2. Supplementary

3. Third Section

MORE CONTENT NEEDED!

More content...

OUTRO


- we learned this
- and that

OUTRO


- we learned this
- and that

Thank you.

UPSHOT



RESERVOIRS APPROACH



1. Isentropic conditions

$$pv^\gamma = \text{const.}$$

2. Mass conservation


$$\dot{m} = \rho \vec{A} \vec{v} = \text{const.}$$

3. Energy conservation

$$0 = dh + (v_b^2 - v_a^2)/2$$

4. Ideal gas


$$pv = RT$$

OPERATING CONDITIONS^{1,2,3,4,5,6,7}


meridional $\rightarrow \dot{m}_{cor} := \dot{m} \sqrt{\frac{T_{tot}}{T_{ref}} \frac{\rho_{ref}}{\rho_{tot}}}$

Similitude $\rightarrow M \stackrel{!}{=} \text{const.}$

tangential $\rightarrow n_{cor} := n \sqrt{\frac{T_{ref}}{T_{tot}}}$

INSTABILITY LIMIT^{8,4,9}


Rotating stall into surge at X

DIFFUSION FACTOR^{8,4}

$$D = 1 - \frac{v_2}{v_1} + \frac{\Delta v_\theta}{v_1} \cdot \frac{1}{2\sigma} > 0.6$$


regular deceleration

normalized
redirectionsolidity $\sigma = l/s$

CHOKING^{1,10}

$\dot{m}_{ch} \stackrel{!}{=} \dot{m}_{ch}(n)$, where
 $d\dot{m}_{ch}/dn > 0$ and $n \propto u$

$$\dot{m}_{ch}(u) = A\rho a_0 \left[\frac{2 + (\gamma - 1)(u/a_0)^2}{\gamma + 1} \right]^{(\gamma+1)/[2(\gamma-1)]}$$

DIFFUSER^{11,12,13,14,15,16,17}

Key improvements:


- varying density
- calibratable friction

Assumptions:

- adiabatic
- $h = \text{const.}$
- fully radial channel


→ two coupled ODEs

DIFFUSER PLOT




GAS PROPERTIES^{10,18,19,20,21,22,23}


Caloric properties




Viscosity



Phase change



GAS VOLUMES^{24,1,25,26}


→ two coupled ODEs for $p(t)$ and $T(t)$

OUTRO

- we learned this
- and that

Appendix


PRESSURE MAGNITUDE DEVELOPMENT




MOLAR MASSES

Element	Symbol	$M / \text{kg/mol}$
Carbon	C	0.012 011
Hydrogen	H	0.001 008
Sulphur	S	0.032 065
Oxygen	O	0.015 999
Nitrogen	N	0.014 007
Argon	Ar	0.039 948


GAS PROPERTIES DERIVATION




GAS PROPERTIES DERIVATION




GAS PROPERTIES DERIVATION




GAS PROPERTIES DERIVATION




GAS PROPERTIES DERIVATION




GAS PROPERTIES DERIVATION




FUEL AND COMBUSTION




FUEL AND COMBUSTION




FUEL AND COMBUSTION




FUEL AND COMBUSTION



FUEL AND COMBUSTION



FUEL AND COMBUSTION



References

REFERENCES I

- [1] L. Guzzella and Christopher H. Onder. *Introduction to modeling and control of internal combustion engine systems*. 2nd ed. Berlin: Springer, 2010. 354 pp.
- [2] Hubert Grieb. *Projektierung von Turboflugtriebwerken*. 1st ed. Technik der Turboflugtriebwerke. MTU München. Basel: Birkhäuser Basel, 2004. 826 pp.
- [3] R. A. Van den Braembussche. *Design and Analysis of Centrifugal Compressors*. Newark: John Wiley & Sons, Incorporated, 2018. 408 pp.
- [4] Willy J. G. Bräunling. *Flugzeugtriebwerke: Grundlagen, Aero-Thermodynamik, ideale und reale Kreisprozesse, thermische Turbomaschinen, Komponenten, Emissionen und Systeme*. 4th ed. VDI-Buch. Berlin: Springer Vieweg, 2015. 1997 pp.
- [5] Hubert Grieb. *Verdichter für Turbo-Flugtriebwerke*. 1st ed. MTU München. Berlin Heidelberg: Springer, 2009. 696 pp.
- [6] Willi Bohl and Wolfgang Elmendorf. *Technische Strömungslehre*. 15., überarbeitete und erweiterte Auflage. Vogel Fachbuch. Würzburg: Vogel Buchverlag, 2014. 504 pp.
- [7] Heinz Herwig. *Strömungsmechanik: Einführung in die Physik von technischen Strömungen*. 2., überarbeitete und erweiterte Auflage. Lehrbuch. Wiesbaden: Springer Vieweg, 2016. 293 pp.
- [8] Franz Joos. *Strömungsmaschinen*. 16th ed. Antriebstechnik. Hamburg: Helmut-Schmidt-Universität Hamburg, 2016.
- [9] Rick Dehner et al. 'Simulation of Deep Surge in a Turbocharger Compression System'. In: *Journal of Turbomachinery* 138:11 (May 10, 2016), pp. 1–12.

REFERENCES II

- [10] S. L. Dixon and C. A. Hall. *Fluid mechanics and thermodynamics of turbomachinery*. 7th ed. Amsterdam ; Boston: Butterworth-Heinemann, 2014. 537 pp.
- [11] John D. Stanitz. *One-dimensional Compressible Flow in Vaneless Diffusers of Radial- and Mixed-flow Centrifugal Compressors, Including Effects of Friction, Heat Transfer and Area Change*. Technical Note NACA-TN-2610. Cleveland, OH, United States: National Advisory Committee for Aeronautics. Lewis Flight Propulsion Lab., Jan. 1, 1952, p. 62.
- [12] M. Schneider et al. 'Analytical Loss Prediction for Turbocharger Compressors'. In: 11th European Conference on Turbomachinery Fluid dynamics & Thermodynamics. European Turbomachinery Society, Mar. 2015.
- [13] Johannes Schiff. 'A Preliminary Design Tool for Radial Compressors'. Master Thesis. Lund, Sweden: Lund University, June 2013. 155 pp.
- [14] M. R. Galvas. *FORTAN program for predicting off-design performance of centrifugal compressors*. Technical Report NASA-TN-D-7487. Washington, DC, United States: National Aeronautics and Space Administration, Nov. 1, 1973, p. 57.
- [15] H. W. Oh, E. S. Yoon, and M. K. Chung. 'An optimum set of loss models for performance prediction of centrifugal compressors'. In: *Proceedings of the Institution of Mechanical Engineers, Part A: Journal of Power and Energy* 211 (Part A 1997), pp. 331–338.
- [16] J. Schiffmann and D. Favrat. 'Design, experimental investigation and multi-objective optimization of a small-scale radial compressor for heat pump applications'. In: *Energy* 35.1 (Jan. 2010), pp. 436–450.

REFERENCES III

- [17] D. Japikse. 'Assessment of Single- and Two-Zone Modeling of Centrifugal Compressors, Studies in Component Performance: Part 3'. In: *Volume 1: Aircraft Engine; Marine; Turbomachinery; Microturbines and Small Turbomachinery*. ASME 1985 International Gas Turbine Conference and Exhibit. Houston, Texas, USA: ASME, Mar. 18, 1985, V001T03A023.
- [18] C. Howard Shomate. 'A Method for Evaluating and Correlating Thermodynamic Data'. In: *The Journal of Physical Chemistry* 58.4 (Apr. 1954), pp. 368–372.
- [19] Arden L. Buck. 'New Equations for Computing Vapor Pressure and Enhancement Factor'. In: *Journal of Applied Meteorology* 20.12 (Dec. 1, 1981), pp. 1527–1532.
- [20] William Sutherland. 'The viscosity of gases and molecular force'. In: *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science* 36.223 (Dec. 1893), pp. 507–531.
- [21] Hans Vogel. 'Über die Viskosität einiger Gase und ihre Temperaturabhängigkeit bei tiefen Temperaturen'. In: *Annalen der Physik* 348.8 (1914), pp. 1235–1272.
- [22] Thomas A. Davidson. *A simple and accurate method for calculating viscosity of gaseous mixtures*. Report of Investigations 9456. Amarillo, Texas: United States Department of the interior, Bureau of Mines, Jan. 1, 1993.
- [23] Thomas Graham. 'On the Motion of Gases'. In: *Philosophical Transactions of the Royal Society of London* 136 (XXVIII. Jan. 1846), pp. 573–631.
- [24] L. Eriksson. 'Modeling and Control of Turbocharged SI and DI Engines'. In: *Oil & Gas Science and Technology - Revue de l'IFP* 62.4 (July 1, 2007), pp. 523–538.

REFERENCES IV

- [25] Elbert Hendricks. 'Isothermal vs. Adiabatic Mean Value SI Engine Models'. In: *IFAC Proceedings Volumes*. 3rd IFAC Workshop on Advances in Automotive Control 2001, Karlsruhe, Germany, 28-30 March 2001 34.1 (Mar. 1, 2001), pp. 363–368.
- [26] Mathworks. *Constant volume pneumatic chamber based on ideal gas law*. Mathworks Simulink Documentation. 2018. URL: <https://uk.mathworks.com/help/physmod/simscape/ref/constantvolumepneumaticchamber.html> (visited on 07/22/2018).
- [27] Heinrich Dubbel, Karl-Heinrich Grote, and J. Feldhusen. *Taschenbuch für den Maschinenbau*. 22nd ed. Berlin Heidelberg New York: Springer, 2007. 1 p.

End of slides.

ABSTRACT I

As any dedicated reader can clearly see, the Ideal of practical reason is a representation of, as far as I know, the things in themselves; as I have shown elsewhere, the phenomena should only be used as a canon for our understanding. The paralogisms of practical reason are what first give rise to the architectonic of practical reason. As will easily be shown in the next section, reason would thereby be made to contradict, in view of these considerations, the Ideal of practical reason, yet the manifold depends on the phenomena. Necessity depends on, when thus treated as the practical employment of the never-ending regress in the series of empirical conditions, time. Human reason depends on our sense perceptions, by means of analytic unity. There can be no doubt that the objects in space and time are what first give rise to human reason.

Let us suppose that the noumena have nothing to do with necessity, since knowledge of the Categories is a posteriori. Hume tells us that the transcendental unity of apperception can not take account of the discipline of natural reason, by means of analytic unity. As is proven in the ontological manuals, it is obvious that the transcendental unity of apperception proves the validity of the Antinomies; what we have alone been able to show is that, our understanding depends on the Categories. It remains a mystery why the Ideal stands in need of reason. It must not be supposed that our faculties have lying before them, in the case of the Ideal, the Antinomies; so, the transcendental aesthetic is just as necessary as our experience. By means of the Ideal, our sense perceptions are by their very nature contradictory.

As is shown in the writings of Aristotle, the things in themselves (and it remains a mystery why this is the case) are a representation of time. Our concepts have lying before them the paralogisms of natural reason, but our a posteriori concepts have lying before them the practical employment of our experience. Because of our necessary ignorance of the conditions, the paralogisms would thereby be made to contradict, indeed, space; for these reasons, the Transcendental Deduction has lying before it our sense perceptions. (Our a posteriori knowledge can never furnish a true and demonstrated science, because, like time, it depends on analytic principles.) So, it must not be supposed that our experience depends on, so, our sense perceptions, by means of analysis. Space constitutes the

whole content for our sense perceptions, and time occupies part of the sphere of the Ideal concerning the existence of the objects in space and time in general.

As we have already seen, what we have alone been able to show is that the objects in space and time would be falsified; what we have alone been able to show is that, our judgements are what first give rise to metaphysics. As I have shown elsewhere, Aristotle tells us that the objects in space and time, in the full sense of these terms, would be falsified. Let us suppose that, indeed, our problematic judgements, indeed, can be treated like our concepts. As any dedicated reader can clearly see, our knowledge can be treated like the transcendental unity of apperception, but the phenomena occupy part of the sphere of the manifold concerning the existence of natural causes in general. Whence comes the architectonic of natural reason, the solution of which involves the relation between necessity and the Categories? Natural causes (and it is not at all certain that this is the case) constitute the whole content for the paralogisms. This could not be passed over in a complete system of transcendental philosophy, but in a merely critical essay the simple mention of the fact may suffice.

Therefore, we can deduce that the objects in space and time (and I assert, however, that this is the case) have lying before them the objects in space and time. Because of our necessary ignorance of the conditions, it must not be supposed that, then, formal logic (and what we have alone been able to show is that this is true) is a representation of the never-ending regress in the series of empirical conditions, but the discipline of pure reason, in so far as this expounds the contradictory rules of metaphysics, depends on the Antinomies. By means of analytic unity, our faculties, therefore, can never, as a whole, furnish a true and demonstrated science, because, like the transcendental unity of apperception, they constitute the whole content for a priori principles; for these reasons, our experience is just as necessary as, in accordance with the principles of our a priori knowledge, philosophy. The objects in space and time abstract from all content of knowledge. Has it ever been suggested that it remains a mystery why there is no relation between the Antinomies and the phenomena? It must not be supposed that the Antinomies (and

ABSTRACT III

it is not at all certain that this is the case) are the clue to the discovery of philosophy, because of our necessary ignorance of the conditions. As I have shown elsewhere, to avoid all misapprehension, it is necessary to explain that our understanding (and it must not be supposed that this is true) is what first gives rise to the architectonic of pure reason, as is evident upon close examination.

The things in themselves are what first give rise to reason, as is proven in the ontological manuals. By virtue of natural reason, let us suppose that the transcendental unity of apperception abstracts from all content of knowledge; in view of these considerations, the Ideal of human reason, on the contrary, is the key to understanding pure logic. Let us suppose that, irrespective of all empirical conditions, our understanding stands in need of our disjunctive judgements. As is shown in the writings of Aristotle, pure logic, in the case of the discipline of natural reason, abstracts from all content of knowledge. Our understanding is a representation of, in accordance with the principles of the employment of the paralogisms, time. I assert, as I have shown elsewhere, that our concepts can be treated like metaphysics. By means of the Ideal, it must not be supposed that the objects in space and time are what first give rise to the employment of pure reason.

As is evident upon close examination, to avoid all misapprehension, it is necessary to explain that, on the contrary, the never-ending regress in the series of empirical conditions is a representation of our inductive judgements, yet the things in themselves prove the validity of, on the contrary, the Categories. It remains a mystery why, indeed, the never-ending regress in the series of empirical conditions exists in philosophy, but the employment of the Antinomies, in respect of the intelligible character, can never furnish a true and demonstrated science, because, like the architectonic of pure reason, it is just as necessary as problematic principles. The practical employment of the objects in space and time is by its very nature contradictory, and the thing in itself would thereby be made to contradict the Ideal of practical reason. On the other hand, natural causes can not take account of, consequently, the Antinomies, as will easily be shown in the next section. Consequently, the Ideal of practical reason (and I assert that

ABSTRACT IV

this is true) excludes the possibility of our sense perceptions. Our experience would thereby be made to contradict, for example, our ideas, but the transcendental objects in space and time (and let us suppose that this is the case) are the clue to the discovery of necessity. But the proof of this is a task from which we can here be absolved.

- we found out this
- and also that!

DOCUMENT INFORMATION

Compiled on May 29, 2019 11:19am +02:00.

yatt_presentation n.a. (n.a.)

LuaTeX, Version 1.10.0 (TeX Live 2019/W32TeX). \LaTeX 2 ϵ (2018-12-01) with
glossaries-extra (bib2gls) and biber.

Theme adapted from <https://github.com/matze/mtheme>.

End of document.