

## HMI alarms

### Discrete alarms

#### Discrete\_alarm\_1

General			
Name	Discrete_alarm_1	ID	1
Alarm text	Band niet clear	Alarm class	Errors
Alarm group	<No alarm group>		
Trigger			
Trigger tag	alarmwoord	Address trigger bit	alarmwoord.x0
Trigger bit number	0		
Info Text			
Info Text			
Acknowledgment			
Acknowledgment tag	<No tag>	Address of HMI acknowledgment bit	
Acknowledgment bit number	0	Tag for acknowledgment by the PLC	<No tag>
PLC acknowledgment bit address		Acknowledgment bit number in the PLC	0

alarmwoord

#### Discrete\_alarm\_10

General			
Name	Discrete_alarm_10	ID	10
Alarm text	Bakken niet ingesteld	Alarm class	Errors
Alarm group	<No alarm group>		
Trigger			
Trigger tag	alarmwoord	Address trigger bit	alarmwoord.x9
Trigger bit number	9		
Info Text			
Info Text			
Acknowledgment			
Acknowledgment tag	<No tag>	Address of HMI acknowledgment bit	
Acknowledgment bit number	0	Tag for acknowledgment by the PLC	<No tag>
PLC acknowledgment bit address		Acknowledgment bit number in the PLC	0

alarmwoord

#### Discrete\_alarm\_2

General			
Name	Discrete_alarm_2	ID	2
Alarm text	Probleem cillinder horizontaal	Alarm class	Errors
Alarm group	<No alarm group>		
Trigger			
Trigger tag	alarmwoord	Address trigger bit	alarmwoord.x1
Trigger bit number	1		
Info Text			
Info Text			

Totally Integrated Automation Portal					
--------------------------------------	--	--	--	--	--

Acknowledgment

Acknowledgment tag	<No tag>	Address of HMI acknowledgment bit	
Acknowledgment bit number	0	Tag for acknowledgment by the PLC	<No tag>
PLC acknowledgment bit address		Acknowledgment bit number in the PLC	0

alarmwoord

Discrete\_alarm\_3

General

Name	Discrete_alarm_3	ID	3
Alarm text	Probleem cillinder magazijn	Alarm class	Errors
Alarm group	<No alarm group>		

Trigger

Trigger tag	alarmwoord	Address trigger bit	alarmwoord.x2
Trigger bit number	2		

Info Text

Info Text			
-----------	--	--	--

Acknowledgment

Acknowledgment tag	<No tag>	Address of HMI acknowledgment bit	
Acknowledgment bit number	0	Tag for acknowledgment by the PLC	<No tag>
PLC acknowledgment bit address		Acknowledgment bit number in the PLC	0

alarmwoord

Discrete\_alarm\_4

General

Name	Discrete_alarm_4	ID	4
Alarm text	Probleem cillinder verticaal	Alarm class	Errors
Alarm group	<No alarm group>		

Trigger

Trigger tag	alarmwoord	Address trigger bit	alarmwoord.x3
Trigger bit number	3		

Info Text

Info Text			
-----------	--	--	--

Acknowledgment

Acknowledgment tag	<No tag>	Address of HMI acknowledgment bit	
Acknowledgment bit number	0	Tag for acknowledgment by the PLC	<No tag>
PLC acknowledgment bit address		Acknowledgment bit number in the PLC	0

alarmwoord

Discrete\_alarm\_5

General

Name	Discrete_alarm_5	ID	5
Alarm text	Probleem zuiger	Alarm class	Errors
Alarm group	<No alarm group>		

Trigger

Trigger tag	alarmwoord	Address trigger bit	alarmwoord.x4
Trigger bit number	4		

--	--	--

Totally Integrated Automation Portal					
--------------------------------------	--	--	--	--	--

  

<b>Info Text</b>					
Info Text					
<b>Acknowledgment</b>					
Acknowledgment tag	<No tag>	Address of HMI acknowledgment bit			
Acknowledgment bit number	0	Tag for acknowledgment by the PLC	<No tag>		
PLC acknowledgment bit address		Acknowledgment bit number in the PLC	0		

  

<b>alarmwoord</b>					
-------------------	--	--	--	--	--

  

### Discrete\_alarm\_6

<b>General</b>					
Name	Discrete_alarm_6	ID	6		
Alarm text	Geen object op band	Alarm class	Errors		
Alarm group	<No alarm group>				
<b>Trigger</b>					
Trigger tag	alarmwoord	Address trigger bit	alarmwoord.x5		
Trigger bit number	5				
<b>Info Text</b>					
Info Text					
<b>Acknowledgment</b>					
Acknowledgment tag	<No tag>	Address of HMI acknowledgment bit			
Acknowledgment bit number	0	Tag for acknowledgment by the PLC	<No tag>		
PLC acknowledgment bit address		Acknowledgment bit number in the PLC	0		

  

<b>alarmwoord</b>					
-------------------	--	--	--	--	--

  

### Discrete\_alarm\_7

<b>General</b>					
Name	Discrete_alarm_7	ID	7		
Alarm text	Tegenstrijdige meetingen	Alarm class	Errors		
Alarm group	<No alarm group>				
<b>Trigger</b>					
Trigger tag	alarmwoord	Address trigger bit	alarmwoord.x6		
Trigger bit number	6				
<b>Info Text</b>					
Info Text					
<b>Acknowledgment</b>					
Acknowledgment tag	<No tag>	Address of HMI acknowledgment bit			
Acknowledgment bit number	0	Tag for acknowledgment by the PLC	<No tag>		
PLC acknowledgment bit address		Acknowledgment bit number in the PLC	0		

  

<b>alarmwoord</b>					
-------------------	--	--	--	--	--

  

### Discrete\_alarm\_8

<b>General</b>					
Name	Discrete_alarm_8	ID	8		
Alarm text	Cilinders niet in juiste toestand	Alarm class	Errors		
Alarm group	<No alarm group>				

  

--	--	--	--	--	--



Totally Integrated Automation Portal		
<div><div>HMI alarms</div><div>Analog alarms</div><div>This folder is empty.</div></div>		

# HMI alarms

## Alarm groups

### Alarm\_group\_1

General			
Name	Alarm_group_1	ID	1

### Alarm\_group\_10

General			
Name	Alarm_group_10	ID	10

### Alarm\_group\_11

General			
Name	Alarm_group_11	ID	11

### Alarm\_group\_12

General			
Name	Alarm_group_12	ID	12

### Alarm\_group\_13

General			
Name	Alarm_group_13	ID	13

### Alarm\_group\_14

General			
Name	Alarm_group_14	ID	14

### Alarm\_group\_15

General			
Name	Alarm_group_15	ID	15

### Alarm\_group\_16

General			
Name	Alarm_group_16	ID	16

### Alarm\_group\_2

General			
Name	Alarm_group_2	ID	2

### Alarm\_group\_3

General			
Name	Alarm_group_3	ID	3

### Alarm\_group\_4

General			
Name	Alarm_group_4	ID	4

### Alarm\_group\_5

General			
Name	Alarm_group_5	ID	5



## HMI alarms

### Alarm classes

#### Acknowledgement

General			
Name	Acknowledgement	Display name	A
ID	33	Common alarm class	Acknowledgement
Alarm log	<No log>		
Acknowledgment			
State machine	Alarm with single-mode acknowledg- ment		
State texts			
Text for "Incoming"	I	Text for "Outgoing"	O
Text for "Acknowl- edged"	A		
Colors			
Background "Incom- ing/Acknowledged"	255, 255, 255	Background "Incom- ing"	255, 0, 0
Background "Incom- ing/Outgoing/ Acknowledged"	255, 255, 255	Background "Incom- ing/Outgoing"	255, 0, 0

#### Errors

General			
Name	Errors	Display name	!
ID	1	Common alarm class	<No alarm class>
Alarm log	<No log>		
Acknowledgment			
State machine	Alarm with single-mode acknowledgment		
State texts			
Text for "Incoming"	I	Text for "Outgoing"	O
Text for "Acknowledged"	A		
Colors			
Background "Incoming/Acknowledged"	255, 255, 255	Background "Incoming"	255, 0, 0
Background "Incoming/Outgoing/Acknowledged"	255, 255, 255	Background "Incoming/Outgoing"	255, 0, 0

#### No Acknowledgement

General			
Name	No Acknowledgement	Display name	NA
ID	34	Common alarm class	No Acknowledgement
Alarm log	<No log>		
Acknowledgment			
State machine	Alarm without acknowledgment		
State texts			
Text for "Incoming"	I	Text for "Outgoing"	O
Text for "Acknowledged"	A		
Colors			
Background "Incoming/Acknowledged"	255, 255, 255	Background "Incoming"	255, 0, 0



Totally Integrated Automation Portal			
--------------------------------------	--	--	--

Background "Incoming/Outgoing/Acknowledged"	255, 255, 255	Background "Incoming/Outgoing"	255, 0, 0
---	---------------	--------------------------------	-----------

System

General			
Name	System	Display name	\$
ID	3	Common alarm class	<No alarm class>
Alarm log	<No log>		
Acknowledgment			
State machine	Alarm without acknowledgment		
State texts			
Text for "Incoming"	I	Text for "Outgoing"	O
Text for "Acknowledged"	A		
Colors			
Background "Incoming/Acknowledged"	255, 255, 255	Background "Incoming"	255, 255, 255
Background "Incoming/Outgoing/Acknowledged"	255, 255, 255	Background "Incoming/Outgoing"	255, 255, 255

Warnings

General			
Name	Warnings	Display name	
ID	2	Common alarm class	<No alarm class>
Alarm log	<No log>		
Acknowledgment			
State machine	Alarm without acknowledgment		
State texts			
Text for "Incoming"	I	Text for "Outgoing"	O
Text for "Acknowledged"	A		
Colors			
Background "Incoming/Acknowledged"	255, 255, 255	Background "Incoming"	255, 255, 255
Background "Incoming/Outgoing/Acknowledged"	255, 255, 255	Background "Incoming/Outgoing"	255, 255, 255

--	--	--

## HMI alarms

### System events

#### SystemEvent\_10000

General			
Name	SystemEvent_10000	ID	10000
Alarm text	Print: Unknown error %1.	Alarm class	System

#### SystemEvent\_10001

General			
Name	SystemEvent_10001	ID	10001
Alarm text	Printing not possible: no default printer available.	Alarm class	System

#### SystemEvent\_10002

General			
Name	SystemEvent_10002	ID	10002
Alarm text	Overflow: graphics will not be printed.	Alarm class	System

#### SystemEvent\_10003

General			
Name	SystemEvent_10003	ID	10003
Alarm text	Overflow status on printing of graphics ended.	Alarm class	System

#### SystemEvent\_10004

General			
Name	SystemEvent_10004	ID	10004
Alarm text	Overflow: lines in text mode will not be printed.	Alarm class	System

#### SystemEvent\_10005

General			
Name	SystemEvent_10005	ID	10005
Alarm text	Overflow status on printing of text lines ended.	Alarm class	System

#### SystemEvent\_10006

General			
Name	SystemEvent_10006	ID	10006
Alarm text	Printer error %1: %2.	Alarm class	System

#### SystemEvent\_10100

General			
Name	SystemEvent_10100	ID	10100
Alarm text	No.	Alarm class	System

#### SystemEvent\_10101

General			
Name	SystemEvent_10101	ID	10101
Alarm text	Time	Alarm class	System

## SystemEvent\_10102

## General

Name	SystemEvent_10102	ID	10102
Alarm text	Date	Alarm class	System

## SystemEvent\_10103

## General

Name	SystemEvent_10103	ID	10103
Alarm text	AGR	Alarm class	System

## SystemEvent\_10104

## General

Name	SystemEvent_10104	ID	10104
Alarm text	Status	Alarm class	System

## SystemEvent\_10105

## General

Name	SystemEvent_10105	ID	10105
Alarm text	PLC	Alarm class	System

## SystemEvent\_10106

## General

Name	SystemEvent_10106	ID	10106
Alarm text	Recipe	Alarm class	System

## SystemEvent\_10107

## General

Name	SystemEvent_10107	ID	10107
Alarm text	Data record	Alarm class	System

## SystemEvent\_10108

## General

Name	SystemEvent_10108	ID	10108
Alarm text	Tag	Alarm class	System

## SystemEvent\_10109

## General

Name	SystemEvent_10109	ID	10109
Alarm text	Type	Alarm class	System

## SystemEvent\_10110

## General

Name	SystemEvent_10110	ID	10110
Alarm text	Value	Alarm class	System

## SystemEvent\_10111

## General

Name	SystemEvent_10111	ID	10111
Alarm text	Number	Alarm class	System

## SystemEvent\_10112

## General

Name	SystemEvent_10112	ID	10112
Alarm text	Recipe does not contain any data records.	Alarm class	System

## SystemEvent\_10113

## General

Name	SystemEvent_10113	ID	10113
Alarm text	Recipe does not contain data record %1.	Alarm class	System

## SystemEvent\_10114

## General

Name	SystemEvent_10114	ID	10114
Alarm text	There are no recipes.	Alarm class	System

## SystemEvent\_10115

## General

Name	SystemEvent_10115	ID	10115
Alarm text	There are no data records with numbers between %1 and %2.	Alarm class	System

## SystemEvent\_10116

## General

Name	SystemEvent_10116	ID	10116
Alarm text	Name	Alarm class	System

## SystemEvent\_10117

## General

Name	SystemEvent_10117	ID	10117
Alarm text	RecordID	Alarm class	System

## SystemEvent\_10118

## General

Name	SystemEvent_10118	ID	10118
Alarm text	Time stamp	Alarm class	System

## SystemEvent\_10119

## General

Name	SystemEvent_10119	ID	10119
Alarm text	DeltaToUTC	Alarm class	System

## SystemEvent\_10120

## General

Name	SystemEvent_10120	ID	10120
Alarm text	UserID	Alarm class	System

## SystemEvent\_10121

## General

Name	SystemEvent_10121	ID	10121
Alarm text	ObjectID	Alarm class	System

Totally Integrated Automation Portal		
<b>SystemEvent_10122</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_10122	<b>ID</b> 10122
<b>Alarm text</b>	Description	<b>Alarm class</b> System
<b>SystemEvent_10123</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_10123	<b>ID</b> 10123
<b>Alarm text</b>	Comments	<b>Alarm class</b> System
<b>SystemEvent_110000</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_110000	<b>ID</b> 110000
<b>Alarm text</b>	Change to operating mode 'offline'.	<b>Alarm class</b> System
<b>SystemEvent_110001</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_110001	<b>ID</b> 110001
<b>Alarm text</b>	Change to operating mode 'online'.	<b>Alarm class</b> System
<b>SystemEvent_110002</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_110002	<b>ID</b> 110002
<b>Alarm text</b>	Cannot change operating mode.	<b>Alarm class</b> System
<b>SystemEvent_110003</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_110003	<b>ID</b> 110003
<b>Alarm text</b>	Controller %1: Change to operating mode 'offline'.	<b>Alarm class</b> System
<b>SystemEvent_110004</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_110004	<b>ID</b> 110004
<b>Alarm text</b>	Controller %1: Change to operating mode 'online'.	<b>Alarm class</b> System
<b>SystemEvent_110005</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_110005	<b>ID</b> 110005
<b>Alarm text</b>	Controller %1: The operating mode could not be changed.	<b>Alarm class</b> System
<b>SystemEvent_110006</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_110006	<b>ID</b> 110006
<b>Alarm text</b>	Invalid project ID. Terminating WinCC Runtime.	<b>Alarm class</b> System
<b>SystemEvent_120000</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_120000	<b>ID</b> 120000
<b>Alarm text</b>	Trend no. %1 cannot be displayed referenced to a time axis.	<b>Alarm class</b> System

## SystemEvent\_120001

## General

Name	SystemEvent_120001	ID	120001
Alarm text	Trend no. %1 required to display a time axis.	Alarm class	System

## SystemEvent\_120002

## General

Name	SystemEvent_120002	ID	120002
Alarm text	Trend %1: PLC address error.	Alarm class	System

## SystemEvent\_120003

## General

Name	SystemEvent_120003	ID	120003
Alarm text	Trend	Alarm class	System

## SystemEvent\_120004

## General

Name	SystemEvent_120004	ID	120004
Alarm text	Tag connection	Alarm class	System

## SystemEvent\_120005

## General

Name	SystemEvent_120005	ID	120005
Alarm text	Value	Alarm class	System

## SystemEvent\_120006

## General

Name	SystemEvent_120006	ID	120006
Alarm text	X value	Alarm class	System

## SystemEvent\_120007

## General

Name	SystemEvent_120007	ID	120007
Alarm text	Date/Time	Alarm class	System

## SystemEvent\_130000

## General

Name	SystemEvent_130000	ID	130000
Alarm text	Insufficient RAM space available.	Alarm class	System

## SystemEvent\_130001

## General

Name	SystemEvent_130001	ID	130001
Alarm text	Insufficient hard disk space available.	Alarm class	System

## SystemEvent\_130002

## General

Name	SystemEvent_130002	ID	130002
Alarm text	Insufficient virtual memory available.	Alarm class	System

## SystemEvent\_130003

## General

Name	SystemEvent_130003	ID	130003
Alarm text	Error: No data medium inserted. Operation will be aborted.	Alarm class	System

## SystemEvent\_130004

## General

Name	SystemEvent_130004	ID	130004
Alarm text	Error: The floppy disk is write-protected. Operation will be aborted.	Alarm class	System

## SystemEvent\_130005

## General

Name	SystemEvent_130005	ID	130005
Alarm text	Error: The file is write-protected. Operation will be aborted.	Alarm class	System

## SystemEvent\_130006

## General

Name	SystemEvent_130006	ID	130006
Alarm text	Error. File access violation. Operation will be aborted.	Alarm class	System

## SystemEvent\_130007

## General

Name	SystemEvent_130007	ID	130007
Alarm text	Error: Network connection interrupted.	Alarm class	System

## SystemEvent\_130008

## General

Name	SystemEvent_130008	ID	130008
Alarm text	Error: Storage card not available.	Alarm class	System

## SystemEvent\_130009

## General

Name	SystemEvent_130009	ID	130009
Alarm text	Error: Storage card directory not on a storage card.	Alarm class	System

## SystemEvent\_130010

## General

Name	SystemEvent_130010	ID	130010
Alarm text	Error: Maximum nesting depth exceeded.	Alarm class	System

## SystemEvent\_130011

## General

Name	SystemEvent_130011	ID	130011
Alarm text	SIMATIC WinCC Runtime	Alarm class	System

**SystemEvent\_130012****General**

<b>Name</b>	SystemEvent_130012	<b>ID</b>	130012
<b>Alarm text</b>	You must exit WinCC Runtime before you can place the computer in standby mode.	<b>Alarm class</b>	System

**SystemEvent\_130013****General**

<b>Name</b>	SystemEvent_130013	<b>ID</b>	130013
<b>Alarm text</b>	Storage card not available: %1	<b>Alarm class</b>	System

**SystemEvent\_140000****General**

<b>Name</b>	SystemEvent_140000	<b>ID</b>	140000
<b>Alarm text</b>	Connection established: %1, Station %2, Rack %3, Slot %4.	<b>Alarm class</b>	System

**SystemEvent\_140001****General**

<b>Name</b>	SystemEvent_140001	<b>ID</b>	140001
<b>Alarm text</b>	Connection disconnected: %1, Station %2, Rack %3, Slot %4.	<b>Alarm class</b>	System

**SystemEvent\_140003****General**

<b>Name</b>	SystemEvent_140003	<b>ID</b>	140003
<b>Alarm text</b>	General connection error %1.	<b>Alarm class</b>	System

**SystemEvent\_140004****General**

<b>Name</b>	SystemEvent_140004	<b>ID</b>	140004
<b>Alarm text</b>	Incorrect access point or module configuration.	<b>Alarm class</b>	System

**SystemEvent\_140005****General**

<b>Name</b>	SystemEvent_140005	<b>ID</b>	140005
<b>Alarm text</b>	Incorrect HMI device address.	<b>Alarm class</b>	System

**SystemEvent\_140006****General**

<b>Name</b>	SystemEvent_140006	<b>ID</b>	140006
<b>Alarm text</b>	Invalid baud rate.	<b>Alarm class</b>	System

**SystemEvent\_140007****General**

<b>Name</b>	SystemEvent_140007	<b>ID</b>	140007
<b>Alarm text</b>	Error in bus profile, error code: %1.	<b>Alarm class</b>	System

**SystemEvent\_140008****General**

<b>Name</b>	SystemEvent_140008	<b>ID</b>	140008
-------------	--------------------	-----------	--------



Totally Integrated Automation Portal		
Alarm text	Error in configuration data on bus profile, error code: %1.	Alarm class System
<b>SystemEvent_140009</b>		
<b>General</b>		
Name	SystemEvent_140009	ID 140009
Alarm text	Module for S7 communication not found.	Alarm class System
<b>SystemEvent_140010</b>		
<b>General</b>		
Name	SystemEvent_140010	ID 140010
Alarm text	No S7 communication peer found.	Alarm class System
<b>SystemEvent_140011</b>		
<b>General</b>		
Name	SystemEvent_140011	ID 140011
Alarm text	Interference on bus.	Alarm class System
<b>SystemEvent_140012</b>		
<b>General</b>		
Name	SystemEvent_140012	ID 140012
Alarm text	Communication drivers cannot be loaded.	Alarm class System
<b>SystemEvent_140013</b>		
<b>General</b>		
Name	SystemEvent_140013	ID 140013
Alarm text	PC/TS adapter does not respond.	Alarm class System
<b>SystemEvent_140014</b>		
<b>General</b>		
Name	SystemEvent_140014	ID 140014
Alarm text	Configured bus address already assigned.	Alarm class System
<b>SystemEvent_140015</b>		
<b>General</b>		
Name	SystemEvent_140015	ID 140015
Alarm text	Incorrect baud rate or interrupt number set.	Alarm class System
<b>SystemEvent_140016</b>		
<b>General</b>		
Name	SystemEvent_140016	ID 140016
Alarm text	Configured interrupt is not supported by the hardware.	Alarm class System
<b>SystemEvent_140017</b>		
<b>General</b>		
Name	SystemEvent_140017	ID 140017
Alarm text	Configured interrupt in used by another driver.	Alarm class System

## SystemEvent\_140018

## General

Name	SystemEvent_140018	ID	140018
Alarm text	Consistency check disabled: %1.	Alarm class	System

## SystemEvent\_140019

## General

Name	SystemEvent_140019	ID	140019
Alarm text	Reconfiguration of PLC: %1.	Alarm class	System

## SystemEvent\_140020

## General

Name	SystemEvent_140020	ID	140020
Alarm text	Error in consistency check or reconfiguration running: %1.	Alarm class	System

## SystemEvent\_140021

## General

Name	SystemEvent_140021	ID	140021
Alarm text	The legitimization of connection %1 failed. The password is incorrect!	Alarm class	System

## SystemEvent\_140022

## General

Name	SystemEvent_140022	ID	140022
Alarm text	The PLC is protected. A password must be configured for connection %1!	Alarm class	System

## SystemEvent\_140023

## General

Name	SystemEvent_140023	ID	140023
Alarm text	Error during time synchronization: The system time of PLC %1 could not be read.	Alarm class	System

## SystemEvent\_140024

## General

Name	SystemEvent_140024	ID	140024
Alarm text	Error during time synchronization: The system time of PLC %1 could not be written.	Alarm class	System

## SystemEvent\_140025

## General

Name	SystemEvent_140025	ID	140025
Alarm text	Legitimation of connection %1 failed. The password is locked. Please unlock it locally (for example, on the display).	Alarm class	System

## SystemEvent\_150000

## General

Name	SystemEvent_150000	ID	150000
Alarm text	Connection to interface %1 is interrupted.	Alarm class	System

## SystemEvent\_150001

## General

Name	SystemEvent_150001	ID	150001
Alarm text	Connection to interface %1 is restored.	Alarm class	System

## SystemEvent\_150100

## General

Name	SystemEvent_150100	ID	150100
Alarm text	The third party driver does not match the image. Please execute an operating system update.	Alarm class	System

## SystemEvent\_160000

## General

Name	SystemEvent_160000	ID	160000
Alarm text	Connection to PLC %1 %2 is interrupted.	Alarm class	System

## SystemEvent\_160001

## General

Name	SystemEvent_160001	ID	160001
Alarm text	Connection to PLC %1 %2 is restored.	Alarm class	System

## SystemEvent\_160010

## General

Name	SystemEvent_160010	ID	160010
Alarm text	No connection, access to %1 %2 denied.	Alarm class	System

## SystemEvent\_160011

## General

Name	SystemEvent_160011	ID	160011
Alarm text	No connection, server %1 %2 not registered.	Alarm class	System

## SystemEvent\_160012

## General

Name	SystemEvent_160012	ID	160012
Alarm text	No connection to %1 %2, error code: %3.	Alarm class	System

## SystemEvent\_160013

## General

Name	SystemEvent_160013	ID	160013
Alarm text	Warning: InProc activation of server %1 not released.	Alarm class	System

## SystemEvent\_160014

## General

Name	SystemEvent_160014	ID	160014
Alarm text	OPC server project already started. Second OPC server not possible.	Alarm class	System

**SystemEvent\_160015****General**

<b>Name</b>	SystemEvent_160015	<b>ID</b>	160015
<b>Alarm text</b>	The time stamps of the client and the OPC UA server do not match.	<b>Alarm class</b>	System

**SystemEvent\_160016****General**

<b>Name</b>	SystemEvent_160016	<b>ID</b>	160016
<b>Alarm text</b>	Error in the OPC UA connection. Off-line mode will be activated.	<b>Alarm class</b>	System

**SystemEvent\_160017****General**

<b>Name</b>	SystemEvent_160017	<b>ID</b>	160017
<b>Alarm text</b>	OPC UA connection error: Unable to establish connection to server %1.	<b>Alarm class</b>	System

**SystemEvent\_170000****General**

<b>Name</b>	SystemEvent_170000	<b>ID</b>	170000
<b>Alarm text</b>	%1 Logon to S7 diagnostics not possible.	<b>Alarm class</b>	System

**SystemEvent\_170001****General**

<b>Name</b>	SystemEvent_170001	<b>ID</b>	170001
<b>Alarm text</b>	%1 Cannot read diagnostics buffer: PLC not online.	<b>Alarm class</b>	System

**SystemEvent\_170002****General**

<b>Name</b>	SystemEvent_170002	<b>ID</b>	170002
<b>Alarm text</b>	%1 Cannot read diagnostics buffer, error code: %2.	<b>Alarm class</b>	System

**SystemEvent\_170003****General**

<b>Name</b>	SystemEvent_170003	<b>ID</b>	170003
<b>Alarm text</b>	%1 Diagnostics not possible, error code: %2.	<b>Alarm class</b>	System

**SystemEvent\_170004****General**

<b>Name</b>	SystemEvent_170004	<b>ID</b>	170004
<b>Alarm text</b>	%1 Diagnostics not possible, error code: %2,%3.	<b>Alarm class</b>	System

**SystemEvent\_170007****General**

<b>Name</b>	SystemEvent_170007	<b>ID</b>	170007
<b>Alarm text</b>	%1 Reading of diagnostics buffer not possible, error code: %2,%3.	<b>Alarm class</b>	System

## SystemEvent\_170008

## General

Name	SystemEvent_170008	ID	170008
Alarm text	Error while reading the diagnostic buffer.	Alarm class	System

## SystemEvent\_180000

## General

Name	SystemEvent_180000	ID	180000
Alarm text	Component %1: data version %2 is not supported.	Alarm class	System

## SystemEvent\_180001

## General

Name	SystemEvent_180001	ID	180001
Alarm text	Overload: Too many simultaneous actions.	Alarm class	System

## SystemEvent\_180002

## General

Name	SystemEvent_180002	ID	180002
Alarm text	Screen keyboard not available.	Alarm class	System

## SystemEvent\_180003

## General

Name	SystemEvent_180003	ID	180003
Alarm text	unknown	Alarm class	System

## SystemEvent\_190000

## General

Name	SystemEvent_190000	ID	190000
Alarm text	Tag %1: unknown error.	Alarm class	System

## SystemEvent\_190001

## General

Name	SystemEvent_190001	ID	190001
Alarm text	Tag %1: error status ended.	Alarm class	System

## SystemEvent\_190002

## General

Name	SystemEvent_190002	ID	190002
Alarm text	Tag %1: no processing because PLC is not online.	Alarm class	System

## SystemEvent\_190004

## General

Name	SystemEvent_190004	ID	190004
Alarm text	Tag %1: PLC address error.	Alarm class	System

## SystemEvent\_190005

## General

Name	SystemEvent_190005	ID	190005
Alarm text	Tag %1: unknown PLC type.	Alarm class	System

## SystemEvent\_190006

## General

Name	SystemEvent_190006	ID	190006
Alarm text	Tag %1: data type of tag does not match PLC type.	Alarm class	System

## SystemEvent\_190007

## General

Name	SystemEvent_190007	ID	190007
Alarm text	Tag %1: value change not possible.	Alarm class	System

## SystemEvent\_190008

## General

Name	SystemEvent_190008	ID	190008
Alarm text	Tag %1: limit violation. Currently [%2 - %3].	Alarm class	System

## SystemEvent\_190009

## General

Name	SystemEvent_190009	ID	190009
Alarm text	Tag %1: maximum value range exceeded.	Alarm class	System

## SystemEvent\_190010

## General

Name	SystemEvent_190010	ID	190010
Alarm text	Tag %1: overflow, values are lost.	Alarm class	System

## SystemEvent\_190011

## General

Name	SystemEvent_190011	ID	190011
Alarm text	Tag %1: value could not be written to the PLC.	Alarm class	System

## SystemEvent\_190012

## General

Name	SystemEvent_190012	ID	190012
Alarm text	Tag %1: conversion error.	Alarm class	System

## SystemEvent\_190013

## General

Name	SystemEvent_190013	ID	190013
Alarm text	Tag %1: String length exceeded. String has been shortened to %2 characters.	Alarm class	System

## SystemEvent\_190100

## General

Name	SystemEvent_190100	ID	190100
Alarm text	Area pointer type: %1, no. %2 PLC address error.	Alarm class	System

## SystemEvent\_190101

## General

Name	SystemEvent_190101	ID	190101
Alarm text	Area pointer type: %1, no. %2 internal error.	Alarm class	System

## SystemEvent\_190102

## General

Name	SystemEvent_190102	ID	190102
Alarm text	Area pointer type: %1, no. %2 error status ended.	Alarm class	System

## SystemEvent\_200000

## General

Name	SystemEvent_200000	ID	200000
Alarm text	%1: address for area pointer not available.	Alarm class	System

## SystemEvent\_200001

## General

Name	SystemEvent_200001	ID	200001
Alarm text	%1: cannot write to area pointer.	Alarm class	System

## SystemEvent\_200002

## General

Name	SystemEvent_200002	ID	200002
Alarm text	%1: error during type conversion.	Alarm class	System

## SystemEvent\_200003

## General

Name	SystemEvent_200003	ID	200003
Alarm text	%1: error status ended.	Alarm class	System

## SystemEvent\_200004

## General

Name	SystemEvent_200004	ID	200004
Alarm text	%1: unknown error.	Alarm class	System

## SystemEvent\_200005

## General

Name	SystemEvent_200005	ID	200005
Alarm text	%1: connection faulty.	Alarm class	System

## SystemEvent\_20010

## General

Name	SystemEvent_20010	ID	20010
Alarm text	Error %1 in script <%2> in line %3.	Alarm class	System

## SystemEvent\_200100

## General

Name	SystemEvent_200100	ID	200100
Alarm text	No address for 'Project ID' area pointer.	Alarm class	System

## SystemEvent\_200101

## General

Name	SystemEvent_200101	ID	200101
Alarm text	Cannot write 'Project ID' area pointer.	Alarm class	System

## SystemEvent\_200102

## General

Name	SystemEvent_200102	ID	200102
Alarm text	'Project ID' area pointer: Error in type conversion.	Alarm class	System

## SystemEvent\_200103

## General

Name	SystemEvent_200103	ID	200103
Alarm text	'Project ID' area pointer: Error state closed.	Alarm class	System

## SystemEvent\_200104

## General

Name	SystemEvent_200104	ID	200104
Alarm text	'Project ID' area pointer: Unknown error.	Alarm class	System

## SystemEvent\_200105

## General

Name	SystemEvent_200105	ID	200105
Alarm text	'Project ID' area pointer: Connection error.	Alarm class	System

## SystemEvent\_20011

## General

Name	SystemEvent_20011	ID	20011
Alarm text	Error %1 in line %2 of called script <%3> of script <%4>.	Alarm class	System

## SystemEvent\_20012

## General

Name	SystemEvent_20012	ID	20012
Alarm text	Error in script <%1> during access to tag/system function.	Alarm class	System

## SystemEvent\_20013

## General

Name	SystemEvent_20013	ID	20013
Alarm text	Error creating scripts; error code: %1.	Alarm class	System

## SystemEvent\_20014

## General

Name	SystemEvent_20014	ID	20014
Alarm text	Return value of script <%1> could not be assigned.	Alarm class	System



## SystemEvent\_20015

## General

Name	SystemEvent_20015	ID	20015
Alarm text	Overflow: script <%1> is rejected.	Alarm class	System

## SystemEvent\_20016

## General

Name	SystemEvent_20016	ID	20016
Alarm text	Warning: script <%1> has already been running longer than %2 seconds.	Alarm class	System

## SystemEvent\_210000

## General

Name	SystemEvent_210000	ID	210000
Alarm text	'Job mailbox' area pointer for connection %1: No address for area pointer.	Alarm class	System

## SystemEvent\_210001

## General

Name	SystemEvent_210001	ID	210001
Alarm text	'Job mailbox' area pointer for connection %1: Cannot read/write area pointer.	Alarm class	System

## SystemEvent\_210002

## General

Name	SystemEvent_210002	ID	210002
Alarm text	'Job mailbox' area pointer for connection %1: Error in type conversion.	Alarm class	System

## SystemEvent\_210003

## General

Name	SystemEvent_210003	ID	210003
Alarm text	'Job mailbox' area pointer for connection %1: Error state closed.	Alarm class	System

## SystemEvent\_210004

## General

Name	SystemEvent_210004	ID	210004
Alarm text	'Job mailbox' area pointer for connection %1: Unknown error.	Alarm class	System

## SystemEvent\_210005

## General

Name	SystemEvent_210005	ID	210005
Alarm text	Job mailbox no: %1 invalid.	Alarm class	System

## SystemEvent\_210006

## General

Name	SystemEvent_210006	ID	210006
Alarm text	Job mailbox no. %1 terminated with error.	Alarm class	System

## SystemEvent\_220000

## General

Name	SystemEvent_220000	ID	220000
Alarm text	Communication driver alarm: %1.	Alarm class	System

## SystemEvent\_220001

## General

Name	SystemEvent_220001	ID	220001
Alarm text	Communication driver %1: writing to data type bool/bit not supported.	Alarm class	System

## SystemEvent\_220002

## General

Name	SystemEvent_220002	ID	220002
Alarm text	Communication driver %1: writing to data type byte not supported.	Alarm class	System

## SystemEvent\_220003

## General

Name	SystemEvent_220003	ID	220003
Alarm text	Communication driver %1: loading failed.	Alarm class	System

## SystemEvent\_220004

## General

Name	SystemEvent_220004	ID	220004
Alarm text	Communication driver %1: connection interrupted.	Alarm class	System

## SystemEvent\_220005

## General

Name	SystemEvent_220005	ID	220005
Alarm text	Communication driver %1: connection established.	Alarm class	System

## SystemEvent\_220006

## General

Name	SystemEvent_220006	ID	220006
Alarm text	Connection to PLC %1 (%2) is established.	Alarm class	System

## SystemEvent\_220007

## General

Name	SystemEvent_220007	ID	220007
Alarm text	Connection to PLC %1 (%2) is interrupted.	Alarm class	System

## SystemEvent\_220008

## General

Name	SystemEvent_220008	ID	220008
Alarm text	Interface %1 cannot be opened.	Alarm class	System

**SystemEvent\_220009****General**

<b>Name</b>	SystemEvent_220009	<b>ID</b>	220009
<b>Alarm text</b>	The format of the communication path is invalid.	<b>Alarm class</b>	System

**SystemEvent\_230000****General**

<b>Name</b>	SystemEvent_230000	<b>ID</b>	230000
<b>Alarm text</b>	Invalid entry.	<b>Alarm class</b>	System

**SystemEvent\_230002****General**

<b>Name</b>	SystemEvent_230002	<b>ID</b>	230002
<b>Alarm text</b>	Entry rejected.	<b>Alarm class</b>	System

**SystemEvent\_230003****General**

<b>Name</b>	SystemEvent_230003	<b>ID</b>	230003
<b>Alarm text</b>	Screen not available.	<b>Alarm class</b>	System

**SystemEvent\_230005****General**

<b>Name</b>	SystemEvent_230005	<b>ID</b>	230005
<b>Alarm text</b>	Value range exceeded. Valid range [%1 - %2].	<b>Alarm class</b>	System

**SystemEvent\_230100****General**

<b>Name</b>	SystemEvent_230100	<b>ID</b>	230100
<b>Alarm text</b>	Message from Web browser: %1, %2.	<b>Alarm class</b>	System

**SystemEvent\_230200****General**

<b>Name</b>	SystemEvent_230200	<b>ID</b>	230200
<b>Alarm text</b>	The connection from %1 to %2 is interrupted.	<b>Alarm class</b>	System

**SystemEvent\_230201****General**

<b>Name</b>	SystemEvent_230201	<b>ID</b>	230201
<b>Alarm text</b>	The connection from %1 to %2 has been reestablished.	<b>Alarm class</b>	System

**SystemEvent\_230202****General**

<b>Name</b>	SystemEvent_230202	<b>ID</b>	230202
<b>Alarm text</b>	An error has occurred. WININET.DLL reports the following error: number : %1 text:%2.	<b>Alarm class</b>	System

**SystemEvent\_230203****General**

<b>Name</b>	SystemEvent_230203	<b>ID</b>	230203
-------------	--------------------	-----------	--------

Totally Integrated Automation Portal			
Alarm text	An error has occurred. The HTTP server reports the following error: number : %1 text:%2.	Alarm class	System
<b>SystemEvent_230300</b>			
<b>General</b>			
Name	SystemEvent_230300	ID	230300
Alarm text	Error in the remote display.	Alarm class	System
<b>SystemEvent_230301</b>			
<b>General</b>			
Name	SystemEvent_230301	ID	230301
Alarm text	An internal error has occurred: %1. No connection possible.	Alarm class	System
<b>SystemEvent_230302</b>			
<b>General</b>			
Name	SystemEvent_230302	ID	230302
Alarm text	Cannot determine the address of the remote server. No connection possible.	Alarm class	System
<b>SystemEvent_230303</b>			
<b>General</b>			
Name	SystemEvent_230303	ID	230303
Alarm text	The connection to the remote server has failed. No connection possible.	Alarm class	System
<b>SystemEvent_230304</b>			
<b>General</b>			
Name	SystemEvent_230304	ID	230304
Alarm text	The remote server is incompatible. No connection possible.	Alarm class	System
<b>SystemEvent_230305</b>			
<b>General</b>			
Name	SystemEvent_230305	ID	230305
Alarm text	The authentication has failed. Password incorrect.	Alarm class	System
<b>SystemEvent_230306</b>			
<b>General</b>			
Name	SystemEvent_230306	ID	230306
Alarm text	The connection to the remote server has been interrupted. Connection no longer possible.	Alarm class	System
<b>SystemEvent_230307</b>			
<b>General</b>			
Name	SystemEvent_230307	ID	230307
Alarm text	The remote server has closed the connection.	Alarm class	System

**SystemEvent\_230308****General**

<b>Name</b>	SystemEvent_230308	<b>ID</b>	230308
<b>Alarm text</b>	Establishing connection to remote server %1.	<b>Alarm class</b>	System

**SystemEvent\_230350****General**

<b>Name</b>	SystemEvent_230350	<b>ID</b>	230350
<b>Alarm text</b>	An encrypted connection was established to the VNC server %1.	<b>Alarm class</b>	System

**SystemEvent\_230351****General**

<b>Name</b>	SystemEvent_230351	<b>ID</b>	230351
<b>Alarm text</b>	A non-encrypted connection was established to the VNC server %1.	<b>Alarm class</b>	System

**SystemEvent\_230400****General**

<b>Name</b>	SystemEvent_230400	<b>ID</b>	230400
<b>Alarm text</b>	New	<b>Alarm class</b>	System

**SystemEvent\_230401****General**

<b>Name</b>	SystemEvent_230401	<b>ID</b>	230401
<b>Alarm text</b>	Save	<b>Alarm class</b>	System

**SystemEvent\_230402****General**

<b>Name</b>	SystemEvent_230402	<b>ID</b>	230402
<b>Alarm text</b>	Delete	<b>Alarm class</b>	System

**SystemEvent\_230403****General**

<b>Name</b>	SystemEvent_230403	<b>ID</b>	230403
<b>Alarm text</b>	To PLC	<b>Alarm class</b>	System

**SystemEvent\_230404****General**

<b>Name</b>	SystemEvent_230404	<b>ID</b>	230404
<b>Alarm text</b>	From PLC	<b>Alarm class</b>	System

**SystemEvent\_230405****General**

<b>Name</b>	SystemEvent_230405	<b>ID</b>	230405
<b>Alarm text</b>	Save As	<b>Alarm class</b>	System

**SystemEvent\_230406****General**

<b>Name</b>	SystemEvent_230406	<b>ID</b>	230406
<b>Alarm text</b>	Rename	<b>Alarm class</b>	System

## SystemEvent\_230407

## General

Name	SystemEvent_230407	ID	230407
Alarm text	Display help	Alarm class	System

## SystemEvent\_230408

## General

Name	SystemEvent_230408	ID	230408
Alarm text	Back	Alarm class	System

## SystemEvent\_230409

## General

Name	SystemEvent_230409	ID	230409
Alarm text	Open	Alarm class	System

## SystemEvent\_230500

## General

Name	SystemEvent_230500	ID	230500
Alarm text	<ENTER>	Alarm class	System

## SystemEvent\_230501

## General

Name	SystemEvent_230501	ID	230501
Alarm text	<New user>	Alarm class	System

## SystemEvent\_240000

## General

Name	SystemEvent_240000	ID	240000
Alarm text	No License Key available. %1	Alarm class	System

## SystemEvent\_240001

## General

Name	SystemEvent_240001	ID	240001
Alarm text	Too many tags (Powertags) have been configured.	Alarm class	System

## SystemEvent\_240002

## General

Name	SystemEvent_240002	ID	240002
Alarm text	%1	Alarm class	System

## SystemEvent\_240003

## General

Name	SystemEvent_240003	ID	240003
Alarm text	Authorization: Internal error %1.	Alarm class	System

## SystemEvent\_240004

## General

Name	SystemEvent_240004	ID	240004
Alarm text	Backup authorization defective, error code: %1.	Alarm class	System

## SystemEvent\_240005

## General

Name	SystemEvent_240005	ID	240005
Alarm text	WinCC Runtime has detected a problem with Automation License Manager. Please reinstall Automation License Manager.	Alarm class	System

## SystemEvent\_250000

## General

Name	SystemEvent_250000	ID	250000
Alarm text	PLC address error in line %1.	Alarm class	System

## SystemEvent\_250001

## General

Name	SystemEvent_250001	ID	250001
Alarm text	Unknown PLC type in line %1.	Alarm class	System

## SystemEvent\_250002

## General

Name	SystemEvent_250002	ID	250002
Alarm text	Tag type in line %1 does not match PLC type.	Alarm class	System

## SystemEvent\_250003

## General

Name	SystemEvent_250003	ID	250003
Alarm text	Connection to PLC has failed.	Alarm class	System

## SystemEvent\_260000

## General

Name	SystemEvent_260000	ID	260000
Alarm text	Invalid password or user name. Logon has failed.	Alarm class	System

## SystemEvent\_260001

## General

Name	SystemEvent_260001	ID	260001
Alarm text	You have insufficient authorization.	Alarm class	System

## SystemEvent\_260002

## General

Name	SystemEvent_260002	ID	260002
Alarm text	User '%1' logged on with group '%2'.	Alarm class	System

## SystemEvent\_260003

## General

Name	SystemEvent_260003	ID	260003
Alarm text	User logged off.	Alarm class	System

## SystemEvent\_260004

## General

Name	SystemEvent_260004	ID	260004
------	--------------------	----	--------

Totally Integrated Automation Portal		
Alarm text	This user name already exists. Please enter another user name.	Alarm classSystem
SystemEvent_260005		
General		
Name	SystemEvent_260005	ID260005
Alarm text	The length of the user name must be between 1 and 40 characters.	Alarm classSystem
SystemEvent_260006		
General		
Name	SystemEvent_260006	ID260006
Alarm text	Permitted length of password from %1 to %2 characters is too short or has been exceeded.	Alarm classSystem
SystemEvent_260007		
General		
Name	SystemEvent_260007	ID260007
Alarm text	The logoff time must be between 0 and 60 minutes.	Alarm classSystem
SystemEvent_260008		
General		
Name	SystemEvent_260008	ID260008
Alarm text	The file format of 'PTProRun.pwl' is not compatible. Reading of file canceled.	Alarm classSystem
SystemEvent_260009		
General		
Name	SystemEvent_260009	ID260009
Alarm text	User cannot be deleted.	Alarm classSystem
SystemEvent_260010		
General		
Name	SystemEvent_260010	ID260010
Alarm text	PLC User	Alarm classSystem
SystemEvent_260011		
General		
Name	SystemEvent_260011	ID260011
Alarm text	PLC Password	Alarm classSystem
SystemEvent_260012		
General		
Name	SystemEvent_260012	ID260012
Alarm text	The entered passwords are not identical.	Alarm classSystem
SystemEvent_260013		
General		
Name	SystemEvent_260013	ID260013
Alarm text	The entered password is invalid because it is already in use.	Alarm classSystem



## SystemEvent\_260014

## General

Name	SystemEvent_260014	ID	260014
Alarm text	User '%1' has failed to log on successfully %2 times. The user has been logged out and assigned to group '%3'.	Alarm class	System

## SystemEvent\_260015

## General

Name	SystemEvent_260015	ID	260015
Alarm text	User administration	Alarm class	System

## SystemEvent\_260016

## General

Name	SystemEvent_260016	ID	260016
Alarm text	User '%1' has failed to log on successfully %2 times.	Alarm class	System

## SystemEvent\_260017

## General

Name	SystemEvent_260017	ID	260017
Alarm text	Password of user '%1' has been changed.	Alarm class	System

## SystemEvent\_260018

## General

Name	SystemEvent_260018	ID	260018
Alarm text	User '%1' has been set up with group '%2' and logoff time = %3 min.	Alarm class	System

## SystemEvent\_260019

## General

Name	SystemEvent_260019	ID	260019
Alarm text	User '%1' has been deleted.	Alarm class	System

## SystemEvent\_260020

## General

Name	SystemEvent_260020	ID	260020
Alarm text	The group of user '%1' has been changed from '%2' to '%3'.	Alarm class	System

## SystemEvent\_260021

## General

Name	SystemEvent_260021	ID	260021
Alarm text	The logoff time of user '%1' has been changed from %2 min. to %3 min.	Alarm class	System

## SystemEvent\_260022

## General

Name	SystemEvent_260022	ID	260022
Alarm text	User '%1' has been renamed to '%2'.	Alarm class	System

**SystemEvent\_260023****General**

<b>Name</b>	SystemEvent_260023	<b>ID</b>	260023
<b>Alarm text</b>	Unauthorized	<b>Alarm class</b>	System

**SystemEvent\_260024****General**

<b>Name</b>	SystemEvent_260024	<b>ID</b>	260024
<b>Alarm text</b>	The password has to have at least one number.	<b>Alarm class</b>	System

**SystemEvent\_260025****General**

<b>Name</b>	SystemEvent_260025	<b>ID</b>	260025
<b>Alarm text</b>	The password has to have at least %1 characters.	<b>Alarm class</b>	System

**SystemEvent\_260026****General**

<b>Name</b>	SystemEvent_260026	<b>ID</b>	260026
<b>Alarm text</b>	The password has to have at least one special character.	<b>Alarm class</b>	System

**SystemEvent\_260027****General**

<b>Name</b>	SystemEvent_260027	<b>ID</b>	260027
<b>Alarm text</b>	User settings	<b>Alarm class</b>	System

**SystemEvent\_260028****General**

<b>Name</b>	SystemEvent_260028	<b>ID</b>	260028
<b>Alarm text</b>	SIMATIC Logon: Server is not available. Only logon by a local user is possible.	<b>Alarm class</b>	System

**SystemEvent\_260029****General**

<b>Name</b>	SystemEvent_260029	<b>ID</b>	260029
<b>Alarm text</b>	SIMATIC Logon: User is not assigned to any specific group. User will be logged off.	<b>Alarm class</b>	System

**SystemEvent\_260030****General**

<b>Name</b>	SystemEvent_260030	<b>ID</b>	260030
<b>Alarm text</b>	SIMATIC Logon: Password could not be changed. User will be logged off.	<b>Alarm class</b>	System

**SystemEvent\_260031****General**

<b>Name</b>	SystemEvent_260031	<b>ID</b>	260031
<b>Alarm text</b>	SIMATIC Logon: User could not be logged on.	<b>Alarm class</b>	System

**SystemEvent\_260032****General**

<b>Name</b>	SystemEvent_260032	<b>ID</b>	260032
<b>Alarm text</b>	SIMATIC Logon: User could not be logged on. The user account is blocked.	<b>Alarm class</b>	System

**SystemEvent\_260033****General**

<b>Name</b>	SystemEvent_260033	<b>ID</b>	260033
<b>Alarm text</b>	SIMATIC Logon: Error	<b>Alarm class</b>	System

**SystemEvent\_260034****General**

<b>Name</b>	SystemEvent_260034	<b>ID</b>	260034
<b>Alarm text</b>	A logon operation is currently active. Please wait.	<b>Alarm class</b>	System

**SystemEvent\_260035****General**

<b>Name</b>	SystemEvent_260035	<b>ID</b>	260035
<b>Alarm text</b>	Attempting to change the password. Please wait.	<b>Alarm class</b>	System

**SystemEvent\_260036****General**

<b>Name</b>	SystemEvent_260036	<b>ID</b>	260036
<b>Alarm text</b>	Check the licenses on the SIMATIC Logon Server. A logon was still possible.	<b>Alarm class</b>	System

**SystemEvent\_260037****General**

<b>Name</b>	SystemEvent_260037	<b>ID</b>	260037
<b>Alarm text</b>	Logon via the SIMATIC Logon Server is not possible because of missing licenses. Only local logon is possible.	<b>Alarm class</b>	System

**SystemEvent\_260038****General**

<b>Name</b>	SystemEvent_260038	<b>ID</b>	260038
<b>Alarm text</b>	Attempting to establish a connection to the SIMATIC Logon server.	<b>Alarm class</b>	System

**SystemEvent\_260039****General**

<b>Name</b>	SystemEvent_260039	<b>ID</b>	260039
<b>Alarm text</b>	Connection to SIMATIC Logon Server possible.	<b>Alarm class</b>	System

**SystemEvent\_260040****General**

<b>Name</b>	SystemEvent_260040	<b>ID</b>	260040
<b>Alarm text</b>	SIMATIC Logon: Cannot reach the %1 domain. Use local users.	<b>Alarm class</b>	System

**SystemEvent\_260041****General**

<b>Name</b>	SystemEvent_260041	<b>ID</b>	260041
<b>Alarm text</b>	The password entered is not valid.	<b>Alarm class</b>	System

**SystemEvent\_260042****General**

<b>Name</b>	SystemEvent_260042	<b>ID</b>	260042
<b>Alarm text</b>	The user %1 cannot be created because the password is invalid.	<b>Alarm class</b>	System

**SystemEvent\_260043****General**

<b>Name</b>	SystemEvent_260043	<b>ID</b>	260043
<b>Alarm text</b>	SIMATIC Logon: User '%1' could not be logged on.	<b>Alarm class</b>	System

**SystemEvent\_260044****General**

<b>Name</b>	SystemEvent_260044	<b>ID</b>	260044
<b>Alarm text</b>	SIMATIC Logon: User '%1' could not be logged on. The user account is blocked.	<b>Alarm class</b>	System

**SystemEvent\_260045****General**

<b>Name</b>	SystemEvent_260045	<b>ID</b>	260045
<b>Alarm text</b>	SIMATIC Logon: User '%1' is not assigned to any specific group. User will be logged off.	<b>Alarm class</b>	System

**SystemEvent\_260046****General**

<b>Name</b>	SystemEvent_260046	<b>ID</b>	260046
<b>Alarm text</b>	There are no users available.	<b>Alarm class</b>	System

**SystemEvent\_260047****General**

<b>Name</b>	SystemEvent_260047	<b>ID</b>	260047
<b>Alarm text</b>	Multiple users use the same password. The option to log on with password only has been disabled.	<b>Alarm class</b>	System

**SystemEvent\_260048****General**

<b>Name</b>	SystemEvent_260048	<b>ID</b>	260048
<b>Alarm text</b>	The control task 'Logon' failed because there is no group with the ID '%1' in the project.	<b>Alarm class</b>	System

**SystemEvent\_270000****General**

<b>Name</b>	SystemEvent_270000	<b>ID</b>	270000
<b>Alarm text</b>	Alarm no. %1: PLC address error.	<b>Alarm class</b>	System

## SystemEvent\_270001

## General

Name	SystemEvent_270001	ID	270001
Alarm text	Overflow: Pending alarms will be rejected.	Alarm class	System

## SystemEvent\_270002

## General

Name	SystemEvent_270002	ID	270002
Alarm text	No configuration data available for alarms from the log.	Alarm class	System

## SystemEvent\_270003

## General

Name	SystemEvent_270003	ID	270003
Alarm text	The SIMOTION message service cannot be created.	Alarm class	System

## SystemEvent\_270004

## General

Name	SystemEvent_270004	ID	270004
Alarm text	Access to persistent alarm buffer is not possible: Alarms cannot be restored or saved.	Alarm class	System

## SystemEvent\_270005

## General

Name	SystemEvent_270005	ID	270005
Alarm text	Persistent alarm buffer damaged: Alarms cannot be restored.	Alarm class	System

## SystemEvent\_270006

## General

Name	SystemEvent_270006	ID	270006
Alarm text	Project modified: Alarms cannot be restored from the persistent alarm buffer.	Alarm class	System

## SystemEvent\_270007

## General

Name	SystemEvent_270007	ID	270007
Alarm text	Single alarms cannot be restored from the persistent alarm buffer.	Alarm class	System

## SystemEvent\_280000

## General

Name	SystemEvent_280000	ID	280000
Alarm text	Connection to PLC %1 is established.	Alarm class	System

## SystemEvent\_280001

## General

Name	SystemEvent_280001	ID	280001
Alarm text	Connection to PLC %1 is interrupted.	Alarm class	System

## SystemEvent\_280002

## General

Name	SystemEvent_280002	ID	280002
Alarm text	Program in PLC %1 has responded.	Alarm class	System

## SystemEvent\_280003

## General

Name	SystemEvent_280003	ID	280003
Alarm text	Program in PLC %1 is not responding, error code: %2.	Alarm class	System

## SystemEvent\_280004

## General

Name	SystemEvent_280004	ID	280004
Alarm text	Communication error to PLC %1, error code: %2, %3.	Alarm class	System

## SystemEvent\_290000

## General

Name	SystemEvent_290000	ID	290000
Alarm text	Recipe tag %1: PLC address error.	Alarm class	System

## SystemEvent\_290001

## General

Name	SystemEvent_290001	ID	290001
Alarm text	Data record tag %1: maximum value range exceeded.	Alarm class	System

## SystemEvent\_290002

## General

Name	SystemEvent_290002	ID	290002
Alarm text	Data record tag %1: conversion error.	Alarm class	System

## SystemEvent\_290003

## General

Name	SystemEvent_290003	ID	290003
Alarm text	More than 5 recipe tags: PLC address error.	Alarm class	System

## SystemEvent\_290004

## General

Name	SystemEvent_290004	ID	290004
Alarm text	More than 5 data record tags: maximum value range exceeded.	Alarm class	System

## SystemEvent\_290005

## General

Name	SystemEvent_290005	ID	290005
Alarm text	More than 5 data record tags: conversion error.	Alarm class	System

## SystemEvent\_290006

## General

Name	SystemEvent_290006	ID	290006
------	--------------------	----	--------

Totally Integrated Automation Portal		
Alarm text	Limit violation. Currently [%1 - %2].	Alarm classSystem
SystemEvent_290007		
General		
Name	SystemEvent_290007	ID290007
Alarm text	Invalid data record tag %1: value rejected.	Alarm classSystem
SystemEvent_290008		
General		
Name	SystemEvent_290008	ID290008
Alarm text	Start value is used for tag %1 in recipe %2.	Alarm classSystem
SystemEvent_290010		
General		
Name	SystemEvent_290010	ID290010
Alarm text	Invalid storage location for recipe %1.	Alarm classSystem
SystemEvent_290011		
General		
Name	SystemEvent_290011	ID290011
Alarm text	Data record %1 does not exist.	Alarm classSystem
SystemEvent_290012		
General		
Name	SystemEvent_290012	ID290012
Alarm text	Recipe %1 does not exist.	Alarm classSystem
SystemEvent_290013		
General		
Name	SystemEvent_290013	ID290013
Alarm text	Data record %1 already exists.	Alarm classSystem
SystemEvent_290014		
General		
Name	SystemEvent_290014	ID290014
Alarm text	File %1 does not exist.	Alarm classSystem
SystemEvent_290020		
General		
Name	SystemEvent_290020	ID290020
Alarm text	Data record %1: Transfer to PLC started.	Alarm classSystem
SystemEvent_290021		
General		
Name	SystemEvent_290021	ID290021
Alarm text	Data record %1: Transfer to PLC successfully completed.	Alarm classSystem
SystemEvent_290022		
General		
Name	SystemEvent_290022	ID290022

Totally Integrated Automation Portal			
Alarm text	Data record %1: Transfer to PLC aborted with error.	Alarm class	System
<b>SystemEvent_290023</b>			
<b>General</b>			
Name	SystemEvent_290023	ID	290023
Alarm text	Data record %1: Transfer from PLC started.	Alarm class	System
<b>SystemEvent_290024</b>			
<b>General</b>			
Name	SystemEvent_290024	ID	290024
Alarm text	Data record %1: Transfer from PLC successfully completed.	Alarm class	System
<b>SystemEvent_290025</b>			
<b>General</b>			
Name	SystemEvent_290025	ID	290025
Alarm text	Data record %1: Transfer from PLC aborted with error.	Alarm class	System
<b>SystemEvent_290026</b>			
<b>General</b>			
Name	SystemEvent_290026	ID	290026
Alarm text	Transfer not possible: Reset data mailbox on PLC.	Alarm class	System
<b>SystemEvent_290027</b>			
<b>General</b>			
Name	SystemEvent_290027	ID	290027
Alarm text	Transfer not possible: No connection to PLC.	Alarm class	System
<b>SystemEvent_290030</b>			
<b>General</b>			
Name	SystemEvent_290030	ID	290030
Alarm text	The data record may have changed. InReload data record ?	Alarm class	System
<b>SystemEvent_290031</b>			
<b>General</b>			
Name	SystemEvent_290031	ID	290031
Alarm text	Data record %1 of recipe %2 already exists. Overwrite data record?	Alarm class	System
<b>SystemEvent_290032</b>			
<b>General</b>			
Name	SystemEvent_290032	ID	290032
Alarm text	File %1 already exists.InOverwrite file?	Alarm class	System
<b>SystemEvent_290033</b>			
<b>General</b>			
Name	SystemEvent_290033	ID	290033
Alarm text	Do you really want to delete data record %1 in recipe %2?	Alarm class	System



## SystemEvent\_290040

## General

Name	SystemEvent_290040	ID	290040
Alarm text	General data record error. Error code: %1.	Alarm class	System

## SystemEvent\_290041

## General

Name	SystemEvent_290041	ID	290041
Alarm text	Data medium is full.	Alarm class	System

## SystemEvent\_290042

## General

Name	SystemEvent_290042	ID	290042
Alarm text	Cannot edit data records because a recipe action is already running.	Alarm class	System

## SystemEvent\_290043

## General

Name	SystemEvent_290043	ID	290043
Alarm text	Save changes to data record %1 of recipe %2?	Alarm class	System

## SystemEvent\_290044

## General

Name	SystemEvent_290044	ID	290044
Alarm text	Data storage for this recipe is corrupt and will be deleted.	Alarm class	System

## SystemEvent\_290050

## General

Name	SystemEvent_290050	ID	290050
Alarm text	Export of data records started.	Alarm class	System

## SystemEvent\_290051

## General

Name	SystemEvent_290051	ID	290051
Alarm text	Export of data records successfully completed.	Alarm class	System

## SystemEvent\_290052

## General

Name	SystemEvent_290052	ID	290052
Alarm text	Export of data records aborted with error.	Alarm class	System

## SystemEvent\_290053

## General

Name	SystemEvent_290053	ID	290053
Alarm text	Import of data records started.	Alarm class	System

## SystemEvent\_290054

## General

Name	SystemEvent_290054	ID	290054
------	--------------------	----	--------

Totally Integrated Automation Portal			
Alarm text	Import of data records successfully completed.	Alarm class	System
<b>SystemEvent_290055</b>			
<b>General</b>			
Name	SystemEvent_290055	ID	290055
Alarm text	Import of data records aborted with error.	Alarm class	System
<b>SystemEvent_290056</b>			
<b>General</b>			
Name	SystemEvent_290056	ID	290056
Alarm text	Import/Export: Error in file %1; line %2; column %3.	Alarm class	System
<b>SystemEvent_290057</b>			
<b>General</b>			
Name	SystemEvent_290057	ID	290057
Alarm text	The tags in recipe %1 are 'online'.	Alarm class	System
<b>SystemEvent_290058</b>			
<b>General</b>			
Name	SystemEvent_290058	ID	290058
Alarm text	The tags in recipe %1 are 'offline'.	Alarm class	System
<b>SystemEvent_290059</b>			
<b>General</b>			
Name	SystemEvent_290059	ID	290059
Alarm text	Data record no. %1 has been successfully saved.	Alarm class	System
<b>SystemEvent_290060</b>			
<b>General</b>			
Name	SystemEvent_290060	ID	290060
Alarm text	Data record memory was successfully deleted.	Alarm class	System
<b>SystemEvent_290061</b>			
<b>General</b>			
Name	SystemEvent_290061	ID	290061
Alarm text	Delete data record memory operation aborted with error.	Alarm class	System
<b>SystemEvent_290062</b>			
<b>General</b>			
Name	SystemEvent_290062	ID	290062
Alarm text	Maximum data record number range exceeded.	Alarm class	System
<b>SystemEvent_290063</b>			
<b>General</b>			
Name	SystemEvent_290063	ID	290063
Alarm text	File exists already.	Alarm class	System

## SystemEvent\_290064

## General

Name	SystemEvent_290064	ID	290064
Alarm text	Deletion of data records started.	Alarm class	System

## SystemEvent\_290065

## General

Name	SystemEvent_290065	ID	290065
Alarm text	Deletion of data records successfully completed.	Alarm class	System

## SystemEvent\_290066

## General

Name	SystemEvent_290066	ID	290066
Alarm text	Do you really want to delete the recipe files?	Alarm class	System

## SystemEvent\_290067

## General

Name	SystemEvent_290067	ID	290067
Alarm text	Save as	Alarm class	System

## SystemEvent\_290068

## General

Name	SystemEvent_290068	ID	290068
Alarm text	Do you really want to delete all data records in recipe %1?	Alarm class	System

## SystemEvent\_290069

## General

Name	SystemEvent_290069	ID	290069
Alarm text	Do you really want to delete all data records in all recipes?	Alarm class	System

## SystemEvent\_290070

## General

Name	SystemEvent_290070	ID	290070
Alarm text	Data record %1 does not exist in file %2.	Alarm class	System

## SystemEvent\_290071

## General

Name	SystemEvent_290071	ID	290071
Alarm text	Lower limit exceeded.	Alarm class	System

## SystemEvent\_290072

## General

Name	SystemEvent_290072	ID	290072
Alarm text	Upper limit exceeded.	Alarm class	System

## SystemEvent\_290073

## General

Name	SystemEvent_290073	ID	290073
Alarm text	Error: action aborted.	Alarm class	System

## SystemEvent\_290074

## General

Name	SystemEvent_290074	ID	290074
Alarm text	%1: A data record with the no. %2 already exists. Do you want to overwrite data record %3 with data record %4?	Alarm class	System

## SystemEvent\_290075

## General

Name	SystemEvent_290075	ID	290075
Alarm text	Data record name already exists.	Alarm class	System

## SystemEvent\_290076

## General

Name	SystemEvent_290076	ID	290076
Alarm text	Data record %1: Save displayed data record to data medium.	Alarm class	System

## SystemEvent\_290077

## General

Name	SystemEvent_290077	ID	290077
Alarm text	Data record %1: Saving displayed data record aborted due to error.	Alarm class	System

## SystemEvent\_290078

## General

Name	SystemEvent_290078	ID	290078
Alarm text	Data record %1: Save tags to data medium.	Alarm class	System

## SystemEvent\_290079

## General

Name	SystemEvent_290079	ID	290079
Alarm text	Data record %1: Saving tags aborted due to error.	Alarm class	System

## SystemEvent\_290080

## General

Name	SystemEvent_290080	ID	290080
Alarm text	Data record %1: Save displayed data record in data medium %2.	Alarm class	System

## SystemEvent\_290081

## General

Name	SystemEvent_290081	ID	290081
Alarm text	Data record %1: Saving of displayed data record %2 aborted due to error.	Alarm class	System

## SystemEvent\_290082

## General

Name	SystemEvent_290082	ID	290082
Alarm text	Data record %1: Displayed data record deleted.	Alarm class	System

## SystemEvent\_290083

## General

Name	SystemEvent_290083	ID	290083
Alarm text	Data record %1: Deletion of displayed data record aborted due to error.	Alarm class	System

## SystemEvent\_290084

## General

Name	SystemEvent_290084	ID	290084
Alarm text	Data record %1: Synchronization executed.	Alarm class	System

## SystemEvent\_290085

## General

Name	SystemEvent_290085	ID	290085
Alarm text	Data record %1: Synchronization aborted due to error.	Alarm class	System

## SystemEvent\_290086

## General

Name	SystemEvent_290086	ID	290086
Alarm text	Data record %1: Transfer displayed data record to PLC.	Alarm class	System

## SystemEvent\_290087

## General

Name	SystemEvent_290087	ID	290087
Alarm text	Data record %1: Transfer of displayed data record to PLC aborted due to error.	Alarm class	System

## SystemEvent\_290088

## General

Name	SystemEvent_290088	ID	290088
Alarm text	Data record %1: Transfer data from PLC to displayed data record.	Alarm class	System

## SystemEvent\_290089

## General

Name	SystemEvent_290089	ID	290089
Alarm text	Data record %1: Transfer of data from PLC aborted due to error.	Alarm class	System

## SystemEvent\_290090

## General

Name	SystemEvent_290090	ID	290090
Alarm text	Data record %1: Rename displayed data record to %2.	Alarm class	System

## SystemEvent\_290091

## General

Name	SystemEvent_290091	ID	290091
Alarm text	Data record %1: Renaming to %2 aborted due to error.	Alarm class	System

## SystemEvent\_290092

## General

Name	SystemEvent_290092	ID	290092
Alarm text	Data record %1: Transfer data medium to PLC.	Alarm class	System

## SystemEvent\_290093

## General

Name	SystemEvent_290093	ID	290093
Alarm text	Data record %1: Transfer of data medium aborted due to error.	Alarm class	System

## SystemEvent\_290094

## General

Name	SystemEvent_290094	ID	290094
Alarm text	Data record %1: Transfer data from PLC to data medium.	Alarm class	System

## SystemEvent\_290095

## General

Name	SystemEvent_290095	ID	290095
Alarm text	Data record %1: Transfer from PLC aborted due to error.	Alarm class	System

## SystemEvent\_290096

## General

Name	SystemEvent_290096	ID	290096
Alarm text	Transfer tags to PLC.	Alarm class	System

## SystemEvent\_290097

## General

Name	SystemEvent_290097	ID	290097
Alarm text	Transfer of tags aborted due to error.	Alarm class	System

## SystemEvent\_290098

## General

Name	SystemEvent_290098	ID	290098
Alarm text	Transfer data from PLC to tags.	Alarm class	System

## SystemEvent\_290099

## General

Name	SystemEvent_290099	ID	290099
Alarm text	Transfer of data from PLC aborted due to error.	Alarm class	System

## SystemEvent\_290100

## General

Name	SystemEvent_290100	ID	290100
Alarm text	Data record %1: Import data from file.	Alarm class	System

## SystemEvent\_290101

## General

Name	SystemEvent_290101	ID	290101
------	--------------------	----	--------

Totally Integrated Automation Portal			
Alarm text	Data record %1: Import data from file aborted due to error.	Alarm class	System
<b>SystemEvent_290102</b>			
<b>General</b>			
Name	SystemEvent_290102	ID	290102
Alarm text	Data record %1: Load data medium to displayed data record.	Alarm class	System
<b>SystemEvent_290103</b>			
<b>General</b>			
Name	SystemEvent_290103	ID	290103
Alarm text	Data record %1: Loading of data medium to displayed data record aborted due to error.	Alarm class	System
<b>SystemEvent_290104</b>			
<b>General</b>			
Name	SystemEvent_290104	ID	290104
Alarm text	Data record %1: Load data medium to tag.	Alarm class	System
<b>SystemEvent_290105</b>			
<b>General</b>			
Name	SystemEvent_290105	ID	290105
Alarm text	Data record %1: Loading of data medium to tags aborted due to error.	Alarm class	System
<b>SystemEvent_290106</b>			
<b>General</b>			
Name	SystemEvent_290106	ID	290106
Alarm text	Set update of recipe tags 'Online'.	Alarm class	System
<b>SystemEvent_290107</b>			
<b>General</b>			
Name	SystemEvent_290107	ID	290107
Alarm text	Set update of recipe tags 'Offline'.	Alarm class	System
<b>SystemEvent_290108</b>			
<b>General</b>			
Name	SystemEvent_290108	ID	290108
Alarm text	Setting of recipe tags 'Online/Offline' aborted due to error.	Alarm class	System
<b>SystemEvent_290109</b>			
<b>General</b>			
Name	SystemEvent_290109	ID	290109
Alarm text	Set default values for recipe.	Alarm class	System
<b>SystemEvent_290110</b>			
<b>General</b>			
Name	SystemEvent_290110	ID	290110
Alarm text	Setting of default values aborted due to error.	Alarm class	System

## SystemEvent\_290111

## General

Name	SystemEvent_290111	ID	290111
Alarm text	Recipes are corrupt or do not match your configuration data.	Alarm class	System

## SystemEvent\_300000

## General

Name	SystemEvent_300000	ID	300000
Alarm text	Overflow: Pending ALARM_S alarms in %1 will be rejected.	Alarm class	System

## SystemEvent\_300001

## General

Name	SystemEvent_300001	ID	300001
Alarm text	Controller %1: Cannot log on for Alarm-S service.	Alarm class	System

## SystemEvent\_30010

## General

Name	SystemEvent_30010	ID	30010
Alarm text	Error writing a tag, error code: %1,%2.	Alarm class	System

## SystemEvent\_300100

## General

Name	SystemEvent_300100	ID	300100
Alarm text	The CPU %1 no longer has sufficient resources. Controller alarms will not be displayed.	Alarm class	System

## SystemEvent\_300101

## General

Name	SystemEvent_300101	ID	300101
Alarm text	Controller alarms have different versions. Please update your configuration.	Alarm class	System

## SystemEvent\_300102

## General

Name	SystemEvent_300102	ID	300102
Alarm text	Limited resources. Repeat process.	Alarm class	System

## SystemEvent\_300103

## General

Name	SystemEvent_300103	ID	300103
Alarm text	Controller %1 does not support automatic update of alarm texts.	Alarm class	System

## SystemEvent\_30011

## General

Name	SystemEvent_30011	ID	30011
Alarm text	Invalid value %1 in parameter %2, error code: %3.	Alarm class	System



Totally Integrated Automation Portal		
<b>SystemEvent_30012</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_30012	<b>ID</b> 30012
<b>Alarm text</b>	Invalid value %1 in parameter %2, valid range [%3 - %4], error code: %5.	<b>Alarm class</b> System
<b>SystemEvent_310000</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_310000	<b>ID</b> 310000
<b>Alarm text</b>	Print job rejected. Only one report can be printed at a time.	<b>Alarm class</b> System
<b>SystemEvent_310001</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_310001	<b>ID</b> 310001
<b>Alarm text</b>	Printing of report %1 aborted due to error.	<b>Alarm class</b> System
<b>SystemEvent_321000</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_321000	<b>ID</b> 321000
<b>Alarm text</b>	TIA Portal cannot be opened.	<b>Alarm class</b> System
<b>SystemEvent_321001</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_321001	<b>ID</b> 321001
<b>Alarm text</b>	TIA Portal is already open.	<b>Alarm class</b> System
<b>SystemEvent_321002</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_321002	<b>ID</b> 321002
<b>Alarm text</b>	The project could not be found.	<b>Alarm class</b> System
<b>SystemEvent_321003</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_321003	<b>ID</b> 321003
<b>Alarm text</b>	The same TIA Portal project cannot be opened in simulation in read-only mode. Work around: Start Runtime and try it once again. Refer to documentation for further details.	<b>Alarm class</b> System
<b>SystemEvent_321004</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_321004	<b>ID</b> 321004
<b>Alarm text</b>	Cannot open TIA Portal. Please save the TIA Portal project, which is to be opened.	<b>Alarm class</b> System
<b>SystemEvent_330001</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_330001	<b>ID</b> 330001
<b>Alarm text</b>	Yes	<b>Alarm class</b> System

**SystemEvent\_330002****General**

Name	SystemEvent_330002	ID	330002
Alarm text	No	Alarm class	System

**SystemEvent\_330003****General**

Name	SystemEvent_330003	ID	330003
Alarm text	Cancel	Alarm class	System

**SystemEvent\_330004****General**

Name	SystemEvent_330004	ID	330004
Alarm text	OK	Alarm class	System

**SystemEvent\_330005****General**

Name	SystemEvent_330005	ID	330005
Alarm text	?	Alarm class	System

**SystemEvent\_330006****General**

Name	SystemEvent_330006	ID	330006
Alarm text	Login	Alarm class	System

**SystemEvent\_330007****General**

Name	SystemEvent_330007	ID	330007
Alarm text	User:	Alarm class	System

**SystemEvent\_330008****General**

Name	SystemEvent_330008	ID	330008
Alarm text	Password:	Alarm class	System

**SystemEvent\_330009****General**

Name	SystemEvent_330009	ID	330009
Alarm text	Data record no.:	Alarm class	System

**SystemEvent\_330010****General**

Name	SystemEvent_330010	ID	330010
Alarm text	Data record name:	Alarm class	System

**SystemEvent\_330011****General**

Name	SystemEvent_330011	ID	330011
Alarm text	Rename	Alarm class	System

## SystemEvent\_330012

## General

Name	SystemEvent_330012	ID	330012
Alarm text	Group:	Alarm class	System

## SystemEvent\_330013

## General

Name	SystemEvent_330013	ID	330013
Alarm text	Logoff time:	Alarm class	System

## SystemEvent\_330014

## General

Name	SystemEvent_330014	ID	330014
Alarm text	Data record	Alarm class	System

## SystemEvent\_330015

## General

Name	SystemEvent_330015	ID	330015
Alarm text	Name:	Alarm class	System

## SystemEvent\_330016

## General

Name	SystemEvent_330016	ID	330016
Alarm text	Number:	Alarm class	System

## SystemEvent\_330017

## General

Name	SystemEvent_330017	ID	330017
Alarm text	!	Alarm class	System

## SystemEvent\_330018

## General

Name	SystemEvent_330018	ID	330018
Alarm text	M/d/yyyy	Alarm class	System

## SystemEvent\_330019

## General

Name	SystemEvent_330019	ID	330019
Alarm text	h:mm:ss tt	Alarm class	System

## SystemEvent\_330020

## General

Name	SystemEvent_330020	ID	330020
Alarm text	AM	Alarm class	System

## SystemEvent\_330021

## General

Name	SystemEvent_330021	ID	330021
Alarm text	PM	Alarm class	System

**SystemEvent\_330022****General**

Name	SystemEvent_330022	ID	330022
Alarm text	Too many dialogs open	Alarm class	System

**SystemEvent\_330023****General**

Name	SystemEvent_330023	ID	330023
Alarm text	.	Alarm class	System

**SystemEvent\_330024****General**

Name	SystemEvent_330024	ID	330024
Alarm text	New password:	Alarm class	System

**SystemEvent\_330025****General**

Name	SystemEvent_330025	ID	330025
Alarm text	Confirmation:	Alarm class	System

**SystemEvent\_330026****General**

Name	SystemEvent_330026	ID	330026
Alarm text	Password expiry: %1 day(s)	Alarm class	System

**SystemEvent\_330027****General**

Name	SystemEvent_330027	ID	330027
Alarm text	Password has expired	Alarm class	System

**SystemEvent\_330028****General**

Name	SystemEvent_330028	ID	330028
Alarm text	Comment	Alarm class	System

**SystemEvent\_330029****General**

Name	SystemEvent_330029	ID	330029
Alarm text	Action	Alarm class	System

**SystemEvent\_330030****General**

Name	SystemEvent_330030	ID	330030
Alarm text	Required field	Alarm class	System

**SystemEvent\_330031****General**

Name	SystemEvent_330031	ID	330031
Alarm text	Force	Alarm class	System

**SystemEvent\_330032****General**

<b>Name</b>	SystemEvent_330032	<b>ID</b>	330032
<b>Alarm text</b>	Change password	<b>Alarm class</b>	System

**SystemEvent\_330047****General**

<b>Name</b>	SystemEvent_330047	<b>ID</b>	330047
<b>Alarm text</b>	Input box	<b>Alarm class</b>	System

**SystemEvent\_330048****General**

<b>Name</b>	SystemEvent_330048	<b>ID</b>	330048
<b>Alarm text</b>	Function keys are disabled.	<b>Alarm class</b>	System

**SystemEvent\_330049****General**

<b>Name</b>	SystemEvent_330049	<b>ID</b>	330049
<b>Alarm text</b>	Select file	<b>Alarm class</b>	System

**SystemEvent\_330050****General**

<b>Name</b>	SystemEvent_330050	<b>ID</b>	330050
<b>Alarm text</b>	Select path	<b>Alarm class</b>	System

**SystemEvent\_330051****General**

<b>Name</b>	SystemEvent_330051	<b>ID</b>	330051
<b>Alarm text</b>	Name	<b>Alarm class</b>	System

**SystemEvent\_330052****General**

<b>Name</b>	SystemEvent_330052	<b>ID</b>	330052
<b>Alarm text</b>	Type	<b>Alarm class</b>	System

**SystemEvent\_330053****General**

<b>Name</b>	SystemEvent_330053	<b>ID</b>	330053
<b>Alarm text</b>	Size	<b>Alarm class</b>	System

**SystemEvent\_330054****General**

<b>Name</b>	SystemEvent_330054	<b>ID</b>	330054
<b>Alarm text</b>	Last change	<b>Alarm class</b>	System

**SystemEvent\_330055****General**

<b>Name</b>	SystemEvent_330055	<b>ID</b>	330055
<b>Alarm text</b>	All files	<b>Alarm class</b>	System

**SystemEvent\_330056****General**

<b>Name</b>	SystemEvent_330056	<b>ID</b>	330056
<b>Alarm text</b>	File browser	<b>Alarm class</b>	System

**SystemEvent\_330057****General**

<b>Name</b>	SystemEvent_330057	<b>ID</b>	330057
<b>Alarm text</b>	New folder	<b>Alarm class</b>	System

**SystemEvent\_330058****General**

<b>Name</b>	SystemEvent_330058	<b>ID</b>	330058
<b>Alarm text</b>	Delete	<b>Alarm class</b>	System

**SystemEvent\_330059****General**

<b>Name</b>	SystemEvent_330059	<b>ID</b>	330059
<b>Alarm text</b>	Rename	<b>Alarm class</b>	System

**SystemEvent\_330060****General**

<b>Name</b>	SystemEvent_330060	<b>ID</b>	330060
<b>Alarm text</b>	'\%s\' cannot be found. Make sure that the correct path is specified.	<b>Alarm class</b>	System

**SystemEvent\_330061****General**

<b>Name</b>	SystemEvent_330061	<b>ID</b>	330061
<b>Alarm text</b>	It is not possible to access '\%s\' . Check the access authorizations.	<b>Alarm class</b>	System

**SystemEvent\_330062****General**

<b>Name</b>	SystemEvent_330062	<b>ID</b>	330062
<b>Alarm text</b>	A new folder could not be created in the specified path.	<b>Alarm class</b>	System

**SystemEvent\_330063****General**

<b>Name</b>	SystemEvent_330063	<b>ID</b>	330063
<b>Alarm text</b>	The selected object could not be re-named.	<b>Alarm class</b>	System

**SystemEvent\_330064****General**

<b>Name</b>	SystemEvent_330064	<b>ID</b>	330064
<b>Alarm text</b>	The selected object could not be deleted.	<b>Alarm class</b>	System

**SystemEvent\_330065****General**

<b>Name</b>	SystemEvent_330065	<b>ID</b>	330065
-------------	--------------------	-----------	--------

Totally Integrated Automation Portal			
Alarm text	This link no longer works because the object to which the link refers has been moved or changed.	Alarm class	System
<b>SystemEvent_330066</b>			
<b>General</b>			
Name	SystemEvent_330066	ID	330066
Alarm text	The file browser must be closed due to an unexpected error.	Alarm class	System
<b>SystemEvent_330067</b>			
<b>General</b>			
Name	SystemEvent_330067	ID	330067
Alarm text	Do you really want to move the selected object to the Recycle Bin?	Alarm class	System
<b>SystemEvent_330068</b>			
<b>General</b>			
Name	SystemEvent_330068	ID	330068
Alarm text	Do you really want to delete the selected object?	Alarm class	System
<b>SystemEvent_330069</b>			
<b>General</b>			
Name	SystemEvent_330069	ID	330069
Alarm text	You cannot create any files because this path is read-only.	Alarm class	System
<b>SystemEvent_330070</b>			
<b>General</b>			
Name	SystemEvent_330070	ID	330070
Alarm text	Cannot save in the selected folder. Please specify a different path.	Alarm class	System
<b>SystemEvent_330071</b>			
<b>General</b>			
Name	SystemEvent_330071	ID	330071
Alarm text	New server certificate	Alarm class	System
<b>SystemEvent_330072</b>			
<b>General</b>			
Name	SystemEvent_330072	ID	330072
Alarm text	Do you want to accept the new server certificate? Only accept the server certificate and the connection to Sm@rtServer if you are sure that the certificate is trustworthy.	Alarm class	System
<b>SystemEvent_340001</b>			
<b>General</b>			
Name	SystemEvent_340001	ID	340001
Alarm text	Info text	Alarm class	System

## SystemEvent\_340002

### General

Name	SystemEvent_340002	ID	340002
Alarm text	Info text for object	Alarm class	System

## SystemEvent\_340003

### General

Name	SystemEvent_340003	ID	340003
Alarm text	Info text for screen	Alarm class	System

## SystemEvent\_340004

### General

Name	SystemEvent_340004	ID	340004
Alarm text	No info text available.	Alarm class	System

## SystemEvent\_340005

### General

Name	SystemEvent_340005	ID	340005
Alarm text	Complete message text	Alarm class	System

## SystemEvent\_350000

### General

Name	SystemEvent_350000	ID	350000
Alarm text	PROFIsafe: Timeout.	Alarm class	System

## SystemEvent\_350001

### General

Name	SystemEvent_350001	ID	350001
Alarm text	PROFIsafe: CRC error.	Alarm class	System

## SystemEvent\_350002

### General

Name	SystemEvent_350002	ID	350002
Alarm text	PROFIsafe: Internal error (error code: %1). Closing RT.	Alarm class	System

## SystemEvent\_350003

### General

Name	SystemEvent_350003	ID	350003
Alarm text	PROFIsafe: Connection established.	Alarm class	System

## SystemEvent\_350004

### General

Name	SystemEvent_350004	ID	350004
Alarm text	PROFIsafe: Connection terminated.	Alarm class	System

## SystemEvent\_350005

### General

Name	SystemEvent_350005	ID	350005
Alarm text	The configured address of the F slave is incorrect.	Alarm class	System



**SystemEvent\_350006****General**

<b>Name</b>	SystemEvent_350006	<b>ID</b>	350006
<b>Alarm text</b>	The logon to the effective range is blocked. First test the acknowledgement buttons in functions 'Enable' and 'Panic'.	<b>Alarm class</b>	System

**SystemEvent\_350007****General**

<b>Name</b>	SystemEvent_350007	<b>ID</b>	350007
<b>Alarm text</b>	PROFIsafe: Acknowledge that the connection has been restored.	<b>Alarm class</b>	System

**SystemEvent\_350008****General**

<b>Name</b>	SystemEvent_350008	<b>ID</b>	350008
<b>Alarm text</b>	PROFIsafe: The number of configured fail-safe keys is incorrect.	<b>Alarm class</b>	System

**SystemEvent\_350009****General**

<b>Name</b>	SystemEvent_350009	<b>ID</b>	350009
<b>Alarm text</b>	PROFIsafe: The device is in override mode.	<b>Alarm class</b>	System

**SystemEvent\_350010****General**

<b>Name</b>	SystemEvent_350010	<b>ID</b>	350010
<b>Alarm text</b>	PROFIsafe: A fail-safe key has been pressed.	<b>Alarm class</b>	System

**SystemEvent\_350011****General**

<b>Name</b>	SystemEvent_350011	<b>ID</b>	350011
<b>Alarm text</b>	Start removal from WLAN	<b>Alarm class</b>	System

**SystemEvent\_350012****General**

<b>Name</b>	SystemEvent_350012	<b>ID</b>	350012
<b>Alarm text</b>	Do you want to end fail-safe communication and Runtime? In This process cannot be aborted.	<b>Alarm class</b>	System

**SystemEvent\_350013****General**

<b>Name</b>	SystemEvent_350013	<b>ID</b>	350013
<b>Alarm text</b>	Confirm removal from WLAN	<b>Alarm class</b>	System

**SystemEvent\_350014****General**

<b>Name</b>	SystemEvent_350014	<b>ID</b>	350014
<b>Alarm text</b>	Confirm removal with acknowledgement button within 60 seconds. If not, the system will go into safe state.	<b>Alarm class</b>	System

## SystemEvent\_350015

## General

Name	SystemEvent_350015	ID	350015
Alarm text	Test acknowledgement buttons	Alarm class	System

## SystemEvent\_350016

## General

Name	SystemEvent_350016	ID	350016
Alarm text	Both acknowledgement buttons must be tested to ensure they are operational. Fully press both acknowledgement buttons until the panic position is reached.	Alarm class	System

## SystemEvent\_350017

## General

Name	SystemEvent_350017	ID	350017
Alarm text	Left effective range without logging off	Alarm class	System

## SystemEvent\_350018

## General

Name	SystemEvent_350018	ID	350018
Alarm text	WARNING: You have left the following effective range without logging off: Effective range %1 The acknowledgement button is disabled. Do you want to log off from the effective range?	Alarm class	System

## SystemEvent\_350019

## General

Name	SystemEvent_350019	ID	350019
Alarm text	You have left the effective range without permission. A local rampdown was initiated. Please confirm logging off from the effective range.	Alarm class	System

## SystemEvent\_350020

## General

Name	SystemEvent_350020	ID	350020
Alarm text	Error during effective range logon.	Alarm class	System

## SystemEvent\_350021

## General

Name	SystemEvent_350021	ID	350021
Alarm text	An error occurred while logging on to the effective range. The acknowledgement button remains disabled.	Alarm class	System

## SystemEvent\_350022

## General

Name	SystemEvent_350022	ID	350022
Alarm text	Acknowledge communication error	Alarm class	System

**SystemEvent\_350023****General**

<b>Name</b>	SystemEvent_350023	<b>ID</b>	350023
<b>Alarm text</b>	A PROFI-safe connection is possible again. Please acknowledge the communication error.	<b>Alarm class</b>	System

**SystemEvent\_350024****General**

<b>Name</b>	SystemEvent_350024	<b>ID</b>	350024
<b>Alarm text</b>	Logoff from effective range	<b>Alarm class</b>	System

**SystemEvent\_350025****General**

<b>Name</b>	SystemEvent_350025	<b>ID</b>	350025
<b>Alarm text</b>	The Panel cannot be switched off. First you have to log off from the effective range. Do you want to log off from the following effective range? Effective range %1	<b>Alarm class</b>	System

**SystemEvent\_350026****General**

<b>Name</b>	SystemEvent_350026	<b>ID</b>	350026
<b>Alarm text</b>	Establish PROFI-safe connection	<b>Alarm class</b>	System

**SystemEvent\_350027****General**

<b>Name</b>	SystemEvent_350027	<b>ID</b>	350027
<b>Alarm text</b>	No PROFI-safe connection available. Reason: %1 Do you want to switch off the Panel?	<b>Alarm class</b>	System

**SystemEvent\_350028****General**

<b>Name</b>	SystemEvent_350028	<b>ID</b>	350028
<b>Alarm text</b>	HMI parameter assignment OK	<b>Alarm class</b>	System

**SystemEvent\_350029****General**

<b>Name</b>	SystemEvent_350029	<b>ID</b>	350029
<b>Alarm text</b>	PROFI-safe address error	<b>Alarm class</b>	System

**SystemEvent\_350030****General**

<b>Name</b>	SystemEvent_350030	<b>ID</b>	350030
<b>Alarm text</b>	Error in the number of F-keys.	<b>Alarm class</b>	System

**SystemEvent\_350031****General**

<b>Name</b>	SystemEvent_350031	<b>ID</b>	350031
<b>Alarm text</b>	Communication error (timeout)	<b>Alarm class</b>	System

**SystemEvent\_350032****General**

<b>Name</b>	SystemEvent_350032	<b>ID</b>	350032
<b>Alarm text</b>	Communication error (CRC)	<b>Alarm class</b>	System

**SystemEvent\_350033****General**

<b>Name</b>	SystemEvent_350033	<b>ID</b>	350033
<b>Alarm text</b>	No PROFI-safe connection, e.g. CPU in STOP	<b>Alarm class</b>	System

**SystemEvent\_350034****General**

<b>Name</b>	SystemEvent_350034	<b>ID</b>	350034
<b>Alarm text</b>	PROFI-safe CRC configuration error	<b>Alarm class</b>	System

**SystemEvent\_350035****General**

<b>Name</b>	SystemEvent_350035	<b>ID</b>	350035
<b>Alarm text</b>	Check transponder	<b>Alarm class</b>	System

**SystemEvent\_350037****General**

<b>Name</b>	SystemEvent_350037	<b>ID</b>	350037
<b>Alarm text</b>	The PROFINET connection is being established.	<b>Alarm class</b>	System

**SystemEvent\_350038****General**

<b>Name</b>	SystemEvent_350038	<b>ID</b>	350038
<b>Alarm text</b>	Internal configuration error	<b>Alarm class</b>	System

**SystemEvent\_350039****General**

<b>Name</b>	SystemEvent_350039	<b>ID</b>	350039
<b>Alarm text</b>	Discrepancy error acknowledgement button	<b>Alarm class</b>	System

**SystemEvent\_350040****General**

<b>Name</b>	SystemEvent_350040	<b>ID</b>	350040
<b>Alarm text</b>	Please release the acknowledgement button.	<b>Alarm class</b>	System

**SystemEvent\_350041****General**

<b>Name</b>	SystemEvent_350041	<b>ID</b>	350041
<b>Alarm text</b>	Terminate PROFI-safe connection	<b>Alarm class</b>	System

**SystemEvent\_350042****General**

<b>Name</b>	SystemEvent_350042	<b>ID</b>	350042
-------------	--------------------	-----------	--------

Totally Integrated Automation Portal			
Alarm text	Do you really want to terminate the PROFIsafe connection? Wait until the emergency stop switch is no longer lit, then remove the connection cable.	Alarm class	System
<b>SystemEvent_350050</b>			
General			
Name	SystemEvent_350050	ID	350050
Alarm text	Logon to effective range	Alarm class	System
<b>SystemEvent_350051</b>			
General			
Name	SystemEvent_350051	ID	350051
Alarm text	Do you want to log on to the following effective range? Effective range %1 Please enter the effective range ID:	Alarm class	System
<b>SystemEvent_350052</b>			
General			
Name	SystemEvent_350052	ID	350052
Alarm text	Logoff from effective range	Alarm class	System
<b>SystemEvent_350053</b>			
General			
Name	SystemEvent_350053	ID	350053
Alarm text	Do you want to log off from the following effective range? Effective range %1	Alarm class	System
<b>SystemEvent_350054</b>			
General			
Name	SystemEvent_350054	ID	350054
Alarm text	You are logged on to an effective range. You have to log off before ending runtime. Do you want to log off now?	Alarm class	System
<b>SystemEvent_350055</b>			
General			
Name	SystemEvent_350055	ID	350055
Alarm text	You have just left the effective range you are logged on to. Please return to the effective range or log off. Do you want to log off now?	Alarm class	System
<b>SystemEvent_350056</b>			
General			
Name	SystemEvent_350056	ID	350056
Alarm text	Effective ranges	Alarm class	System
<b>SystemEvent_350057</b>			
General			
Name	SystemEvent_350057	ID	350057
Alarm text	Transponders	Alarm class	System

**SystemEvent\_350058****General**

<b>Name</b>	SystemEvent_350058	<b>ID</b>	350058
<b>Alarm text</b>	Effective range	<b>Alarm class</b>	System

**SystemEvent\_350059****General**

<b>Name</b>	SystemEvent_350059	<b>ID</b>	350059
<b>Alarm text</b>	Transponders	<b>Alarm class</b>	System

**SystemEvent\_350060****General**

<b>Name</b>	SystemEvent_350060	<b>ID</b>	350060
<b>Alarm text</b>	CRC	<b>Alarm class</b>	System

**SystemEvent\_350061****General**

<b>Name</b>	SystemEvent_350061	<b>ID</b>	350061
<b>Alarm text</b>	Calculate	<b>Alarm class</b>	System

**SystemEvent\_350062****General**

<b>Name</b>	SystemEvent_350062	<b>ID</b>	350062
<b>Alarm text</b>	Test	<b>Alarm class</b>	System

**SystemEvent\_350063****General**

<b>Name</b>	SystemEvent_350063	<b>ID</b>	350063
<b>Alarm text</b>	Exit	<b>Alarm class</b>	System

**SystemEvent\_350064****General**

<b>Name</b>	SystemEvent_350064	<b>ID</b>	350064
<b>Alarm text</b>	Exit Runtime.	<b>Alarm class</b>	System

**SystemEvent\_350065****General**

<b>Name</b>	SystemEvent_350065	<b>ID</b>	350065
<b>Alarm text</b>	Battery state warning	<b>Alarm class</b>	System

**SystemEvent\_350066****General**

<b>Name</b>	SystemEvent_350066	<b>ID</b>	350066
<b>Alarm text</b>	Battery charge less than %1 percent.	<b>Alarm class</b>	System

**SystemEvent\_350067****General**

<b>Name</b>	SystemEvent_350067	<b>ID</b>	350067
<b>Alarm text</b>	A critical error has occurred.\nDate: %1\nError number: %2\nPlease provide this error code to your technical support.\n <a href="http://www.siemens.de/automation/support-request">http://www.siemens.de/automation/support-request</a>	<b>Alarm class</b>	System

## SystemEvent\_350500

## General

Name	SystemEvent_350500	ID	350500
Alarm text	Confirm logon	Alarm class	System

## SystemEvent\_350501

## General

Name	SystemEvent_350501	ID	350501
Alarm text	Please confirm logon to the effective range with the acknowledgment button.	Alarm class	System

## SystemEvent\_350502

## General

Name	SystemEvent_350502	ID	350502
Alarm text	Forced logoff	Alarm class	System

## SystemEvent\_350503

## General

Name	SystemEvent_350503	ID	350503
Alarm text	You were automatically logged off from the effective range.\nA local rampdown was initiated.\nConfirm logoff from the effective range.	Alarm class	System

## SystemEvent\_350504

## General

Name	SystemEvent_350504	ID	350504
Alarm text	Check RFID tag	Alarm class	System

## SystemEvent\_350505

## General

Name	SystemEvent_350505	ID	350505
Alarm text	Scan	Alarm class	System

## SystemEvent\_350506

## General

Name	SystemEvent_350506	ID	350506
Alarm text	Scanning...	Alarm class	System

## SystemEvent\_350507

## General

Name	SystemEvent_350507	ID	350507
Alarm text	Tag	Alarm class	System

## SystemEvent\_350508

## General

Name	SystemEvent_350508	ID	350508
Alarm text	RFID tag	Alarm class	System

## SystemEvent\_350509

## General

Name	SystemEvent_350509	ID	350509
Alarm text	Save ID	Alarm class	System

## SystemEvent\_350510

## General

Name	SystemEvent_350510	ID	350510
Alarm text	An error occurred during commissioning.\nPlease initialize all RFID tags once again.	Alarm class	System

## SystemEvent\_350511

## General

Name	SystemEvent_350511	ID	350511
Alarm text	No effective ranges are configured.	Alarm class	System

## SystemEvent\_360000

## General

Name	SystemEvent_360000	ID	360000
Alarm text	Connection to SSID %1 not possible.	Alarm class	System

## SystemEvent\_360001

## General

Name	SystemEvent_360001	ID	360001
Alarm text	Connection to SSID %1 established.	Alarm class	System

## SystemEvent\_360002

## General

Name	SystemEvent_360002	ID	360002
Alarm text	Transponder ID %1: Battery charge is low. Please replace the batteries.	Alarm class	System

## SystemEvent\_360003

## General

Name	SystemEvent_360003	ID	360003
Alarm text	A critical error has occurred. Error number: %1	Alarm class	System

## SystemEvent\_370100

## General

Name	SystemEvent_370100	ID	370100
Alarm text	Media Player: %1	Alarm class	System

## SystemEvent\_380000

## General

Name	SystemEvent_380000	ID	380000
Alarm text	The Sm@rtAccess Web server cannot use default ports 80 (http) and 443 (https) because they are in use; the server will use ports %1 (http) and %2 (https) instead.	Alarm class	System

## SystemEvent\_380001

## General

Name	SystemEvent_380001	ID	380001
Alarm text	The Sm@rtAccess Web server cannot use the configured http and https ports because they are in use and has closed.	Alarm class	System



## SystemEvent\_380002

### General

<b>Name</b>	SystemEvent_380002	<b>ID</b>	380002
<b>Alarm text</b>	Assign the user name and password for the web services in the WinCC Internet Settings applet, because the web services cannot be executed otherwise.	<b>Alarm class</b>	System

## SystemEvent\_380100

### General

<b>Name</b>	SystemEvent_380100	<b>ID</b>	380100
<b>Alarm text</b>	Assign a password for the Sm@rtServer in the WinCC Internet Settings applet, because the connection cannot be established otherwise.	<b>Alarm class</b>	System

## SystemEvent\_390000

### General

<b>Name</b>	SystemEvent_390000	<b>ID</b>	390000
<b>Alarm text</b>	Certificate for password decryption cannot be found.	<b>Alarm class</b>	System

## SystemEvent\_390001

### General

<b>Name</b>	SystemEvent_390001	<b>ID</b>	390001
<b>Alarm text</b>	Transport password	<b>Alarm class</b>	System

## SystemEvent\_390003

### General

<b>Name</b>	SystemEvent_390003	<b>ID</b>	390003
<b>Alarm text</b>	Invalid password	<b>Alarm class</b>	System

## SystemEvent\_400000

### General

<b>Name</b>	SystemEvent_400000	<b>ID</b>	400000
<b>Alarm text</b>	Error in system function 'Acknowledge NCCancelAlarms'. Error code: %1.	<b>Alarm class</b>	System

## SystemEvent\_400001

### General

<b>Name</b>	SystemEvent_400001	<b>ID</b>	400001
<b>Alarm text</b>	Error in system function 'ChangeNCPasswd'. Error code: %1.	<b>Alarm class</b>	System

## SystemEvent\_400002

### General

<b>Name</b>	SystemEvent_400002	<b>ID</b>	400002
<b>Alarm text</b>	Error in system function 'ConfigureNC-MachineData'. Error code: %1.	<b>Alarm class</b>	System

## SystemEvent\_400003

### General

<b>Name</b>	SystemEvent_400003	<b>ID</b>	400003
-------------	--------------------	-----------	--------

Totally Integrated Automation Portal			
Alarm text	Error in system function 'LogoffNC'. Error code: %1.	Alarm class	System
<b>SystemEvent_400004</b>			
<b>General</b>			
Name	SystemEvent_400004	ID	400004
Alarm text	Error in system function 'LogonNC'. Error code: %1.	Alarm class	System
<b>SystemEvent_400005</b>			
<b>General</b>			
Name	SystemEvent_400005	ID	400005
Alarm text	Error in system function 'FillCurrentNCBlockDisplay'. Error code: %1.	Alarm class	System
<b>SystemEvent_400006</b>			
<b>General</b>			
Name	SystemEvent_400006	ID	400006
Alarm text	Error in system function 'RestartNC'. Error code: %1.	Alarm class	System
<b>SystemEvent_400007</b>			
<b>General</b>			
Name	SystemEvent_400007	ID	400007
Alarm text	Error in system function 'SelectSubprogram'. Error code: %1.	Alarm class	System
<b>SystemEvent_400008</b>			
<b>General</b>			
Name	SystemEvent_400008	ID	400008
Alarm text	Error in system function 'ActivateNCUserFrame'. Error code: %1.	Alarm class	System
<b>SystemEvent_400009</b>			
<b>General</b>			
Name	SystemEvent_400009	ID	400009
Alarm text	Error in system function 'SetS7OperatingMode'. Error code: %1.	Alarm class	System
<b>SystemEvent_400010</b>			
<b>General</b>			
Name	SystemEvent_400010	ID	400010
Alarm text	Error in system function 'StartNCPIService'. Error code: %1.	Alarm class	System
<b>SystemEvent_400011</b>			
<b>General</b>			
Name	SystemEvent_400011	ID	400011
Alarm text	Error while filling the NC subprogram list for path %1. Error code: %2.	Alarm class	System
<b>SystemEvent_400012</b>			
<b>General</b>			
Name	SystemEvent_400012	ID	400012

Totally Integrated Automation Portal			
Alarm text	The NC subprogram list is being filled or a selection is running.	Alarm class	System
<b>SystemEvent_400013</b>			
<b>General</b>			
Name	SystemEvent_400013	ID	400013
Alarm text	Error for the NC %1 in the alarm or message handler. Error code: %2.	Alarm class	System
<b>SystemEvent_40010</b>			
<b>General</b>			
Name	SystemEvent_40010	ID	40010
Alarm text	Error in system function 'LinearScaling', error code: %1,%2.	Alarm class	System
<b>SystemEvent_40011</b>			
<b>General</b>			
Name	SystemEvent_40011	ID	40011
Alarm text	Error in system function 'IncreaseValue' or 'DecreaseValue', error code: %1,%2.	Alarm class	System
<b>SystemEvent_50000</b>			
<b>General</b>			
Name	SystemEvent_50000	ID	50000
Alarm text	Overflow: no data exchange with the PLC.	Alarm class	System
<b>SystemEvent_50001</b>			
<b>General</b>			
Name	SystemEvent_50001	ID	50001
Alarm text	Overflow status ended: data exchange is running again.	Alarm class	System
<b>SystemEvent_580000</b>			
<b>General</b>			
Name	SystemEvent_580000	ID	580000
Alarm text	%1	Alarm class	System
<b>SystemEvent_580001</b>			
<b>General</b>			
Name	SystemEvent_580001	ID	580001
Alarm text	%1 %2	Alarm class	System
<b>SystemEvent_60000</b>			
<b>General</b>			
Name	SystemEvent_60000	ID	60000
Alarm text	%1	Alarm class	System
<b>SystemEvent_600000</b>			
<b>General</b>			
Name	SystemEvent_600000	ID	600000
Alarm text	%1	Alarm class	System

**SystemEvent\_60010****General**

<b>Name</b>	SystemEvent_60010	<b>ID</b>	60010
<b>Alarm text</b>	Error copying the file: %1 to %2, error code: %3.	<b>Alarm class</b>	System

**SystemEvent\_60011****General**

<b>Name</b>	SystemEvent_60011	<b>ID</b>	60011
<b>Alarm text</b>	Error copying files, source and destination are identical.	<b>Alarm class</b>	System

**SystemEvent\_620000****General**

<b>Name</b>	SystemEvent_620000	<b>ID</b>	620000
<b>Alarm text</b>	%1	<b>Alarm class</b>	System

**SystemEvent\_70010****General**

<b>Name</b>	SystemEvent_70010	<b>ID</b>	70010
<b>Alarm text</b>	Error starting the application: %1, error code: %2,%3.	<b>Alarm class</b>	System

**SystemEvent\_70011****General**

<b>Name</b>	SystemEvent_70011	<b>ID</b>	70011
<b>Alarm text</b>	Date/time could not be set, error code: %1,%2.	<b>Alarm class</b>	System

**SystemEvent\_70012****General**

<b>Name</b>	SystemEvent_70012	<b>ID</b>	70012
<b>Alarm text</b>	Cannot exit Windows, error code: %1.	<b>Alarm class</b>	System

**SystemEvent\_70013****General**

<b>Name</b>	SystemEvent_70013	<b>ID</b>	70013
<b>Alarm text</b>	Invalid input of date/time.	<b>Alarm class</b>	System

**SystemEvent\_70014****General**

<b>Name</b>	SystemEvent_70014	<b>ID</b>	70014
<b>Alarm text</b>	Date/time could not be set.	<b>Alarm class</b>	System

**SystemEvent\_70015****General**

<b>Name</b>	SystemEvent_70015	<b>ID</b>	70015
<b>Alarm text</b>	Date/time could not be read.	<b>Alarm class</b>	System

**SystemEvent\_70016****General**

<b>Name</b>	SystemEvent_70016	<b>ID</b>	70016
<b>Alarm text</b>	Cannot select screen number %1.	<b>Alarm class</b>	System

Totally Integrated Automation Portal		
<b>SystemEvent_70017</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_70017	<b>ID</b> 70017
<b>Alarm text</b>	Area pointer 'Date/Time', PLC address error.	<b>Alarm class</b> System
<b>SystemEvent_70018</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_70018	<b>ID</b> 70018
<b>Alarm text</b>	User administration imported successfully.	<b>Alarm class</b> System
<b>SystemEvent_70019</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_70019	<b>ID</b> 70019
<b>Alarm text</b>	User administration exported successfully.	<b>Alarm class</b> System
<b>SystemEvent_70020</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_70020	<b>ID</b> 70020
<b>Alarm text</b>	Alarm reporting is activated.	<b>Alarm class</b> System
<b>SystemEvent_70021</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_70021	<b>ID</b> 70021
<b>Alarm text</b>	Alarm reporting is deactivated.	<b>Alarm class</b> System
<b>SystemEvent_70022</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_70022	<b>ID</b> 70022
<b>Alarm text</b>	User administration import started.	<b>Alarm class</b> System
<b>SystemEvent_70023</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_70023	<b>ID</b> 70023
<b>Alarm text</b>	User administration export started.	<b>Alarm class</b> System
<b>SystemEvent_70024</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_70024	<b>ID</b> 70024
<b>Alarm text</b>	Error in system function 'IncreaseValue': Tag range exceeded.	<b>Alarm class</b> System
<b>SystemEvent_70025</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_70025	<b>ID</b> 70025
<b>Alarm text</b>	Error in system function 'DecreaseValue': Tag range exceeded.	<b>Alarm class</b> System
<b>SystemEvent_70026</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_70026	<b>ID</b> 70026

Totally Integrated Automation Portal			
Alarm text	Cannot move back one screen. No more screens saved.	Alarm class	System
<b>SystemEvent_70027</b>			
<b>General</b>			
Name	SystemEvent_70027	ID	70027
Alarm text	Backup of the RAM file system has been started.	Alarm class	System
<b>SystemEvent_70028</b>			
<b>General</b>			
Name	SystemEvent_70028	ID	70028
Alarm text	RAM file system backup successful.	Alarm class	System
<b>SystemEvent_70029</b>			
<b>General</b>			
Name	SystemEvent_70029	ID	70029
Alarm text	Backup of the RAM file system has failed. Error code: %1.	Alarm class	System
<b>SystemEvent_70030</b>			
<b>General</b>			
Name	SystemEvent_70030	ID	70030
Alarm text	Parameter error in system function 'ChangeConnection'. Error code: %1.	Alarm class	System
<b>SystemEvent_70031</b>			
<b>General</b>			
Name	SystemEvent_70031	ID	70031
Alarm text	Error in system function 'ChangeConnection': Authorized only for S7 PLCs.	Alarm class	System
<b>SystemEvent_70032</b>			
<b>General</b>			
Name	SystemEvent_70032	ID	70032
Alarm text	Object selection with number in the tab sequence: %1 not possible.	Alarm class	System
<b>SystemEvent_70033</b>			
<b>General</b>			
Name	SystemEvent_70033	ID	70033
Alarm text	No connection to SMTP server or authentication not possible.	Alarm class	System
<b>SystemEvent_70034</b>			
<b>General</b>			
Name	SystemEvent_70034	ID	70034
Alarm text	Connection to SMTP server established.	Alarm class	System
<b>SystemEvent_70036</b>			
<b>General</b>			
Name	SystemEvent_70036	ID	70036
Alarm text	No SMTP server configured.	Alarm class	System

**SystemEvent\_70037****General**

<b>Name</b>	SystemEvent_70037	<b>ID</b>	70037
<b>Alarm text</b>	Cannot send e-mail.	<b>Alarm class</b>	System

**SystemEvent\_70038****General**

<b>Name</b>	SystemEvent_70038	<b>ID</b>	70038
<b>Alarm text</b>	Domain of recipient is unknown or authentication not possible.	<b>Alarm class</b>	System

**SystemEvent\_70039****General**

<b>Name</b>	SystemEvent_70039	<b>ID</b>	70039
<b>Alarm text</b>	%1 : invalid e-mail address.	<b>Alarm class</b>	System

**SystemEvent\_70040****General**

<b>Name</b>	SystemEvent_70040	<b>ID</b>	70040
<b>Alarm text</b>	%1 : invalid return address in e-mail.	<b>Alarm class</b>	System

**SystemEvent\_70041****General**

<b>Name</b>	SystemEvent_70041	<b>ID</b>	70041
<b>Alarm text</b>	User administration import aborted with error.	<b>Alarm class</b>	System

**SystemEvent\_70042****General**

<b>Name</b>	SystemEvent_70042	<b>ID</b>	70042
<b>Alarm text</b>	Error in system function 'LinearScaling': Tag value range exceeded.	<b>Alarm class</b>	System

**SystemEvent\_70043****General**

<b>Name</b>	SystemEvent_70043	<b>ID</b>	70043
<b>Alarm text</b>	Error in system function 'InvertLinearScaling': Tag value range exceeded.	<b>Alarm class</b>	System

**SystemEvent\_70044****General**

<b>Name</b>	SystemEvent_70044	<b>ID</b>	70044
<b>Alarm text</b>	One or more e-mails could not be sent. Please check the SMTP settings %1	<b>Alarm class</b>	System

**SystemEvent\_70045****General**

<b>Name</b>	SystemEvent_70045	<b>ID</b>	70045
<b>Alarm text</b>	One or more encrypted e-mails could not be sent.	<b>Alarm class</b>	System

**SystemEvent\_70046****General**

<b>Name</b>	SystemEvent_70046	<b>ID</b>	70046
<b>Alarm text</b>	One or more encrypted e-mails could not be sent. %1	<b>Alarm class</b>	System

**SystemEvent\_70047****General**

<b>Name</b>	SystemEvent_70047	<b>ID</b>	70047
<b>Alarm text</b>	One or more encrypted e-mails could not be sent. It is not possible to establish an encrypted connection.	<b>Alarm class</b>	System

**SystemEvent\_70048****General**

<b>Name</b>	SystemEvent_70048	<b>ID</b>	70048
<b>Alarm text</b>	The device '%1' can now be removed.	<b>Alarm class</b>	System

**SystemEvent\_70049****General**

<b>Name</b>	SystemEvent_70049	<b>ID</b>	70049
<b>Alarm text</b>	Device '%1' cannot be stopped right now.	<b>Alarm class</b>	System

**SystemEvent\_70050****General**

<b>Name</b>	SystemEvent_70050	<b>ID</b>	70050
<b>Alarm text</b>	Controller %1: The operating mode of the controller could not be set.	<b>Alarm class</b>	System

**SystemEvent\_70051****General**

<b>Name</b>	SystemEvent_70051	<b>ID</b>	70051
<b>Alarm text</b>	Controller %1: The operating mode of the controller could not be read.	<b>Alarm class</b>	System

**SystemEvent\_70052****General**

<b>Name</b>	SystemEvent_70052	<b>ID</b>	70052
<b>Alarm text</b>	Controller %1: The system time of the controller could not be set.	<b>Alarm class</b>	System

**SystemEvent\_80001****General**

<b>Name</b>	SystemEvent_80001	<b>ID</b>	80001
<b>Alarm text</b>	Log %1 is %2 percent full and must be swapped out.	<b>Alarm class</b>	System

**SystemEvent\_80002****General**

<b>Name</b>	SystemEvent_80002	<b>ID</b>	80002
<b>Alarm text</b>	Error saving a line in log %1.	<b>Alarm class</b>	System



**SystemEvent\_80003****General**

<b>Name</b>	SystemEvent_80003	<b>ID</b>	80003
<b>Alarm text</b>	Error copying a log to %1.	<b>Alarm class</b>	System

**SystemEvent\_80006****General**

<b>Name</b>	SystemEvent_80006	<b>ID</b>	80006
<b>Alarm text</b>	ODBC(ADO) error: Cannot log to log %1.	<b>Alarm class</b>	System

**SystemEvent\_80009****General**

<b>Name</b>	SystemEvent_80009	<b>ID</b>	80009
<b>Alarm text</b>	Log copied successfully.	<b>Alarm class</b>	System

**SystemEvent\_80010****General**

<b>Name</b>	SystemEvent_80010	<b>ID</b>	80010
<b>Alarm text</b>	Invalid path for log %1.	<b>Alarm class</b>	System

**SystemEvent\_80012****General**

<b>Name</b>	SystemEvent_80012	<b>ID</b>	80012
<b>Alarm text</b>	Logging overload - values will be lost.	<b>Alarm class</b>	System

**SystemEvent\_80013****General**

<b>Name</b>	SystemEvent_80013	<b>ID</b>	80013
<b>Alarm text</b>	Logging overload status has ended.	<b>Alarm class</b>	System

**SystemEvent\_80014****General**

<b>Name</b>	SystemEvent_80014	<b>ID</b>	80014
<b>Alarm text</b>	Log copy in progress, new activation ignored.	<b>Alarm class</b>	System

**SystemEvent\_80015****General**

<b>Name</b>	SystemEvent_80015	<b>ID</b>	80015
<b>Alarm text</b>	%1	<b>Alarm class</b>	System

**SystemEvent\_80016****General**

<b>Name</b>	SystemEvent_80016	<b>ID</b>	80016
<b>Alarm text</b>	The buffer for the log is full. Data will be rejected.	<b>Alarm class</b>	System

**SystemEvent\_80017****General**

<b>Name</b>	SystemEvent_80017	<b>ID</b>	80017
<b>Alarm text</b>	The buffer for the log is full. Actions will be rejected.	<b>Alarm class</b>	System

**SystemEvent\_80019****General**

<b>Name</b>	SystemEvent_80019	<b>ID</b>	80019
<b>Alarm text</b>	All logs have been closed successfully.	<b>Alarm class</b>	System

**SystemEvent\_80020****General**

<b>Name</b>	SystemEvent_80020	<b>ID</b>	80020
<b>Alarm text</b>	Overload: Log copy will not be executed.	<b>Alarm class</b>	System

**SystemEvent\_80021****General**

<b>Name</b>	SystemEvent_80021	<b>ID</b>	80021
<b>Alarm text</b>	Log copy in progress. Deletion not possible at present.	<b>Alarm class</b>	System

**SystemEvent\_80022****General**

<b>Name</b>	SystemEvent_80022	<b>ID</b>	80022
<b>Alarm text</b>	Incorrect type. Change to next log is not possible.	<b>Alarm class</b>	System

**SystemEvent\_80023****General**

<b>Name</b>	SystemEvent_80023	<b>ID</b>	80023
<b>Alarm text</b>	Source and target are identical. Log cannot be copied.	<b>Alarm class</b>	System

**SystemEvent\_80024****General**

<b>Name</b>	SystemEvent_80024	<b>ID</b>	80024
<b>Alarm text</b>	Destination log not empty. Log cannot be copied.	<b>Alarm class</b>	System

**SystemEvent\_80025****General**

<b>Name</b>	SystemEvent_80025	<b>ID</b>	80025
<b>Alarm text</b>	Log copy aborted by user.	<b>Alarm class</b>	System

**SystemEvent\_80026****General**

<b>Name</b>	SystemEvent_80026	<b>ID</b>	80026
<b>Alarm text</b>	Log initialization ended. All logs OK.	<b>Alarm class</b>	System

**SystemEvent\_80027****General**

<b>Name</b>	SystemEvent_80027	<b>ID</b>	80027
<b>Alarm text</b>	Log %1: Internal flash is not a valid storage medium.	<b>Alarm class</b>	System

**SystemEvent\_80028****General**

<b>Name</b>	SystemEvent_80028	<b>ID</b>	80028
-------------	-------------------	-----------	-------

Totally Integrated Automation Portal		
Alarm text	Log initialization started.	Alarm classSystem
SystemEvent_80029		
General		
Name	SystemEvent_80029	ID80029
Alarm text	Log initialization ended. %1 logs reported errors.	Alarm classSystem
SystemEvent_80030		
General		
Name	SystemEvent_80030	ID80030
Alarm text	The %1 table columns do not fit. Stopping log.	Alarm classSystem
SystemEvent_80031		
General		
Name	SystemEvent_80031	ID80031
Alarm text	A CSV log is corrupt. Please delete the file.	Alarm classSystem
SystemEvent_80032		
General		
Name	SystemEvent_80032	ID80032
Alarm text	Log %1 is already full. Event will not be triggered.	Alarm classSystem
SystemEvent_80033		
General		
Name	SystemEvent_80033	ID80033
Alarm text	Automatic DSN generation failed.	Alarm classSystem
SystemEvent_80034		
General		
Name	SystemEvent_80034	ID80034
Alarm text	Initialization error, backup generation and reset successful.	Alarm classSystem
SystemEvent_80035		
General		
Name	SystemEvent_80035	ID80035
Alarm text	Initialization error, backup generation and reset failed.	Alarm classSystem
SystemEvent_80036		
General		
Name	SystemEvent_80036	ID80036
Alarm text	Logs	Alarm classSystem
SystemEvent_80037		
General		
Name	SystemEvent_80037	ID80037
Alarm text	Copy log '%1' to '%2'.	Alarm classSystem

**SystemEvent\_80038****General**

<b>Name</b>	SystemEvent_80038	<b>ID</b>	80038
<b>Alarm text</b>	Clear content of log '%1'.	<b>Alarm class</b>	System

**SystemEvent\_80039****General**

<b>Name</b>	SystemEvent_80039	<b>ID</b>	80039
<b>Alarm text</b>	Start of log '%1'.	<b>Alarm class</b>	System

**SystemEvent\_80040****General**

<b>Name</b>	SystemEvent_80040	<b>ID</b>	80040
<b>Alarm text</b>	Stop of log '%1'.	<b>Alarm class</b>	System

**SystemEvent\_80041****General**

<b>Name</b>	SystemEvent_80041	<b>ID</b>	80041
<b>Alarm text</b>	Change over to next log '%1'.	<b>Alarm class</b>	System

**SystemEvent\_80042****General**

<b>Name</b>	SystemEvent_80042	<b>ID</b>	80042
<b>Alarm text</b>	Start Audit Trail '%1'. All GMP relevant user actions will be logged.	<b>Alarm class</b>	System

**SystemEvent\_80043****General**

<b>Name</b>	SystemEvent_80043	<b>ID</b>	80043
<b>Alarm text</b>	Stop Audit Trail '%1'. No user actions will be logged.	<b>Alarm class</b>	System

**SystemEvent\_80044****General**

<b>Name</b>	SystemEvent_80044	<b>ID</b>	80044
<b>Alarm text</b>	Found job ('%1') of function 'ExportLog' in file system, trying to complete job.	<b>Alarm class</b>	System

**SystemEvent\_80045****General**

<b>Name</b>	SystemEvent_80045	<b>ID</b>	80045
<b>Alarm text</b>	Job ('%1') of function 'ExportLog' failed, retrying to complete job in %2 seconds.	<b>Alarm class</b>	System

**SystemEvent\_80046****General**

<b>Name</b>	SystemEvent_80046	<b>ID</b>	80046
<b>Alarm text</b>	The destination file '%1' could not be written while exporting log '%2'.	<b>Alarm class</b>	System

**SystemEvent\_80047****General**

<b>Name</b>	SystemEvent_80047	<b>ID</b>	80047
<b>Alarm text</b>	The log '%1' could not be read while exporting it.	<b>Alarm class</b>	System

**SystemEvent\_80048****General**

<b>Name</b>	SystemEvent_80048	<b>ID</b>	80048
<b>Alarm text</b>	The log '%1' was successfully exported to '%2'.	<b>Alarm class</b>	System

**SystemEvent\_80049****General**

<b>Name</b>	SystemEvent_80049	<b>ID</b>	80049
<b>Alarm text</b>	The log '%1' could not be renamed to '%2' while preparing to export it. The job can not be completed.	<b>Alarm class</b>	System

**SystemEvent\_80050****General**

<b>Name</b>	SystemEvent_80050	<b>ID</b>	80050
<b>Alarm text</b>	The log '%1' that you want to export is not closed.	<b>Alarm class</b>	System

**SystemEvent\_80051****General**

<b>Name</b>	SystemEvent_80051	<b>ID</b>	80051
<b>Alarm text</b>	The log %1 contains an invalid check-sum as of line %2.	<b>Alarm class</b>	System

**SystemEvent\_80052****General**

<b>Name</b>	SystemEvent_80052	<b>ID</b>	80052
<b>Alarm text</b>	Error during read access to log %1	<b>Alarm class</b>	System

**SystemEvent\_80053****General**

<b>Name</b>	SystemEvent_80053	<b>ID</b>	80053
<b>Alarm text</b>	Error during read access to closed log %1	<b>Alarm class</b>	System

**SystemEvent\_80054****General**

<b>Name</b>	SystemEvent_80054	<b>ID</b>	80054
<b>Alarm text</b>	Initialization of logs, determination of storage medium.	<b>Alarm class</b>	System

**SystemEvent\_90000****General**

<b>Name</b>	SystemEvent_90000	<b>ID</b>	90000
<b>Alarm text</b>	Alarm	<b>Alarm class</b>	System

## SystemEvent\_90001

## General

Name	SystemEvent_90001	ID	90001
Alarm text	Acknowledgment of alarm %1 of PLC %2.	Alarm class	System

## SystemEvent\_90002

## General

Name	SystemEvent_90002	ID	90002
Alarm text	Acknowledgment of alarm %1 of PLC %2; this alarm is part of acknowledgment group %3.	Alarm class	System

## SystemEvent\_90003

## General

Name	SystemEvent_90003	ID	90003
Alarm text	Signed	Alarm class	System

## SystemEvent\_90004

## General

Name	SystemEvent_90004	ID	90004
Alarm text	Forced	Alarm class	System

## SystemEvent\_90005

## General

Name	SystemEvent_90005	ID	90005
Alarm text	Tag	Alarm class	System

## SystemEvent\_90006

## General

Name	SystemEvent_90006	ID	90006
Alarm text	Changing the tag value from '%1' to '%2'.	Alarm class	System

## SystemEvent\_90007

## General

Name	SystemEvent_90007	ID	90007
Alarm text	Change cannot be made due to a limit violation.	Alarm class	System

## SystemEvent\_90008

## General

Name	SystemEvent_90008	ID	90008
Alarm text	Change failed and was recalled.	Alarm class	System

## SystemEvent\_90009

## General

Name	SystemEvent_90009	ID	90009
Alarm text	System	Alarm class	System

## SystemEvent\_90010

## General

Name	SystemEvent_90010	ID	90010
Alarm text	WinCC Runtime %1	Alarm class	System

Totally Integrated Automation Portal		
<b>SystemEvent_90011</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_90011	<b>ID</b> 90011
<b>Alarm text</b>	Please confirm the following action by signing / through signature.	<b>Alarm class</b> System
<b>SystemEvent_90012</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_90012	<b>ID</b> 90012
<b>Alarm text</b>	Please confirm the following intended action with a comment.	<b>Alarm class</b> System
<b>SystemEvent_90013</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_90013	<b>ID</b> 90013
<b>Alarm text</b>	Please confirm the following intended action.	<b>Alarm class</b> System
<b>SystemEvent_90014</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_90014	<b>ID</b> 90014
<b>Alarm text</b>	<unknown object>	<b>Alarm class</b> System
<b>SystemEvent_90015</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_90015	<b>ID</b> 90015
<b>Alarm text</b>	<unknown current value>	<b>Alarm class</b> System
<b>SystemEvent_90016</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_90016	<b>ID</b> 90016
<b>Alarm text</b>	<unknown new value>	<b>Alarm class</b> System
<b>SystemEvent_90017</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_90017	<b>ID</b> 90017
<b>Alarm text</b>	Application	<b>Alarm class</b> System
<b>SystemEvent_90018</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_90018	<b>ID</b> 90018
<b>Alarm text</b>	<unknown user>	<b>Alarm class</b> System
<b>SystemEvent_90019</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_90019	<b>ID</b> 90019
<b>Alarm text</b>	Runtime start of %1 on HMI device %2. Project: '%3.%4 - %5' Build %6, created with %7	<b>Alarm class</b> System
<b>SystemEvent_90020</b>		
<b>General</b>		
<b>Name</b>	SystemEvent_90020	<b>ID</b> 90020

Totally Integrated Automation Portal			
Alarm text	New log file during run of %1 on HMI device %2. Project: '%3.%4 - %5' Build %6, created with %7.	Alarm class	System
<b>SystemEvent_90021</b>			
<b>General</b>			
Name	SystemEvent_90021	ID	90021
Alarm text	Stopping program run of %1 on device %2.	Alarm class	System
<b>SystemEvent_90022</b>			
<b>General</b>			
Name	SystemEvent_90022	ID	90022
Alarm text	Log files open again.	Alarm class	System
<b>SystemEvent_90023</b>			
<b>General</b>			
Name	SystemEvent_90023	ID	90023
Alarm text	Log files closed.	Alarm class	System
<b>SystemEvent_90024</b>			
<b>General</b>			
Name	SystemEvent_90024	ID	90024
Alarm text	No operator actions can be logged due to lack of space on the storage medium for log '%1'. The operator action will not be executed.	Alarm class	System
<b>SystemEvent_90025</b>			
<b>General</b>			
Name	SystemEvent_90025	ID	90025
Alarm text	Because of error state of the log '%1' no user actions can be logged. Therefore the user action will not be executed.	Alarm class	System
<b>SystemEvent_90026</b>			
<b>General</b>			
Name	SystemEvent_90026	ID	90026
Alarm text	No operator actions can be logged because the log is closed. The operator action will not be executed.	Alarm class	System
<b>SystemEvent_90027</b>			
<b>General</b>			
Name	SystemEvent_90027	ID	90027
Alarm text	Audit Trail	Alarm class	System
<b>SystemEvent_90028</b>			
<b>General</b>			
Name	SystemEvent_90028	ID	90028
Alarm text	The entered password is incorrect, please try again.	Alarm class	System



**SystemEvent\_90029****General**

<b>Name</b>	SystemEvent_90029	<b>ID</b>	90029
<b>Alarm text</b>	The last known sequential number for operator actions differs from the number in the log. Continuing with a higher number %1.	<b>Alarm class</b>	System

**SystemEvent\_90030****General**

<b>Name</b>	SystemEvent_90030	<b>ID</b>	90030
<b>Alarm text</b>	The last program run was not correctly exited. This may result in the loss of data.	<b>Alarm class</b>	System

**SystemEvent\_90031****General**

<b>Name</b>	SystemEvent_90031	<b>ID</b>	90031
<b>Alarm text</b>	Continuing with sequential number %1 for the operator actions because the last program run was not exited correctly.	<b>Alarm class</b>	System

**SystemEvent\_90032****General**

<b>Name</b>	SystemEvent_90032	<b>ID</b>	90032
<b>Alarm text</b>	Running out of space on the storage medium for log '%1'.	<b>Alarm class</b>	System

**SystemEvent\_90033****General**

<b>Name</b>	SystemEvent_90033	<b>ID</b>	90033
<b>Alarm text</b>	No more space on the storage medium for log '%1'. As of now, no more operator actions requiring logging will be executed.	<b>Alarm class</b>	System

**SystemEvent\_90034****General**

<b>Name</b>	SystemEvent_90034	<b>ID</b>	90034
<b>Alarm text</b>	<unknown>	<b>Alarm class</b>	System

**SystemEvent\_90035****General**

<b>Name</b>	SystemEvent_90035	<b>ID</b>	90035
<b>Alarm text</b>	Shutting down application.	<b>Alarm class</b>	System

**SystemEvent\_90036****General**

<b>Name</b>	SystemEvent_90036	<b>ID</b>	90036
<b>Alarm text</b>	Shutting down application due to problem with power supply.	<b>Alarm class</b>	System

**SystemEvent\_90037****General**

<b>Name</b>	SystemEvent_90037	<b>ID</b>	90037
<b>Alarm text</b>	Close all logs.	<b>Alarm class</b>	System

**SystemEvent\_90038****General**

<b>Name</b>	SystemEvent_90038	<b>ID</b>	90038
<b>Alarm text</b>	Open all logs.	<b>Alarm class</b>	System

**SystemEvent\_90039****General**

<b>Name</b>	SystemEvent_90039	<b>ID</b>	90039
<b>Alarm text</b>	Forcing a user action requires authorization 'Administration'.	<b>Alarm class</b>	System

**SystemEvent\_90040****General**

<b>Name</b>	SystemEvent_90040	<b>ID</b>	90040
<b>Alarm text</b>	Audit Trail is switched off because of a forced user action.	<b>Alarm class</b>	System

**SystemEvent\_90041****General**

<b>Name</b>	SystemEvent_90041	<b>ID</b>	90041
<b>Alarm text</b>	A user action which has to be logged has been triggered without a logged on user.	<b>Alarm class</b>	System

**SystemEvent\_90042****General**

<b>Name</b>	SystemEvent_90042	<b>ID</b>	90042
<b>Alarm text</b>	Exporting a log.	<b>Alarm class</b>	System

**SystemEvent\_90043****General**

<b>Name</b>	SystemEvent_90043	<b>ID</b>	90043
<b>Alarm text</b>	Some information was lost when trying to write to the log previously.	<b>Alarm class</b>	System

**SystemEvent\_90044****General**

<b>Name</b>	SystemEvent_90044	<b>ID</b>	90044
<b>Alarm text</b>	A user action which has to be confirmed was blocked, because there is another user action pending.	<b>Alarm class</b>	System

**SystemEvent\_90045****General**

<b>Name</b>	SystemEvent_90045	<b>ID</b>	90045
<b>Alarm text</b>	Acknowledgment of alarm %1.	<b>Alarm class</b>	System

**SystemEvent\_90046****General**

<b>Name</b>	SystemEvent_90046	<b>ID</b>	90046
<b>Alarm text</b>	Acknowledgment of alarm %1; this alarm is part of alarm group %2.	<b>Alarm class</b>	System

**SystemEvent\_90047****General**

<b>Name</b>	SystemEvent_90047	<b>ID</b>	90047
<b>Alarm text</b>	Changing the tag value from '%1' to '%2' by entering '%3'.	<b>Alarm class</b>	System

**SystemEvent\_90048****General**

<b>Name</b>	SystemEvent_90048	<b>ID</b>	90048
<b>Alarm text</b>	Printing not possible: Please stop the logging of data relevant to Audit Trail.	<b>Alarm class</b>	System

**SystemEvent\_90049****General**

<b>Name</b>	SystemEvent_90049	<b>ID</b>	90049
<b>Alarm text</b>	There was an error during access to %1. The procedure was cancelled.	<b>Alarm class</b>	System

**SystemEvent\_90050****General**

<b>Name</b>	SystemEvent_90050	<b>ID</b>	90050
<b>Alarm text</b>	Data logs	<b>Alarm class</b>	System

**SystemEvent\_90051****General**

<b>Name</b>	SystemEvent_90051	<b>ID</b>	90051
<b>Alarm text</b>	Alarm logs	<b>Alarm class</b>	System

**SystemEvent\_90052****General**

<b>Name</b>	SystemEvent_90052	<b>ID</b>	90052
<b>Alarm text</b>	Change of the tag value '%1' from '%2' to '%3'.	<b>Alarm class</b>	System

**SystemEvent\_90053****General**

<b>Name</b>	SystemEvent_90053	<b>ID</b>	90053
<b>Alarm text</b>	Change of the tag value '%1' from '%2' to '%3' by entering '%4'.	<b>Alarm class</b>	System

**SystemEvent\_90054****General**

<b>Name</b>	SystemEvent_90054	<b>ID</b>	90054
<b>Alarm text</b>	Change to tag %1 cannot be made due to a limit violation.	<b>Alarm class</b>	System

SystemEvent_90055
-------------------

General	
1	General
2	General
3	General
4	General
5	General
6	General
7	General
8	General
9	General
10	General
11	General
12	General
13	General
14	General
15	General
16	General
17	General
18	General
19	General
20	General
21	General
22	General
23	General
24	General
25	General
26	General
27	General
28	General
29	General
30	General
31	General
32	General
33	General
34	General
35	General
36	General
37	General
38	General
39	General
40	General
41	General
42	General
43	General
44	General
45	General
46	General
47	General
48	General
49	General
50	General
51	General
52	General
53	General
54	General
55	General
56	General
57	General
58	General
59	General
60	General
61	General
62	General
63	General
64	General
65	General
66	General
67	General
68	General
69	General
70	General
71	General
72	General
73	General
74	General
75	General
76	General
77	General
78	General
79	General
80	General
81	General
82	General
83	General
84	General
85	General
86	General
87	General
88	General
89	General
90	General
91	General
92	General
93	General
94	General
95	General
96	General
97	General
98	General
99	General
100	General

<b>Name</b>	SystemEvent_90055	<b>ID</b>	90055
<b>Alarm text</b>	Change of the tag %1 failed and was recalled.	<b>Alarm class</b>	System

## SystemEvent\_90056

General	
1	General
2	General
3	General
4	General
5	General
6	General
7	General
8	General
9	General
10	General
11	General
12	General
13	General
14	General
15	General
16	General
17	General
18	General
19	General
20	General
21	General
22	General
23	General
24	General
25	General
26	General
27	General
28	General
29	General
30	General
31	General
32	General
33	General
34	General
35	General
36	General
37	General
38	General
39	General
40	General
41	General
42	General
43	General
44	General
45	General
46	General
47	General
48	General
49	General
50	General
51	General
52	General
53	General
54	General
55	General
56	General
57	General
58	General
59	General
60	General
61	General
62	General
63	General
64	General
65	General
66	General
67	General
68	General
69	General
70	General
71	General
72	General
73	General
74	General
75	General
76	General
77	General
78	General
79	General
80	General
81	General
82	General
83	General
84	General
85	General
86	General
87	General
88	General
89	General
90	General
91	General
92	General
93	General
94	General
95	General
96	General
97	General
98	General
99	General
100	General

<b>Name</b>	SystemEvent_90056	<b>ID</b>	90056
<b>Alarm text</b>	The recipe import could not be executed. %1 does not contain a checksum.	<b>Alarm class</b>	System

SystemEvent\_90057

General	
---------	--

<b>Name</b>	SystemEvent_90057	<b>ID</b>	90057
<b>Alarm text</b>	The recipe import could not be executed. %1 contains an invalid checksum as of line %2.	<b>Alarm class</b>	System

## SystemEvent\_90058

## General

<b>Name</b>	SystemEvent_90058	<b>ID</b>	90058
<b>Alarm text</b>	The verification of the checksum for file %1 during recipe import was successful.	<b>Alarm class</b>	System

SystemEvent_9999			
------------------	--	--	--

## General

<b>Name</b>	SystemEvent_9999	<b>ID</b>	9999
<b>Alarm text</b>	Global: Unknown error %1,%2,%3,%4,%5,%6,%7,%8,%9.	<b>Alarm class</b>	System