TODO

Translation review walkthrough (FR ready now; DE + ES post-ABQ)

Status as of 2026-04-30:

Locale	Frontend UI catalog	Species `distribution_narrative`	Backend `gettext` (.po)	Flag
`fr`	Translated + voice-reviewed	**143 rows in `writer_reviewed` — awaiting your approval**	89 msgids translated	`..._FR=false` (flip after approval pass)
`de`	MT pre-staged (786 strings)	143 rows in `mt_draft` (post-ABQ)	97 msgids translated	`..._DE=false`
`es`	MT pre-staged (786 strings)	143 rows in `mt_draft` (post-ABQ)	97 msgids translated	`..._ES=false`

How to compare two locale versions of a translation

For one species' long-form prose at the API level (no auth needed for public fields):

```
curl -s -H "Accept-Language: en" "http://localhost:8000/api/v1/species/1/" \
    | python3 -c "import sys,json; d=json.load(sys.stdin); print('EN:',
d['distribution_narrative'][:200])"
curl -s -H "Accept-Language: fr" "http://localhost:8000/api/v1/species/1/" \
    | python3 -c "import sys,json; d=json.load(sys.stdin); print('FR:',
d['distribution_narrative'][:200])"
```

For the **side-by-side review screen** (the operational workflow):

1. Visit `localhost:8000/admin/i18n/translationstatus/`
2. Filter: `locale=fr`, `status=writer_reviewed`, `content_type=Species`
3. Click into any row — the change form has the **English source** pane (read-only) on top and the **Target translation** pane (editable) below. Edit inline; save writes back to the underlying species row's `<field>_<locale>` column.
4. To approve a batch: back on the list view, bulk-select rows → Action dropdown → **"Approve: writer_reviewed → human_approved"** → Go. Stamps `human_approved_by` + `human_approved_at`.

FR approval pass — your TODO

- [ ] Filter to `locale=fr`, `status=writer_reviewed`, content_type=Species (143 rows expected)
- [ ] Walk through them family by family. Bedotiidae (29) is the demo banner family — start there. Cichlidae (48) is the largest; Aplocheilidae (8), Anchariidae (6), and the 21 small families (~58 rows) are quicker.
- [ ] Bulk-approve each family's batch via the admin action.
- [ ] When the demo families (at least Bedotiidae) are approved, run the flag-flip pre-flight in `docs/operations/i18n-flag-flip-runbook.md` and flip

`NEXT_PUBLIC_FEATURE_I18N_FR=true` on Vercel.

DE + ES — post-ABQ

Both are MT-only right now. Post-workshop work per `docs/planning/specs/gate-L5-german.md` and `docs/planning/specs/gate-L6-spanish.md`:

1. `@conservation-writer` voice review of `frontend/messages/<locale>.json`
2. Hand-translate the 12 plurals each
3. Family-batched conservation-writer review of the 143 `mt_draft` species rows
4. Human-approval pass + flag flip

Estimated effort: ~1 focused day per locale.

Coordinator-dashboard demo data — seeded 2026-04-30

Shipped demo data so the Tier-3 coordinator dashboard panels render non-empty for the ABQ workshop. **Seed is "demo-shaped, not field data"**; replace before any external sharing.

- Source: `data/seed/coordinator-demo/institutions_populations.csv`
- README: `data/seed/coordinator-demo/README.md`
- Loaders: `seed_populations` then `seed_demo_coordination` (both idempotent).
- Result: 9 Institutions, 18 ExSituPopulations, 8 CoordinatedPrograms, 2 Transfers, 7 BreedingRecommendations, 24 BreedingEvents.

Real-data swap-in before any partner-facing share:

- [ ] Replace count + census-date columns with ZIMS-accurate numbers
- [ ] Confirm institution × species pairings against actual holdings
- [ ] Re-run `seed_populations` (idempotent on institution name + species pair)

Wire up `malagasyfishes.org` (public URL — decided 2026-04-19)

Decision: Public URL is `malagasyfishes.org`. Staging remains `api.malagasyfishes.org` (already live). Frontend production alias needs to be `malagasyfishes.org` → Vercel, with `www` as an alias.

Remaining work (owner: Aleksei):

- [ ] Register `malagasyfishes.org` at a registrar (Namecheap / Cloudflare)
- [ ] Point DNS: apex `A` / `ALIAS` + `www` `CNAME` → Vercel; keep `api.malagasyfishes.org` `A` → Hetzner VPS
- [ ] Add the domain in Vercel project settings, verify ownership
- [ ] Update `CSRF_TRUSTED_ORIGINS` / `ALLOWED_HOSTS` in backend prod settings to include `malagasyfishes.org` + `www.malagasyfishes.org` if the frontend will ever POST to the backend from either origin
- [ ] Update About page's GitHub/admin links if we want a custom apex for admin (optional — `api.malagasyfishes.org/admin/` works)
- [ ] Update any references in arch docs + conservation-writer copy that assumed `madagascarfish.vercel.app`

Blocker for: SHOAL/ECA pre-workshop email, printed handouts at ABQ BioPark June 1–5. Needs to land well before 2026-05-15.

Ship-before-workshop (ECA Workshop, 2026-06-01)

From the *Paretroplus menarambo* UX review (2026-04-19).

- ✅ Silhouette SVG empty-state on profile — custom per-species slot now on `Species.silhouette_svg`, generic cichlid fallback otherwise.
- ✅ External References promoted above Field Programs when Field Programs is empty (close on outbound signal).
- ✅ Difficulty Factors Option A — profile callout at ≥3 factors + husbandry page `<details>` progressive disclosure.
- ✅ Husbandry breadcrumb reads "← Back to *{binomial}*".
- ✅ Mobile pass on husbandry at 375px (PR #111).
- ⏳ **Author custom silhouette SVGs for priority species** (Alex). Form lives in Species admin now; paste inline `<svg>…</svg>` with `currentColor` fills. Start with *P. menarambo*, then other CARES/SHOAL.

Post-workshop backlog

From the UX review:

- ✅ Sticky in-page TOC on husbandry wide-screens (PR #111).
- Right-rail Difficulty Factors sidebar (Option B) — revisit if the inline list still feels heavy after real users test the page.
- Iconography Difficulty Factors (Option C) — only with a designer.
- ✅ Prioritization score + CARES/SHOAL chips on the profile header (already shipped — `BasinPill` chips at lines 361–366 of species profile; todo.md note was stale).
- ✅ Narrative first-paragraph lede treatment when narrative > ~400 words (already shipped — see husbandry page.tsx `wordCount > 400` branch).
- ✅ Sparse-data amber bar + emphasized-teaser accent border conflict — moot in current code: `HusbandryTeaser` component exists but is not imported on the species profile, so the overlap can't happen today. Re-evaluate if/when the emphasized teaser is wired in.
- ✅ "View on Map" button — already lives in the body Distribution box, not the header; the todo note was stale.
- ✅ Disclaimer slab line-break — already a two-paragraph block in `HusbandryDisclaimer.tsx`; the todo note was stale.
- Silhouette **scale bar** — reintroduce alongside calibrated per-species SVG story when ready (removed 2026-04-19).

Conservation status governance (follow-up to gate 06)

Status: 🟢 BA + PM spec complete. Substantial implementation already landed; reconciliation pass needed (see "What's still open" below).

Goal: guarantee that `Species.iucn_status` is always traceable to an authoritative or human-reviewed source, with audit logging and an explicit conflict-resolution path when manual assessments disagree with IUCN.

Existing planning artifacts

- BA assessment: `docs/planning/business-analysis/conservation-status-governance.md`
- PM gate spec: `docs/planning/specs/gate-06-governance-follow-up.md`

What's already shipped

A re-audit on 2026-04-26 found these pieces are in code:

- `audit/` Django app (`AuditEntry` model, signal handlers, `audit_actor` thread-local context manager, admin) — wired into `iucn_sync` and `species/admin.py` .
- `ConservationAssessment.Source.MANUAL_EXPERT` enum value, `created_by` FK, `iucn_assessment_id` , `last_sync_job` FK, `conflict_acknowledged_assessment_ids` JSONField.
- `ConservationStatusConflict` model with the four resolution outcomes (`accepted_iucn` / `retained_manual` / `reconciled` / `dismissed`).
- `tests/test_audit_entry.py` , `tests/test_audit_signals.py` , `tests/test_iucn_sync_conflict.py` , `tests/test_iucn_sync_audit.py` , `tests/test_manual_expert_admin.py` — all green on main.

What's still open

Confirm by walking the gate-06b spec deliverables list against what's in the code; suspected remaining items:

- **Pre-publish check on GBIF / Darwin Core Archive export pipeline** (BA Req 3b) — explicitly deferred to gate 08+ when the export pipeline itself is built.
- **Public badge attribution string** ("Expert review — {assessor}") truncation rules and multi-assessor formatting — open question per the BA, blocking gate 07 polish.
- **`assessment_id` stability probe** (gate-06b decision 8) — has the IUCN sync been validated against IUCN's `assessment_id` semantics with the composite-key fallback (`iucn_taxon_id` , `year_published` , `category`)? If not, conflict acknowledgement may be brittle.
- **`conflict_acknowledged_assessment_ids` admin protection** — must be read-only in admin or a coordinator could silently silence future conflicts. Verify the admin registration honors this.

Next action

A PM reconciliation pass is needed: walk the gate-06b deliverables list, mark already-landed items as done, and re-anchor the remaining work into a smaller follow-up gate (or fold into gate 07 polish). Not workshop-critical. Defer until after ABQ unless one of the open items above becomes a workshop-relevant blocker.

Reconcile canonical watershed basin names (polish, not a blocker)

Status: ✅ MVP target met — 21 of 50 root basins named in `backend/species/basins.py::CANONICAL_BASIN_NAMES` . All five biogeographic regions have at least one named anchor. Remaining 7 candidates currently render with a coordinate-tagged fallback (e.g., `"Basin near 22.57°S 43.93°E"`). None are blockers.

Unmatched candidates

Basin	Region	Reference area
Linta	Deep S	6,500
Rianila	E (Toamasina)	7,820
Ivondro	E (Toamasina)	2,600

Sambirano (Nosy Be hinterland)	NW	2,980
Lokoho (Masoala)	NE	3,200
Mananjeba	Far N	2,500
Ankofia	NW	4,500

Name-variant caveats to preserve when labelling:

- Onilahy, not Onihaly (colonial spelling)
- Always qualify the two Mahavavys: `Mahavavy-Nord` vs `Mahavavy-Sud`
- Always qualify the two Mananaras: `Mananara-Nord` (small NE) vs `Mananara-Sud`
- Prefer `Betsiboka` for the outlet polygon, not `Ikopa` (Ikopa is a tributary)

Reconciliation recipe

1. Dump unnamed basins with centroids:

```
docker compose exec -T web python manage.py shell -c "
from species.models import Watershed
for w in Watershed.objects.filter(name__startswith='Basin near').order_by('-area_sq_km'):
    c = w.geometry.centroid
    print(f'{w.hybas_id},{w.area_sq_km},{c.y:.4f},{c.x:.4f}')
" > unnamed_basins.csv
```

2. Visually match each row to a named river basin via geojson.io + FAO / OSM / FEOW references below.

3. Add entries to `backend/species/basins.py::CANONICAL_BASIN_NAMES`.

4. Re-run pipeline (no code change, no migration):

```
docker compose exec -T web python manage.py load_reference_layers \
    --watersheds /data/reference/hydrobasins_madagascar_lev06.shp
docker compose exec -T web python manage.py generate_map_layers \
    --output-dir /app/staticfiles/map-layers/
```

Authoritative sources

- Rakotoarisoa, M. et al. (2022). *Water* 14(3):449. https://www.mdpi.com/2073-4441/14/3/449
- Aldegheri (ORSTOM/IRD). *Rivers and Streams on Madagascar.* https://horizon.documentation.ird.fr/exl-doc/pleins_textes/pleins_textes_5/b_fdi_30-30/32882.pdf
- FAO AQUASTAT — Madagascar: https://www.fao.org/aquastat/en/countries-and-basins/country-profiles/country/MDG/
- FAO hydrological basins of Africa: https://data.apps.fao.org/catalog/iso/e54e2014-d23b-402b-8e73-c827628d17f4
- FEOW Madagascar 581: https://feow.org/ecoregions/details/581