L4 S1 — English-pocket survey (2026-04-30)

Inventory of hardcoded English strings in the three pockets CLAUDE.md i18n rule #3 names. Drives S2 / S3 / S4 implementation scope.

Total: 55+ leaks across 3 pockets, 11 files.

Pocket	File count	String count	Story
1. Server-action errors	2	7	S2
2. `lib/husbandry` helpers	1	9	S3
3. Django backend	8+	39+	S4

Pocket 1 — Server-action error strings (S2)

`frontend/app/[locale]/signup/actions.ts`

Line	String	Context	Fix
51	`"Email, name, and password are all required."`	registerAction validation	`getTranslations()`
67	`"Could not reach the server. Check your connection and try again."`	network failure	`getTranslations()`
82	`"Sign-up failed. Please check your details and try again."`	400 fallback	`getTranslations()`
118	`"The server is unavailable. Please try again in a moment."`	5xx fallback	`getTranslations()`

`frontend/app/api/revalidate/route.ts`

Line	String	Context	Fix
23	`"server is not configured for revalidation"`	API error response	symbolic token
33	`"invalid JSON body"`	API validation error	symbolic token
40	`"unauthorized"`	API authentication failure	symbolic token

Note: `revalidate/route.ts` is internal-machinery infrastructure. Symbolic token approach (return `{ error: "REVALIDATE_NOT_CONFIGURED" }` etc.) lets the caller — usually Django admin — translate at display time.

Pocket 2 — `lib/husbandry` helpers (S3)

`frontend/lib/husbandry.ts`

Line	String	Context	Fix

150–156	`"Adult size"`, `"Space demand"`, `"Temperament challenge"`, `"Water parameter demand"`, `"Dietary specialization"`, `"Breeding complexity"`, `"Other"`	DIFFICULTY_FACTOR_ORDER constant	enum tokens + client-side `t()` mapping
209	`"CARES + SHOAL priority"`	teaserPresentation chip	enum token
211	`"CARES breeder priority"`	teaserPresentation chip	enum token
213	`"SHOAL priority"`	teaserPresentation chip	enum token
227	`"A CARES / SHOAL priority species."`	teaserSentence return	enum token
230	`"A CARES priority species."`	teaserSentence return	enum token
233	`"A SHOAL priority species."`	teaserSentence return	enum token
235	`"Guidance on keeping this species, drawn from keepers and published sources."`	teaserSentence default	enum token

Implementation pattern (per L4 spec S3):

```
// frontend/lib/husbandry.ts
export const DIFFICULTY_FACTOR_TOKENS = [
  "adult_size", "space_demand", "temperament", "water_params",
  "dietary", "breeding_complexity", "other",
] as const;

export type DifficultyFactorToken = typeof DIFFICULTY_FACTOR_TOKENS[number];

// teaserPresentation returns tokens, not strings
export type TeaserBadgeToken =
  | "cares_shoal_priority" | "cares_priority" | "shoal_priority" |
"guidance_default";

// Component (with t() access) maps token -> rendered string
```

Catalog keys land under `husbandry.difficulty.<token>` and `husbandry.teaser.<token>` in `frontend/messages/*.json`.

Pocket 3 — Django backend (S4)

All fixes use `from django.utils.translation import gettext_lazy as _` and wrap each string.

`backend/accounts/serializers.py`

Line	String	Context
16	`"An account with this email already exists."`	RegisterSerializer.validate_email

`backend/accounts/views.py`

Line	String	Context
93	`"Verify your Madagascar Fish account"`	email subject
94	`"Click to verify your account: {verification_url}"`	email body
101	`"Registration successful. Check your email to verify your account."`	register response
112	`"Missing verification token."`	verify_email
120	`"Verification link has expired."`	SignatureExpired
125	`"Invalid verification token."`	BadSignature
133	`"Invalid verification token."`	User.DoesNotExist
138	`"Account already verified."`	already active
143	`"Account verified successfully."`	success
153	`"Too many login attempts. Try again in 15 minutes."`	rate limit
167	`"Invalid email or password."`	auth failure
186	`"Logged out successfully."`	logout

Note: Lines 93–94 (email subject/body) become template-driven in S8; they're listed here because they currently exist as inline strings.

`backend/accounts/models.py`

Line	String	Context
45	`"1=Public, 2=Researcher, 3=Coordinator, 4=Program Manager, 5=Admin"`	User.access_tier help_text
57	`"Inactive until manually activated or email-verified."`	User.is_active help_text

`backend/species/admin.py`

Line	String	Context
55	`` `{field}` is required when source is `manual_expert`. ``	ConservationAssessmentAdminForm.clean
59	`` `reason` is required when creating a manual_expert assessment. ``	form validation
336	`"No audit entries recorded."`	recent_iucn_status_audit
427	`"Tier 3 (Conservation Coordinator) or higher is required to author a manual_expert assessment."`	PermissionDenied

`backend/species/admin_revalidate.py`

Line	String	Context
40–41	`"Revalidate is not configured: …"`	_post_revalidate
52	`f"Revalidate timed out after {timeout}s — check frontend health."`	Timeout
54	`f"Revalidate request failed: {exc}"`	RequestException
57	`f"Revalidate returned HTTP {response.status_code}: {response.text[:200]}"`	HTTP error
62	`f"Revalidate succeeded (HTTP {response.status_code}, non-JSON body)."`	success
66	`f"Revalidated {len(revalidated)} path(s)."`	summary
68	`f"{len(failures)} path(s) failed: {failures}"`	failure summary

Note: f-strings need `gettext_lazy("Revalidate timed out after %(t)ss — check frontend health.") % {"t": timeout}` form. Or use lazy interpolation pattern.

`backend/husbandry/admin.py`

Line	String	Context
181	`"Review is overdue; public page will show a 'review pending' note."`	messages.warning
202	`"last_reviewed_by is required to publish."`	save_related
204	`"last_reviewed_at is required to publish."`	save_related
206	`"At least one source citation is required to publish."`	save_related

`backend/husbandry/models.py`

Line	String	Context
145	`"Species husbandry record"`	verbose_name
146	`"Species husbandry records"`	verbose_name_plural
178	`"A reviewer is required to publish a husbandry record."`	clean
180–181	`"A review date is required to publish a husbandry record."`	clean
53	`"Gates public API + frontend teaser. Draft records are invisible to the public."`	help_text
126	`"Free text at MVP. Structured contributor records are post-MVP (BA §5)."`	help_text
134	`"Required when published=True."`	help_text

137	`"Required when published=True."`	help_text

`backend/populations/admin.py`

Line	String	Context
125	`"You can only modify records for your own institution."`	PermissionDenied
128	`"You can only create records for your own institution."`	PermissionDenied

Exclusions / non-leaks

- `tests/` and migration files — infrastructure, not user-facing.
- `console.error()` / log strings without user visibility.
- `i18n/admin.py` — already wraps with `_()` (`gettext_lazy`); no leaks.
- Third-party package strings (DRF, Django, modeltranslation defaults).

Implementation order

1. **S2** — Smallest pocket, validates `getTranslations()` + symbolic-token pattern. ~7 strings, 2 files. Half-day.
2. **S3** — `lib/husbandry` token refactor. Touches every consumer of teaser-related helpers (audit needed). Day.
3. **S4** — Django `gettext_lazy` sweep + `makemessages` + initial `.po` translation. Two days. The big one.

Related

- Spec: `docs/planning/specs/gate-L4-i18n-french-staff.md`
- Initiative hub: `docs/planning/i18n/README.md`
- Architecture: `docs/planning/architecture/i18n-architecture.md`
- L1 spec (catalog patterns): `docs/planning/i18n/gate-L1-framework.md`
- Code pattern reference: `frontend/i18n/routing.ts` , `frontend/i18n/request.ts`