Paretroplus menarambo profile review — 2026-04-19

Reviewer: UX reviewer agent **Target:** First published species profile + husbandry page (*Paretroplus menarambo*) **Related:** `docs/planning/ux/imagery-strategy.md` , `docs/planning/specs/gate-09-husbandry-frontend.md` , `docs/planning/copy/husbandry-platform-copy.md`

Top-line verdict

Demos as-is with two small fixes. The profile and husbandry page are honest, legible, and voice-aligned. A SHOAL partner skimming either page at ABQ will not see anything embarrassing. Two items genuinely fight the reader and should land before June 1: (1) the profile has no image anchor (silhouette fallback from imagery-strategy.md hasn't shipped yet — called out as the highest-leverage move and every critic at the workshop will notice its absence), and (2) Difficulty Factors runs seven labeled rows on a page that already asks the reader to parse twelve sections. Everything else in this review is polish.

Profile page findings (`frontend/app/species/[id]/page.tsx`)

Cold-curator 15-second skim. Header carries italic binomial, authority, family/genus, endemism, IUCN badge, "View on Map". Good density. Below the fold: a two-column Conservation Status / Common Names grid, then Description & Ecology, then Captive Population Summary, then HusbandryTeaser, then Field Programs, then External References. Reading order is sensible.

What fights the reader:

1. **No visual anchor above the fold.** (Critical — imagery) `page.tsx:109–147` . Header is pure type. For *menarambo*, a CARES/SHOAL priority species Aleksei personally photographed at ABQ BioPark, the absence reads as "database, not platform" — the exact failure mode imagery-strategy.md §1 names. Silhouette SVG is the agreed empty-state; even the silhouette + "Have a photo? Contribute →" caption is a better first impression than blank type. *Ship-before-workshop*.

2. **"View on Map →" is the only right-rail affordance and it floats next to the IUCN badge.** (Minor) `page.tsx:137–144` . The button competes with the badge for attention. Consider moving it to the end of the header row, or below the taxonomic line, so the badge stays the single visual emphasis in the header.

3. **Captive Population Summary renders numeric zero-state as three bold zeros when `institutions_holding === 0` .** (Minor) `page.tsx:256–281` . The guard at line 256 already handles the zero case with a sentence, which is good. Double-check that `total_individuals > 0` with `institutions_holding === 0` can't happen in data — currently the guard keys only on the institutions count.

4. **External References heading sits below Field Programs empty-state.** (Minor) `page.tsx:318–350` . On a sparse profile the last thing the funder reads is "No linked field programs," which is a bad closing beat. Consider promoting External References above Field Programs when Field Programs is empty, so the page closes on an outbound signal (IUCN / FishBase) rather than an absence.

5. **Funder 60-second read: no prioritization score, no "why this species matters" beat.** (Important) The BA/PM flows mention a prioritization score; the profile doesn't surface one. For *menarambo* the CARES + SHOAL signals live only on the husbandry teaser chip — they should also render near the header or in Conservation Status so a funder who doesn't scroll to the teaser still sees them. *Post-workshop* unless a chip can be added to the header cheaply.

6. **"Sparse data" amber bar and the HusbandryTeaser accent border both use colored left treatments.** (Minor) `page.tsx:149–154` vs. `HusbandryTeaser.tsx:35–40`. On a sparse-data husbandry species both could render; check one renders above the other cleanly and they don't compete.

Husbandry page findings (`frontend/app/species/[id]/husbandry/page.tsx`)

1. **Breadcrumb reads "← *Paretroplus menarambo*" with no "Species" or "Back to profile" label.** (Minor) `page.tsx:207–212`. A reader arriving via shared link may not realize the italic binomial is a back-link to the profile. Consider "← Back to *Paretroplus menarambo*" — four extra words, unambiguous affordance.

2. **Section headings are all the same weight and rhythm — twelve h2s.** (Important) The page reads as a long vertical checklist. At-a-glance helps; Difficulty Factors (see below) hurts. A sticky in-page TOC on wide screens (`position: sticky` right-rail with Water / Tank / Diet / Behavior / Breeding / Narrative / References anchors) would let a curator jump to breeding without scrolling past six sections. *Post-workshop.*

3. **Disclaimer slab is fine but dense.** `HusbandryDisclaimer.tsx`. Four sentences in one paragraph. Voice-aligned. Consider line-break after "conditions vary between systems, regions, and individual fish." to let the eye rest — same copy, better scannability.

4. **"Contribute updates →" CTA sits between governance footer and cross-links nav** `page.tsx:568–575`. Reading order lands on the CTA after the reviewed-by stamp, which is correct. Verify on mobile the CTA doesn't get mistaken for a breadcrumb.

5. **`narrative` renders as a single `<p>` with `whitespace-pre-line`.** `page.tsx:476–479`. Fine for MVP. For *menarambo* specifically, if the narrative is more than ~400 words, consider a first-paragraph lede with visual break before the rest — currently one wall of text.

6. **No phone check against real data.** At `max-w-3xl` with `grid-cols-2 sm:grid-cols-3` at-a-glance, confirm the labels don't wrap awkwardly at 375px. "CARES registered breeders" is the likely wrap offender.

Difficulty Factors redesign — 3 options, ranked by effort

Currently `HusbandryDifficultyFactors.tsx` renders up to seven `<dt>/<dd>` pairs, each ~2 lines of free text. On a profile that already elides blanks this is restrained but still pushes body copy down on species with thorough documentation. The component already elides blanks (AC-09.5 / the `collectDifficultyFactors` guard in `lib/husbandry.ts:160–169`), so "hide blanks" is done — the problem is the shape, not the nulls.

Option A — "Callout band + collapsed factors" (S, ~½ day)

- On the **profile page**, add a one-line amber/sky callout above HusbandryTeaser: "Husbandry has N specialized considerations for this species. [See details →]" anchored to `#difficulty-heading` on the husbandry page. Only render when `collectDifficultyFactors(h).length >= 3` (the "this is a lot" threshold).
- On the **husbandry page**, keep the current descriptive list but wrap it in a `<details>` / disclosure that shows the first 2 factors and collapses the rest behind "Show N more factors." Preserves AC-09.5 (no aggregate label) — it's still factor text, just progressively disclosed.

- **Tradeoff:** cheap, voice-aligned, no new iconography to source. Callout duplicates teaser real estate a little. No hover affordance needed, so works on touch.
- **Recommendation: ship this before workshop.**

Option B — "Right-rail factor sidebar on wide screens" (M, ~1–1.5 days)

- On screens ≥ lg breakpoint, change husbandry page from `max-w-3xl` single column to a `grid-cols-[1fr_16rem]` layout with Difficulty Factors pinned `position: sticky top-8` in the right rail. On narrow screens, factors collapse to the current inline section.
- Factor labels become short chips ("Space", "Temperament", "Water", "Diet", "Breeding"); the descriptive value shows on expand (click/tap to reveal — not hover, for touch parity).
- **Tradeoff:** fixes the "pushes body copy down" complaint directly; readers see water parameters and difficulty factors simultaneously. Costs layout rework and a disclosure interaction. Sidebar creates a second reading column that changes the page's editorial character.
- **Recommendation: post-workshop.** Good direction but too much surface area for the remaining 6 weeks.

Option C — "Iconography with tap-for-detail" (L, ~2–3 days + icon sourcing)

- Replace the descriptive list with a horizontal strip of 7 icons (fish size, tank, thermometer, droplet, fork, fish-school, egg). Each icon is a button; tap/click expands a popover with the factor's descriptive text. Icons that have no data render grayed out or are omitted.
- Same component appears as a compact strip on the profile-page teaser ("Quick glance at husbandry demands") and at full size on the husbandry page.
- **Tradeoff:** most scannable at a glance; visually distinctive; good demo beat. But: icons must be designed or licensed (outside scope per role split); icons read as "marketing" per imagery-strategy.md §4 if not done well; icon-without-label risks violating AC-09.5's spirit ("let the reader draw their own conclusion") by implying a rubric. Accessibility burden: every icon needs a label and a keyboard-expandable popover.
- **Recommendation: post-workshop, and only if a designer is available.** Not worth rolling solo before June 1.

On the "banner at top of profile" idea: covered by Option A's callout. A full-width warning banner ("⚠ This species has husbandry considerations") would miscalibrate — *menarambo* isn't dangerous to keep, it's demanding. Warning chrome reads as hazard. The neutral prose callout does the job without crying wolf.

Ship-before-workshop list (5 items max)

1. **Silhouette SVG empty-state on the profile image slot** — imagery-strategy.md §5 already committed to this; it's the single highest-leverage visual fix. If Aleksei's ABQ photo of *menarambo* lands in time, that replaces the silhouette for the demo species.
2. **Difficulty Factors Option A** — profile callout + husbandry-page progressive disclosure. ½ day.
3. **Promote External References above Field Programs when Field Programs is empty** on the profile. 10-minute reorder in `page.tsx:295–350`.
4. **Breadcrumb copy on husbandry page** — "← Back to *Paretroplus menarambo*" instead of just the italic name. 5 minutes.
5. **Mobile pass on husbandry at 375px** — verify at-a-glance labels and governance footer don't wrap ugly. Fix whatever breaks.

Post-workshop backlog

- Sticky in-page TOC on husbandry wide-screens.
- Right-rail Difficulty Factors sidebar (Option B) if the inline list still feels heavy after real users test the page.

- Iconography (Option C) with a designer.
- Prioritization score + CARES/SHOAL chips surfaced in the profile header (not only on the husbandry teaser).
- Narrative first-paragraph lede treatment when narrative > ~400 words.
- Double-check the sparse-data amber bar + emphasized-teaser accent border don't both render on the same profile.