Lecture 23: Bayesian global optimization

Professor Ilias Bilionis

Overview of Bayesian global optimization applications



Problem definition

Max f(x) f(x)is expensive don't have gradients Deserministic: How do you solve his problem with a limited budget of evaluation? Max F[y|x] Stochasic: y= f(x)+E




Dynamic vs myopic information acquisition

- Optimal information acquisition policies...
- => Dynamic programming/control theory.
- Too hard mathematical/computational problems.
- What if, we just pick one piece of information at a time?
- Myopic (one-step-look-ahead) policies.



Example: Design with expensive physical models


f (FEM simulations)





Pandita, P.; Bilionis, I.; Panchal, J.; Gautham, B. P.; Joshi, A.; Zagade, P. Stochastic Multiobjective Optimization on a Budget: Application to Multipass Wire Drawing with Quantified Uncertainties. *IJUQ* **2018**, 8 (3). https://doi.org/10.1615/Int.J.UncertaintyQuantification.2018021315.

Example: Design experiments - Graphene manufacturing




Alrefae, M. A.; Kumar, A.; Pandita, P.; Candadai, A.; Bilionis, I.; Fisher, T. S. Process Optimization of Graphene Growth in a Roll-to-Roll Plasma CVD System. *AIP Advances* **2017**, *7* (11), 115102. https://doi.org/10.1063/1.4998770.




Example: Design experiments

- Graphene manufacturing



Example: Calibrating expensive physical models



Naik, P.; Pandita, P.; Aramideh, S.; Bilionis, I.; Ardekani, A. M. Bayesian Model Calibration and Optimization of Surfactant-Polymer Flooding. *Comput Geosci* **2019**, *23* (5), 981–996. https://doi.org/10.1007/s10596-019-09858-z.



Other examples

- Robotics. Ruben Martinez-Cantin, Nando de Freitas, Eric Brochu, Jose Castellanos and Arnaud Doucet. <u>A Bayesian exploration-exploitation approach for optimal online sensing and planning with a visually guided mobile robot</u>. Autonomous Robots. Volume 27, Issue 2, pp 93–103 (2009)
- Sensor placement. Niranjan Srinivas, Andreas Krause, Sham M. Kakade, Matthias W. Seeger: Information-Theoretic Regret Bounds for Gaussian Process Optimization in the Bandit Setting. IEEE Transactions on Information Theory 58(5):3250–3265 (2012)
- Discovery of materials. Kristensen, J.; Bilionis, I.; Zabaras, N. Adaptive Simulation Selection for the Discovery of the Ground State Line of Binary Alloys with a Limited Computational Budget. In *Recent Progress and Modern Challenges in Applied Mathematics, Modeling and Computational Science*; Melnik, R., Makarov, R., Belair, J., Eds.; Springer New York: New York, NY, 2017; pp 185–211. https://doi.org/10.1007/978-1-4939-6969-2-6.
- Tuning hyper-parameters of deep neural networks. Tripathy, R. K.; Bilionis, I. Deep UQ: Learning Deep Neural Network Surrogate Models for High Dimensional Uncertainty Quantification. *Journal of Computational Physics* 2018, 375, 565–588. https://doi.org/10.1016/j.jcp.2018.08.036.

