

## lab4-UART\_SPI

Generated by Doxygen 1.8.13



# Contents

<b>1</b>	<b>lab4-UART_SPI</b>	<b>1</b>
<b>2</b>	<b>File Index</b>	<b>3</b>
2.1	File List . . . . .	3
<b>3</b>	<b>File Documentation</b>	<b>5</b>
3.1	README.md File Reference . . . . .	5
3.2	src/configuration_bits.c File Reference . . . . .	5
3.3	src/lab4_UART_SPI.h File Reference . . . . .	5
3.3.1	Macro Definition Documentation . . . . .	6
3.3.1.1	BTN1_PORT_BIT . . . . .	6
3.3.1.2	BTN2_PORT_BIT . . . . .	6
3.3.1.3	LD1_PORT_BIT . . . . .	6
3.3.1.4	LD2_PORT_BIT . . . . .	7
3.3.1.5	LD3_PORT_BIT . . . . .	7
3.3.1.6	LD4_PORT_BIT . . . . .	7
3.3.1.7	PWM_FREQ_HZ . . . . .	7
3.3.1.8	PWM_PERIOD_COUNTS . . . . .	7
3.3.1.9	SERVO_0 . . . . .	8
3.3.1.10	SERVO_180 . . . . .	8
3.3.1.11	SERVO_90 . . . . .	8
3.3.2	Function Documentation . . . . .	8
3.3.2.1	delayMs() . . . . .	8
3.3.2.2	initGPIO() . . . . .	8

3.3.2.3	<a href="#">set_angle()</a>	8
3.3.2.4	<a href="#">UART4_init()</a>	9
3.4	<a href="#">src/main.c File Reference</a>	9
3.4.1	<a href="#">Detailed Description</a>	9
3.4.2	<a href="#">Function Documentation</a>	10
3.4.2.1	<a href="#">main()</a>	10
3.5	<a href="#">src/OLED/ChrFont0.c File Reference</a>	10
3.5.1	<a href="#">Variable Documentation</a>	10
3.5.1.1	<a href="#">rgbOledFont0</a>	10
3.6	<a href="#">src/OLED/FillPat.c File Reference</a>	10
3.6.1	<a href="#">Variable Documentation</a>	11
3.6.1.1	<a href="#">rgbFillPat</a>	11
3.7	<a href="#">src/OLED/OLED.c File Reference</a>	11
3.7.1	<a href="#">Macro Definition Documentation</a>	12
3.7.1.1	<a href="#">cmdOledComConfig</a>	12
3.7.1.2	<a href="#">cmdOledComDir</a>	12
3.7.1.3	<a href="#">cmdOledDisplayOff</a>	12
3.7.1.4	<a href="#">cmdOledDisplayOn</a>	13
3.7.1.5	<a href="#">cmdOledSegRemap</a>	13
3.7.2	<a href="#">Function Documentation</a>	13
3.7.2.1	<a href="#">OledDevTerm()</a>	13
3.7.2.2	<a href="#">OledDsplInit()</a>	13
3.7.2.3	<a href="#">OledDvrlInit()</a>	13
3.7.2.4	<a href="#">OledHostInit()</a>	14
3.7.2.5	<a href="#">OledHostTerm()</a>	14
3.7.2.6	<a href="#">OledUpdate()</a>	14
3.7.3	<a href="#">Variable Documentation</a>	14
3.7.3.1	<a href="#">bnOledCur</a>	14
3.7.3.2	<a href="#">clrOledCur</a>	14
3.7.3.3	<a href="#">dxcoOledFontCur</a>	15

3.7.3.4	dycoOledFontCur . . . . .	15
3.7.3.5	fOledCharUpdate . . . . .	15
3.7.3.6	pbOledCur . . . . .	15
3.7.3.7	pbOledFontCur . . . . .	15
3.7.3.8	pbOledFontUser . . . . .	15
3.7.3.9	pbOledPatCur . . . . .	16
3.7.3.10	rgbFillPat . . . . .	16
3.7.3.11	rgbOledFont0 . . . . .	16
3.7.3.12	rgbOledFontUser . . . . .	16
3.7.3.13	xchOledMax . . . . .	16
3.7.3.14	xcoOledCur . . . . .	16
3.7.3.15	ychOledMax . . . . .	17
3.7.3.16	ycoOledCur . . . . .	17
3.8	src/OLED/OLED.h File Reference . . . . .	17
3.8.1	Macro Definition Documentation . . . . .	18
3.8.1.1	bitDataCmd . . . . .	18
3.8.1.2	bitReset . . . . .	18
3.8.1.3	bitVbatCtrl . . . . .	18
3.8.1.4	bitVddCtrl . . . . .	18
3.8.1.5	cbOledChar . . . . .	19
3.8.1.6	cbOledDispMax . . . . .	19
3.8.1.7	cbOledFontUser . . . . .	19
3.8.1.8	ccolOledMax . . . . .	19
3.8.1.9	chOledUserMax . . . . .	19
3.8.1.10	cpagOledMax . . . . .	19
3.8.1.11	crowOledMax . . . . .	20
3.8.1.12	MASK . . . . .	20
3.8.1.13	modOledAnd . . . . .	20
3.8.1.14	modOledOr . . . . .	20
3.8.1.15	modOledSet . . . . .	20

3.8.1.16	modOledXor	20
3.8.1.17	priDataCmd	21
3.8.1.18	priReset	21
3.8.1.19	priVbatCtrl	21
3.8.1.20	priVddCtrl	21
3.8.2	Typedef Documentation	21
3.8.2.1	BYTE	21
3.8.3	Function Documentation	21
3.8.3.1	OledClear()	22
3.8.3.2	OledClearBuffer()	22
3.8.3.3	OledDisplayOff()	22
3.8.3.4	OledDisplayOn()	22
3.8.3.5	OledDvrInit()	22
3.8.3.6	OledInit()	22
3.8.3.7	OledTerm()	23
3.8.3.8	OledUpdate()	23
3.8.4	Variable Documentation	23
3.8.4.1	rgbOledBmp	23
3.9	src/OLED/OledChar.c File Reference	23
3.9.1	Function Documentation	24
3.9.1.1	OledAdvanceCursor()	24
3.9.1.2	OledDefUserChar()	24
3.9.1.3	OledDrawGlyph()	24
3.9.1.4	OledGetCharUpdate()	25
3.9.1.5	OledGetCursor()	25
3.9.1.6	OledPutChar()	25
3.9.1.7	OledPutString()	25
3.9.1.8	OledSetCharUpdate()	25
3.9.1.9	OledSetCursor()	25
3.9.2	Variable Documentation	26

3.9.2.1	<a href="#">bnOledCur</a>	26
3.9.2.2	<a href="#">dxcoOledFontCur</a>	26
3.9.2.3	<a href="#">dycoOledFontCur</a>	26
3.9.2.4	<a href="#">fOledCharUpdate</a>	26
3.9.2.5	<a href="#">mskOledCur</a>	26
3.9.2.6	<a href="#">pbOledCur</a>	26
3.9.2.7	<a href="#">pbOledFontCur</a>	27
3.9.2.8	<a href="#">pbOledFontExt</a>	27
3.9.2.9	<a href="#">pbOledFontUser</a>	27
3.9.2.10	<a href="#">rgbOledBmp</a>	27
3.9.2.11	<a href="#">rgbOledFontUser</a>	27
3.9.2.12	<a href="#">xchOledCur</a>	27
3.9.2.13	<a href="#">xchOledMax</a>	28
3.9.2.14	<a href="#">xcoOledCur</a>	28
3.9.2.15	<a href="#">ychOledCur</a>	28
3.9.2.16	<a href="#">ychOledMax</a>	28
3.9.2.17	<a href="#">ycoOledCur</a>	28
3.10	<a href="#">src/OLED/OledChar.h File Reference</a>	28
3.10.1	<a href="#">Function Documentation</a>	29
3.10.1.1	<a href="#">OledDefUserChar()</a>	29
3.10.1.2	<a href="#">OledGetCharUpdate()</a>	29
3.10.1.3	<a href="#">OledGetCursor()</a>	29
3.10.1.4	<a href="#">OledPutChar()</a>	29
3.10.1.5	<a href="#">OledPutString()</a>	29
3.10.1.6	<a href="#">OledSetCharUpdate()</a>	30
3.10.1.7	<a href="#">OledSetCursor()</a>	30
3.11	<a href="#">src/OLED/OledGrph.c File Reference</a>	30
3.11.1	<a href="#">Function Documentation</a>	31
3.11.1.1	<a href="#">OledClampXco()</a>	31
3.11.1.2	<a href="#">OledClampYco()</a>	31

3.11.1.3	OledDrawChar()	31
3.11.1.4	OledDrawPixel()	32
3.11.1.5	OledDrawRect()	32
3.11.1.6	OledDrawString()	32
3.11.1.7	OledFillRect()	32
3.11.1.8	OledGetBmp()	32
3.11.1.9	OledGetDrawMode()	33
3.11.1.10	OledGetPixel()	33
3.11.1.11	OledGetPos()	33
3.11.1.12	OledGetStdPattern()	33
3.11.1.13	OledLineTo()	33
3.11.1.14	OledMoveDown()	33
3.11.1.15	OledMoveLeft()	34
3.11.1.16	OledMoveRight()	34
3.11.1.17	OledMoveTo()	34
3.11.1.18	OledMoveUp()	34
3.11.1.19	OledPutBmp()	34
3.11.1.20	OledRopAnd()	35
3.11.1.21	OledRopOr()	35
3.11.1.22	OledRopSet()	35
3.11.1.23	OledRopXor()	35
3.11.1.24	OledSetDrawColor()	35
3.11.1.25	OledSetDrawMode()	36
3.11.1.26	OledSetFillPattern()	36
3.11.2	Variable Documentation	36
3.11.2.1	bnOledCur	36
3.11.2.2	clrOledCur	36
3.11.2.3	dxcoOledFontCur	36
3.11.2.4	dycoOledFontCur	37
3.11.2.5	modOledCur	37



3.11.2.6	pbOledCur	37
3.11.2.7	pbOledFontCur	37
3.11.2.8	pbOledFontUser	37
3.11.2.9	pbOledPatCur	37
3.11.2.10	pfnDoRop	38
3.11.2.11	rgbFillPat	38
3.11.2.12	rgbOledBmp	38
3.11.2.13	xcoOledCur	38
3.11.2.14	ycoOledCur	38
3.12	src/OLED/OledGrph.h File Reference	38
3.12.1	Function Documentation	39
3.12.1.1	OledDrawChar()	39
3.12.1.2	OledDrawPixel()	39
3.12.1.3	OledDrawRect()	39
3.12.1.4	OledDrawString()	39
3.12.1.5	OledFillRect()	39
3.12.1.6	OledGetBmp()	40
3.12.1.7	OledGetDrawMode()	40
3.12.1.8	OledGetPixel()	40
3.12.1.9	OledGetPos()	40
3.12.1.10	OledGetStdPattern()	40
3.12.1.11	OledLineTo()	41
3.12.1.12	OledMoveTo()	41
3.12.1.13	OledPutBmp()	41
3.12.1.14	OledSetDrawColor()	41
3.12.1.15	OledSetDrawMode()	41
3.12.1.16	OledSetFillPattern()	42
3.13	src/OLED/SPI.c File Reference	42
3.13.1	Function Documentation	42
3.13.1.1	OledPutBuffer()	42

3.13.1.2 Spi2PutByte()	42
3.14 src/UART.c File Reference	43
3.14.1 Function Documentation	43
3.14.1.1 UART4_getc()	43
3.14.1.2 UART4_init()	43
3.14.1.3 UART4_putc()	43
3.14.1.4 UART4_puts()	44
3.15 src/UART.h File Reference	44
3.15.1 Function Documentation	44
3.15.1.1 UART4_getc()	45
3.15.1.2 UART4_init()	45
3.15.1.3 UART4_putc()	45
3.15.1.4 UART4_puts()	45
3.16 src/user.c File Reference	46
3.16.1 Detailed Description	46
3.16.2 Function Documentation	46
3.16.2.1 delayMs()	46
3.16.2.2 init_servo()	47
3.16.2.3 initGPIO()	47
3.16.2.4 set_angle()	47
<b>Index</b>	<b>49</b>

# Chapter 1

## lab4-UART\_SPI

lab4-UART\_SPI is a university laboratory project for PIC32 WiFire kit written in C language for studying basic configuring and usage of UART and SPI protocols.

In project was implemented controlling an angle of the servo through UART and displaying setted angle of the servo on OLED SPI display. Using COM port terminal you can turn servo to one of three defined angles (0, 90, 180) by sending '1', '2' or '3' respectively. It uses 115200 baud rate.

Project was documented using doxygen, so if you have "latex" on your machine you can simply generate project's reference manual in pdf by using "make pdf" command in your console.



## Chapter 2

# File Index

### 2.1 File List

Here is a list of all files with brief descriptions:

src/ <a href="#">configuration_bits.c</a> . . . . .	5
src/ <a href="#">lab4_UART_SPI.h</a> . . . . .	5
src/ <a href="#">main.c</a>	
Main project file . . . . .	9
src/ <a href="#">UART.c</a> . . . . .	43
src/ <a href="#">UART.h</a> . . . . .	44
src/ <a href="#">user.c</a>	
Description for initialization and system functions . . . . .	46
src/OLED/ <a href="#">ChrFont0.c</a> . . . . .	10
src/OLED/ <a href="#">FillPat.c</a> . . . . .	10
src/OLED/ <a href="#">OLED.c</a> . . . . .	11
src/OLED/ <a href="#">OLED.h</a> . . . . .	17
src/OLED/ <a href="#">OledChar.c</a> . . . . .	23
src/OLED/ <a href="#">OledChar.h</a> . . . . .	28
src/OLED/ <a href="#">OledGrph.c</a> . . . . .	30
src/OLED/ <a href="#">OledGrph.h</a> . . . . .	38
src/OLED/ <a href="#">SPI.c</a> . . . . .	42



## Chapter 3

# File Documentation

### 3.1 README.md File Reference

### 3.2 src/configuration\_bits.c File Reference

### 3.3 src/lab4\_UART\_SPI.h File Reference

```
#include <stdint.h>
```

#### Macros

- #define [LD1\\_PORT\\_BIT](#) LATGbits.LATG6  
*Macros that used for setting or resetting of LED1.*
- #define [LD2\\_PORT\\_BIT](#) LATDbits.LATD4  
*Macros that used for setting or resetting of LED2.*
- #define [LD3\\_PORT\\_BIT](#) LATBbits.LATB11  
*Macros that used for setting or resetting of LED3.*
- #define [LD4\\_PORT\\_BIT](#) LATGbits.LATG15  
*Macros that used for setting or resetting of LED4.*
- #define [BTN1\\_PORT\\_BIT](#) PORTAbits.RA5  
*Macros for reading button1 state.*
- #define [BTN2\\_PORT\\_BIT](#) PORTAbits.RA4  
*Macros for reading button2 state.*
- #define [PWM\\_FREQ\\_HZ](#) (50)  
*Definition of PWM frequency.*
- #define [PWM\\_PERIOD\\_COUNTS](#) (100000000/(256 \* [PWM\\_FREQ\\_HZ](#)))  
*Definition of PWM period counts.*
- #define [SERVO\\_0](#) (220)  
*Definition of servo angle.*
- #define [SERVO\\_90](#) (550)  
*Definition of servo angle.*
- #define [SERVO\\_180](#) (880)  
*Definition of servo angle.*

## Functions

- void `initGPIO` (void)  
*GPIO initialization.*
- void `UART4_init` (void)  
*UART initialization.*
- void `delayMs` (int t)  
*primitive delay function*
- void `set_angle` (char)  
*function for turning servo*

### 3.3.1 Macro Definition Documentation

#### 3.3.1.1 BTN1\_PORT\_BIT

```
#define BTN1_PORT_BIT PORTAbits.RA5
```

Macros for reading button1 state.

Definition at line 18 of file lab4\_UART\_SPI.h.

#### 3.3.1.2 BTN2\_PORT\_BIT

```
#define BTN2_PORT_BIT PORTAbits.RA4
```

Macros for reading button2 state.

Definition at line 19 of file lab4\_UART\_SPI.h.

#### 3.3.1.3 LD1\_PORT\_BIT

```
#define LD1_PORT_BIT LATGbits.LATG6
```

Macros that used for setting or resetting of LED1.

Definition at line 13 of file lab4\_UART\_SPI.h.



#### 3.3.1.4 LD2\_PORT\_BIT

```
#define LD2_PORT_BIT LATDbits.LATD4
```

Macros that used for setting or resetting of LED2.

Definition at line 14 of file lab4\_UART\_SPI.h.

#### 3.3.1.5 LD3\_PORT\_BIT

```
#define LD3_PORT_BIT LATBbits.LATB11
```

Macros that used for setting or resetting of LED3.

Definition at line 15 of file lab4\_UART\_SPI.h.

#### 3.3.1.6 LD4\_PORT\_BIT

```
#define LD4_PORT_BIT LATGbits.LATG15
```

Macros that used for setting or resetting of LED4.

Definition at line 16 of file lab4\_UART\_SPI.h.

#### 3.3.1.7 PWM\_FREQ\_HZ

```
#define PWM_FREQ_HZ (50)
```

Definition of PWM frequency.

Definition at line 21 of file lab4\_UART\_SPI.h.

#### 3.3.1.8 PWM\_PERIOD\_COUNTS

```
#define PWM_PERIOD_COUNTS (100000000/(256 * PWM_FREQ_HZ))
```

Definition of PWM period counts.

Definition at line 22 of file lab4\_UART\_SPI.h.

#### 3.3.1.9 SERVO\_0

```
#define SERVO_0 (220)
```

Definition of servo angle.

Definition at line 24 of file lab4\_UART\_SPI.h.

#### 3.3.1.10 SERVO\_180

```
#define SERVO_180 (880)
```

Definition of servo angle.

Definition at line 26 of file lab4\_UART\_SPI.h.

#### 3.3.1.11 SERVO\_90

```
#define SERVO_90 (550)
```

Definition of servo angle.

Definition at line 25 of file lab4\_UART\_SPI.h.

### 3.3.2 Function Documentation

#### 3.3.2.1 delayMs()

```
void delayMs (  
    int t )
```

primitive delay function

Used by OLED driver

Definition at line 85 of file user.c.

#### 3.3.2.2 initGPIO()

```
void initGPIO (  
    void )
```

GPIO initialization.

Initialization for pins G6, B11, G15, D4, A4, A5. Disabling analog mode and setting pins directions

Definition at line 21 of file user.c.

#### 3.3.2.3 set\_angle()

```
void set_angle (  
    char mode )
```

function for turning servo

Depending on the input parameter ('1', '2' or '3') setting servo angle

**Parameters**

in	mode	one of three servo angle states
----	------	---------------------------------

Definition at line 98 of file user.c.

**3.3.2.4 UART4\_init()**

```
void UART4_init (  
    void )
```

UART initialization.

Setting pins for UART usage and UART speed

Definition at line 40 of file UART.c.

**3.4 src/main.c File Reference**

Main project file.

```
#include <stdint.h>  
#include "lab4_UART_SPI.h"  
#include "OLED/OLED.h"  
#include "UART.h"
```

**Functions**

- void [main](#) (void)  
*main function*

**3.4.1 Detailed Description**

Main project file.

**Author**

Alexandr Skopets

**Date**

28.11.2017

### 3.4.2 Function Documentation

#### 3.4.2.1 main()

```
void main (
    void )
```

main function

Contains GPIO and peripherals initialization and infinite loop.

Definition at line 24 of file main.c.

## 3.5 src/OLED/ChrFont0.c File Reference

```
#include <stdint.h>
#include "OLED.h"
```

### Variables

- const [BYTE](#) [rgbOledFont0](#) []

#### 3.5.1 Variable Documentation

##### 3.5.1.1 rgbOledFont0

```
const BYTE rgbOledFont0 []
```

Definition at line 64 of file ChrFont0.c.

## 3.6 src/OLED/FillPat.c File Reference

```
#include <stdint.h>
#include "OLED.h"
```

### Variables

- const [BYTE](#) [rgbFillPat](#) []

### 3.6.1 Variable Documentation

#### 3.6.1.1 rgbFillPat

```
const BYTE rgbFillPat[ ]
```

**Initial value:**

```
= {  
    0x00, 0x00, 0x00, 0x00, 0x00, 0x00, 0x00, 0x00,  
    0xFF, 0xFF, 0xFF, 0xFF, 0xFF, 0xFF, 0xFF, 0xFF,  
    0xAA, 0x55, 0xAA, 0x55, 0xAA, 0x55, 0xAA, 0x55,  
    0x11, 0x44, 0x00, 0x11, 0x44, 0x00, 0x11, 0x44,  
    0x92, 0x45, 0x24, 0x92, 0x45, 0x24, 0x92, 0x45,  
    0x49, 0x92, 0x24, 0x49, 0x92, 0x24, 0x49, 0x92,  
    0x22, 0x11, 0x22, 0x00, 0x22, 0x11, 0x22, 0x00,  
    0x11, 0x22, 0x11, 0x00, 0x11, 0x22, 0x11, 0x00  
}
```

Definition at line 62 of file FillPat.c.

## 3.7 src/OLED/OLED.c File Reference

```
#include "OLED.h"  
#include "../lab4_UART_SPI.h"
```

### Macros

- #define `cmdOledDisplayOn` 0xAF
- #define `cmdOledDisplayOff` 0xAE
- #define `cmdOledSegRemap` 0xA1
- #define `cmdOledComDir` 0xC8
- #define `cmdOledComConfig` 0xDA

### Functions

- void `OledHostInit` ()
- void `OledDspInit` ()
- void `OledDvrlInit` ()
- void `OledUpdate` ()
- void `OledHostTerm` ()
- void `OledDevTerm` ()

## Variables

- [BYTE](#) [rgbOledFont0](#) []
- [BYTE](#) [rgbOledFontUser](#) []
- [BYTE](#) [rgbFillPat](#) []
- [int](#) [xchOledMax](#)
- [int](#) [ychOledMax](#)
- [int](#) [xcoOledCur](#)
- [int](#) [ycoOledCur](#)
- [BYTE](#) \* [pbOledCur](#)
- [int](#) [bnOledCur](#)
- [BYTE](#) [clrOledCur](#)
- [BYTE](#) \* [pbOledPatCur](#)
- [int](#) [fOledCharUpdate](#)
- [int](#) [dxcoOledFontCur](#)
- [int](#) [dycoOledFontCur](#)
- [BYTE](#) \* [pbOledFontCur](#)
- [BYTE](#) \* [pbOledFontUser](#)

## 3.7.1 Macro Definition Documentation

### 3.7.1.1 cmdOledComConfig

```
#define cmdOledComConfig 0xDA
```

Definition at line 60 of file OLED.c.

### 3.7.1.2 cmdOledComDir

```
#define cmdOledComDir 0xC8
```

Definition at line 59 of file OLED.c.

### 3.7.1.3 cmdOledDisplayOff

```
#define cmdOledDisplayOff 0xAE
```

Definition at line 57 of file OLED.c.

#### 3.7.1.4 cmdOledDisplayOn

```
#define cmdOledDisplayOn 0xAF
```

Definition at line 56 of file OLED.c.

#### 3.7.1.5 cmdOledSegRemap

```
#define cmdOledSegRemap 0xA1
```

Definition at line 58 of file OLED.c.

### 3.7.2 Function Documentation

#### 3.7.2.1 OledDevTerm()

```
void OledDevTerm ( )
```

Definition at line 383 of file OLED.c.

#### 3.7.2.2 OledDspInit()

```
void OledDspInit ( )
```

Definition at line 181 of file OLED.c.

#### 3.7.2.3 OledDvrInit()

```
void OledDvrInit ( )
```

Definition at line 242 of file OLED.c.

#### 3.7.2.4 OledHostInit()

```
void OledHostInit ( )
```

**Function:****Summary:****Description:****Remarks:**

Definition at line 129 of file OLED.c.

#### 3.7.2.5 OledHostTerm()

```
void OledHostTerm ( )
```

Definition at line 336 of file OLED.c.

#### 3.7.2.6 OledUpdate()

```
void OledUpdate ( )
```

Definition at line 293 of file OLED.c.

### 3.7.3 Variable Documentation

#### 3.7.3.1 bnOledCur

```
int bnOledCur
```

Definition at line 81 of file OLED.c.

#### 3.7.3.2 clrOledCur

```
BYTE clrOledCur
```

Definition at line 82 of file OLED.c.



### 3.7.3.3 dxcoOledFontCur

```
int dxcoOledFontCur
```

Definition at line 86 of file OLED.c.

### 3.7.3.4 dycoOledFontCur

```
int dycoOledFontCur
```

Definition at line 87 of file OLED.c.

### 3.7.3.5 fOledCharUpdate

```
int fOledCharUpdate
```

Definition at line 84 of file OLED.c.

### 3.7.3.6 pbOledCur

```
BYTE* pbOledCur
```

Definition at line 80 of file OLED.c.

### 3.7.3.7 pbOledFontCur

```
BYTE* pbOledFontCur
```

Definition at line 89 of file OLED.c.

### 3.7.3.8 pbOledFontUser

```
BYTE* pbOledFontUser
```

Definition at line 90 of file OLED.c.

#### 3.7.3.9 pbOledPatCur

```
BYTE* pbOledPatCur
```

Definition at line 83 of file OLED.c.

#### 3.7.3.10 rgbFillPat

```
BYTE rgbFillPat[ ]
```

Definition at line 62 of file FillPat.c.

#### 3.7.3.11 rgbOledFont0

```
BYTE rgbOledFont0[ ]
```

Definition at line 64 of file ChrFont0.c.

#### 3.7.3.12 rgbOledFontUser

```
BYTE rgbOledFontUser[ ]
```

Definition at line 90 of file OledChar.c.

#### 3.7.3.13 xchOledMax

```
int xchOledMax
```

Definition at line 85 of file OledChar.c.

#### 3.7.3.14 xcoOledCur

```
int xcoOledCur
```

Definition at line 77 of file OLED.c.

### 3.7.3.15 ychOledMax

```
int ychOledMax
```

Definition at line 86 of file OledChar.c.

### 3.7.3.16 ycoOledCur

```
int ycoOledCur
```

Definition at line 78 of file OLED.c.

## 3.8 src/OLED/OLED.h File Reference

```
#include <xc.h>
#include <stdint.h>
```

### Macros

- #define MASK(x) (1<<(x))
- #define prtVddCtrl PORTD
- #define bitVddCtrl MASK(12)
- #define prtVbatCtrl PORTD
- #define bitVbatCtrl MASK(15)
- #define prtDataCmd PORTD
- #define bitDataCmd MASK(14)
- #define prtReset PORTG
- #define bitReset MASK(9)
- #define cbOledDispMax 512
- #define ccolOledMax 128
- #define crowOledMax 32
- #define cpagOledMax 4
- #define cbOledChar 8
- #define chOledUserMax 0x20
- #define cbOledFontUser (chOledUserMax\*cbOledChar)
- #define modOledSet 0
- #define modOledOr 1
- #define modOledAnd 2
- #define modOledXor 3

### Typedefs

- typedef uint8\_t BYTE

## Functions

- void [OledInit](#) ()
- void [OledDvrlInit](#) ()
- void [OledTerm](#) ()
- void [OledDisplayOn](#) ()
- void [OledDisplayOff](#) ()
- void [OledClear](#) ()
- void [OledClearBuffer](#) ()
- void [OledUpdate](#) ()

## Variables

- [BYTE](#) [rgbOledBmp](#) [[cbOledDispMax](#)]

## 3.8.1 Macro Definition Documentation

### 3.8.1.1 bitDataCmd

```
#define bitDataCmd MASK(14)
```

Definition at line 75 of file OLED.h.

### 3.8.1.2 bitReset

```
#define bitReset MASK(9)
```

Definition at line 78 of file OLED.h.

### 3.8.1.3 bitVbatCtrl

```
#define bitVbatCtrl MASK(15)
```

Definition at line 72 of file OLED.h.

### 3.8.1.4 bitVddCtrl

```
#define bitVddCtrl MASK(12)
```

Definition at line 69 of file OLED.h.

#### 3.8.1.5 cbOledChar

```
#define cbOledChar 8
```

Definition at line 87 of file OLED.h.

#### 3.8.1.6 cbOledDispMax

```
#define cbOledDispMax 512
```

Definition at line 82 of file OLED.h.

#### 3.8.1.7 cbOledFontUser

```
#define cbOledFontUser (chOledUserMax*cbOledChar)
```

Definition at line 89 of file OLED.h.

#### 3.8.1.8 ccolOledMax

```
#define ccolOledMax 128
```

Definition at line 83 of file OLED.h.

#### 3.8.1.9 chOledUserMax

```
#define chOledUserMax 0x20
```

Definition at line 88 of file OLED.h.

#### 3.8.1.10 cpagOledMax

```
#define cpagOledMax 4
```

Definition at line 85 of file OLED.h.

#### 3.8.1.11 crowOledMax

```
#define crowOledMax 32
```

Definition at line 84 of file OLED.h.

#### 3.8.1.12 MASK

```
#define MASK(  
    x ) (1<<(x))
```

Definition at line 46 of file OLED.h.

#### 3.8.1.13 modOledAnd

```
#define modOledAnd 2
```

Definition at line 95 of file OLED.h.

#### 3.8.1.14 modOledOr

```
#define modOledOr 1
```

Definition at line 94 of file OLED.h.

#### 3.8.1.15 modOledSet

```
#define modOledSet 0
```

Definition at line 93 of file OLED.h.

#### 3.8.1.16 modOledXor

```
#define modOledXor 3
```

Definition at line 96 of file OLED.h.

### 3.8.1.17 prtDataCmd

```
#define prtDataCmd PORTD
```

Definition at line 74 of file OLED.h.

### 3.8.1.18 prtReset

```
#define prtReset PORTG
```

Definition at line 77 of file OLED.h.

### 3.8.1.19 prtVbatCtrl

```
#define prtVbatCtrl PORTD
```

Definition at line 71 of file OLED.h.

### 3.8.1.20 prtVddCtrl

```
#define prtVddCtrl PORTD
```

Definition at line 68 of file OLED.h.

## 3.8.2 Typedef Documentation

### 3.8.2.1 BYTE

```
typedef uint8_t BYTE
```

Definition at line 38 of file OLED.h.

## 3.8.3 Function Documentation

### 3.8.3.1 OledClear()

```
void OledClear ( )
```

### 3.8.3.2 OledClearBuffer()

```
void OledClearBuffer ( )
```

### 3.8.3.3 OledDisplayOff()

```
void OledDisplayOff ( )
```

### 3.8.3.4 OledDisplayOn()

```
void OledDisplayOn ( )
```

### 3.8.3.5 OledDvrInit()

```
void OledDvrInit ( )
```

Definition at line 242 of file OLED.c.

### 3.8.3.6 OledInit()

```
void OledInit ( )
```

#### Function prototype:

#### Summary:

#### Description:

#### Precondition:

#### Parameters:

#### Returns:

#### Example:

#### Remarks:



### 3.8.3.7 OledTerm()

```
void OledTerm ( )
```

### 3.8.3.8 OledUpdate()

```
void OledUpdate ( )
```

Definition at line 293 of file OLED.c.

## 3.8.4 Variable Documentation

### 3.8.4.1 rgbOledBmp

```
BYTE rgbOledBmp[cbOledDispMax]
```

Definition at line 104 of file OLED.h.

## 3.9 src/OLED/OledChar.c File Reference

```
#include <inttypes.h>
#include "OLED.h"
#include "OledChar.h"
#include "OledGrph.h"
```

### Functions

- void [OledDrawGlyph](#) (char ch)
- void [OledAdvanceCursor](#) ()
- void [OledSetCursor](#) (int xch, int ych)
- void [OledGetCursor](#) (int \*pxch, int \*pych)
- int [OledDefUserChar](#) (char ch, [BYTE](#) \*pbDef)
- void [OledSetCharUpdate](#) (int f)
- int [OledGetCharUpdate](#) ()
- void [OledPutChar](#) (char ch)
- void [OledPutString](#) (char \*sz)

## Variables

- int `xcoOledCur`
- int `ycoOledCur`
- `BYTE * pbOledCur`
- `BYTE mskOledCur`
- int `bnOledCur`
- int `fOledCharUpdate`
- `BYTE rgbOledBmp []`
- int `dxcoOledFontCur`
- int `dycoOledFontCur`
- `BYTE * pbOledFontCur`
- `BYTE * pbOledFontUser`
- int `xchOledCur`
- int `ychOledCur`
- int `xchOledMax`
- int `ychOledMax`
- `BYTE * pbOledFontExt`
- `BYTE rgbOledFontUser [cbOledFontUser]`

## 3.9.1 Function Documentation

### 3.9.1.1 OledAdvanceCursor()

```
void OledAdvanceCursor ( )
```

Definition at line 387 of file OledChar.c.

### 3.9.1.2 OledDefUserChar()

```
int OledDefUserChar (
    char ch,
    BYTE * pbDef )
```

Definition at line 192 of file OledChar.c.

### 3.9.1.3 OledDrawGlyph()

```
void OledDrawGlyph (
    char ch )
```

Definition at line 343 of file OledChar.c.

#### 3.9.1.4 OledGetCharUpdate()

```
int OledGetCharUpdate ( )
```

Definition at line 254 of file OledChar.c.

#### 3.9.1.5 OledGetCursor()

```
void OledGetCursor (
    int * pxch,
    int * pych )
```

Definition at line 163 of file OledChar.c.

#### 3.9.1.6 OledPutChar()

```
void OledPutChar (
    char ch )
```

Definition at line 279 of file OledChar.c.

#### 3.9.1.7 OledPutString()

```
void OledPutString (
    char * sz )
```

Definition at line 308 of file OledChar.c.

#### 3.9.1.8 OledSetCharUpdate()

```
void OledSetCharUpdate (
    int f )
```

Definition at line 230 of file OledChar.c.

#### 3.9.1.9 OledSetCursor()

```
void OledSetCursor (
    int xch,
    int ych )
```

Definition at line 121 of file OledChar.c.

### 3.9.2 Variable Documentation

#### 3.9.2.1 bnOledCur

```
int bnOledCur
```

Definition at line 81 of file OLED.c.

#### 3.9.2.2 dxcoOledFontCur

```
int dxcoOledFontCur
```

Definition at line 86 of file OLED.c.

#### 3.9.2.3 dycoOledFontCur

```
int dycoOledFontCur
```

Definition at line 87 of file OLED.c.

#### 3.9.2.4 fOledCharUpdate

```
int fOledCharUpdate
```

Definition at line 84 of file OLED.c.

#### 3.9.2.5 mskOledCur

```
BYTE mskOledCur
```

#### 3.9.2.6 pbOledCur

```
BYTE* pbOledCur
```

Definition at line 80 of file OLED.c.

### 3.9.2.7 pbOledFontCur

```
BYTE* pbOledFontCur
```

Definition at line 89 of file OLED.c.

### 3.9.2.8 pbOledFontExt

```
BYTE* pbOledFontExt
```

Definition at line 88 of file OledChar.c.

### 3.9.2.9 pbOledFontUser

```
BYTE* pbOledFontUser
```

Definition at line 90 of file OLED.c.

### 3.9.2.10 rgbOledBmp

```
BYTE rgbOledBmp[ ]
```

Definition at line 104 of file OLED.h.

### 3.9.2.11 rgbOledFontUser

```
BYTE rgbOledFontUser[cbOledFontUser]
```

Definition at line 90 of file OledChar.c.

### 3.9.2.12 xchOledCur

```
int xchOledCur
```

Definition at line 82 of file OledChar.c.

### 3.9.2.13 xchOledMax

```
int xchOledMax
```

Definition at line 85 of file OledChar.c.

### 3.9.2.14 xcoOledCur

```
int xcoOledCur
```

Definition at line 77 of file OLED.c.

### 3.9.2.15 ychOledCur

```
int ychOledCur
```

Definition at line 83 of file OledChar.c.

### 3.9.2.16 ychOledMax

```
int ychOledMax
```

Definition at line 86 of file OledChar.c.

### 3.9.2.17 ycoOledCur

```
int ycoOledCur
```

Definition at line 78 of file OLED.c.

## 3.10 src/OLED/OledChar.h File Reference

### Functions

- void [OledSetCursor](#) (int xch, int ych)
- void [OledGetCursor](#) (int \*pxcy, int \*pych)
- int [OledDefUserChar](#) (char ch, uint8\_t \*pbDef)
- void [OledSetCharUpdate](#) (int f)
- int [OledGetCharUpdate](#) ()
- void [OledPutChar](#) (char ch)
- void [OledPutString](#) (char \*sz)

### 3.10.1 Function Documentation

#### 3.10.1.1 OledDefUserChar()

```
int OledDefUserChar (
    char ch,
    uint8_t * pbDef )
```

Definition at line 192 of file OledChar.c.

#### 3.10.1.2 OledGetCharUpdate()

```
int OledGetCharUpdate ( )
```

Definition at line 254 of file OledChar.c.

#### 3.10.1.3 OledGetCursor()

```
void OledGetCursor (
    int * pxcy,
    int * pych )
```

Definition at line 163 of file OledChar.c.

#### 3.10.1.4 OledPutChar()

```
void OledPutChar (
    char ch )
```

Definition at line 279 of file OledChar.c.

#### 3.10.1.5 OledPutString()

```
void OledPutString (
    char * sz )
```

Definition at line 308 of file OledChar.c.

### 3.10.1.6 OledSetCharUpdate()

```
void OledSetCharUpdate (
    int f )
```

Definition at line 230 of file OledChar.c.

### 3.10.1.7 OledSetCursor()

```
void OledSetCursor (
    int xch,
    int ych )
```

Definition at line 121 of file OledChar.c.

## 3.11 src/OLED/OledGrph.c File Reference

```
#include <stdint.h>
#include "OLED.h"
```

### Functions

- void [OledMoveDown](#) ()
- void [OledMoveUp](#) ()
- void [OledMoveRight](#) ()
- void [OledMoveLeft](#) ()
- [BYTE](#) [OledRopSet](#) ([BYTE](#) bPix, [BYTE](#) bDsp, [BYTE](#) mskPix)
- [BYTE](#) [OledRopOr](#) ([BYTE](#) bPix, [BYTE](#) bDsp, [BYTE](#) mskPix)
- [BYTE](#) [OledRopAnd](#) ([BYTE](#) bPix, [BYTE](#) bDsp, [BYTE](#) mskPix)
- [BYTE](#) [OledRopXor](#) ([BYTE](#) bPix, [BYTE](#) bDsp, [BYTE](#) mskPix)
- int [OledClampXco](#) (int xco)
- int [OledClampYco](#) (int yco)
- void [OledMoveTo](#) (int xco, int yco)
- void [OledGetPos](#) (int \*pxco, int \*pyco)
- void [OledSetDrawColor](#) ([BYTE](#) clr)
- [BYTE](#) \* [OledGetStdPattern](#) (int ipat)
- void [OledSetFillPattern](#) ([BYTE](#) \*pbPat)
- void [OledSetDrawMode](#) (int mod)
- int [OledGetDrawMode](#) ()
- void [OledDrawPixel](#) ()
- [BYTE](#) [OledGetPixel](#) ()
- void [OledLineTo](#) (int xco, int yco)
- void [OledDrawRect](#) (int xco, int yco)
- void [OledFillRect](#) (int xco, int yco)
- void [OledGetBmp](#) (int dxco, int dyco, [BYTE](#) \*pbBits)
- void [OledPutBmp](#) (int dxco, int dyco, [BYTE](#) \*pbBits)
- void [OledDrawChar](#) (char ch)
- void [OledDrawString](#) (char \*sz)



## Variables

- int `xcoOledCur`
- int `ycoOledCur`
- `BYTE * pbOledCur`
- `BYTE rgbOledBmp []`
- `BYTE rgbFillPat []`
- int `bnOledCur`
- `BYTE clrOledCur`
- `BYTE * pbOledPatCur`
- `BYTE * pbOledFontUser`
- `BYTE * pbOledFontCur`
- int `dxcoOledFontCur`
- int `dycoOledFontCur`
- `BYTE(* pfnDoRop )(BYTE bPix, BYTE bDsp, BYTE mskPix)`
- int `modOledCur`

## 3.11.1 Function Documentation

### 3.11.1.1 OledClampXco()

```
int OledClampXco (  
    int xco )
```

Definition at line 1136 of file OledGrph.c.

### 3.11.1.2 OledClampYco()

```
int OledClampYco (  
    int yco )
```

Definition at line 1166 of file OledGrph.c.

### 3.11.1.3 OledDrawChar()

```
void OledDrawChar (  
    char ch )
```

Definition at line 835 of file OledGrph.c.

#### 3.11.1.4 OledDrawPixel()

```
void OledDrawPixel ( )
```

Definition at line 322 of file OledGrph.c.

#### 3.11.1.5 OledDrawRect()

```
void OledDrawRect (
    int xco,
    int yco )
```

Definition at line 478 of file OledGrph.c.

#### 3.11.1.6 OledDrawString()

```
void OledDrawString (
    char * sz )
```

Definition at line 878 of file OledGrph.c.

#### 3.11.1.7 OledFillRect()

```
void OledFillRect (
    int xco,
    int yco )
```

Definition at line 515 of file OledGrph.c.

#### 3.11.1.8 OledGetBmp()

```
void OledGetBmp (
    int dxco,
    int dyco,
    BYTE * pbBits )
```

Definition at line 621 of file OledGrph.c.

#### 3.11.1.9 OledGetDrawMode()

```
int OledGetDrawMode ( )
```

Definition at line 297 of file OledGrph.c.

#### 3.11.1.10 OledGetPixel()

```
BYTE OledGetPixel ( )
```

Definition at line 346 of file OledGrph.c.

#### 3.11.1.11 OledGetPos()

```
void OledGetPos (
    int * pxco,
    int * pyco )
```

Definition at line 152 of file OledGrph.c.

#### 3.11.1.12 OledGetStdPattern()

```
BYTE* OledGetStdPattern (
    int ipat )
```

Definition at line 202 of file OledGrph.c.

#### 3.11.1.13 OledLineTo()

```
void OledLineTo (
    int xco,
    int yco )
```

Definition at line 372 of file OledGrph.c.

#### 3.11.1.14 OledMoveDown()

```
void OledMoveDown ( )
```

Definition at line 1031 of file OledGrph.c.

**3.11.1.15 OledMoveLeft()**

```
void OledMoveLeft ( )
```

Definition at line 1071 of file OledGrph.c.

**3.11.1.16 OledMoveRight()**

```
void OledMoveRight ( )
```

Definition at line 1104 of file OledGrph.c.

**3.11.1.17 OledMoveTo()**

```
void OledMoveTo (
    int xco,
    int yco )
```

Definition at line 113 of file OledGrph.c.

**3.11.1.18 OledMoveUp()**

```
void OledMoveUp ( )
```

Definition at line 991 of file OledGrph.c.

**3.11.1.19 OledPutBmp()**

```
void OledPutBmp (
    int dxco,
    int dyco,
    BYTE * pbBits )
```

Definition at line 720 of file OledGrph.c.

#### 3.11.1.20 OledRopAnd()

```
BYTE OledRopAnd (
    BYTE bPix,
    BYTE bDsp,
    BYTE msbPix )
```

Definition at line 945 of file OledGrph.c.

#### 3.11.1.21 OledRopOr()

```
BYTE OledRopOr (
    BYTE bPix,
    BYTE bDsp,
    BYTE msbPix )
```

Definition at line 924 of file OledGrph.c.

#### 3.11.1.22 OledRopSet()

```
BYTE OledRopSet (
    BYTE bPix,
    BYTE bDsp,
    BYTE msbPix )
```

Definition at line 903 of file OledGrph.c.

#### 3.11.1.23 OledRopXor()

```
BYTE OledRopXor (
    BYTE bPix,
    BYTE bDsp,
    BYTE msbPix )
```

Definition at line 966 of file OledGrph.c.

#### 3.11.1.24 OledSetDrawColor()

```
void OledSetDrawColor (
    BYTE clr )
```

Definition at line 177 of file OledGrph.c.

#### 3.11.1.25 OledSetDrawMode()

```
void OledSetDrawMode (
    int mod )
```

Definition at line 251 of file OledGrph.c.

#### 3.11.1.26 OledSetFillPattern()

```
void OledSetFillPattern (
    BYTE * pbPat )
```

Definition at line 227 of file OledGrph.c.

### 3.11.2 Variable Documentation

#### 3.11.2.1 bnOledCur

```
int bnOledCur
```

Definition at line 81 of file OLED.c.

#### 3.11.2.2 clrOledCur

```
BYTE clrOledCur
```

Definition at line 82 of file OLED.c.

#### 3.11.2.3 dxcoOledFontCur

```
int dxcoOledFontCur
```

Definition at line 86 of file OLED.c.

#### 3.11.2.4 dycoOledFontCur

```
int dycoOledFontCur
```

Definition at line 87 of file OLED.c.

#### 3.11.2.5 modOledCur

```
int modOledCur
```

Definition at line 76 of file OledGrph.c.

#### 3.11.2.6 pbOledCur

```
BYTE* pbOledCur
```

Definition at line 80 of file OLED.c.

#### 3.11.2.7 pbOledFontCur

```
BYTE* pbOledFontCur
```

Definition at line 89 of file OLED.c.

#### 3.11.2.8 pbOledFontUser

```
BYTE* pbOledFontUser
```

Definition at line 90 of file OLED.c.

#### 3.11.2.9 pbOledPatCur

```
BYTE* pbOledPatCur
```

Definition at line 83 of file OLED.c.

#### 3.11.2.10 pfnDoRop

```
BYTE(* pfnDoRop) (BYTE bPix, BYTE bDsp, BYTE mskPix)
```

Definition at line 75 of file OledGrph.c.

#### 3.11.2.11 rgbFillPat

```
BYTE rgbFillPat[ ]
```

Definition at line 62 of file FillPat.c.

#### 3.11.2.12 rgbOledBmp

```
BYTE rgbOledBmp[ ]
```

Definition at line 104 of file OLED.h.

#### 3.11.2.13 xcoOledCur

```
int xcoOledCur
```

Definition at line 77 of file OLED.c.

#### 3.11.2.14 ycoOledCur

```
int ycoOledCur
```

Definition at line 78 of file OLED.c.

## 3.12 src/OLED/OledGrph.h File Reference

### Functions

- void [OledSetDrawColor](#) (uint8\_t clr)
- void [OledSetDrawMode](#) (int mod)
- int [OledGetDrawMode](#) ()
- uint8\_t \* [OledGetStdPattern](#) (int ipat)
- void [OledSetFillPattern](#) (uint8\_t \*pbPat)
- void [OledMoveTo](#) (int xco, int yco)
- void [OledGetPos](#) (int \*pxco, int \*pyco)
- void [OledDrawPixel](#) ()
- uint8\_t [OledGetPixel](#) ()
- void [OledLineTo](#) (int xco, int yco)
- void [OledDrawRect](#) (int xco, int yco)
- void [OledFillRect](#) (int xco, int yco)
- void [OledGetBmp](#) (int dxco, int dyco, uint8\_t \*pbBmp)
- void [OledPutBmp](#) (int dxco, int dyco, uint8\_t \*pbBmp)
- void [OledDrawChar](#) (char ch)
- void [OledDrawString](#) (char \*sz)



### 3.12.1 Function Documentation

#### 3.12.1.1 OledDrawChar()

```
void OledDrawChar (
    char ch )
```

Definition at line 835 of file OledGrph.c.

#### 3.12.1.2 OledDrawPixel()

```
void OledDrawPixel ( )
```

Definition at line 322 of file OledGrph.c.

#### 3.12.1.3 OledDrawRect()

```
void OledDrawRect (
    int xco,
    int yco )
```

Definition at line 478 of file OledGrph.c.

#### 3.12.1.4 OledDrawString()

```
void OledDrawString (
    char * sz )
```

Definition at line 878 of file OledGrph.c.

#### 3.12.1.5 OledFillRect()

```
void OledFillRect (
    int xco,
    int yco )
```

Definition at line 515 of file OledGrph.c.

#### 3.12.1.6 OledGetBmp()

```
void OledGetBmp (
    int dxco,
    int dyco,
    uint8_t * pbBmp )
```

Definition at line 621 of file OledGrph.c.

#### 3.12.1.7 OledGetDrawMode()

```
int OledGetDrawMode ( )
```

Definition at line 297 of file OledGrph.c.

#### 3.12.1.8 OledGetPixel()

```
uint8_t OledGetPixel ( )
```

Definition at line 346 of file OledGrph.c.

#### 3.12.1.9 OledGetPos()

```
void OledGetPos (
    int * pxco,
    int * pyco )
```

Definition at line 152 of file OledGrph.c.

#### 3.12.1.10 OledGetStdPattern()

```
uint8_t* OledGetStdPattern (
    int ipat )
```

Definition at line 202 of file OledGrph.c.

#### 3.12.1.11 OledLineTo()

```
void OledLineTo (
    int xco,
    int yco )
```

Definition at line 372 of file OledGrph.c.

#### 3.12.1.12 OledMoveTo()

```
void OledMoveTo (
    int xco,
    int yco )
```

Definition at line 113 of file OledGrph.c.

#### 3.12.1.13 OledPutBmp()

```
void OledPutBmp (
    int dxco,
    int dyco,
    uint8_t * pbBmp )
```

Definition at line 720 of file OledGrph.c.

#### 3.12.1.14 OledSetDrawColor()

```
void OledSetDrawColor (
    uint8_t clr )
```

Definition at line 177 of file OledGrph.c.

#### 3.12.1.15 OledSetDrawMode()

```
void OledSetDrawMode (
    int mod )
```

Definition at line 251 of file OledGrph.c.

#### 3.12.1.16 OledSetFillPattern()

```
void OledSetFillPattern (
    uint8_t * pbPat )
```

Definition at line 227 of file OledGrph.c.

### 3.13 src/OLED/SPI.c File Reference

```
#include <stdint.h>
#include "OLED.h"
```

#### Functions

- void [OledPutBuffer](#) (int *cb*, [BYTE](#) \**rgbTx*)
- [BYTE](#) [Spi2PutByte](#) ([BYTE](#) *bVal*)

#### 3.13.1 Function Documentation

##### 3.13.1.1 OledPutBuffer()

```
void OledPutBuffer (
    int cb,
    BYTE * rgbTx )
```

**Function:**

**Summary:**

**Description:**

**Remarks:**

Definition at line 87 of file SPI.c.

##### 3.13.1.2 Spi2PutByte()

```
BYTE Spi2PutByte (
    BYTE bVal )
```

Definition at line 122 of file SPI.c.

## 3.14 src/UART.c File Reference

```
#include "UART.h"
```

### Functions

- void [UART4\\_init](#) (void)  
*UART initialization.*
- char [UART4\\_getc](#) (void)  
*Reading char from UART.*
- void [UART4\\_putc](#) (char c)  
*Sending char by UART.*
- void [UART4\\_puts](#) (char \*s)  
*Sending string by UART.*

### 3.14.1 Function Documentation

#### 3.14.1.1 [UART4\\_getc\(\)](#)

```
char UART4_getc (  
    void )
```

Reading char from UART.

It waits until character received and returns it

#### Returns

U4RXREG readed character

Definition at line 58 of file UART.c.

#### 3.14.1.2 [UART4\\_init\(\)](#)

```
void UART4_init (  
    void )
```

UART initialization.

Setting pins for UART usage and UART speed

Definition at line 40 of file UART.c.

#### 3.14.1.3 [UART4\\_putc\(\)](#)

```
void UART4_putc (  
    char c )
```

Sending char by UART.

It waits until transmit buffer not full and transmits char

**Parameters**

in	<i>c</i>	char to send
----	----------	--------------

Definition at line 70 of file UART.c.

**3.14.1.4 UART4\_puts()**

```
void UART4_puts (  
    char * s )
```

Sending string by UART.

It sends chars from string while it's not end symbol

**Parameters**

in	<i>s</i>	pointer for string to send
----	----------	----------------------------

Definition at line 83 of file UART.c.

**3.15 src/UART.h File Reference**

```
#include <xc.h>
```

**Functions**

- void [UART4\\_init](#) (void)  
*UART initialization.*
- char [UART4\\_getc](#) (void)  
*Reading char from UART.*
- void [UART4\\_putc](#) (char c)  
*Sending char by UART.*
- void [UART4\\_puts](#) (char \*s)  
*Sending string by UART.*

**3.15.1 Function Documentation**

#### 3.15.1.1 UART4\_getc()

```
char UART4_getc (
    void )
```

Reading char from UART.

It waits until character received and returns it

##### Returns

U4RXREG readed character

Definition at line 58 of file UART.c.

#### 3.15.1.2 UART4\_init()

```
void UART4_init (
    void )
```

UART initialization.

Setting pins for UART usage and UART speed

Definition at line 40 of file UART.c.

#### 3.15.1.3 UART4\_putc()

```
void UART4_putc (
    char c )
```

Sending char by UART.

It waits until transmit buffer not full and transmits char

##### Parameters

in	<i>c</i>	char to send
----	----------	--------------

Definition at line 70 of file UART.c.

#### 3.15.1.4 UART4\_puts()

```
void UART4_puts (
    char * s )
```

Sending string by UART.

It sends chars from string while it's not end symbol

#### Parameters

in	s	pointer for string to send
----	---	----------------------------

Definition at line 83 of file UART.c.

## 3.16 src/user.c File Reference

contains descripton for initialization and system functions

```
#include <stdint.h>
#include <stdbool.h>
#include "lab4_UART_SPI.h"
#include <sys/attrs.h>
```

### Functions

- void [initGPIO](#) (void)  
*GPIO initialization.*
- void [init\\_servo](#) (void)  
*Servo initialization.*
- void [delayMs](#) (int t)  
*primitive delay function*
- void [set\\_angle](#) (char mode)  
*function for turning servo*

### 3.16.1 Detailed Description

contains descripton for initialization and system functions

### 3.16.2 Function Documentation

#### 3.16.2.1 delayMs()

```
void delayMs (
    int t )
```

primitive delay function

Used by OLED driver

Definition at line 85 of file user.c.



### 3.16.2.2 init\_servo()

```
void init_servo (
    void )
```

Servo initialization.

Initialization of timer to drive servo. Timer 2 configured to generate PWM with 20ms period (50Hz frequency). OC8 output mapped to E3 pin (28th pin on chipKit WiFire board)

Definition at line 58 of file user.c.

### 3.16.2.3 initGPIO()

```
void initGPIO (
    void )
```

GPIO initialization.

Initialization for pins G6, B11, G15, D4, A4, A5. Disabling analog mode and setting pins directions

Definition at line 21 of file user.c.

### 3.16.2.4 set\_angle()

```
void set_angle (
    char mode )
```

function for turning servo

Depending on the input parameter ('1', '2' or '3') setting servo angle

Parameters

in	mode	one of three servo angle states
----	------	---------------------------------

Definition at line 98 of file user.c.



# Index

BTN1\_PORT\_BIT  
    lab4\_UART\_SPI.h, 6

BTN2\_PORT\_BIT  
    lab4\_UART\_SPI.h, 6

BYTE  
    OLED.h, 21

bitDataCmd  
    OLED.h, 18

bitReset  
    OLED.h, 18

bitVbatCtrl  
    OLED.h, 18

bitVddCtrl  
    OLED.h, 18

bnOledCur  
    OLED.c, 14  
    OledChar.c, 26  
    OledGrph.c, 36

cbOledChar  
    OLED.h, 18

cbOledDispMax  
    OLED.h, 19

cbOledFontUser  
    OLED.h, 19

ccolOledMax  
    OLED.h, 19

chOledUserMax  
    OLED.h, 19

ChrFont0.c  
    rgbOledFont0, 10

clrOledCur  
    OLED.c, 14  
    OledGrph.c, 36

cmdOledComConfig  
    OLED.c, 12

cmdOledComDir  
    OLED.c, 12

cmdOledDisplayOff  
    OLED.c, 12

cmdOledDisplayOn  
    OLED.c, 12

cmdOledSegRemap  
    OLED.c, 13

cpagOledMax  
    OLED.h, 19

crowOledMax  
    OLED.h, 19

delayMs

lab4\_UART\_SPI.h, 8

user.c, 46

dxcoOledFontCur  
    OLED.c, 14  
    OledChar.c, 26  
    OledGrph.c, 36

dycoOledFontCur  
    OLED.c, 15  
    OledChar.c, 26  
    OledGrph.c, 36

fOledCharUpdate  
    OLED.c, 15  
    OledChar.c, 26

FillPat.c  
    rgbFillPat, 11

init\_servo  
    user.c, 46

initGPIO  
    lab4\_UART\_SPI.h, 8  
    user.c, 47

LD1\_PORT\_BIT  
    lab4\_UART\_SPI.h, 6

LD2\_PORT\_BIT  
    lab4\_UART\_SPI.h, 6

LD3\_PORT\_BIT  
    lab4\_UART\_SPI.h, 7

LD4\_PORT\_BIT  
    lab4\_UART\_SPI.h, 7

lab4\_UART\_SPI.h  
    BTN1\_PORT\_BIT, 6  
    BTN2\_PORT\_BIT, 6  
    delayMs, 8  
    initGPIO, 8  
    LD1\_PORT\_BIT, 6  
    LD2\_PORT\_BIT, 6  
    LD3\_PORT\_BIT, 7  
    LD4\_PORT\_BIT, 7  
    PWM\_FREQ\_HZ, 7  
    PWM\_PERIOD\_COUNTS, 7  
    SERVO\_0, 7  
    SERVO\_180, 8  
    SERVO\_90, 8  
    set\_angle, 8  
    UART4\_init, 9

MASK  
    OLED.h, 20

- main
  - main.c, [10](#)
- main.c
  - main, [10](#)
- modOledAnd
  - OLED.h, [20](#)
- modOledCur
  - OledGrph.c, [37](#)
- modOledOr
  - OLED.h, [20](#)
- modOledSet
  - OLED.h, [20](#)
- modOledXor
  - OLED.h, [20](#)
- mskOledCur
  - OledChar.c, [26](#)
- OLED.c
  - bnOledCur, [14](#)
  - clrOledCur, [14](#)
  - cmdOledComConfig, [12](#)
  - cmdOledComDir, [12](#)
  - cmdOledDisplayOff, [12](#)
  - cmdOledDisplayOn, [12](#)
  - cmdOledSegRemap, [13](#)
  - dxcoOledFontCur, [14](#)
  - dycoOledFontCur, [15](#)
  - fOledCharUpdate, [15](#)
  - OledDevTerm, [13](#)
  - OledDspInit, [13](#)
  - OledDvrlInit, [13](#)
  - OledHostInit, [13](#)
  - OledHostTerm, [14](#)
  - OledUpdate, [14](#)
  - pbOledCur, [15](#)
  - pbOledFontCur, [15](#)
  - pbOledFontUser, [15](#)
  - pbOledPatCur, [15](#)
  - rgbFillPat, [16](#)
  - rgbOledFont0, [16](#)
  - rgbOledFontUser, [16](#)
  - xchOledMax, [16](#)
  - xcoOledCur, [16](#)
  - ychOledMax, [16](#)
  - ycoOledCur, [17](#)
- OLED.h
  - BYTE, [21](#)
  - bitDataCmd, [18](#)
  - bitReset, [18](#)
  - bitVbatCtrl, [18](#)
  - bitVddCtrl, [18](#)
  - cbOledChar, [18](#)
  - cbOledDispMax, [19](#)
  - cbOledFontUser, [19](#)
  - ccoOledMax, [19](#)
  - chOledUserMax, [19](#)
  - cpagOledMax, [19](#)
  - crowOledMax, [19](#)
  - MASK, [20](#)
  - modOledAnd, [20](#)
  - modOledOr, [20](#)
  - modOledSet, [20](#)
  - modOledXor, [20](#)
  - OledClear, [21](#)
  - OledClearBuffer, [22](#)
  - OledDisplayOff, [22](#)
  - OledDisplayOn, [22](#)
  - OledDvrlInit, [22](#)
  - OledInit, [22](#)
  - OledTerm, [22](#)
  - OledUpdate, [23](#)
  - prtDataCmd, [20](#)
  - prtReset, [21](#)
  - prtVbatCtrl, [21](#)
  - prtVddCtrl, [21](#)
  - rgbOledBmp, [23](#)
- OledAdvanceCursor
  - OledChar.c, [24](#)
- OledChar.c
  - bnOledCur, [26](#)
  - dxcoOledFontCur, [26](#)
  - dycoOledFontCur, [26](#)
  - fOledCharUpdate, [26](#)
  - mskOledCur, [26](#)
  - OledAdvanceCursor, [24](#)
  - OledDefUserChar, [24](#)
  - OledDrawGlyph, [24](#)
  - OledGetCharUpdate, [24](#)
  - OledGetCursor, [25](#)
  - OledPutChar, [25](#)
  - OledPutString, [25](#)
  - OledSetCharUpdate, [25](#)
  - OledSetCursor, [25](#)
  - pbOledCur, [26](#)
  - pbOledFontCur, [26](#)
  - pbOledFontExt, [27](#)
  - pbOledFontUser, [27](#)
  - rgbOledBmp, [27](#)
  - rgbOledFontUser, [27](#)
  - xchOledCur, [27](#)
  - xchOledMax, [27](#)
  - xcoOledCur, [28](#)
  - ychOledCur, [28](#)
  - ychOledMax, [28](#)
  - ycoOledCur, [28](#)
- OledChar.h
  - OledDefUserChar, [29](#)
  - OledGetCharUpdate, [29](#)
  - OledGetCursor, [29](#)
  - OledPutChar, [29](#)
  - OledPutString, [29](#)
  - OledSetCharUpdate, [29](#)
  - OledSetCursor, [30](#)
- OledClampXco
  - OledGrph.c, [31](#)
- OledClampYco
  - OledGrph.c, [31](#)

OledClear  
     OLED.h, 21  
 OledClearBuffer  
     OLED.h, 22  
 OledDefUserChar  
     OledChar.c, 24  
     OledChar.h, 29  
 OledDevTerm  
     OLED.c, 13  
 OledDisplayOff  
     OLED.h, 22  
 OledDisplayOn  
     OLED.h, 22  
 OledDrawChar  
     OledGrph.c, 31  
     OledGrph.h, 39  
 OledDrawGlyph  
     OledChar.c, 24  
 OledDrawPixel  
     OledGrph.c, 31  
     OledGrph.h, 39  
 OledDrawRect  
     OledGrph.c, 32  
     OledGrph.h, 39  
 OledDrawString  
     OledGrph.c, 32  
     OledGrph.h, 39  
 OledDsplInit  
     OLED.c, 13  
 OledDvrlInit  
     OLED.c, 13  
     OLED.h, 22  
 OledFillRect  
     OledGrph.c, 32  
     OledGrph.h, 39  
 OledGetBmp  
     OledGrph.c, 32  
     OledGrph.h, 39  
 OledGetCharUpdate  
     OledChar.c, 24  
     OledChar.h, 29  
 OledGetCursor  
     OledChar.c, 25  
     OledChar.h, 29  
 OledGetDrawMode  
     OledGrph.c, 32  
     OledGrph.h, 40  
 OledGetPixel  
     OledGrph.c, 33  
     OledGrph.h, 40  
 OledGetPos  
     OledGrph.c, 33  
     OledGrph.h, 40  
 OledGetStdPattern  
     OledGrph.c, 33  
     OledGrph.h, 40  
 OledGrph.c  
     bnOledCur, 36  
     clrOledCur, 36  
     dxcoOledFontCur, 36  
     dycoOledFontCur, 36  
     modOledCur, 37  
     OledClampXco, 31  
     OledClampYco, 31  
     OledDrawChar, 31  
     OledDrawPixel, 31  
     OledDrawRect, 32  
     OledDrawString, 32  
     OledFillRect, 32  
     OledGetBmp, 32  
     OledGetDrawMode, 32  
     OledGetPixel, 33  
     OledGetPos, 33  
     OledGetStdPattern, 33  
     OledLineTo, 33  
     OledMoveDown, 33  
     OledMoveLeft, 33  
     OledMoveRight, 34  
     OledMoveTo, 34  
     OledMoveUp, 34  
     OledPutBmp, 34  
     OledRopAnd, 34  
     OledRopOr, 35  
     OledRopSet, 35  
     OledRopXor, 35  
     OledSetDrawColor, 35  
     OledSetDrawMode, 35  
     OledSetFillPattern, 36  
     pbOledCur, 37  
     pbOledFontCur, 37  
     pbOledFontUser, 37  
     pbOledPatCur, 37  
     pfnDoRop, 37  
     rgbFillPat, 38  
     rgbOledBmp, 38  
     xcoOledCur, 38  
     ycoOledCur, 38  
 OledGrph.h  
     OledDrawChar, 39  
     OledDrawPixel, 39  
     OledDrawRect, 39  
     OledDrawString, 39  
     OledFillRect, 39  
     OledGetBmp, 39  
     OledGetDrawMode, 40  
     OledGetPixel, 40  
     OledGetPos, 40  
     OledGetStdPattern, 40  
     OledLineTo, 40  
     OledMoveTo, 41  
     OledPutBmp, 41  
     OledSetDrawColor, 41  
     OledSetDrawMode, 41  
     OledSetFillPattern, 41  
 OledHostInit  
     OLED.c, 13

OledHostTerm  
     OLED.c, 14  
 OledInit  
     OLED.h, 22  
 OledLineTo  
     OledGrph.c, 33  
     OledGrph.h, 40  
 OledMoveDown  
     OledGrph.c, 33  
 OledMoveLeft  
     OledGrph.c, 33  
 OledMoveRight  
     OledGrph.c, 34  
 OledMoveTo  
     OledGrph.c, 34  
     OledGrph.h, 41  
 OledMoveUp  
     OledGrph.c, 34  
 OledPutBmp  
     OledGrph.c, 34  
     OledGrph.h, 41  
 OledPutBuffer  
     SPI.c, 42  
 OledPutChar  
     OledChar.c, 25  
     OledChar.h, 29  
 OledPutString  
     OledChar.c, 25  
     OledChar.h, 29  
 OledRopAnd  
     OledGrph.c, 34  
 OledRopOr  
     OledGrph.c, 35  
 OledRopSet  
     OledGrph.c, 35  
 OledRopXor  
     OledGrph.c, 35  
 OledSetCharUpdate  
     OledChar.c, 25  
     OledChar.h, 29  
 OledSetCursor  
     OledChar.c, 25  
     OledChar.h, 30  
 OledSetDrawColor  
     OledGrph.c, 35  
     OledGrph.h, 41  
 OledSetDrawMode  
     OledGrph.c, 35  
     OledGrph.h, 41  
 OledSetFillPattern  
     OledGrph.c, 36  
     OledGrph.h, 41  
 OledTerm  
     OLED.h, 22  
 OledUpdate  
     OLED.c, 14  
     OLED.h, 23  
 PWM\_FREQ\_HZ  
     lab4\_UART\_SPI.h, 7  
 PWM\_PERIOD\_COUNTS  
     lab4\_UART\_SPI.h, 7  
 pbOledCur  
     OLED.c, 15  
     OledChar.c, 26  
     OledGrph.c, 37  
 pbOledFontCur  
     OLED.c, 15  
     OledChar.c, 26  
     OledGrph.c, 37  
 pbOledFontExt  
     OledChar.c, 27  
 pbOledFontUser  
     OLED.c, 15  
     OledChar.c, 27  
     OledGrph.c, 37  
 pbOledPatCur  
     OLED.c, 15  
     OledGrph.c, 37  
 pfnDoRop  
     OledGrph.c, 37  
 prtDataCmd  
     OLED.h, 20  
 prtReset  
     OLED.h, 21  
 prtVbatCtrl  
     OLED.h, 21  
 prtVddCtrl  
     OLED.h, 21  
 README.md, 5  
 rgbFillPat  
     FillPat.c, 11  
     OLED.c, 16  
     OledGrph.c, 38  
 rgbOledBmp  
     OLED.h, 23  
     OledChar.c, 27  
     OledGrph.c, 38  
 rgbOledFont0  
     ChrFont0.c, 10  
     OLED.c, 16  
 rgbOledFontUser  
     OLED.c, 16  
     OledChar.c, 27  
 SERVO\_0  
     lab4\_UART\_SPI.h, 7  
 SERVO\_180  
     lab4\_UART\_SPI.h, 8  
 SERVO\_90  
     lab4\_UART\_SPI.h, 8  
 SPI.c  
     OledPutBuffer, 42  
     Spi2PutByte, 42  
 set\_angle  
     lab4\_UART\_SPI.h, 8  
     user.c, 47

Spi2PutByte  
  SPI.c, [42](#)  
src/OLED/ChrFont0.c, [10](#)  
src/OLED/FillPat.c, [10](#)  
src/OLED/OLED.c, [11](#)  
src/OLED/OLED.h, [17](#)  
src/OLED/OledChar.c, [23](#)  
src/OLED/OledChar.h, [28](#)  
src/OLED/OledGrph.c, [30](#)  
src/OLED/OledGrph.h, [38](#)  
src/OLED/SPI.c, [42](#)  
src/UART.c, [43](#)  
src/UART.h, [44](#)  
src/configuration\_bits.c, [5](#)  
src/lab4\_UART\_SPI.h, [5](#)  
src/main.c, [9](#)  
src/user.c, [46](#)

UART.c  
  UART4\_getc, [43](#)  
  UART4\_init, [43](#)  
  UART4\_putc, [43](#)  
  UART4\_puts, [44](#)

UART.h  
  UART4\_getc, [44](#)  
  UART4\_init, [45](#)  
  UART4\_putc, [45](#)  
  UART4\_puts, [45](#)

UART4\_getc  
  UART.c, [43](#)  
  UART.h, [44](#)

UART4\_init  
  lab4\_UART\_SPI.h, [9](#)  
  UART.c, [43](#)  
  UART.h, [45](#)

UART4\_putc  
  UART.c, [43](#)  
  UART.h, [45](#)

UART4\_puts  
  UART.c, [44](#)  
  UART.h, [45](#)

user.c  
  delayMs, [46](#)  
  init\_servo, [46](#)  
  initGPIO, [47](#)  
  set\_angle, [47](#)

xchOledCur  
  OledChar.c, [27](#)

xchOledMax  
  OLED.c, [16](#)  
  OledChar.c, [27](#)

xcoOledCur  
  OLED.c, [16](#)  
  OledChar.c, [28](#)  
  OledGrph.c, [38](#)

ychOledCur  
  OledChar.c, [28](#)

ychOledMax  
  OLED.c, [16](#)  
  OledChar.c, [28](#)

ycoOledCur  
  OLED.c, [17](#)  
  OledChar.c, [28](#)  
  OledGrph.c, [38](#)