

6. Capacity table

6-1. Combinations

■ Model: AOUH18KWAH2

- Connectable up to 130% of the outdoor unit capacity.
- Up to 1 unit of Middle duct or Multi position air handling unit is connectable to the combination.
- Specifications are based on the following conditions:
 - Power source of specifications: 230 V
 - 7: 7,000 Btu/h, 9: 9,000 Btu/h, 12: 12,000 Btu/h, 15: 15,000 Btu/h
 - 2 indoor units should be connected.
 - Cooling: Indoor temperature of 80°FDB (26.7°CDB)/67°FWB (19.4°CWB), and outdoor temperature of 95 °FDB (35°CDB)/75°FWB (23.9°CWB).
 - Heating: Indoor temperature of 70°FDB (21.1°CDB)/60°FWB (15.6°CWB), and outdoor temperature of 47 °FDB (8.3°CDB)/43°FWB (6.1°CWB).
 - Pipe length: 25 ft (7.5 m), Height difference: 0 ft (0 m). (Between outdoor unit and indoor unit.)
 - The total ability of the connected indoor units is from 14,000 Btu up to 24,000 Btu.
 - Non-ducted system combinations input are based on the wall-mounted models. The input of the combinations including the cassette models may be a little higher.
 - Ducted system combinations capacities are based on the slim duct models.

● Cooling

AOUH18KWAH2, Non-ducted												
Combination of indoor unit			Rated capacity for each indoor unit (kBtu/h)		Max. capacity for each indoor unit (kBtu/h)		Total capacity (kBtu/h)			Input power (kW)		
Unit		Total	Unit		Unit		Min.	Rated	Max.	Min.	Rated	Max.
1	2		1	2	1	2						
7	7	14	7.00	7.00	8.70	8.70	6.10	14.00	17.40	0.32	0.97	1.44
7	9	16	7.00	9.00	8.66	11.14	6.10	16.00	19.80	0.32	1.14	1.64
7	12	19	6.63	11.37	7.84	13.16	6.10	18.00	21.00	0.32	1.33	1.74
7	15	22	5.73	12.27	6.68	14.32	6.10	18.00	21.00	0.32	1.33	1.74
9	9	18	9.00	9.00	10.50	10.50	6.10	18.00	21.00	0.32	1.33	1.74
9	12	21	7.71	10.29	9.00	12.00	6.10	18.00	21.00	0.32	1.33	1.74
9	15	24	6.75	11.25	7.87	13.13	6.10	18.00	21.00	0.32	1.33	1.74
12	12	24	9.00	9.00	10.50	10.50	6.10	18.00	21.00	0.32	1.33	1.74

AOUH18KWAH2, Ducted												
Combination of indoor unit			Rated capacity for each indoor unit (kBtu/h)		Max. capacity for each indoor unit (kBtu/h)		Total capacity (kBtu/h)			Input power (kW)		
Unit		Total	Unit		Unit		Min.	Rated	Max.	Min.	Rated	Max.
1	2		1	2	1	2						
7	7	14	7.00	7.00	8.70	8.70	6.10	14.00	17.40	0.40	1.00	1.52
7	9	16	7.00	9.00	8.66	11.14	6.10	16.00	19.80	0.40	1.19	1.73
7	12	19	6.63	11.37	7.84	13.16	6.10	18.00	21.00	0.40	1.38	1.84
9	9	18	9.00	9.00	10.50	10.50	6.10	18.00	21.00	0.40	1.38	1.84
9	12	21	7.71	10.29	9.00	12.00	6.10	18.00	21.00	0.40	1.38	1.84
12	12	24	9.00	9.00	10.50	10.50	6.10	18.00	21.00	0.40	1.38	1.84

● Heating

AOUH18KWAH2, Non-ducted												
Combination of indoor unit			Rated capacity for each indoor unit (kBtu/h)		Max. capacity for each indoor unit (kBtu/h)		Total capacity (kBtu/h)			Input power (kW)		
Unit		Total	Unit		Unit		Min.	Rated	Max.	Min.	Rated	Max.
1	2		1	2	1	2						
7	7	14	9.20	9.20	10.35	10.35	6.80	18.40	20.70	0.44	1.17	1.38
7	9	16	8.92	11.48	9.84	12.66	6.80	20.40	22.50	0.44	1.32	1.50
7	12	19	8.11	13.89	9.21	15.79	6.80	22.00	25.00	0.44	1.47	1.67
7	15	22	7.00	15.00	7.95	17.05	6.80	22.00	25.00	0.44	1.47	1.67
9	9	18	11.00	11.00	12.50	12.50	6.80	22.00	25.00	0.44	1.47	1.67
9	12	21	9.43	12.57	10.71	14.29	6.80	22.00	25.00	0.44	1.47	1.67
9	15	24	8.25	13.75	9.37	15.63	6.80	22.00	25.00	0.44	1.47	1.67
12	12	24	11.00	11.00	12.50	12.50	6.80	22.00	25.00	0.44	1.47	1.67

AOUH18KWAH2, Ducted												
Combination of indoor unit			Rated capacity for each indoor unit (kBtu/h)		Max. capacity for each indoor unit (kBtu/h)		Total capacity (kBtu/h)			Input power (kW)		
Unit		Total	Unit		Unit		Min.	Rated	Max.	Min.	Rated	Max.
1	2		1	2	1	2						
7	7	14	9.20	9.20	10.35	10.35	6.80	18.40	20.70	0.50	1.35	1.61
7	9	16	8.92	11.48	9.84	12.66	6.80	20.40	22.50	0.50	1.51	1.76
7	12	19	8.11	13.89	9.21	15.79	6.80	22.00	25.00	0.50	1.70	1.95
9	9	18	11.00	11.00	12.50	12.50	6.80	22.00	25.00	0.50	1.70	1.95
9	12	21	9.43	12.57	10.71	14.29	6.80	22.00	25.00	0.50	1.70	1.95
12	12	24	11.00	11.00	12.50	12.50	6.80	22.00	25.00	0.50	1.70	1.95

OUTDOOR UNIT
AOUH18-36KWAH

OUTDOOR UNIT
AOUH18-36KWAH

Model: AOUH24KWAH3

- Connectable up to 130% of the outdoor unit capacity.
- Up to 1 unit of Middle duct or Multi position air handling unit is connectable to the combination.
- Specifications are based on the following conditions:
 - Power source of specifications: 230 V
 - 7: 7,000 Btu/h, 9: 9,000 Btu/h, 12: 12,000 Btu/h, 15: 15,000 Btu/h, 18: 18,000 Btu/h
 - 2 or more indoor units should be connected.
 - Cooling: Indoor temperature of 80°FDB (26.7°CDB)/67°FWB (19.4°CWB), and outdoor temperature of 95 °FDB (35°CDB)/75°FWB (23.9°CWB).
 - Heating: Indoor temperature of 70°FDB (21.1°CDB)/60°FWB (15.6°CWB), and outdoor temperature of 47 °FDB (8.3°CDB)/43°FWB (6.1°CWB).
 - Pipe length: 25 ft (7.5 m), Height difference: 0 ft (0 m). (Between outdoor unit and indoor unit.)
 - The total ability of the connected indoor units is from 14,000 Btu up to 31,000 Btu.
 - Non-ducted system combinations input are based on the wall-mounted models. The input of the combinations including the cassette models may be a little higher.
 - Ducted system combinations capacities are based on the slim duct models.

● Cooling

AOUH24KWAH3, Non-ducted															
Combination of indoor unit				Rated capacity for each indoor unit (kBtu/h)			Max. capacity for each indoor unit (kBtu/h)			Total capacity (kBtu/h)			Input power (kW)		
Unit			Total	Unit			Unit			Min.	Rated	Max.	Min.	Rated	Max.
1	2	3		1	2	3	1	2	3						
7	7	—	14	7.00	7.00	—	8.70	8.70	—	6.10	14.00	17.40	0.26	1.13	1.40
7	9	—	16	7.00	9.00	—	8.66	11.14	—	6.10	16.00	19.80	0.26	1.35	1.67
7	12	—	19	7.00	12.00	—	9.34	13.16	—	6.10	19.00	22.50	0.26	1.71	1.99
7	15	—	22	7.00	15.00	—	9.39	16.91	—	6.10	22.00	26.30	0.26	2.11	2.50
7	18	—	25	6.16	15.84	—	7.60	19.40	—	6.10	22.00	27.00	0.26	2.11	2.60
9	9	—	18	9.00	9.00	—	10.75	10.75	—	6.10	18.00	21.50	0.26	1.58	1.86
9	12	—	21	9.00	12.00	—	11.44	13.16	—	6.10	21.00	24.60	0.26	1.97	2.26
9	15	—	24	8.25	13.75	—	10.12	16.88	—	6.10	22.00	27.00	0.26	2.11	2.60
9	18	—	27	7.33	14.67	—	9.00	18.00	—	6.10	22.00	27.00	0.26	2.11	2.60
12	12	—	24	11.00	11.00	—	13.15	13.15	—	6.10	22.00	26.30	0.26	2.11	2.50
12	15	—	27	9.78	12.22	—	12.00	15.00	—	6.10	22.00	27.00	0.26	2.11	2.60
12	18	—	30	8.80	13.20	—	10.80	16.20	—	6.10	22.00	27.00	0.26	2.11	2.60
15	15	—	30	11.00	11.00	—	13.50	13.50	—	6.10	22.00	27.00	0.26	2.11	2.60
7	7	7	21	7.00	7.00	7.00	8.57	8.57	8.57	6.10	21.00	25.70	0.26	1.50	2.41
7	7	9	23	6.70	6.70	8.60	8.22	8.22	10.56	6.10	22.00	27.00	0.26	1.63	2.60
7	7	12	26	5.92	5.92	10.16	7.27	7.27	12.46	6.10	22.00	27.00	0.26	1.63	2.60
7	7	15	29	5.31	5.31	11.38	6.52	6.52	13.96	6.10	22.00	27.00	0.26	1.63	2.60
7	9	9	25	6.16	7.92	7.92	7.56	9.72	9.72	6.10	22.00	27.00	0.26	1.63	2.60
7	9	12	28	5.50	7.07	9.43	6.75	8.68	11.57	6.10	22.00	27.00	0.26	1.63	2.60
7	9	15	31	4.96	6.39	10.65	6.10	7.84	13.06	6.10	22.00	27.00	0.26	1.63	2.60
7	12	12	31	4.97	8.52	8.52	6.10	10.45	10.45	6.10	22.00	27.00	0.26	1.63	2.60
9	9	9	27	7.33	7.33	7.33	9.00	9.00	9.00	6.10	22.00	27.00	0.26	1.63	2.60
9	9	12	30	6.60	6.60	8.80	8.10	8.10	10.80	6.10	22.00	27.00	0.26	1.63	2.60

AOUH24KWAH3, Ducted															
Combination of indoor unit				Rated capacity for each indoor unit (kBtu/h)			Max. capacity for each indoor unit (kBtu/h)			Total capacity (kBtu/h)			Input power (kW)		
Unit			Total	Unit			Unit			Min.	Rated	Max.	Min.	Rated	Max.
1	2	3		1	2	3	1	2	3						
7	7	—	14	7.00	7.00	—	8.70	8.70	—	6.10	14.00	17.40	0.29	1.21	1.48
7	9	—	16	7.00	9.00	—	8.66	11.14	—	6.10	16.00	19.80	0.29	1.44	1.75
7	12	—	19	7.00	12.00	—	9.34	13.16	—	6.10	19.00	22.50	0.29	1.83	2.10
7	18	—	25	6.16	15.84	—	7.60	19.40	—	6.10	22.00	27.00	0.29	2.28	2.76
9	9	—	18	9.00	9.00	—	10.75	10.75	—	6.10	18.00	21.50	0.29	1.70	1.97
9	12	—	21	9.00	12.00	—	11.44	13.16	—	6.10	21.00	24.60	0.29	2.12	2.39
9	18	—	27	7.33	14.67	—	9.00	18.00	—	6.10	22.00	27.00	0.29	2.28	2.76
12	12	—	24	11.00	11.00	—	13.15	13.15	—	6.10	22.00	26.30	0.29	2.28	2.65
12	18	—	30	8.80	13.20	—	10.80	16.20	—	6.10	22.00	27.00	0.29	2.28	2.76
7	7	7	21	7.00	7.00	7.00	8.57	8.57	8.57	6.10	21.00	25.70	0.29	1.65	2.56
7	7	9	23	6.70	6.70	8.60	8.22	8.22	10.56	6.10	22.00	27.00	0.29	1.76	2.76
7	7	12	26	5.92	5.92	10.15	7.27	7.27	12.46	6.10	22.00	27.00	0.29	1.76	2.76
7	9	9	25	6.16	7.92	7.92	7.56	9.72	9.72	6.10	22.00	27.00	0.29	1.76	2.76
7	9	12	28	5.50	7.07	9.43	6.75	8.68	11.57	6.10	22.00	27.00	0.29	1.76	2.76
7	12	12	31	4.96	8.52	8.52	6.10	10.45	10.45	6.10	22.00	27.00	0.29	1.76	2.76
9	9	9	27	7.33	7.33	7.33	9.00	9.00	9.00	6.10	22.00	27.00	0.29	1.76	2.76
9	9	12	30	6.60	6.60	8.80	8.10	8.10	10.80	6.10	22.00	27.00	0.29	1.76	2.76

● Heating

OUTDOOR UNIT
AOUH18-36KWAH

OUTDOOR UNIT
AOUH18-36KWAH

AOUH24KWAH3, Non-ducted															
Combination of indoor unit				Rated capacity for each indoor unit (kBtu/h)			Max. capacity for each indoor unit (kBtu/h)			Total capacity (kBtu/h)			Input power (kW)		
Unit			Total	Unit			Unit			Min.	Rated	Max.	Min.	Rated	Max.
1	2	3		1	2	3	1	2	3						
7	7	—	14	9.50	9.50	—	11.10	11.10	—	6.80	19.00	22.20	0.36	1.24	1.30
7	9	—	16	9.19	11.81	—	10.72	13.78	—	6.80	21.00	24.50	0.36	1.39	1.48
7	12	—	19	8.29	14.21	—	9.73	16.67	—	6.80	22.50	26.40	0.36	1.50	1.64
7	15	—	22	7.83	16.77	—	10.03	19.77	—	6.80	24.60	29.80	0.36	1.66	1.94
7	18	—	25	7.00	18.00	—	8.68	22.32	—	6.80	25.00	31.00	0.36	1.69	2.06
9	9	—	18	11.10	11.10	—	12.70	12.70	—	6.80	22.20	25.40	0.36	1.48	1.55
9	12	—	21	10.41	13.89	—	12.21	16.29	—	6.80	24.30	28.50	0.36	1.64	1.82
9	15	—	24	9.37	15.63	—	11.62	19.38	—	6.80	25.00	31.00	0.36	1.69	2.06
9	18	—	27	8.33	16.67	—	10.33	20.67	—	6.80	25.00	31.00	0.36	1.69	2.06
12	12	—	24	12.50	12.50	—	15.50	15.50	—	6.80	25.00	31.00	0.36	1.69	2.06
12	15	—	27	11.11	13.89	—	13.78	17.22	—	6.80	25.00	31.00	0.36	1.69	2.06
12	18	—	30	10.00	15.00	—	12.40	18.60	—	6.80	25.00	31.00	0.36	1.69	2.06
15	15	—	30	12.50	12.50	—	15.50	15.50	—	6.80	25.00	31.00	0.36	1.69	2.06
7	7	7	21	8.10	8.10	8.10	9.50	9.50	9.50	6.80	24.30	28.50	0.36	1.50	1.82
7	7	9	23	7.61	7.61	9.78	9.43	9.43	12.14	6.80	25.00	31.00	0.36	1.56	2.06
7	7	12	26	6.73	6.73	11.54	8.35	8.35	14.30	6.80	25.00	31.00	0.36	1.56	2.06
7	7	15	29	6.03	6.03	12.94	7.48	7.48	16.04	6.80	25.00	31.00	0.36	1.56	2.06
7	9	9	25	7.00	9.00	9.00	8.68	11.16	11.16	6.80	25.00	31.00	0.36	1.56	2.06
7	9	12	28	6.25	8.04	10.71	7.75	9.96	13.29	6.80	25.00	31.00	0.36	1.56	2.06
7	9	15	31	5.64	7.26	12.10	7.00	9.00	15.00	6.80	25.00	31.00	0.36	1.56	2.06
7	12	12	31	5.64	9.68	9.68	7.00	12.00	12.00	6.80	25.00	31.00	0.36	1.56	2.06
9	9	9	27	8.33	8.33	8.33	10.33	10.33	10.33	6.80	25.00	31.00	0.36	1.56	2.06
9	9	12	30	7.50	7.50	10.00	9.30	9.30	12.40	6.80	25.00	31.00	0.36	1.56	2.06

AOUH24KWAH3, Ducted															
Combination of indoor unit				Rated capacity for each indoor unit (kBtu/h)			Max. capacity for each indoor unit (kBtu/h)			Total capacity (kBtu/h)			Input power (kW)		
Unit			Total	Unit			Unit			Min.	Rated	Max.	Min.	Rated	Max.
1	2	3		1	2	3	1	2	3						
7	7	—	14	9.50	9.50	—	11.10	11.10	—	6.80	19.00	22.20	0.42	1.39	1.40
7	9	—	16	9.19	11.81	—	10.72	13.78	—	6.80	21.00	24.50	0.42	1.55	1.61
7	12	—	19	8.29	14.21	—	9.73	16.67	—	6.80	22.50	26.40	0.42	1.68	1.78
7	18	—	25	7.00	18.00	—	8.68	22.32	—	6.80	25.00	31.00	0.42	1.89	2.26
9	9	—	18	11.10	11.10	—	12.70	12.70	—	6.80	22.20	25.40	0.42	1.65	1.69
9	12	—	21	10.41	13.89	—	12.21	16.29	—	6.80	24.30	28.50	0.42	1.83	1.99
9	18	—	27	8.33	16.67	—	10.33	20.67	—	6.80	25.00	31.00	0.42	1.89	2.26
12	12	—	24	12.50	12.50	—	15.50	15.50	—	6.80	25.00	31.00	0.42	1.89	2.26
12	18	—	30	10.00	15.00	—	12.40	18.60	—	6.80	25.00	31.00	0.42	1.89	2.26
7	7	7	21	8.10	8.10	8.10	9.50	9.50	9.50	6.80	24.30	28.50	0.42	1.69	1.99
7	7	9	23	7.61	7.61	9.78	9.43	9.43	12.14	6.80	25.00	31.00	0.42	1.74	2.26
7	7	12	26	6.73	6.73	11.54	8.35	8.35	14.30	6.80	25.00	31.00	0.42	1.74	2.26
7	9	9	25	7.00	9.00	9.00	8.68	11.16	11.16	6.80	25.00	31.00	0.42	1.74	2.26
7	9	12	28	6.25	8.04	10.71	7.75	9.96	13.29	6.80	25.00	31.00	0.42	1.74	2.26
7	12	12	31	5.64	9.68	9.68	7.00	12.00	12.00	6.80	25.00	31.00	0.42	1.74	2.26
9	9	9	27	8.33	8.33	8.33	10.33	10.33	10.33	6.80	25.00	31.00	0.42	1.74	2.26
9	9	12	30	7.50	7.50	10.00	9.30	9.30	12.40	6.80	25.00	31.00	0.42	1.74	2.26

Model: AOUH36KWAH4

- Connectable up to 130% of the outdoor unit capacity.
- Up to 2 units of Middle duct or Multi position air handling unit are connectable to the combination. However, if the combination contains Middle ducts or Multi position air handling units, the maximum connectable unit number will be up to 3.
- Specifications are based on the following conditions:
 - Power source of specifications: 230 V
 - 7: 7,000 Btu/h, 9: 9,000 Btu/h, 12: 12,000 Btu/h, 15: 15,000 Btu/h, 18: 18,000 Btu/h, 24: 24,000 Btu/h
 - 2 or more indoor units should be connected.
 - Cooling: Indoor temperature of 80°FDB (26.7°CDB)/67°FWB (19.4°CWB), and outdoor temperature of 95 °FDB (35°CDB)/75°FWB (23.9°CWB).
 - Heating: Indoor temperature of 70°FDB (21.1°CDB)/60°FWB (15.6°CWB), and outdoor temperature of 47 °FDB (8.3°CDB)/43°FWB (6.1°CWB).
 - Pipe length: 25 ft (7.5 m), Height difference: 0 ft (0 m). (Between outdoor unit and indoor unit.)
 - The total ability of the connected indoor units is from 25,000 Btu up to 46,000 Btu.
 - Non-ducted system combinations input are based on the wall-mounted models. The input of the combinations including the cassette models may be a little higher.
 - Ducted system combinations capacities are based on the slim duct models.

Cooling

AOUH36KWAH4, Non-ducted																		
Combination of indoor unit					Rated capacity for each indoor unit (kBtu/h)				Max. capacity for each indoor unit (kBtu/h)				Total capacity (kBtu/h)			Input power (kW)		
Unit				Total	Unit				Unit				Min.	Rated	Max.	Min.	Rated	Max.
1	2	3	4		1	2	3	4	1	2	3	4						
7	24	—	—	31	7.00	24.00	—	—	7.60	24.60	—	—	12.00	31.00	32.20	0.62	2.62	2.95
9	24	—	—	33	9.00	24.00	—	—	9.80	24.60	—	—	12.00	33.00	34.40	0.62	2.95	3.26
12	18	—	—	30	12.00	18.00	—	—	13.00	19.50	—	—	12.00	30.00	32.50	0.62	2.47	2.99
12	24	—	—	36	11.73	23.47	—	—	13.00	24.60	—	—	12.00	35.20	37.60	0.62	3.36	3.75
15	18	—	—	33	15.00	18.00	—	—	16.23	19.47	—	—	12.00	33.00	35.70	0.62	2.95	3.45
15	24	—	—	39	13.54	21.66	—	—	15.00	24.00	—	—	12.00	35.20	39.00	0.62	3.36	3.98
18	18	—	—	36	17.60	17.60	—	—	19.50	19.50	—	—	12.00	35.20	39.00	0.62	3.36	3.98
18	24	—	—	42	15.09	20.11	—	—	16.71	22.29	—	—	12.00	35.20	39.00	0.62	3.36	3.98
7	7	12	—	26	7.00	7.00	12.00	—	7.57	7.57	12.97	—	12.00	26.00	28.10	0.62	1.81	2.29
7	7	15	—	29	7.00	7.00	15.00	—	7.58	7.58	16.24	—	12.00	29.00	31.40	0.62	2.17	2.68
7	7	18	—	32	7.00	7.00	18.00	—	7.57	7.57	19.46	—	12.00	32.00	34.60	0.62	2.58	3.09
7	7	24	—	38	6.48	6.48	22.23	—	7.20	7.20	24.60	—	12.00	35.20	39.00	0.62	3.10	3.72
7	9	9	—	25	7.00	9.00	9.00	—	7.56	9.72	9.72	—	12.00	25.00	27.00	0.62	1.70	2.17
7	9	12	—	28	7.00	9.00	12.00	—	7.58	9.74	12.99	—	12.00	28.00	30.30	0.62	2.04	2.54
7	9	15	—	31	7.00	9.00	15.00	—	7.56	9.73	16.21	—	12.00	31.00	33.50	0.62	2.44	2.94
7	9	18	—	34	7.00	9.00	18.00	—	7.58	9.74	19.48	—	12.00	34.00	36.80	0.62	2.90	3.40
7	9	24	—	40	6.16	7.92	21.12	—	6.83	8.78	23.40	—	12.00	35.20	39.00	0.62	3.10	3.72
7	12	12	—	31	7.00	12.00	12.00	—	7.56	12.97	12.97	—	12.00	31.00	33.50	0.62	2.44	2.94
7	12	15	—	34	7.00	12.00	15.00	—	7.58	12.99	16.24	—	12.00	34.00	36.80	0.62	2.90	3.40
7	12	18	—	37	6.66	11.42	17.12	—	7.38	12.65	18.97	—	12.00	35.20	39.00	0.62	3.10	3.72
7	12	24	—	43	5.73	9.82	19.65	—	6.35	10.88	21.77	—	12.00	35.20	39.00	0.62	3.10	3.72
7	15	15	—	37	6.66	14.27	14.27	—	7.38	15.81	15.81	—	12.00	35.20	39.00	0.62	3.10	3.72
7	15	18	—	40	6.16	13.20	15.84	—	6.83	14.63	17.55	—	12.00	35.20	39.00	0.62	3.10	3.72
7	15	24	—	46	5.36	11.48	18.37	—	5.93	12.72	20.35	—	12.00	35.20	39.00	0.62	3.10	3.72
7	18	18	—	43	5.73	14.73	14.73	—	6.35	16.33	16.33	—	12.00	35.20	39.00	0.62	3.10	3.72
9	9	9	—	27	9.00	9.00	9.00	—	9.73	9.73	9.73	—	12.00	27.00	29.20	0.62	1.93	2.42
9	9	12	—	30	9.00	9.00	12.00	—	9.75	9.75	13.00	—	12.00	30.00	32.50	0.62	2.30	2.82
9	9	15	—	33	9.00	9.00	15.00	—	9.74	9.74	16.23	—	12.00	33.00	35.70	0.62	2.74	3.24
9	9	18	—	36	8.80	8.80	17.60	—	9.75	9.75	19.50	—	12.00	35.20	39.00	0.62	3.10	3.72
9	9	24	—	42	7.54	7.54	20.11	—	8.36	8.36	22.29	—	12.00	35.20	39.00	0.62	3.10	3.72
9	12	12	—	33	9.00	12.00	12.00	—	9.74	12.98	12.98	—	12.00	33.00	35.70	0.62	2.74	3.24
9	12	15	—	36	8.80	11.73	14.67	—	9.75	13.00	16.25	—	12.00	35.20	39.00	0.62	3.10	3.72
9	12	18	—	39	8.12	10.83	16.25	—	9.00	12.00	18.00	—	12.00	35.20	39.00	0.62	3.10	3.72
9	12	24	—	45	7.04	9.39	18.77	—	7.80	10.40	20.80	—	12.00	35.20	39.00	0.62	3.10	3.72
9	15	15	—	39	8.12	13.54	13.54	—	9.00	15.00	15.00	—	12.00	35.20	39.00	0.62	3.10	3.72
9	15	18	—	42	7.54	12.57	15.09	—	8.36	13.93	16.71	—	12.00	35.20	39.00	0.62	3.10	3.72
9	18	18	—	45	7.04	14.08	14.08	—	7.80	15.60	15.60	—	12.00	35.20	39.00	0.62	3.10	3.72
12	12	12	—	36	11.73	11.73	11.73	—	13.00	13.00	13.00	—	12.00	35.20	39.00	0.62	3.10	3.72
12	12	15	—	39	10.83	10.83	13.54	—	12.00	12.00	15.00	—	12.00	35.20	39.00	0.62	3.10	3.72
12	12	18	—	42	10.06	10.06	15.09	—	11.14	11.14	16.71	—	12.00	35.20	39.00	0.62	3.10	3.72
12	15	15	—	42	10.06	12.57	12.57	—	11.14	13.93	13.93	—	12.00	35.20	39.00	0.62	3.10	3.72
12	15	18	—	45	9.39	11.73	14.08	—	10.40	13.00	15.60	—	12.00	35.20	39.00	0.62	3.10	3.72
15	15	15	—	45	11.73	11.73	11.73	—	13.00	13.00	13.00	—	12.00	35.20	39.00	0.62	3.10	3.72
7	7	7	7	28	7.00	7.00	7.00	7.00	7.58	7.58	7.58	7.58	12.00	28.00	30.30	0.62	1.82	2.26
7	7	7	9	30	7.00	7.00	7.00	9.00	7.58	7.58	7.58	9.75	12.00	30.00	32.50	0.62	2.04	2.49
7	7	7	12	33	7.00	7.00	7.00	12.00	7.57	7.57	7.57	12.98	12.00	33.00	35.70	0.62	2.41	2.85
7	7	7	15	36	6.84	6.84	6.84	14.67	7.58	7.58	7.58	16.25	12.00	35.20	39.00	0.62	2.71	3.25

FUJITSU GENERAL LIMITED

AOUH36KWAH4, Non-ducted																		
Combination of indoor unit					Rated capacity for each indoor unit (kBtu/h)				Max. capacity for each indoor unit (kBtu/h)				Total capacity (kBtu/h)			Input power (kW)		
Unit				Total	Unit				Unit				Min.	Rated	Max.	Min.	Rated	Max.
1	2	3	4		1	2	3	4	1	2	3	4						
7	7	9	9	32	7.00	7.00	9.00	9.00	7.57	7.57	9.73	9.73	12.00	32.00	34.60	0.62	2.28	2.72
7	7	9	12	35	7.00	7.00	9.00	12.00	7.58	7.58	9.75	12.99	12.00	35.00	37.90	0.62	2.68	3.11
7	7	9	15	38	6.48	6.48	8.34	13.89	7.18	7.18	9.24	15.39	12.00	35.20	39.00	0.62	2.71	3.25
7	7	9	18	41	6.01	6.01	7.73	15.45	6.66	6.66	8.56	17.12	12.00	35.20	39.00	0.62	2.71	3.25
7	7	12	12	38	6.48	6.48	11.12	11.12	7.18	7.18	12.32	12.32	12.00	35.20	39.00	0.62	2.71	3.25
7	7	12	15	41	6.01	6.01	10.30	12.88	6.66	6.66	11.41	14.27	12.00	35.20	39.00	0.62	2.71	3.25
7	7	12	18	44	5.60	5.60	9.60	14.40	6.20	6.20	10.64	15.95	12.00	35.20	39.00	0.62	2.71	3.25
7	7	15	15	44	5.60	5.60	12.00	12.00	6.20	6.20	13.30	13.30	12.00	35.20	39.00	0.62	2.71	3.25
7	9	9	9	34	7.00	9.00	9.00	9.00	7.58	9.74	9.74	9.74	12.00	34.00	36.80	0.62	2.54	2.98
7	9	9	12	37	6.66	8.56	8.56	11.42	7.38	9.49	9.49	12.65	12.00	35.20	39.00	0.62	2.71	3.25
7	9	9	15	40	6.16	7.92	7.92	13.20	6.83	8.78	8.78	14.63	12.00	35.20	39.00	0.62	2.71	3.25
7	9	9	18	43	5.73	7.37	7.37	14.73	6.35	8.16	8.16	16.33	12.00	35.20	39.00	0.62	2.71	3.25
7	9	12	12	40	6.16	7.92	10.56	10.56	6.83	8.78	11.70	11.70	12.00	35.20	39.00	0.62	2.71	3.25
7	9	12	15	43	5.73	7.37	9.82	12.28	6.35	8.16	10.88	13.60	12.00	35.20	39.00	0.62	2.71	3.25
7	9	12	18	46	5.36	6.89	9.18	13.77	5.93	7.63	10.17	15.26	12.00	35.20	39.00	0.62	2.71	3.25
7	9	15	15	46	5.36	6.89	11.48	11.48	5.93	7.63	12.72	12.72	12.00	35.20	39.00	0.62	2.71	3.25
7	12	12	12	43	5.73	9.82	9.82	9.82	6.35	10.88	10.88	10.88	12.00	35.20	39.00	0.62	2.71	3.25
7	12	12	15	46	5.36	9.18	9.18	11.48	5.93	10.17	10.17	12.72	12.00	35.20	39.00	0.62	2.71	3.25
9	9	9	9	36	8.80	8.80	8.80	8.80	9.75	9.75	9.75	9.75	12.00	35.20	39.00	0.62	2.71	3.25
9	9	9	12	39	8.12	8.12	8.12	10.83	9.00	9.00	9.00	12.00	12.00	35.20	39.00	0.62	2.71	3.25
9	9	9	15	42	7.54	7.54	7.54	12.57	8.36	8.36	8.36	13.93	12.00	35.20	39.00	0.62	2.71	3.25
9	9	9	18	45	7.04	7.04	7.04	14.08	7.80	7.80	7.80	15.60	12.00	35.20	39.00	0.62	2.71	3.25
9	9	12	12	42	7.54	7.54	10.06	10.06	8.36	8.36	11.14	11.14	12.00	35.20	39.00	0.62	2.71	3.25
9	9	12	15	45	7.04	7.04	9.39	11.73	7.80	7.80	10.40	13.00	12.00	35.20	39.00	0.62	2.71	3.25
9	12	12	12	45	7.04	9.39	9.39	9.39	7.80	10.40	10.40	10.40	12.00	35.20	39.00	0.62	2.71	3.25

OUTDOOR UNIT
AOUH18-36KWAHOUTDOOR UNIT
AOUH18-36KWAH

AOUH36KWAH4, Ducted																		
Combination of indoor unit					Rated capacity for each indoor unit (kBtu/h)				Max. capacity for each indoor unit (kBtu/h)				Total capacity (kBtu/h)			Input power (kW)		
Unit				Total	Unit				Unit				Min.	Rated	Max.	Min.	Rated	Max.
1	2	3	4		1	2	3	4	1	2	3	4						
7	24	—	—	31	7.00	24.00	—	—	7.60	24.60	—	—	12.00	31.00	32.20	0.70	2.72	3.16
9	24	—	—	33	9.00	24.00	—	—	9.80	24.60	—	—	12.00	33.00	34.40	0.70	3.08	3.49
12	18	—	—	30	12.00	18.00	—	—	13.00	19.50	—	—	12.00	30.00	32.50	0.70	2.56	3.20
12	24	—	—	36	11.73	23.47	—	—	13.00	24.60	—	—	12.00	35.20	37.60	0.70	3.52	4.01
18	18	—	—	36	17.60	17.60	—	—	19.50	19.50	—	—	12.00	35.20	39.00	0.70	3.52	4.26
18	24	—	—	42	15.09	20.11	—	—	16.71	22.29	—	—	12.00	35.20	39.00	0.70	3.52	4.26
7	7	12	—	26	7.00	7.00	12.00	—	7.57	7.57	12.97	—	12.00	26.00	28.10	0.70	1.87	2.59
7	7	18	—	32	7.00	7.00	18.00	—	7.57	7.57	19.46	—	12.00	32.00	34.60	0.70	2.68	3.31
7	7	24	—	38	6.48	6.48	22.23	—	7.20	7.20	24.60	—	12.00	35.20	39.00	0.70	3.23	3.99
7	9	9	—	25	7.00	9.00	9.00	—	7.56	9.72	9.72	—	12.00	25.00	27.00	0.70	1.76	2.33
7	9	12	—	28	7.00	9.00	12.00	—	7.58	9.74	12.99	—	12.00	28.00	30.30	0.70	2.11	2.73
7	9	18	—	34	7.00	9.00	18.00	—	7.58	9.74	19.48	—	12.00	34.00	36.80	0.70	3.01	3.64
7	9	24	—	40	6.16	7.92	21.12	—	6.83	8.78	23.40	—	12.00	35.20	39.00	0.70	3.23	3.99
7	12	12	—	31	7.00	12.00	12.00	—	7.56	12.97	12.97	—	12.00	31.00	33.50	0.70	2.53	3.16
7	12	18	—	37	6.66	11.42	17.12	—	7.38	12.65	18.97	—	12.00	35.20	39.00	0.70	3.23	3.99
7	12	24	—	43	5.73	9.82	19.65	—	6.35	10.88	21.77	—	12.00	35.20	39.00	0.70	3.23	3.99
7	18	18	—	43	5.73	14.73	14.73	—	6.35	16.33	16.33	—	12.00	35.20	39.00	0.70	3.23	3.99
9	9	9	—	27	9.00	9.00	9.00	—	9.73	9.73	9.73	—	12.00	27.00	29.20	0.70	1.99	2.59
9	9	12	—	30	9.00	9.00	12.00	—	9.75	9.75	13.00	—	12.00	30.00	32.50	0.70	2.38	3.02
9	9	18	—	36	8.80	8.80	17.60	—	9.75	9.75	19.50	—	12.00	35.20	39.00	0.70	3.23	3.99
9	9	24	—	42	7.54	7.54	20.11	—	8.36	8.36	22.29	—	12.00	35.20	39.00	0.70	3.23	3.99
9	12	12	—	33	9.00	12.00	12.00	—	9.74	12.98	12.98	—	12.00	33.00	35.70	0.70	2.84	3.47
9	12	18	—	39	8.12	10.83	16.25	—	9.00	12.00	18.00	—	12.00	35.20	39.00	0.70	3.23	3.99
9	12	24	—	45	7.04	9.39	18.77	—	7.80	10.40	20.80	—	12.00	35.20	39.00	0.70	3.23	3.99
9	18	18	—	45	7.04	14.08	14.08	—	7.80	15.60	15.60	—	12.00	35.20	39.00	0.70	3.23	3.99
12	12	12	—	36	11.73	11.73	11.73	—	13.00	13.00	13.00	—	12.00	35.20	39.00	0.70	3.23	3.99
12	12	18	—	42	10.06	10.06	15.09	—	11.14	11.14	16.71	—	12.00	35.20	39.00	0.70	3.23	3.99
7	7	7	7	28	7.00	7.00	7.00	7.00	7.58	7.58	7.58	7.58	12.00	28.00	30.30	0.70	1.83	2.42
7	7	7	9	30	7.00	7.00	7.00	9.00	7.58	7.58	7.58	9.75	12.00	30.00	32.50	0.70	2.05	2.66
7	7	7	12	33	7.00	7.00	7.00	12.00	7.57	7.57	7.57	12.98	12.00	33.00	35.70	0.70	2.43	3.05
7	7	7	18	39	6.32	6.32	6.32	16.25	7.00	7.00	7.00	18.00	12.00	35.20	39.00	0.70	2.82	3.48
7	7	7	24	45	5.48	5.48	5.48	18.77	6.07	6.07	6.07	20.80	12.00	35.20	39.00	0.70	2.82	3.48
7	7	9	9	32	7.00	7.00	9.00	9.00	7.57	7.57	9.73	9.73	12.00	32.00	34.60	0.70	2.30	2.91
7	7	9	12	35	7.00	7.00	9.00	12.00	7.58	7.58	9.75	12.99	12.00	35.00	37.90	0.70	2.72	3.33
7	7	9	18	41	6.01	6.01	7.73	15.45	6.66	6.66	8.56	17.12	12.00	35.20	39.00	0.70	2.82	3.48
7	7	12	12	38	6.48	6.48	11.12	11.12	7.18	7.18	12.32	12.32	12.00	35.20	39.00	0.70	2.82	3.48
7	7	12	18	44	5.60	5.60	9.60	14.40	6.20	6.20	10.64	15.95	12.00	35.20	39.00	0.70	2.82	3.48
7	9	9	9	34	7.00	9.00	9.00	9.00	7.58	9.74	9.74	12.00	12.00	34.00	36.80	0.70	2.57	3.19
7	9	9	12	37	6.66	8.56	8.56	11.42	7.38	9.49	9.49	12.65	12.00	35.20	39.00	0.70	2.82	3.48
7	9	9	18	43	5.73	7.37	7.37	14.73	6.35	8.16	8.16	16.33	12.00	35.20	39.00	0.70	2.82	3.48
7	9	12	12	40	6.16	7.92	10.56	10.56	6.83	8.78	11.70	11.70	12.00	35.20	39.00	0.70	2.82	3.48
7	9	12	18	46	5.36	6.89	9.18	13.77	5.93	7.63	10.17	15.26	12.00	35.20	39.00	0.70	2.82	3.48
7	12	12	12	43	5.73	9.82	9.82	9.82	6.35	10.88	10.88	10.88	12.00	35.20	39.00	0.70	2.82	3.48
9	9	9	9	36	8.80	8.80	8.80	8.80	9.75	9.75	9.75	9.75	12.00	35.20	39.00	0.70	2.82	3.48
9	9	9	12	39	8.12	8.12	8.12	10.83	9.00	9.00	9.00	12.00	12.00	35.20	39.00	0.70	2.82	3.48
9	9	9	18	45	7.04	7.04	7.04	14.08	7.80	7.80	7.80	15.60	12.00	35.20	39.00	0.70	2.82	3.48
9	9	12	12	42	7.54	7.54	10.06	10.06	8.36	8.36	11.14	11.14	12.00	35.20	39.00	0.70	2.82	3.48
9	12	12	12	45	7.04	9.39	9.39	9.39	7.80	10.40	10.40	10.40	12.00	35.20	39.00	0.70	2.82	3.48

AOUH36KWAH4, Ducted																		
Combination of indoor unit					Rated capacity for each indoor unit (kBtu/h)				Max. capacity for each indoor unit (kBtu/h)				Total capacity (kBtu/h)			Input power (kW)		
Unit				Total	Unit				Unit				Min.	Rated	Max.	Min.	Rated	Max.
1	2	3	4		1	2	3	4	1	2	3	4						
7	24	—	—	31	7.50	25.60	—	—	8.20	26.50	—	—	12.00	33.10	34.70	0.78	2.72	3.15
9	24	—	—	33	9.60	25.60	—	—	10.50	26.50	—	—	12.00	35.20	37.00	0.78	3.03	3.43
12	18	—	—	30	12.80	19.20	—	—	14.00	21.00	—	—	12.00	32.00	35.00	0.78	2.57	2.99
12	24	—	—	36	12.13	24.27	—	—	14.00	26.50	—	—	12.00	36.40	40.50	0.78	3.22	3.67
18	18	—	—	36	18.20	18.20	—	—	21.00	21.00	—	—	12.00	36.40	42.00	0.78	3.22	3.87
18	24	—	—	42	15.60	20.80	—	—	18.00	24.00	—	—	12.00	36.40	42.00	0.78	3.22	3.87
7	7	12	—	26	7.50	7.50	12.80	—	8.16	8.16	13.98	—	12.00	27.80	30.30	0.78	1.92	2.30
7	7	18	—	32	7.50	7.50	19.20	—	8.16	8.16	20.98	—	12.00	34.20	37.30	0.78	2.68	3.03
7	7	24	—	38	6.71	6.71	22.99	—	7.75	7.75	26.50	—	12.00	36.40	42.00	0.78	2.99	3.58
7	9	9	—	25	7.50	9.60	9.60	—	8.15	10.48	10.48	—	12.00	26.70	29.10	0.78	1.81	2.19
7	9	12	—	28	7.50	9.60	12.80	—	8.15	10.48	13.97	—	12.00	29.90	32.60	0.78	2.15	2.53
7	9	18	—	34	7.50	9.60	19.20	—	8.15	10.48	20.96	—	12.00	36.30	39.60	0.78	2.98	3.29
7	9	24	—	40	6.37	8.19	21.84	—	7.35	9.45	25.20	—	12.00	36.40	42.00	0.78	2.99	3.58
7	12	12	—	31	7.50	12.80	12.80	—	8.15	13.97	13.97	—	12.00	33.10	36.10	0.78	2.54	2.90
7	12	18	—	37	6.89	11.81	17.71	—	7.95	13.62	20.43	—	12.00	36.40	42.00	0.78	2.99	3.58
7	12	24	—	43	5.93	10.16	20.32	—	6.84	11.72	23.44	—	12.00	36.40	42.00	0.78	2.99	3.58
7	18	18	—	43	5.93	15.24	15.24	—	6.84	17.58	17.58	—	12.00	36.40	42.00	0.78	2.99	3.58
9	9	9	—	27	9.60	9.60	9.60	—	10.50	10.50	10.50	—	12.00	28.80	31.50	0.78	2.03	2.42
9	9	12	—	30	9.60	9.60	12.80	—	10.50	10.50	14.00	—	12.00	32.00	35.00	0.78	2.40	2.78
9	9	18	—	36	9.10	9.10	18.20	—	10.50	10.50	21.00	—	12.00	36.40	42.00	0.78	2.99	3.58
9	9	24	—	42	7.80	7.80	20.80	—	9.00	9.00	24.00	—	12.00	36.40	42.00	0.78	2.99	3.58
9	12	12	—	33	9.60	12.80	12.80	—	10.50	14.00	14.00	—	12.00	33.30	38.50	0.78	2.56	3.17
9	12	18	—	39	8.40	11.20	16.80	—	9.69	12.92	19.38	—	12.00	36.40	42.00	0.78	2.99	3.58
9	12	24	—	45	7.28	9.71	19.41	—	8.40	11.20	22.40	—	12.00	36.40	42.00	0.78	2.99	3.58
9	18	18	—	45	7.28	14.56	14.56	—	8.40	16.80	16.80	—	12.00	36.40	42.00	0.78	2.99	3.58
12	12	12	—	36	12.13	12.13	12.13	—	14.00	14.00	14.00	—	12.00	36.40	42.00	0.78	2.99	3.58
12	12	18	—	42	10.40	10.40	15.60	—	12.00	12.00	18.00	—	12.00	36.40	42.00	0.78	2.99	3.58
7	7	7	7	28	7.50	7.50	7.50	7.50	8.15	8.15	8.15	8.15	12.00	30.00	32.60	0.78	2.01	2.34
7	7	7	9	30	7.50	7.50	7.50	9.60	8.17	8.17	8.17	10.50	12.00	32.10	35.00	0.78	2.23	2.57
7	7	7	12	33	7.50	7.50	7.50	12.80	8.17	8.17	8.17	14.00	12.00	35.30	38.50	0.78	2.61	2.92
7	7	7	18	39	6.53	6.53	6.53	16.80	7.54	7.54	7.54	19.38	12.00	36.40	42.00	0.78	2.75	3.29
7	7	7	24	45	5.66	5.66	5.66	19.41	6.53	6.53	6.53	22.40	12.00	36.40	42.00	0.78	2.75	3.29
7	7	9	9	32	7.50	7.50	9.60	9.60	8.16	8.16	10.49	10.49	12.00	34.20	37.30	0.78	2.47	2.80
7	7	9	12	35	7.50	7.50	9.60	12.80	8.16	8.16	10.49	13.99	12.00	37.40	40.80	0.78	2.88	3.16
7	7	9	18	41	6.21	6.21	7.99	15.98	7.17	7.17	9.22	18.44	12.00	36.40	42.00	0.78	2.75	3.29
7	7	12	12	38	6.71	6.71	11.49	11.49	7.74	7.74	13.26	13.26	12.00	36.40	42.00	0.78	2.75	3.29
7	7	12	18	44	5.79	5.79	9.93	14.89	6.68	6.68	11.45	17.18	12.00	36.40	42.00	0.78	2.75	3.29
7	9	9	9	34	7.50	9.60	9.60	9.60	8.15	10.48	10.48	10.48	12.00	36.30	39.60	0.78	2.74	3.03
7	9	9	12	37	6.89	8.85	8.85	11.81	7.95	10.22	10.22	13.62	12.00	36.40	42.00	0.78	2.75	3.29
7	9	9	18	43	5.93	7.62	7.62	15.24	6.84	8.79	8.79	17.58	12.00	36.40	42.00	0.78	2.75	3.29
7	9	12	12	40	6.37	8.19	10.92	10.92	7.35	9.45	12.60	12.60	12.00	36.40	42.00	0.78	2.75	3.29
7	9	12	18	46	5.54	7.12	9.50	14.24	6.39	8.22	10.96	16.43	12.00	36.40	42.00	0.78	2.75	3.29
7	12	12	12	43	5.93	10.16	10.16	10.16	6.84	11.72	11.72	11.72	12.00	36.40	42.00	0.78	2.75	3.29
9	9	9	9	36	9.10	9.10	9.10	9.10	10.50	10.50	10.50	10.50	12.00	36.40	42.00	0.78	2.75	3.29
9	9	9	12	39	8.40	8.40	8.40	11.20	9.69	9.69	9.69	12.92	12.00	36.40	42.00	0.78	2.75	3.29
9	9	9	18	45	7.28	7.28	7.28	14.56	8.40	8.40	8.40	16.80	12.00	36.40	42.00	0.78	2.75	3.29
9	9	12	12	42	7.80	7.80	10.40	10.40	9.00	9.00	12.00	12.00	12.00	36.40	42.00	0.78	2.75	3.29
9	12	12	12	45	7.28	9.71	9.71	9.71	8.40	11.20	11.20	11.20	12.00	36.40	42.00	0.78	2.75	3.29