Diagnostics (Raven), Lornex vs Daymet forcing, same parameters

gauge	period	run	NSE	KGE	PBIAS	R2
08LG041 (regulated)	ALL	Daymet	0.20	0.30	47.4	0.68
08LG041 (regulated)	ALL	Lornex	0.47	0.74	−4.8	0.57
08LG041 (regulated)	CALIBRATION	Daymet	0.29	0.24	52.9	0.79
08LG041 (regulated)	CALIBRATION	Lornex	0.45	0.58	24.0	0.70
08LG041 (regulated)	VALIDATION	Daymet	0.14	0.19	62.0	0.68
08LG041 (regulated)	VALIDATION	Lornex	0.61	0.53	−33.1	0.64
08LG056 (natural)	ALL	Daymet	0.64	0.75	−10.3	0.65
08LG056 (natural)	ALL	Lornex	0.41	0.40	−37.8	0.45
08LG056 (natural)	CALIBRATION	Daymet	0.71	0.84	8.0	0.74
08LG056 (natural)	CALIBRATION	Lornex	0.63	0.82	−1.4	0.67
08LG056 (natural)	VALIDATION	Daymet	0.62	0.64	−21.3	0.63
08LG056 (natural)	VALIDATION	Lornex	0.30	0.05	−66.3	0.56


Watershed−mean annual precipitation (as Raven applied it)
After :RainCorrection/:SnowCorrection and orographic lapse; water years
mm / water year
500
400
300
1990
2000
2010
Daymet
Lornex


Annual mean flow
Days with observations only
08LG041
08LG056
m³/s
3
2
1
0
0.4
0.3
0.2
0.1
0.0
1990
2000
2010
Daymet
Lornex
Observed


Simulated / observed annual mean flow (log scale)
08LG041
08LG056
ratio
3.0
1.0
0.3
0.1
1990
2000
2010
Daymet
Lornex


Mean daily hydrograph at 08LG056
WY1984–2004
WY2005–2011
m³/s
1.5
1.0
0.5
0.0
Oct
Jan
Apr
Jul
Daymet
Lornex
Observed