



Tarea 20: El Viaje con Git (Gestor de Tareas)

**Alejandro Mancheño
Gonzalez**



Índice

Título 1	3
Título 2	3
Título 3	3
Título 4	3



1. Initialization

To begin version control for my project, I opened the integrated terminal in IntelliJ and executed the basic command to create an empty local repository. In this case, IntelliJ already initializes it automatically so we don't have to do anything, but the command would be:

- **Comando:** `git init`

2. Tracking

Once initialized, I checked the status of the files and prepared my main Java file(`GestorTareas.java`) to take the first "snapshot" or version of the project.

- **Comandos:** `git status` y `git add .`

```
Project: Tarea20
- src
  - main
    - resources
      - archetype-resources
        - src
          - main
            - java
              - GestorTareas.java
            - test
              - java
                - AppTest.java
            - pom.xml
          - META-INF
            - maven
      - target
    - gitignore
    - pom.xml
  - External Libraries

Terminal: Git Bash
aleja@ALEJANDRO MINGW64 /c/Clases/Entorno de Desarrollos/Ejercicios/Tarea 20/Tarea20 (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   src/main/resources/archetype-resources/src/main/java/GestorTareas.java

no changes added to commit (use "git add" and/or "git commit -a")

aleja@ALEJANDRO MINGW64 /c/Clases/Entorno de Desarrollos/Ejercicios/Tarea 20/Tarea20 (master)
$
```

```
45
46
47
48 System.out.print("Introduce el numero a eliminar: ");
49 int indice = Integer.parseInt(scanner.nextLine()) - 1;
50 if (indice >= 0 && indice < tareas.size()) {
51     tareas.remove(indice);
52     System.out.println("Tarea eliminada.");
53 } else {
54     System.out.println("Número no válido.");
55 }
56 break;
57
58 case 4:
59     System.out.println("Saliendo del programa...");
60     break;
61 default:
62     System.out.println("Opción no reconocida.");
63 }
```



```
45     }
46     break;
47     case 3:
48         System.out.print("Introduce el numero a eliminar: ");
49         int indice = Integer.parseInt(scanner.nextLine()) - 1;
50         if (indice >= 0 && indice < tareas.size()) {
51             tareas.remove(indice);
52             System.out.println("Tarea eliminada.");
53         } else {
54             System.out.println("Número no válido.");
55         }
56         break;
57     case 4:
58         System.out.println("Saliendo del programa...");
59         break;
60     default:
61         System.out.println("Opción no reconocida.");
62     }
63     scanner.close();
64 }
65 }
66 }
```

```
(use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
modified:   src/main/resources/archetype-resources/src/main/java/GestorTareas.java

no changes added to commit (use "git add" and/or "git commit -a")

alej@ALEJANDRO MINGW64 /c/Clases/Entorno de Desarrollos/Ejercicios/Tarea 20/Tarea20 (master)
$ [200~git add GestorTareas.java~
bash: [200~git: command not found

alej@ALEJANDRO MINGW64 /c/Clases/Entorno de Desarrollos/Ejercicios/Tarea 20/Tarea20 (master)
$
```

3. Modification

After the first commit, I made changes to the code (such as improving the welcome message and the menu structure). After saving the code, I prepared the changes and created a new commit.

- **Comandos:** `git add .y git commit -m "..."`



```
1. **Crea la rama y cámbiate a ella:**  
...bash  
</html>Puedes ver el código en el repositorio de GitHub.</p><p>*<code>index.html</code>* en la misma carpeta. Esto es para el punto de **GitHub Pages**:<code>Git-IA.git</code>)).  
On branch master  
Your branch is up to date with 'origin/master'.  
  
Changes not staged for commit:  
  (use "git add <file>..." to update what will be committed)  
  (use "git restore <file>..." to discard changes in working directory)  
    modified:   src/main/resources/archetype-resources/src/main/java/GestorTareas.java  
  
no changes added to commit (use "git add" and/or "git commit -a")  
bash: command substitution: line 2: syntax error near unexpected token 'Saca'  
bash: command substitution: line 2: '*(Saca captura aquí: esto demuestra el paso de "Commit inicial" que pide el enunciado).*'  
bash: ./: command not found  
bash: 1.: command not found  
bash: feature-update: command not found  
Switched to a new branch 'feature-update'  
bash: 2.: command not found  
bash: Abre: command not found  
bash: y: command not found  
bash: GestorTareas.java: command not found  
bash: //: Is a directory  
bash: syntax error near unexpected token '==== Bienvenido a tu Gestor de Tareas ==='  
bash: //: Is a directory  
bash: syntax error near unexpected token '==== Gestor de Tareas v2.0 (Rama Feature) ===''  
bash: *Guarda: command not found  
bash: 3.: command not found  
  
alej@ALEJANDRO MINGW64 /c:/Clases/Entorno de Desarrollos/Ejercicios/Tarea 20/Tarea20 (feature-update)  
$  
  
Tarea20 > src > main > resources > archetype-resources > src > main > java > GestorTareas > main
```

añadimos el index:

```
bash: 2.: command not found  
bash: Abre: command not found  
bash: y: command not found  
bash: GestorTareas.java: command not found  
bash: //: Is a directory  
bash: syntax error near unexpected token '==== Bienvenido a tu Gestor de Tareas ==='  
bash: //: Is a directory  
bash: syntax error near unexpected token '==== Gestor de Tareas v2.0 (Rama Feature) ===''  
bash: *Guarda: command not found  
bash: 3.: command not found  
  
alej@ALEJANDRO MINGW64 /c:/Clases/Entorno de Desarrollos/Ejercicios/Tarea 20/Tarea20 (feature-update)  
$ git add index.html  
git commit -m "Añado index.html para GitHub Pages"  
git push origin main  
[feature-update a3de702] Añado index.html para GitHub Pages  
1 file changed, 28 insertions(+)  
create mode 100644 index.html  
error: src refspec main does not match any  
error: failed to push some refs to 'https://github.com/alexwilliams27/Tarea20.git'  
  
alej@ALEJANDRO MINGW64 /c:/Clases/Entorno de Desarrollos/Ejercicios/Tarea 20/Tarea20 (feature-update)  
$  
  
Tarea20 > > index.html
```



```
public class GestorTareas {  
    public static void main(String[] args) {  
        System.out.println("\n--- Lista de Tareas ---");  
        if (tareass.isEmpty()) {  
            System.out.println("No hay tareas pendientes.");  
        } else {  
            for (int i = 0; i < tareass.size(); i++) {  
                System.out.println((i + 1) + ". " + tareass.get(i));  
            }  
        }  
        break;  
    }  
    case 3:  
        System.out.print("Introduce el numero a eliminar: ");  
        int indice = Integer.parseInt(scanner.nextLine()) - 1;  
        if (indice >= 0 && indice < tareass.size()) {  
            tareass.remove(indice);  
            System.out.println("Tarea eliminada.");  
        } else {  
            System.out.println("Número no válido.");  
        }  
    }  
}
```

```
aleja@ALEJANDRO MINGW64 /c/Clases/Entorno de Desarrollos/Ejercicios/Tarea 20/Tarea20 (feature-update)  
$ git status  
git add  
git commit -m "Estructura de carpetas corregida y código movido a src/main/java"  
On branch feature-update  
nothing to commit, working tree clean  
On branch feature-update  
nothing to commit, working tree clean  
aleja@ALEJANDRO MINGW64 /c/Clases/Entorno de Desarrollos/Ejercicios/Tarea 20/Tarea20 (feature-update)  
$
```

4. Branch Management (Branching & Merge)

To work safely and simulate the development of a new feature, I created an alternative branch. I modified the code in it and, after verifying that it worked, I merged it with my main branch (main).

- **Comandos:** `git checkout -b feature-update`, followed by `git checkout main` y `git merge feature-update`.



The screenshot shows an IDE with a project named 'Tarea20'. The project structure includes 'src/main/resources' and 'target'. The 'pom.xml' file is open, showing Maven configuration. The terminal window shows the following commands and output:

```
alej@ALEJANDRO MINGW64 /c/Clases/Entorno de Desarrollos/Ejercicios/Tarea 20/Tarea20 (feature-update)
$ git status
git add
git commit -m "Estructura de carpetas corregida y código movido a src/main/java"
On branch feature-update
nothing to commit, working tree clean
On branch feature-update
nothing to commit, working tree clean

alej@ALEJANDRO MINGW64 /c/Clases/Entorno de Desarrollos/Ejercicios/Tarea 20/Tarea20 (feature-update)
$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.

alej@ALEJANDRO MINGW64 /c/Clases/Entorno de Desarrollos/Ejercicios/Tarea 20/Tarea20 (master)
$
```

5. Deployment

Finally, I connected my local repository with GitHub to upload the entire history. In addition, I configured a basic index.html file in the root to deploy the documentation using GitHub Pages.

- **Comandos:** `git remote add origin...` and `git push -u origin main`



```
1 <project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
2
3   <modelVersion>4.0.0</modelVersion>
4   <groupId>org.example</groupId>
5   <artifactId>Tarea20</artifactId>
6   <version>1.0-SNAPSHOT</version>
7   <name>Archetype - Tarea20</name>
8   <url>http://maven.apache.org</url>
9 </project>
10
```

```
alej@BALEJANDRO MINGW64 /c/Clases/Entorno de Desarrollos/Ejercicios/Tarea 20/Tarea20 (master)
$ git merge feature-update
Updating 5d5Seae..37a12fb
Fast-forward
 index.html | 28 ++++++
 .../src/main => ./java/GestorTareas.java | 2 +-
 src/main/resources/META-INF/maven/archetype.xml | 9 ----
 src/main/resources/archetype-resources/pom.xml | 15 -----
 .../archetype-resources/src/test/java/AppTest.java | 38 -----
 5 files changed, 29 insertions(+), 63 deletions(-)
 create mode 100644 index.html
 rename src/main/{resources/archetype-resources/src/main => ./java/GestorTareas.java} (96%)
 delete mode 100644 src/main/resources/META-INF/maven/archetype.xml
 delete mode 100644 src/main/resources/archetype-resources/pom.xml
 delete mode 100644 src/main/resources/archetype-resources/src/test/java/AppTest.java

alej@BALEJANDRO MINGW64 /c/Clases/Entorno de Desarrollos/Ejercicios/Tarea 20/Tarea20 (master)
$
```

```
1 <project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
6   <version>1.0-SNAPSHOT</version>
7   <name>Archetype - Tarea20</name>
8   <url>http://maven.apache.org</url>
9 </project>
10
```

```
alej@BALEJANDRO MINGW64 /c/Clases/Entorno de Desarrollos/Ejercicios/Tarea 20/Tarea20 (master)
$ git branch -M main

alej@BALEJANDRO MINGW64 /c/Clases/Entorno de Desarrollos/Ejercicios/Tarea 20/Tarea20 (main)
$ git push -u origin main
Enumerating objects: 12, done.
Counting objects: 100% (12/12), done.
Delta compression using up to 20 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (9/9), 2.04 KiB | 260.00 KiB/s, done.
Total 9 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
remote:
remote: Create a pull request for 'main' on GitHub by visiting:
remote:   https://github.com/alexwillians27/Tarea20/pull/new/main
remote:
To https://github.com/alexwillians27/Tarea20.git
 * (new branch)
branch 'main' set up to track 'origin/main'.

alej@BALEJANDRO MINGW64 /c/Clases/Entorno de Desarrollos/Ejercicios/Tarea 20/Tarea20 (main)
$
```



Project Links:

- **GitHub Repository:** <https://github.com/alexwilliams27/Tarea20>
- **Web page (GitHub Pages):** <https://alexwilliams27.github.io/Tarea20/>