

class_logs.cpp

1 个文件 · 44 行 · 生成于 2026-10-06 22:29 · 行号对应源文件实际行号

class_logs.cpp

44 行

```
1  #include <iostream>
2
3  #define LOG(x)
4      \
5      std::cout
6      \
7          << x << std::endl; // define a macro for logging values to the console
8
9  class LogClass {
10
11      public:
12          enum LogLevel { LogLevelError = 0, LogLevelWarning, LogLevelInfo };
13
14          void setLevel(LogLevel level) {
15              // Set the log level
16              m_LogLevel = level;
17          }
18          void Error(const char *message) {
19              if (m_LogLevel >= LogLevelError) {
20                  LOG("[Error]: " << message);
21              }
22          }
23          void Warn(const char *message) {
24              if (m_LogLevel >= LogLevelWarning) {
25                  LOG("[Warning]: " << message);
26              }
27          }
28          void Info(const char *message) {
29              if (m_LogLevel >= LogLevelInfo) {
30                  LOG("[Info]: " << message);
31              }
32          }
33
34      private:
35          LogLevel m_LogLevel;
36
37  };
38
39  int main() {
40
41      LogClass myLog;
42      myLog.setLevel(LogClass::LogLevelWarning);
43      myLog.Error("This is an error message.");
44      myLog.Warn("This is a warning message.");
45      myLog.Info("This is an info message.");
46      std::cin.get();
47      return 0;
48  }
```