

October 2026

Title	Creating EC2 Instance and connecting with SSH and Browser





Create KeyPair


Keypair are region specific. For all EC2 within a Region, same ssh keys can be used



Create EC2 Instance with above KeyPair







Connecting via SSH

```
super@super-ThinkPad-T460:~/myData/aws/ssh-keys$ ls
europe-stockholm-889745950607.pem
super@super-ThinkPad-T460:~/myData/aws/ssh-keys$ ll
total 12
drwxrwxr-x 2 super super 4096 Okt 18 12:44 ./
drwxrwxr-x 4 super super 4096 Okt 18 12:57 ../
-rw-rw-r-- 1 super super 1678 Okt 18 12:41 europe-stockholm-889745950607.pem
super@super-ThinkPad-T460:~/myData/aws/ssh-keys$ chmod 400 europe-stockholm-889745950607.pem
super@super-ThinkPad-T460:~/myData/aws/ssh-keys$ ll
total 12
drwxrwxr-x 2 super super 4096 Okt 18 12:44 ./
drwxrwxr-x 4 super super 4096 Okt 18 12:57 ../
-r-------- 1 super super 1678 Okt 18 12:41 europe-stockholm-889745950607.pem
super@super-ThinkPad-T460:~/myData/aws/ssh-keys$ ssh -i "europe-stockholm-889745950607.pem" ec2-user@ec2-13-53-131-175.eu-north-1.compute.amazonaws.co
m
     #_
   ~\_  ####_        Amazon Linux 2023
  ~~  \_#####\
  ~~     \###|
  ~~       \#/ ___   https://aws.amazon.com/linux/amazon-linux-2023
   ~~       V~' '->
    ~~~         /
      ~~._.   _/
         _/ _/
       _/m/'
[ec2-user@ip-172-31-37-201 ~]$ ls
[ec2-user@ip-172-31-37-201 ~]$ ls
[ec2-user@ip-172-31-37-201 ~]$ pwd
/home/ec2-user
[ec2-user@ip-172-31-37-201 ~]$ who
ec2-user pts/0        2026-10-18 10:57 (92.209.213.227)
[ec2-user@ip-172-31-37-201 ~]$ cd /
[ec2-user@ip-172-31-37-201 /]$ ls
bin  boot  dev  etc  home  lib  lib64  local  media  mnt  opt  proc  root  run  sbin  srv  sys  tmp  usr  var
[ec2-user@ip-172-31-37-201 /]$ cd etc
[ec2-user@ip-172-31-37-201 etc]$ #ls
[ec2-user@ip-172-31-37-201 etc]$ sudo -i
[root@ip-172-31-37-201 ~]# ls
```

a

Security Group:

Security Group have inbound and outbound rules
outbound: traffic going out from ec2 originated by ec2 (not the return traffice on a request coming from outside to ec2)

return traffic and outbound traffic are two different thing.

SG only allows Rule. It does not have deny rule.
If you know a IP Which is sending some malicious traffic, you can not deny it via sg.

There is a default security group which is attached with EC2 Instance
SG are statefull: if a request is coming from outside on port 339, then you can need to define rule for return traffic via port 339

There are famous port which you define in SG.
Port 22: SSH for logging in to linux server instance
Port 3389: RDP (Remote Desktop Protocol) for logging into a Windows server Instance
Port 21: FTP (File Transfer Protocol) for uploading files to a file share)
Port 22:; SFTP (Secure File Transfer Protocol) for uploading files securely,
Port 80: HTTP for accessing websites or web applications
Port 443: HTTPS for TLS secured websites,

Inbound rules

Protocol	Port	Source
HTTP	80	0.0.0.0/0 or ::/0 (for ipv6)
SSH	22	<my Ip> (changes everytime, router starts)

Outbound rules

Protocol	Port	Destination
All traffic	All	0.0.0.0/0 or ::/0 (for ipv6)

