Adress line 1 Adress line 2 Adress line 3

myhelloworld:

Messir Analysis Document - v 0.0 -

Friday $4^{\rm th}$ September, 2015 - 15:49

Contents

1	Introduction	7
	Overview	7
	Purpose and recipients of the document	7
	Application Domain	7
	Definitions, acronyms and abbreviations	7
	5 Document structure	7
2	General Description	9
	Domain Stakeholders	9
	2 System's Actors	10
	Use Cases Model	11
	2.3.1 Use Cases	11
	2.3.2 Use Case Instance(s)	12
	2.6.2 Obe Oube Instance(b)	12
3	Environment Model	13
	Environment model view(s)	13
	Actors and Interfaces Descriptions	13
	3.2.1 actYou Actor	13
	5.2.1 acciou neior	10
4	Concept Model	15
	PrimaryTypes-Datatypes	15
	4.1.1 Local view 01	15
	2 Concept Model Types Descriptions	15
	4.2.1 Primary types - Class types descriptions	15
	4.2.2 Primary types - Datatypes types descriptions	15
	4.2.3 Primary types - Association types descriptions	16
	4.2.4 Primary types - Aggregation types descriptions	16
	4.2.5 Secondary types - Class types descriptions	16
	4.2.6 Secondary types - Datatypes types descriptions	16
	4.2.7 Secondary types - Association types descriptions	16
	4.2.8 Secondary types - Aggregation types descriptions	16
	4.2.9 Secondary types - Composition types descriptions	16
5	Operation Model	17
ð	•	
	Environment - Out Interface Operation Schemes	$\frac{17}{17}$
	Environment - Actor Operation Schemes	17
	Primary Types - Operation Schemes for Classes	17
	Primary Types - Operation Schemes for Datatypes	17
	Primary Types - Operation Schemes for Enumerations	17
	Secondary Types - Operation Schemes for Classes	17
	Secondary Types - Operation Schemes for Datatypes	18
	Secondary Types - Operation Schemes for Enumerations	18
c		10
6	Test Model(s)	19
-	A 1 1:4: 1 C	21

CONTENTS 3

\mathbf{A}	A Undocumented Messir Specification Elements					
	A.1		ocumented Use Cases	23		
		A.1.1	Undocumented Use Cases - Subfunction Level	23		
	A.2	Undo	ocumented Use Case Instances	23		
		A.2.1	Undocumented Use Case Instances - Subfunction Level	23		
		A.2.2	Undocumented Use Case Instance Views	23		
	A.3	Undo	ocumented Primary Types	23		
		A.3.1	Undocumented Primary Classe Types	23		
	A.4	Unde	ocumented Operation Specifications	23		
В	\mathbf{M}	essir Sı	pecification Files Listing	25		
	B.1		/src-gen/messir-spec/.views.msr	25		
	B.2		/src-gen/messir-spec/operations/environment-actYou-oeHelloWorld.msr	25		
	B.3	File	/src-gen/messir-spec/environment/environment.msr	25		
	B.4	File	/src-gen/messir-spec/concepts/primarytypes-associations.msr	26		
	B.5	File	/src-gen/messir-spec/concepts/primarytypes-classes/primarytypes-classes.msr	26		
	B.6	File	/src-gen/messir-spec/concepts/primarytypes-datatypes.msr	27		
	B.7	File	/src-gen/messir-spec/concepts/secondarytypes-associations.msr	27		
	B.8	File	/src-gen/messir-spec/concepts/secondarytypes-classes.msr	27		
	B.9	File	/src-gen/messir-spec/concepts/secondarytypes-datatypes.msr	28		
	B.10	File	/src-gen/messir-spec/tests/tests.msr	28		
	B.11	File	$/ src-gen/messir-spec/use case in stance-oe Hello World-ucioe Hello World.msr. \dots \dots$	28		
	B.12	File	/src-gen/messir-spec/usecases/usecases.msr	29		

List of Figures

2.1	lu.uni.lassy.excalibur.myhelloworld Use Case Diagram: uc-oeHelloWorld	11
4.1	Concept Model - PrimaryTypes-Datatypes local view 01	15

Listings

B.1	Messir S	Spec.	file .views.msr	25
B.2	Messir S	Spec.	file environment-actYou-oeHelloWorld.msr	25
B.3	Messir S	Spec.	file environment.msr	25
B.4	Messir S	Spec.	file primarytypes-associations.msr	26
B.5	Messir S	Spec.	file primarytypes-classes.msr	26
B.6	Messir S	Spec.	file primarytypes-datatypes.msr	27
B.7	Messir S	Spec.	file secondarytypes-associations.msr	27
B.8	Messir S	Spec.	file secondarytypes-classes.msr	27
B.9	Messir S	Spec.	file secondarytypes-datatypes.msr	28
B.10	Messir S	Spec.	file tests.msr	28
B.11	Messir S	Spec.	file usecaseinstance-oeHelloWorld-ucioeHelloWorld.msr	28
B.12	Messir S	Spec.	file usecases.msr	29

Chapter 1 Introduction

- 1.1 Overview
- 1.2 Purpose and recipients of the document
- 1.3 Application Domain
- 1.4 Definitions, acronyms and abbreviations
- 1.5 Document structure

Chapter 2 General Description

2.1 Domain Stakeholders

10 2 General Description

2.2 System's Actors

The objective of this section is not to provide the full requirement elicitation document in this section but to reuse a part of this document to provide a informal introduction to the \mathfrak{Dessip} specification of the system under development. The use case model is made of a use case diagrams modelling abstractly and informally the actors and their use cases together with a set of use cases descriptions. In addition, those diagrams and description tables are adapted to the \mathfrak{Dessip} specification since actor and messages names together with parameters are partly adapted to be consistent with the specification identifiers (see [?] for more details).

2.3 Use Cases Model

2.3 Use Cases Model

This section contains the use cases elicited during the requirements elicitation phase. The use cases are textually described as suggested by the **Messix** method and inspired by the standard Cokburn template [?].

2.3.1 Use Cases

2.3.1.1 subfunction-oeHelloWorld

Figure 2.1 shows the oeHelloWorld subfunction use-case and its primary actor actYou.




Fig. 2.1

2 General Description

$2.3.2\ Use\ Case\ Instance(s)$

Chapter 3 Environment Model

3.1 Environment model view(s)

There are no view(s) for the \mathfrak{Messip} environment model.

3.2 Actors and Interfaces Descriptions

We provide for the given views the description of the actors together with their associated input and output interface descriptions.

3.2.1 actYou Actor

ACTOR

actYou

Is representing any person that would like to receive an hello world message from the system.

Chapter 4 Concept Model

4.1 PrimaryTypes-Datatypes

4.1.1 Local view 01

Figure 4.1 shows the dtAMessage primary datatype.



Fig. 4.1 Concept Model - PrimaryTypes-Datatypes local view 01. .

4.2 Concept Model Types Descriptions

This section provides the textual descriptions of all the types defined in the concept model and that can be part of the graphical views provided.

4.2.1 Primary types - Class types descriptions

There are no elements in this category in the system analysed.

4.2.2 Primary types - Datatypes types descriptions

The table below is providing comments on the graphical views given for the datatype types of the primary types.

DATATYPES					
dt AMessage	tAMessage				
s representing the hello world message type.					
attribute value: ptString					

16 4 Concept Model

4.2.3 Primary types - Association types descriptions

There are no association types for the primary types.

4.2.4 Primary types - Aggregation types descriptions

There are no aggregation types for the primary types.

4.2.4.1 Primary types - Composition types descriptions

There are no composition types for the primary types.

4.2.5 Secondary types - Class types descriptions

There are no elements in this category in the system analysed.

4.2.6 Secondary types - Datatypes types descriptions

There are no elements in this category in the system analysed.

4.2.7 Secondary types - Association types descriptions

There are no association types for the secondary types.

4.2.8 Secondary types - Aggregation types descriptions

There are no aggregation types for the secondary types.

4.2.9 Secondary types - Composition types descriptions

There are no composition types for the secondary types.

Chapter 5 Operation Model

This section contains the operation schemes of each operation defined in either an actor, its output interface, in a primary or secondary type (class, datatype or enumeration types). The \mathfrak{Messip} OCL code listing is joined to the comment table.

5.1 Environment - Out Interface Operation Schemes

There are no elements in this category in the system analysed.

5.2 Environment - Actor Operation Schemes

There are no elements in this category in the system analysed.

5.3 Primary Types - Operation Schemes for Classes

There are no elements in this category in the system analysed.

5.4 Primary Types - Operation Schemes for Datatypes

There are no elements in this category in the system analysed.

5.5 Primary Types - Operation Schemes for Enumerations

There are no elements in this category in the system analysed.

5.6 Secondary Types - Operation Schemes for Classes

5 Operation Model

5.7 Secondary Types - Operation Schemes for Datatypes

There are no elements in this category in the system analysed.

5.8 Secondary Types - Operation Schemes for Enumerations

Chapter 6 Test Model(s)

Chapter 7 Additional Constraints

Appendix A Undocumented Messir Specification Elements

A.1 Undocumented Use Cases

A.1.1 Undocumented Subfunction Level Use Cases

 $\bullet \quad \hbox{lu.uni.lassy.excalibur.myhelloworld.use} cases.oeHelloWorld$

A.2 Undocumented Use Case Instances

A.2.1 Undocumented Subfunction Level Use Case Instances

• usecases.ucioeHelloWorld.ucioeHelloWorld

A.2.2 Undocumented Use Case Instance Views

• uci-ucioeHelloWorld

A.3 Undocumented Primary Types

A.3.1 Undocumented Primary Classe Types

 $\bullet \quad lu.uni.lassy. excalibur. myhelloworld. concepts. primary types. classes. ctState$

A.4 Undocumented Operation Specifications

 $\bullet \quad \hbox{lu.uni.lassy.excalibur.myhelloworld.environment.act} You.outactYou.oeHelloWorld.environment.actYou.outactYou.oeHelloWorld.environment.actYou.outactYou.oeHelloWorld.environment.actYou.outactYou.oeHelloWorld.environment.actYou.outactYou.oeHelloWorld.environment.actYou.outactYou.oeHelloWorld.environment.actYou.outactYou.oeHelloWorld.environment.actYou.outactYou.oeHelloWorld.environment.actYou.outactYou.outactYou.oeHelloWorld.environment.actYou.outactYoutactYou.outactYou.outactYou.outactYou.outactYou.outactYou.outactYou.outactYou.outactYou.outactYou.outactYou.outactYou.outactYoutactYou.outactYoutactYou.outactYou.outactYou.outactYoutactYou.outactYou.outactYoutactYou.outactYoutactYou.outactYoutactYou.outactYoutactYou.outactYoutact$

Appendix B

Messir Specification Files Listing

B.1 File ./src-gen/messir-spec/.views.msr

```
1  //
2  //DON'T TOUCH THIS FILE !!!
3  //
4  package uuida9ee0ade37904e58a87dbb5a9a86d6e2 {
5     Concept Model {}
6  }
```

${\bf Listing~B.1} \ \ {\rm Messir~Spec.~file~.views.msr.}$

${\bf B.2~File~./src\text{-}gen/messir\text{-}spec/operations/environment/environment\text{-}actYouoeHelloWorld.msr}$

```
1 package lu.uni.lassy.excalibur.myhelloworld.environment.operations.actYou.outactYou.oeHelloWorld {
 3 import lu.uni.lassy.messir.libraries.primitives
   import lu.uni.lassy.messir.libraries.math
 5 import lu.uni.lassy.messir.libraries.string
   import lu.uni.lassy.messir.libraries.calendar
   import lu.uni.lassy.excalibur.myhelloworld.environment
   Operation Model {
10
   operation: lu.uni.lassy.excalibur.myhelloworld.environment.actYou.outactYou.oeHelloWorld():ptBoolean
11
      include below the specification information (pre, post or ocl or prolog)
12
13 preP:
     let AvpStarted: ptBoolean in
14
     self.rnActor.rnSystem.vpStarted = AvpStarted
15
16
     and AvpStarted = true
17
18 preF: true
19
   postF:
20
     let TheactYou:actYou in
21
     let AptString:ptString in
     /* Post Functional: */
23 /* Fost Functional.../
24 /* PostF01 */
25 AptString = 'Hello World !'
26 and TheactYou.InterfaceIN = self.rnActor.InterfaceIN
27 and TheactYou.InterfaceIN^ieHelloWorld(AptString)
29
   postP: true
30
31
```

Listing B.2 Messir Spec. file environment-actYou-oeHelloWorld.msr.

B.3 File ./src-gen/messir-spec/environment/environment.msr

```
1 /*
2 * @author benoit.ries
3 * @date Fri Sep 04 15:42:52 CEST 2015
4 */
```

```
package lu.uni.lassy.excalibur.myhelloworld.environment {
6
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.collections
10 import lu.uni.lassy.messir.libraries.math
11 import lu.uni.lassy.messir.libraries.primitives
12 import lu.uni.lassy.messir.libraries.string
14 Environment Model {
15
         actor actYou role rnactYou cardinality [1..*] {
16
17
           input interface inactYou {
18
19
         operation ieReceivedGreetings() : ptBoolean
20
21
           output interface outactYou {
         operation oeHelloWorld() : ptBoolean
22
23
24
25
26
27
```

Listing B.3 Messir Spec. file environment.msr.

$B.4\ File\ ./src\text{-gen/messir-spec/concepts/primarytypes-associations/primarytypes-associations.msr}$

```
1 /*
2 * @author benoit.ries
3 * @date Fri Sep 04 15:42:52 CEST 2015
4 */
5
6 package lu.uni.lassy.excalibur.myhelloworld.concepts.primarytypes.associations {
7
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.math
10 import lu.uni.lassy.messir.libraries.math
11 import lu.uni.lassy.messir.libraries.primitives
12 import lu.uni.lassy.messir.libraries.string
13
14 Concept Model {
15
16 Primary Types {
17
18 }
19 }
19 }
10 }
```

Listing B.4 Messir Spec. file primarytypes-associations.msr.

B.5 File ./src-gen/messir-spec/concepts/primarytypes-classes/primarytypes-classes.msr

```
2 * @author benoit.ries
3 * @date Fri Sep 04 15:42:52 CEST 2015
6\ \textbf{package}\ \text{lu.uni.lassy.excalibur.myhelloworld.concepts.primarytypes.classes}\ \left\{
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.collections
10 import lu.uni.lassy.messir.libraries.math
11 import lu.uni.lassy.messir.libraries.primitives
12 import lu.uni.lassy.messir.libraries.string
14 import lu.uni.lassy.messir.libraries.primitives
16 Concept Model {
17
18
    Primary Types {
19
20
       state class ctState {
21
         attribute vpStarted: ptBoolean
23
         operation init (AvpStarted:ptBoolean): ptBoolean
```

```
24 ]
25 26 }
27 }
28 }
```

 ${\bf Listing~B.5~~Messir~Spec.~file~primary types-classes.msr.}$

$B.6\ File\ ./src\text{-gen/messir-spec/concepts/primarytypes-datatypes/primarytypes-datatypes/primarytypes-datatypes.msr$

```
* @author benoit.ries
   * @date Fri Sep 04 15:42:52 CEST 2015
6 package lu.uni.lassy.excalibur.myhelloworld.concepts.primarytypes.datatypes {
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.collections
10 import lu.uni.lassy.messir.libraries.math
11
  import lu.uni.lassy.messir.libraries.primitives
12 import lu.uni.lassy.messir.libraries.string
13
14 Concept Model {
15
  Primary Types { datatype dtAMessage
16
17
       attribute value : ptString
18
19
20
21 }
```

Listing B.6 Messir Spec. file primarytypes-datatypes.msr.

B.7 File ./src-gen/messir-spec/concepts/secondarytypes-associations/secondarytypes-associations.msr

```
/*
* @author benoit.ries
  * @date Fri Sep 04 15:42:52 CEST 2015
6\ \textbf{package}\ \text{lu.uni.lassy.excalibur.myhelloworld.concepts.secondary types.associations}\ \left\{
8 import lu.uni.lassy.messir.libraries.calendar
  import lu.uni.lassy.messir.libraries.collections
10 import lu.uni.lassy.messir.libraries.math
  import lu.uni.lassy.messir.libraries.primitives
12 import lu.uni.lassy.messir.libraries.string
13
14 \  \, \mathbf{Concept} \  \, \mathbf{Model} \  \, \{
15
16
     Secondary Types {
17
19
20
```

Listing B.7 Messir Spec. file secondarytypes-associations.msr.

$B.8\ File\ ./src\text{-gen/messir-spec/concepts/secondarytypes-classes/secondarytypes-classes/secondarytypes-classes.$

```
1 /*
2 * @author benoit.ries
3 * @date Fri Sep 04 15:42:52 CEST 2015
4 */
5
6 package lu.uni.lassy.excalibur.myhelloworld.concepts.secondarytypes.classes {
7
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.collections
10 import lu.uni.lassy.messir.libraries.math
```

```
11 import lu.uni.lassy.messir.libraries.primitives
12 import lu.uni.lassy.messir.libraries.string
13
14 Concept Model {
15
16 Secondary Types {
17
18 }
19 }
20 }
```

 ${\bf Listing~B.8~Messir~Spec.~file~secondary types-classes.msr.}$

B.9 File ./src-gen/messir-spec/concepts/secondarytypes-datatypes/secondarytypes-datatypes.msr

```
* @author benoit.ries
                   * @date Fri Sep 04 15:42:52 CEST 2015
    6\ \ \textbf{package}\ \ \textbf{lu.uni.lassy.excalibur.myhelloworld.concepts.secondary types.data types}\ \ \{\textbf{package}\ \ \textbf{lu.uni.lassy.excalibur.myhelloworld.concepts.secondary types.data types}\ \ \textbf{package}\ \ \textbf{pack
    8 import lu.uni.lassy.messir.libraries.calendar
    9 import lu.uni.lassy.messir.libraries.collections
 10 import lu.uni.lassy.messir.libraries.math
 11 import lu.uni.lassy.messir.libraries.primitives
 12 import lu.uni.lassy.messir.libraries.string
14 Concept Model {
15
16
                                  Secondary Types {
17
 18
19
20
21
```

Listing B.9 Messir Spec. file secondarytypes-datatypes.msr.

B.10 File ./src-gen/messir-spec/tests/tests.msr

```
1 /*
2 * @author benoit.ries
3 * @date Fri Sep 04 15:42:52 CEST 2015
4 */
5
6 package lu.uni.lassy.excalibur.myhelloworld.tests {
7
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.collections
10 import lu.uni.lassy.messir.libraries.math
11 import lu.uni.lassy.messir.libraries.primitives
12 import lu.uni.lassy.messir.libraries.string
13
14 Test Model {
15
16
17
18
}
```

Listing B.10 Messir Spec. file tests.msr.

B.11 File

./src-gen/messir-spec/use case in stance-oe Hello World-ucioe Hello World-msr

```
1 package usecases.ucioeHelloWorld {
2    import lu.uni.lassy.excalibur.myhelloworld.usecases
3  import lu.uni.lassy.excalibur.myhelloworld.environment
4
5    Use Case Model {
6         use case instance ucioeHelloWorld : subfunction oeHelloWorld {
8         actors {
9          benoitRies : actYou
```

```
10 }
11 ieHelloWorld("Hello You") returned to benoitRies
12 }
13 }
14 }
```

 $\textbf{Listing B.11} \ \ \text{Messir Spec. file use} \\ \text{case instance-oeHelloWorld-ucioeHelloWorld.msr.}$

B.12 File ./src-gen/messir-spec/usecases/usecases.msr

```
6 package lu.uni.lassy.excalibur.myhelloworld.usecases {
 8 import lu.uni.lassy.messir.libraries.calendar
 9 import lu.uni.lassy.messir.libraries.collections
10 import lu.uni.lassy.messir.libraries.math
11 import lu.uni.lassy.messir.libraries.primitives
12 import lu.uni.lassy.messir.libraries.string
13 import lu.uni.lassy.excalibur.myhelloworld.environment
14
      Use Case Model {
15
   use case system subfunction oeHelloWorld() {
    actor actYou[primary, active]
16
17
18
      }
19
20
21 }
```

Listing B.12 Messir Spec. file usecases.msr.