Adress line 1 Adress line 2 Adress line 3

myhelloworld:

Messir Analysis Document - v 0.0 -

Friday $4^{\rm th}$ September, 2015 - 15:45

Contents

1	Intr	coduction	•
	1.1	Overview	,
	1.2	Purpose and recipients of the document	,
	1.3	Application Domain	,
	1.4	Definitions, acronyms and abbreviations	,
	1.5	Document structure	,
2	Ger	neral Description	ę
	2.1	Domain Stakeholders	Ç
	2.2	System's Actors	10
	2.3	Use Cases Model	1
	2	.3.1 Use Cases	1
	2	3.3.2 Use Case Instance(s)	1:
3	Env	rironment Model	13
	3.1	Environment model view(s)	13
	3.2	Actors and Interfaces Descriptions	13
4	C	M- J-1	1,
4	4.1	Concept Model	$\frac{15}{11}$
		Concept Model Types Descriptions	15
	4.2	Concept Model Types Descriptions	15
		2.2.1 Primary types - Class types descriptions	15
		2.2. Primary types - Datatypes types descriptions	15
		.2.3 Primary types - Association types descriptions	15
		.2.4 Primary types - Aggregation types descriptions	15
		.2.5 Secondary types - Class types descriptions	16
		.2.6 Secondary types - Datatypes types descriptions	10
		.2.7 Secondary types - Association types descriptions	10
		.2.8 Secondary types - Aggregation types descriptions	10
	4	.2.9 Secondary types - Composition types descriptions	16
5	Ope	eration Model	1
	5.1	Environment - Out Interface Operation Schemes	1
	5.2	Environment - Actor Operation Schemes	1
	5.3	Primary Types - Operation Schemes for Classes	1'
	5.4	Primary Types - Operation Schemes for Datatypes	1
	5.5	Primary Types - Operation Schemes for Enumerations	1
	5.6	Secondary Types - Operation Schemes for Classes	1
	5.7	Secondary Types - Operation Schemes for Datatypes	18
	5.8	Secondary Types - Operation Schemes for Enumerations	18
6	Tes	t Model(s)	19
7	Ado	litional Constraints	2
A	Une	documented Messir Specification Elements	23

CONTENTS 3

	A.1	Undocumented Use Cases				
		A.1.1	Undocumented Use Cases - Subfunction Level	23		
		A.1.2	Undocumented Use Case Views	23		
	A.2	Undo	ocumented Use Case Instances	23		
		A.2.1	Undocumented Use Case Instances - Subfunction Level	23		
		A.2.2	Undocumented Use Case Instance Views	23		
	A.3	Undo	ocumented Actors	23		
	A.4	Undo	ocumented Primary Types	23		
		A.4.1	Undocumented Primary Classe Types	23		
В	\mathbf{M}	_	0	25		
	B.1	\mathbf{File}_{j}	/src-gen/messir-spec/.views.msr	25		
	B.2	File /	/src-gen/messir-spec/environment/environment.msr	25		
	B.3	File /	/src-gen/messir-spec/concepts/primarytypes-associations.msr	25		
	B.4	File	/src-gen/messir-spec/concepts/primarytypes-classes/primarytypes-classes.msr	26		
	B.5	File /	$/\mathrm{src\text{-}gen/messir\text{-}spec/concepts/primary types\text{-}data types.msr}$	26		
	B.6	File /		27		
	B.7	File		27		
	B.8	File /	$/\mathrm{src\text{-}gen/messir\text{-}spec/concepts/secondary types\text{-}data types.msr$	27		
	B.9	File /	$/\mathrm{src\text{-}gen/messir\text{-}spec/tests/tests.msr}$	28		
	B.10	File ,	/ src-gen/messir-spec/use case in stance-oe Hello World-ucioe Hello World-msr-	28		
	B.11	File	/src-gen/messir-spec/usecases/usecases.msr	28		

List of Figures

Listings

B.1	Messir Sp	oec. fil	e .views.msr	25
B.2	Messir Sp	oec. fil	e environment.msr	25
B.3	Messir Sp	oec. fil	e primarytypes-associations.msr	25
B.4	Messir Sp	ec. fil	e primarytypes-classes.msr	26
B.5	Messir Sp	ec. fil	e primarytypes-datatypes.msr	26
B.6	Messir Sp	ec. fil	e secondarytypes-associations.msr	27
B.7	Messir Sp	ec. fil	e secondarytypes-classes.msr	27
B.8	Messir Sp	ec. fil	e secondarytypes-datatypes.msr	27
B.9	Messir Sp	oec. fil	e tests.msr	28
B.10	Messir Sp	oec. fil	e usecaseinstance-oeHelloWorld-ucioeHelloWorld.msr	28
B.11	Messir Sp	ec. fil	e usecases.msr	28

Chapter 1 Introduction

- 1.1 Overview
- 1.2 Purpose and recipients of the document
- 1.3 Application Domain
- 1.4 Definitions, acronyms and abbreviations
- 1.5 Document structure

Chapter 2 General Description

2.1 Domain Stakeholders

10 2 General Description

2.2 System's Actors

The objective of this section is not to provide the full requirement elicitation document in this section but to reuse a part of this document to provide a informal introduction to the \mathfrak{Dessip} specification of the system under development. The use case model is made of a use case diagrams modelling abstractly and informally the actors and their use cases together with a set of use cases descriptions. In addition, those diagrams and description tables are adapted to the \mathfrak{Dessip} specification since actor and messages names together with parameters are partly adapted to be consistent with the specification identifiers (see [?] for more details).

2.3 Use Cases Model

2.3 Use Cases Model

This section contains the use cases elicited during the requirements elicitation phase. The use cases are textually described as suggested by the \mathfrak{Messip} method and inspired by the standard Cokburn template [?].

2.3.1 Use Cases

2 General Description

$2.3.2\ Use\ Case\ Instance(s)$

Chapter 3 Environment Model

3.1 Environment model view(s)

There are no view(s) for the $\mathfrak{Messl}\, p$ environment model.

3.2 Actors and Interfaces Descriptions

Chapter 4 Concept Model

4.1 Concept Model view(s)

There are no view(s) for the **Messiz** concept model.

4.2 Concept Model Types Descriptions

This section provides the textual descriptions of all the types defined in the concept model and that can be part of the graphical views provided.

4.2.1 Primary types - Class types descriptions

There are no elements in this category in the system analysed.

4.2.2 Primary types - Datatypes types descriptions

There are no elements in this category in the system analysed.

4.2.3 Primary types - Association types descriptions

There are no association types for the primary types.

4.2.4 Primary types - Aggregation types descriptions

There are no aggregation types for the primary types.

4.2.4.1 Primary types - Composition types descriptions

There are no composition types for the primary types.

16 4 Concept Model

4.2.5 Secondary types - Class types descriptions

There are no elements in this category in the system analysed.

4.2.6 Secondary types - Datatypes types descriptions

There are no elements in this category in the system analysed.

4.2.7 Secondary types - Association types descriptions

There are no association types for the secondary types.

4.2.8 Secondary types - Aggregation types descriptions

There are no aggregation types for the secondary types.

4.2.9 Secondary types - Composition types descriptions

There are no composition types for the secondary types.

Chapter 5 Operation Model

This section contains the operation schemes of each operation defined in either an actor, its output interface, in a primary or secondary type (class, datatype or enumeration types). The \mathfrak{Messip} OCL code listing is joined to the comment table.

5.1 Environment - Out Interface Operation Schemes

There are no elements in this category in the system analysed.

5.2 Environment - Actor Operation Schemes

There are no elements in this category in the system analysed.

5.3 Primary Types - Operation Schemes for Classes

There are no elements in this category in the system analysed.

5.4 Primary Types - Operation Schemes for Datatypes

There are no elements in this category in the system analysed.

5.5 Primary Types - Operation Schemes for Enumerations

There are no elements in this category in the system analysed.

5.6 Secondary Types - Operation Schemes for Classes

5 Operation Model

5.7 Secondary Types - Operation Schemes for Datatypes

There are no elements in this category in the system analysed.

5.8 Secondary Types - Operation Schemes for Enumerations

Chapter 6 Test Model(s)

Chapter 7 Additional Constraints

Appendix A

Undocumented Messir Specification Elements

A.1 Undocumented Use Cases

A.1.1 Undocumented Subfunction Level Use Cases

 $\bullet \quad \hbox{lu.uni.lassy.excalibur.myhelloworld.use} cases.oeHelloWorld$

A.1.2 Undocumented Use Case Views

• uc-oeHelloWorld

A.2 Undocumented Use Case Instances

A.2.1 Undocumented Subfunction Level Use Case Instances

• usecases.ucioeHelloWorld.ucioeHelloWorld

A.2.2 Undocumented Use Case Instance Views

• uci-ucioeHelloWorld

A.3 Undocumented Actors

 $\bullet \quad \hbox{lu.uni.lassy.excalibur.myhelloworld.environment.act} You$

A.4 Undocumented Primary Types

A.4.1 Undocumented Primary Classe Types

 $\bullet \quad lu.uni.lassy.excalibur.myhelloworld.concepts.primarytypes.classes.ctState$

Appendix B

Messir Specification Files Listing

B.1 File ./src-gen/messir-spec/.views.msr

```
1  //
2  //DON'T TOUCH THIS FILE !!!
3  //
4  package uuida9ee0ade37904e58a87dbb5a9a86d6e2 {
5      Concept Model {}
6  }
```

Listing B.1 Messir Spec. file .views.msr.

B.2 File ./src-gen/messir-spec/environment/environment.msr

```
1 /*
2 * @author benoit.ries
3 * @date Fri Sep 04 15:42:52 CEST 2015
6 package lu.uni.lassy.excalibur.myhelloworld.environment {
8 import lu.uni.lassy.messir.libraries.calendar
9 \ \mathbf{import} \ \mathtt{lu.uni.lassy.messir.libraries.collections}
10 import lu.uni.lassy.messir.libraries.math
  import lu.uni.lassy.messir.libraries.primitives
12 import lu.uni.lassy.messir.libraries.string
14 Environment Model \{
15
         actor actYou role rnactYou cardinality [1..*] {
16
17
18
           input interface inactYou {
20
           output interface outactYou {
^{24}
26
```

Listing B.2 Messir Spec. file environment.msr.

${\bf B.3~File~./src\text{-}gen/messir\text{-}spec/concepts/primarytypes\text{-}associations/primarytypes\text{-}associations.msr}$

```
1 /*
2 * @author benoit.ries
3 * @date Fri Sep 04 15:42:52 CEST 2015
4 */
5
6 package lu.uni.lassy.excalibur.myhelloworld.concepts.primarytypes.associations {
7
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.collections
```

```
10 import lu.uni.lassy.messir.libraries.math
11 import lu.uni.lassy.messir.libraries.primitives
12 import lu.uni.lassy.messir.libraries.string
13
14 Concept Model {
15
16 Primary Types {
17
18 }
19 }
20 }
```

 ${\bf Listing~B.3~~Messir~Spec.~file~primary types-associations.msr.}$

$B.4\ File\ ./src\text{-gen/messir-spec/concepts/primarytypes-classes/primarytypes-classes/primarytypes-classes.$

```
2 * @author benoit.ries
3 * @date Fri Sep 04 15:42:52 CEST 2015
6 package lu.uni.lassy.excalibur.myhelloworld.concepts.primarytypes.classes {
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.collections
10 import lu.uni.lassy.messir.libraries.math
11 import lu.uni.lassy.messir.libraries.primitives
12 import lu.uni.lassy.messir.libraries.string
14 import lu.uni.lassy.messir.libraries.primitives
16 Concept Model {
17
    Primary Types {
18
19
20
       state class ctState {
        attribute vpStarted: ptBoolean
        operation init (AvpStarted:ptBoolean): ptBoolean
26
    }
27
28
```

Listing B.4 Messir Spec. file primarytypes-classes.msr.

${\bf B.5~File~./src\text{-}gen/messir\text{-}spec/concepts/primarytypes\text{-}datatypes/primarytypes-datatypes/primarytypes-datatypes.}$

```
1 /*
2 * @author benoit.ries
3 * @date Fri Sep 04 15:42:52 CEST 2015
4 */
5
6 package lu.uni.lassy.excalibur.myhelloworld.concepts.primarytypes.datatypes {
7
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.collections
10 import lu.uni.lassy.messir.libraries.math
11 import lu.uni.lassy.messir.libraries.primitives
12 import lu.uni.lassy.messir.libraries.string
13
14 Concept Model {
15
16 Primary Types {
17
18 }
19 }
19 }
10 }
```

Listing B.5 Messir Spec. file primarytypes-datatypes.msr.

B.6 File ./src-gen/messir-spec/concepts/secondarytypes-associations/secondarytypes-associations.msr

```
1 /*
  * @author benoit.ries
  * @date Fri Sep 04 15:42:52 CEST 2015
6
  package lu.uni.lassy.excalibur.myhelloworld.concepts.secondarytypes.associations {
8 import lu.uni.lassy.messir.libraries.calendar
  import lu.uni.lassy.messir.libraries.collections
10 import lu.uni.lassy.messir.libraries.math
11
  import lu.uni.lassy.messir.libraries.primitives
12 import lu.uni.lassy.messir.libraries.string
13
14 Concept Model {
15
16
    Secondary Types {
17
18
19
20
```

Listing B.6 Messir Spec. file secondarytypes-associations.msr.

B.7 File ./src-gen/messir-spec/concepts/secondarytypes-classes/secondarytypes-classes.msr

```
* @author benoit.ries
  * @date Fri Sep 04 15:42:52 CEST 2015
6 package lu.uni.lassy.excalibur.myhelloworld.concepts.secondarytypes.classes {
8 import lu.uni.lassy.messir.libraries.calendar
  import lu.uni.lassy.messir.libraries.collections
10 import lu.uni.lassy.messir.libraries.math
11 import lu.uni.lassy.messir.libraries.primitives
12 import lu.uni.lassy.messir.libraries.string
13
14 Concept Model {
15
     Secondary Types {
16
17
18
19
20
```

 ${\bf Listing~B.7~Messir~Spec.~file~secondary types-classes.msr.}$

B.8 File ./src-gen/messir-spec/concepts/secondarytypes-datatypes/secondarytypes-datatypes.msr

```
* @author benoit.ries
   * @date Fri Sep 04 15:42:52 CEST 2015
 6
   \textbf{package} \hspace{0.1in} \textbf{lu.uni.lassy.excalibur.myhelloworld.concepts.secondary types.data types} \hspace{0.1in} \hspace{0.1in} \{ \textbf{a.s.y.excalibur.myhelloworld.concepts.secondary types.data types} \hspace{0.1in} \}
 8 import lu.uni.lassy.messir.libraries.calendar
   import lu.uni.lassy.messir.libraries.collections
10 import lu.uni.lassy.messir.libraries.math
11 import lu.uni.lassy.messir.libraries.primitives
12
   import lu.uni.lassy.messir.libraries.string
13
14 Concept Model {
15
16
      Secondary Types {
17
18
20 }
```

21 }

Listing B.8 Messir Spec. file secondarytypes-datatypes.msr.

B.9 File ./src-gen/messir-spec/tests/tests.msr

```
1 /*
2 * @author benoit.ries
3 * @date Fri Sep 04 15:42:52 CEST 2015
4 */
5
6 package lu.uni.lassy.excalibur.myhelloworld.tests {
7
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.collections
10 import lu.uni.lassy.messir.libraries.math
11 import lu.uni.lassy.messir.libraries.primitives
12 import lu.uni.lassy.messir.libraries.string
13
14 Test Model {
15
16
17
18 }
```

Listing B.9 Messir Spec. file tests.msr.

B.10 File

./src-gen/messir-spec/use case in stance-oe Hello World-ucioe Hello World-msr

```
package usecases.ucioeHelloWorld {
   import lu.uni.lassy.excalibur.myhelloworld.usecases
   import lu.uni.lassy.excalibur.myhelloworld.environment

   Use Case Model {
        use case instance ucioeHelloWorld : subfunction oeHelloWorld {
            actors {
                benoitRies : actYou
        }
        ieHelloWorld("Hello You") returned to benoitRies
        }
}
```

 ${\bf Listing~B.10~Messir~Spec.~file~usecase instance-oe HelloWorld-ucioe HelloWorld.msr.}$

B.11 File ./src-gen/messir-spec/usecases/usecases.msr

```
* @author benoit.ries
     @date Fri Sep 04 15:42:52 CEST 2015
6 package lu.uni.lassy.excalibur.myhelloworld.usecases {
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.collections
10 import lu.uni.lassy.messir.libraries.math
11 import lu.uni.lassy.messir.libraries.primitives
12 import lu.uni.lassy.messir.libraries.string
13 import lu.uni.lassy.excalibur.myhelloworld.environment
14
    Use Case Model {
15
16 use case system subfunction oeHelloWorld() {
        actor actYou[primary, active]
17
18
    }
19
20
```

Listing B.11 Messir Spec. file usecases.msr.