## parsonsbots / dynamic-proxy-node-reconfiguration

```
Reference correct http key for users and ACL files
                                                                                                                         Browse files
 ℃ master
 parsonsbots committed 12 seconds ago
                                                                    1 parent 21b4ae5
                                                                                      commit 2b135ec9ea4971368944d2bf4eed30084b1c6e65
Showing 1 changed file with 6 additions and 7 deletions.
                                                                                                                         Unified
                                                                                                                                  Split
  shell_exec('rm -rf /etc/squid3/users/');
                                                                                           shell_exec('rm -rf /etc/squid3/users/');
                                                                     119
                       shell exec('mkdir -m 777
                                                                                           shell_exec('mkdir -m 777
       /etc/squid3/users/');
                                                                           /etc/squid3/users/');
                       if (!empty($this->gatewaysData['data']
                                                                                           if (!empty($this->gatewaysData['data']
       ['files'])) {
                                                                           ['http']['files'])) {
                               foreach ($this-
                                                                                                   foreach ($this-
       >gatewaysData['data']['files'] as $file) {
                                                                           >gatewaysData['data']['http']['files'] as $file) {
                                       shell_exec('mkdir -m 777 '
                                                                                                           shell_exec('mkdir -m 777 '
                                                                           str_replace(array('s.txt', 'd.txt'), '',
       . str_replace(array('s.txt', 'd.txt'), '',
       $file['path']));
                                                                           $file['path']));
                                       shell exec('touch ' .
                                                                                                           shell exec('touch ' .
       $file['path']);
                                                                           $file['path']);
       file_put_contents($file['path'], $file['contents']);
                                                                           file_put_contents($file['path'], $file['contents']);
                       shell_exec('htpasswd -cb
                                                                                           shell_exec('htpasswd -cb
       /etc/squid3/passwords default default');
                                                                           /etc/squid3/passwords default default');
                       shell_exec('htpasswd -D
                                                                                           shell_exec('htpasswd -D
       /etc/squid3/passwords default');
                                                                           /etc/squid3/passwords default');
                       if (!empty($this->gatewaysData['data']
                                                                                           if (!empty($this->gatewaysData['data']
       ['users'])) {
                                                                           ['http']['users'])) {
                               foreach ($this-
                                                                                                  foreach ($this-
       >gatewaysData['data']['users'] as $username => $password)
                                                                           >gatewaysData['data']['http']['users'] as $username =>
                                                                           $password) {
       {
                                       shell_exec('htpasswd -b
                                                                                                           shell_exec('htpasswd -b
       /etc/squid3/passwords '
                               . $username . ' ' . $password);
                                                                           /etc/squid3/passwords ' . $username . ' ' . $password);
                               }
                                                                                                  }
                       }
                                                                                           }
                               75.
                                                                                                  75.
                               '/etc/squid3/squid.conf',
                                                                                                   '/etc/squid3/squid.conf',
                               str_replace('[pid]', 'pid_filename
                                                                                                  str_replace('[pid]', 'pid_filename
       /var/run/squid3.pid', str_replace('[ports]', 'http_port '
                                                                           /var/run/squid3.pid', str_replace('[ports]', 'http_port '
       . implode("\n" . 'http_port ', $this->processes['http']
                                                                           . implode("\n" . 'http_port ', $this->processes['http']
       [0]), $this->gatewaysData['data']['http']['acls']))
                                                                           [0]), $this->gatewaysData['data']['http']
                                                                           ['configuration']))
 170
                       $redundantProcesses = $this-
                                                                     170
                                                                                           $redundantProcesses = $this-
       >processes['http'];
                                                                           >processes['http'];
                       unset($redundantProcesses[0]);
                                                                                           unset($redundantProcesses[0]);
                                               0.
                                                                                                                  0,
       '/etc/squid3/squid-redundant' . $redundantProcess .
                                                                           '/etc/squid3/squid-redundant' . $redundantProcess .
       '.conf',
                                                                           '.conf',
 219
                                                                     219
       str_replace('[pid]', 'pid_filename /var/run/squid-
                                                                           str_replace('[pid]', 'pid_filename /var/run/squid-
```

```
redundant' . $redundantProcess . '.pid',
                                                                            redundant' . $redundantProcess . '.pid',
      str_replace('[ports]', 'http_port ' . implode("\n" .
                                                                            str_replace('[ports]', 'http_port ' . implode("\n" .
      'http_port ', $this->processes['http']
                                                                            'http_port ', $this->processes['http']
      [$redundantProcess]), $this->gatewaysData['data']['http']
                                                                            [$redundantProcess]), $this->gatewaysData['data']['http']
      ['<u>acls</u>']))
                                                                            ['configuration']))
                                                                      220
                                       );
                                                                                                             );
                               }
644
                                                                      644
645
        }
                                                                      645
                                                                              }
646
                                                                      646
        ?>
                                                                              ?>
647
```

O comments on commit 2b135ec