

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

18 /09/2025

MONTHLY FIRE ALARM SYSTEM CHECKLIST REPORT

1. SIMULATED TEST

- 1.1 Carry out a stimulated fire alarm call
 - 1.2 Operate any Alarm Zone
 - 1.3 Transmit a Fire Alarm Signal to the monitoring station and reset the system
 - 1.4 Simulate fire conditions on all alarm zones and reset the system to normal
 - 1.5 Disconnect battery and ensure visual & audible fault signals activated at main alarm panel
 - 1.6 Simulate main power failure and ensure system operate correctly with the standby battery power
 - 1.7 Simulate the fire alarm conditions and check the output signals availability
 - 1.8 Remote ancillary function is initiated during the fire alarm condition simulation test
 - 1.9 Simulate fault condition on all alarm zones to ensure main alarm panel is operating correctly

3. MONITORING STATION

- 2.1 Contact the monitoring system prior to the transmitting of the fire alarm signal
 - 2.2 To warn them of the simulated fire condition to be tested
 - 2.3 Check & confirm with them after completion of test to ensure the fire alarm signal was received

2.4 Advise the monitor

- 2.5 Notify them of intention to test and shut down the fire alarm system if applicable
 3. BATTERY CONDITION
 - 3.1 Check the battery voltage in accordance with the manufacturer's instructions
 - 3.2 Check the battery conditions
 - 3.3 Check battery charging current in accordance with the manufacturer's instructions
 - 3.4 Check batteries and their terminals as specified by the manufacturer
 - 3.5 Ensure batteries and their terminals are in good servicable condition
 - 3.6 Examine to ensure that the specific gravity in each cell is correct
 - 3.7 Examine to ensure the level of the electrolyte in each cell is correct
 - 3.8 Check condition of battery cabinet for corrosion
 - 3.9 Ensure that batteries are stored in a secure condition

4 INDICATING LIGHTS

- 4.1 Ensure that all indicating lights are operating correctly
 - 4.2 Replace any faulty indicating lights if any

5 SOUNDS

- #### 5.1 Check operation of all alarm sounders

6. MAIN ALARM SYSTEM

- 6.1 Check the main alarm panel is in a clean and operative condition
 - 6.2 Visually inspect the condition of components, terminations and cables
 - 6.3 Ensure that faulty parts are replaced
 - 6.4 Ensure that replacement has been carried out satisfactorily

3. SWITCHES

- 7.1 Ensure that all switches are in the correct operating condition after completion of tests
 - 7.2 Take immediate steps to rectify the fault(s) should they exist
 - 8. SMOKE DETECTORS**
 - 8.1 Clean all smoke detectors every four months
 - 9. DEFECTS**
 - 9.1 Record in the log any fault(s) identified and that the above test has been carried out

REMARKS

Name & signature of Technician(s)

Block No :

Verified By :

1 9-14

(Name & signature)

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

DATE OF SERVICING

18 /09/2025

MONTHLY PRESSURE TANK CHECKLIST REPORT

1. Test run of pumps
 2. Check pump and motor running condition
 3. Check coupling set, baseplate and spring isolator
 4. Check mechanical seal / gland-packing and bearings
 5. Check all pipe work, check valve, gate valve, expansion joint, strainer
 6. Check correct function of pump system in auto and manual mode
 7. Check control panel and electrical isolator
 8. Check electrical components in control panel
 9. Check all indicator lamps
 10. Check conduit and wiring
 11. Check electrode holder and sensor
 12. Check ball float valve / pilot valve and motorised valve
 13. Check pump running ampere
 14. Check pressure switch setting and pressure gauge

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

1 Rf.

(Name & signature)

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL NEE SOON TOWN COUNCIL
LOCATION NEE SOON SOUTH DIVISION
DATE OF SERVICING 23 /09/2025

MONTHLY PRESSURE TANK CHECKLIST REPORT

1. Test run of pumps
2. Check pump and motor running condition
3. Check coupling set, baseplate and spring isolator
4. Check mechanical seal / gland-packing and bearings
5. Check all pipe work, check valve, gate valve, expansion joint, strainer
6. Check correct function of pump system in auto and manual mode
7. Check control panel and electrical isolator
8. Check electrical components in control panel
9. Check all indicator lamps
10. Check conduit and wiring
11. Check electrode holder and sensor
12. Check ball float valve / pilot valve and motorised valve
13. Check pump running ampere
14. Check pressure switch setting and pressure gauge

Block No :

504B	504C	504D	505A	505B	505C	505D	506	506A
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
30	40	45	45	40	35	30	35	45
/	/	/	/	/	/	/	/	/

REMARKS

Name & signature of Technician(s)

Verified By :

1. Sulva M.

(Name & signature)

2.

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298 FAX : 6 287 9635

TOWN COUNCIL	<u>NEE SOON TOWN COUNCIL</u>
LOCATION	<u>NEE SOON SOUTH DIVISION</u>
DATE OF SERVICING	<u>23 /09/2025</u>

MONTHLY PRESSURE TANK CHECKLIST REPORT

1. Test run of pumps
 2. Check pump and motor running condition
 3. Check coupling set, baseplate and spring isolator
 4. Check mechanical seal / gland-packing and bearings
 5. Check all pipe work, check valve, gate valve, expansion joint, strainer
 6. Check correct function of pump system in auto and manual mode
 7. Check control panel and electrical isolator
 8. Check electrical components in control panel
 9. Check all indicator lamps
 10. Check conduit and wiring
 11. Check electrode holder and sensor
 12. Check ball float valve / pilot valve and motorised valve
 13. Check pump running ampere
 14. Check pressure switch setting and pressure gauge

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

1 I believe us

(Name & signature)

2

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

DATE OF SERVICING

23 /09/2025**MONTHLY PRESSURE TANK CHECKLIST REPORT**

1. Test run of pumps
2. Check pump and motor running condition
3. Check coupling set, baseplate and spring isolator
4. Check mechanical seal / gland-packing and bearings
5. Check all pipe work, check valve, gate valve, expansion joint, strainer
6. Check correct function of pump system in auto and manual mode
7. Check control panel and electrical isolator
8. Check electrical components in control panel
9. Check all indicator lamps
10. Check conduit and wiring
11. Check electrode holder and sensor
12. Check ball float valve / pilot valve and motorised valve
13. Check pump running ampere
14. Check pressure switch setting and pressure gauge

Block No :

510A	510B	511A	511B	511C	512	512A	512B	512C
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/
30	3.5	40	45	40	3.5	30	40	45
/	/	/	/	/	/	/	/	/

REMARKS

Name & signature of Technician(s)

1 Selva dt

Verified By :

(Name & signature)

2 _____

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

DATE OF SERVICING

23/09/2025

MONTHLY PRESSURE TANK CHECKLIST REPORT

1. Test run of pumps
 2. Check pump and motor running condition
 3. Check coupling set, baseplate and spring isolator
 4. Check mechanical seal / gland-packing and bearings
 5. Check all pipe work, check valve, gate valve, expansion joint, strainer
 6. Check correct function of pump system in auto and manual mode
 7. Check control panel and electrical isolator
 8. Check electrical components in control panel
 9. Check all indicator lamps
 10. Check conduit and wiring
 11. Check electrode holder and sensor
 12. Check ball float valve / pilot valve and motorised valve
 13. Check pump running ampere
 14. Check pressure switch setting and pressure gauge

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

1 John G

(Name & signature)

2

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

DATE OF SERVICING

30 /09/2025**MONTHLY PRESSURE TANK CHECKLIST REPORT**

1. Test run of pumps
2. Check pump and motor running condition
3. Check coupling set, baseplate and spring isolator
4. Check mechanical seal / gland-packing and bearings
5. Check all pipe work, check valve, gate valve, expansion joint, strainer
6. Check correct function of pump system in auto and manual mode
7. Check control panel and electrical isolator
8. Check electrical components in control panel
9. Check all indicator lamps
10. Check conduit and wiring
11. Check electrode holder and sensor
12. Check ball float valve / pilot valve and motorised valve
13. Check pump running ampere
14. Check pressure switch setting and pressure gauge

Block No :

846	848A	849	-	-	-	-	-	-	-	-
/	/	/	-	-	-	-	-	-	-	-
/	/	/	-	-	-	-	-	-	-	-
/	/	/	-	-	-	-	-	-	-	-
/	/	/	-	-	-	-	-	-	-	-
/	/	/	-	-	-	-	-	-	-	-
/	/	/	-	-	-	-	-	-	-	-
/	/	/	-	-	-	-	-	-	-	-
/	/	/	-	-	-	-	-	-	-	-
/	/	/	-	-	-	-	-	-	-	-
3.5	3.0	4.0	-	-	-	-	-	-	-	-
/	/	/	-	-	-	-	-	-	-	-

REMARKS

Name & signature of Technician(s)

1 Selva

Verified By :

(Name & signature)

2

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

DATE OF SERVICING

18 /09/2025**MONTHLY HOSEREEL SYSTEM CHECKLIST REPORT**

1. HOSEREEL

- 1.1 Check hosereels remain unobstructed
- 1.2 Ensure hosereel are available for use at all times
- 1.3 Check hosereel cabinet, hosereel and rubber hose for damage
- 1.4 Inspect the stop valves, glands, pipings and shut-off nozzles are free from leak
- 1.5 Check & verify operation of stop valve at hosereel pipe & ensure valve is fully closed
- 1.6 Check operation of nozzle and stopcock for blockage

Block No :

501	501A	501B	502A	502B	502C
/	/	/	/	/	/
/	/	/	/	/	/
/	/	/	/	/	/
/	/	/	/	/	/
/	/	/	/	/	/
/	/	/	/	/	/
/	/	/	/	/	/

REMARKS

Name & signature of Technician(s)

Verified By :

Selvaraj

(Name & signature)

2 _____

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298 FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

DATE OF SERVICING

23 /09/2025

MONTHLY HOSEREEL SYSTEM CHECKLIST REPORT

1. HOSE REEL

- 1.1 Check hosereels remain unobstructed
 - 1.2 Ensure hosereel are available for use at all times
 - 1.3 Check hosereel cabinet, hosereel and rubber hose for damage
 - 1.4 Inspect the stop valves, glands, pipings and shut-off nozzles are free from leak
 - 1.5 Check & verify operation of stop valve at hosereel pipe & ensure valve is fully closed
 - 1.6 Check operation of nozzle and stopcock for blockage

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

1 Selva et -

(Name & signature)

2 _____

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

DATE OF SERVICING

23 /09/2025**MONTHLY HOSEREEL SYSTEM CHECKLIST REPORT**

1. HOSEREEL

- 1.1 Check hosereels remain unobstructed
- 1.2 Ensure hosereel are available for use at all times
- 1.3 Check hosereel cabinet, hosereel and rubber hose for damage
- 1.4 Inspect the stop valves, glands, pipings and shut-off nozzles are free from leak
- 1.5 Check & verify operation of stop valve at hosereel pipe & ensure valve is fully closed
- 1.6 Check operation of nozzle and stopcock for blockage

Block No :

505A	505B	505C	505D	506	506A
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓

REMARKS

Name & signature of Technician(s)

1 Schen

2 _____

Verified By :

(Name & signature)

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197
TEL : 6 289 2298 FAX : 6 287 9635

TOWN COUNCIL	<u>NEE SOON TOWN COUNCIL</u>
LOCATION	<u>NEE SOON SOUTH DIVISION</u>
DATE OF SERVICING	<u>18</u> /09/2025

MONTHLY HOSEREEL SYSTEM CHECKLIST REPORT

1. HOSEREEL

- 1.1 Check hosereels remain unobstructed
 - 1.2 Ensure hosereel are available for use at all times
 - 1.3 Check hosereel cabinet, hosereel and rubber hose for damage
 - 1.4 Inspect the stop valves, glands, pipings and shut-off nozzles are free from leak
 - 1.5 Check & verify operation of stop valve at hosereel pipe & ensure valve is fully closed
 - 1.6 Check operation of nozzle and stopcock for blockage

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

1 Selvam -

(Name & signature)

2

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298 FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

DATE OF SERVICING

23 /09/2025

MONTHLY HOSEREEL SYSTEM CHECKLIST REPORT

1. HOSEREEL

- 1.1 Check hosereels remain unobstructed
 - 1.2 Ensure hosereel are available for use at all times
 - 1.3 Check hosereel cabinet, hosereel and rubber hose for damage
 - 1.4 Inspect the stop valves, glands, pipings and shut-off nozzles are free from leak
 - 1.5 Check & verify operation of stop valve at hosereel pipe & ensure valve is fully closed
 - 1.6 Check operation of nozzle and stopcock for blockage

23 /09/2025

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

1 Selina

(Name & signature)

2

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

DATE OF SERVICING

23 /09/2025**MONTHLY HOSEREEL SYSTEM CHECKLIST REPORT**

1. HOSEREEL

- 1.1 Check hosereels remain unobstructed
- 1.2 Ensure hosereel are available for use at all times
- 1.3 Check hosereel cabinet, hosereel and rubber hose for damage
- 1.4 Inspect the stop valves, glands, pipings and shut-off nozzles are free from leak
- 1.5 Check & verify operation of stop valve at hosereel pipe & ensure valve is fully closed
- 1.6 Check operation of nozzle and stopcock for blockage

Block No :

511C	512	512A	512B	512C	513
/	/	/	/	/	/
/	/	/	/	/	/
/	/	/	/	/	/
/	/	/	/	/	/
/	/	/	/	/	/
/	/	/	/	/	/
/	/	/	/	/	/

REMARKS

Name & signature of Technician(s)

Verified By :

1 Selva M

(Name & signature)

2 _____

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

DATE OF SERVICING

23/09/2025**MONTHLY HOSEREEL SYSTEM CHECKLIST REPORT**

1. HOSEREEL

- 1.1 Check hosereels remain unobstructed
- 1.2 Ensure hosereel are available for use at all times
- 1.3 Check hosereel cabinet, hosereel and rubber hose for damage
- 1.4 Inspect the stop valves, glands, pipings and shut-off nozzles are free from leak
- 1.5 Check & verify operation of stop valve at hosereel pipe & ensure valve is fully closed
- 1.6 Check operation of nozzle and stopcock for blockage

Block No :

513A	513B	513C	513D	813	813A
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓

REMARKSREK - SP

Name & signature of Technician(s)

Verified By :

1 Selva

(Name & signature)

2 _____

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

DATE OF SERVICING

20 /09/2025**MONTHLY HOSEREEL SYSTEM CHECKLIST REPORT**

1. HOSEREEL

- 1.1 Check hosereels remain unobstructed
- 1.2 Ensure hosereel are available for use at all times
- 1.3 Check hosereel cabinet, hosereel and rubber hose for damage
- 1.4 Inspect the stop valves, glands, pipings and shut-off nozzles are free from leak
- 1.5 Check & verify operation of stop valve at hosereel pipe & ensure valve is fully closed
- 1.6 Check operation of nozzle and stopcock for blockage

Block No :

813B	840A	845	846	848A	849
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓

REMARKS

Name & signature of Technician(s)

Verified By :

1 Seha

(Name & signature)

2 _____

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

19 /09/2025

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force
 - 1.3 Carry out maintenance as specified in CP 55: 1991

1.4

 2. FIRE EXTINGUISHERS
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

1 Selma Lj

(Name & signature)

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 963

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

23 /09/2025

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force
 - 1.3 Carry out maintenance as specified in CP 55: 1991

2. FIRE EXTINGUISHERS

 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

REMARKS
B4K - 502 A - RHE Fire Extinguisher need to pop up

Name & signature of Technician(s)

Verified By :

1 Selva Ag

(Name & signature)

2

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

18 /09/2025

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force
 - 1.3 Carry out maintenance as specified in CP 55: 1991
 2. FIRE EXTINGUISHERS
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

1 Selma M

(Name & signature)

2

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 963

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NFF SOON SOUTH DIVISION

DATE OF SERVICING

13 /09/2025

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force
 - 1.3 Carry out maintenance as specified in CP 55: 1991

2. FIRE EXTINGUISHERS

 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

1 Selva 65

(Name & signature)

2

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

DATE OF SERVICING

18 /09/2025

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force
 - 1.3 Carry out maintenance as specified in CP 55: 1991

2. FIRE EXTINGUISHERS

- 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

1 Selma U

(Name & signature)

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIV

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force
 - 1.3 Carry out maintenance as specified in CP 55: 1991

2. FIRE EXTINGUISHERS

 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

REMARKS BLK-512A Booster pump fire extinguisher good to top up.

Name & signature of Technician(s)

Verified By :

1 Selva M

(Name & signature)

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL
LOCATION

NEE SOON TOWN COUNCIL
NEE SOON SOUTH DIVISION

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force

1.3 Carry out maintenance

- 2. FIRE EXTINGUISHERS
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

BLK 513A hose reel pump fire extinguisher need to to P
NP:

Name & signature of Technician(s)

Verified By :

1 Selva Et

(Name & signature)

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

DATE OF SERVICING

27 /09/2023

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force
 - 1.3 Carry out maintenance as specified in CP 55: 1991
 2. FIRE EXTINGUISHERS
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

1 sehr gut

(Name & signature)

2

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

DATE OF SERVICING

23 /09/2025

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force
 - 1.3 Carry out maintenance as specified in CP 55: 1991

2. FIRE EXTINGUISHERS

- 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

Name & signature of Technician(s)

1 Selva ay

Verified By :

(Name & signature)

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

27 /09/2025

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force
 - 1.3 Carry out maintenance as specified in CP 55: 1991
 2. FIRE EXTINGUISHERS
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

1 Sotira 

(Name & signature)

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

**TOWN COUNCIL
LOCATION**

NEE SOON TOWN COUNCIL
NEE SOON SOUTH DIVISION

30 /09/2025

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force
 - 1.3 Carry out maintenance as specified in CP 55: 1991

2. FIRE EXTINGUISHERS

 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

REMARKS
PCK-805 left room fire Extinguisher need to top
up.

Name & signature of Technician(s)

Verified By :

1 Selma A

(Name & signature)

2

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

30 /09/2025

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force
 - 1.3 Carry out maintenance as specified in CP 55: 1991
 2. FIRE EXTINGUISHERS
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

REMARKS BIK- 816 - Left Room Fire Extinguisher need to top up.

Name & signature of Technician(s)

Verified By :

1 Selva gl

(Name & signature)

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

30 /09/2025

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force
 - 1.3 Carry out maintenance as specified in CP 55: 1991
 2. FIRE EXTINGUISHERS
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

¹ selva d

(Name & signature)

2

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

DATE OF SERVICING

30 /09/2025

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force
 - 1.3 Carry out maintenance as specified in CP 55: 1991
 2. FIRE EXTINGUISHERS
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

1 Selva M

(Name & signature)

2

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298 FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

DATE OF SERVICING

20 /09/2025

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force
 - 1.3 Carry out maintenance as specified in CP 55: 1991
 2. FIRE EXTINGUISHERS
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

1 Sehra M

(Name & signature)

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NFF SOON TOWN COUNCIL

LOCATION

NFF SOON SOUTH DIVISION

30 /09/2025

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force
 - 1.3 Carry out maintenance as specified in CP 55: 1991
 - 2. FIRE EXTINGUISHERS**
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

1 Selva g

(Name & signature)

2

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

DATE OF SERVICING

30 /09/2025

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force
 - 1.3 Carry out maintenance as specified in CP 55: 1991

2. FIRE EXTINGUISHERS

 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

1 Selvin

(Name & signature)

2

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force
 - 1.3 Carry out maintenance as specified in CP 55: 1991
 2. FIRE EXTINGUISHERS
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

1 Selia ay

(Name & signature)

2

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298 FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

DATE OF SERVICING

30 /09/2025

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force
 - 1.3 Carry out maintenance as specified in CP 55: 1991
 2. FIRE EXTINGUISHERS
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

Name & signature of Technician(s)

1 Selva et

Verified By :

(Name & signature)

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

DATE OF SERVICING

NEEBOON SOUTH DIVISION

MONTHLY FIRE EXTINGUISHER CHECKLIST REPORT

1. QUALIFIED PERSON

- 1.1 All servicing and recharging of fire extinguishers shall only be performed by qualified person
 - 1.2 Qualified person must belong to companies approved by Singapore Civil Defence Force
 - 1.3 Carry out maintenance as specified in CP 55: 1991

2. FIRE EXTINGUISHERS

 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.1 All fire extinguishers are in their designated & proper places as specified by code of practice
 - 2.2 All fire extinguishers have not been discharged or lost pressure
 - 2.3 Access to and visibility of each extinguishers is not obstructed
 - 2.4 Operating instructions on each extinguishers surface shall be legible and faced outward
 - 2.5 Pressure gauge readings if any shall be in the operable range
 - 2.6 Any seals, safety clip or tamper indicators that are broken or missing shall be replaced
 - 2.7 Any physical damage, corrosion, leakage or clogged nozzle shall be rectified
 - 2.8 Damaged, broken or rusty fire extinguishers shall be repaired or replaced
 - 2.9 Keep inspection records for those extinguishers that are found to require corrective actions
 - 2.10 Submit inspection records to Superintending Officer
 - 2.11 All extinguishers are to be properly hung
 - 2.12 Date of service is shown and has not expired
 - 2.13 The extinguishers shall bear a PSB label

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

1 Selva et

(Name & signature)

2

RED-POWER ELECTRICAL ENGINEERING PTE LTD

BLK 16 DEFU LANE 10. #01 - 364. SINGAPORE 539197

TEL : 6 289 2298

FAX : 6 287 9635

TOWN COUNCIL

NEE SOON TOWN COUNCIL

LOCATION

NEE SOON SOUTH DIVISION

MONTHLY DECAM SYSTEM CHECKLIST REPORT

1. GENERAL

- 1.1a** If any part of DECAM equipment supplied by DECAM sub-con become defective/repairs required
1.1b Contractor shall carry out all the repairs and replacement of parts at its own expense

3 ALARM

- 2.1 Monitor the Premises 24 hours daily for any fire alarm signals from the System and line fault
 - 2.2 Immediately upon receipt of fire alarm signals from the System to relay the fire alarm signal
 - 2.3 Immediately upon receipt of fire alarm signal from System to notify the Appropriate Authority
 - 2.4 To record details of fire alarm activation and line fault

3. SYSTEM TEST

- 3.1 Notify telcom company of any faults in the line which the company may discover
 - 3.2 Request telcom company to make any necessary repairs on any line faults

4 REPORTS

- 4.1 To submit 2 reports to the Town Council for every activation
4.2 One from the Contractor and the other from the DECAM sub-con

5 CLAIMS

- 5.1a Town Council shall indemnify the Company against any claim
5.1b Made against the Contractor by the appropriate Authority

E 1b(1) A

- ### **E.1b(2) Malfunction of the Equipment**

5.1b (2) Installation or point

- 5.1b(4) Smoke/heat from a burning source is a potential fire hazard

3.1b(3) to the premises or the contents therein.

- 5.1c By the Appropriate Authority due to a false alarm signal from System unless is attributed to.

Block No :

REMARKS

Name & signature of Technician(s)

Verified By :

1 RH.

(Name & signature)

2


FLR1

FLR2

FLOATLESS RELAY NO. 1

FLOATLESS RELAY NO. 2

Timer switch spoil



NSTC NSS
HR pump

10:33

Thurs, 18/09/2025

- Palm Breeze @ Yishun, 502D
Yishun Street 51, 764502
- Job: Spoil parts

TS

7 DAYS DIGITAL TIME
SWITCH

Timemark App
Authentic time, GPS


Blk 504D level- 9 staircase

-B fire hosereel door can't

open

FIRE HOSE REEL

Turn on inlet valve before running out hose



**RED POWER
DURAI**

17:50

Mon

15/09/2025


- Acacia Breeze @ Yishun,
504D Yishun Street 51,
764504

Timemark App
Authentic time, GPS

Timemark Verified

© HBLRLHCELTIPMDL

Blk 504D HP p1 start
button and lamp& bell
test button broken




NSTC
Hosereel pump

15:01 Tues
23/09/2025

- Acacia Breeze @ Yishun,
504D Yishun Street 51,
764504
- spoil and damage

Blk 504D HP p1 start
button and lamp& bell
test button broken



NSTC
Hosereel pump

15:01 Tues
23/09/2025

- Acacia Breeze @ Yishun,
504D Yishun Street 51,
764504
- spoil and damage





**Blk 505B level- 12
staircase B , door can't
open**

FIRE HOSE REEL

Turn on inlet valve before running out hose



© DAXWEDMCADKCE6 Timemark Verified



**RED POWER
DURAI**

>>>>>>>>>>>>>>>>>>>>

19:01 Mon
15/09/2025

505B Yishun St 51

Timemark App
Authentic time, GPS

**Blk 505B level- 5 staircase
B , door can't open**



FIRE HOSE REEL

Turn on inlet valve before running out hose



NSC Home | Facebook | Email feedback@nscc.org.sg | Tel 4758 0128 | Website: www.nscc.org.sg
@nsccouncil | LinkedIn | Sustainscape


IMPORTANT REMINDER



The Town Council reminds residents of the
fire safety importance to ensure that it is maintained
nearly at all times, and never until fire has broken there is
no obstruction to the electrical, water or any other kind of
lines.

Placement of any permanent belongings is not permitted.
The Town Council reserves the right to remove or
prosecute persons without prior notice.

Remember, we can make fire fighting easier for you.



**RED POWER
DURAI**



19:05 Mon
15/09/2025

■ 505B Yishun St 51

Timemark App
Authentic time, GPS

2. No testing dielectric strength.
across each electrode terminal.
(電極端子間での耐電圧テスト禁止)

2. No testing dielectric strength.
across each electrode terminal.
(電極端子間での耐電圧テスト禁止)

FLR1

FLR2

FLOATLESS RELAY NO. 1

FLOATLESS RELAY NO. 2

NSTC NSS
HR pump

14:00

Thurs, 18/09/2025

■ Angsana Breeze @ Yishun,
506B Yishun Avenue 4,
762506

TD


DELAY TIMER AC230V

■ Job: Spoil HS pump control
panel timer switch spoil



TS
7 DAYS DIGITAL TIME
SWITCH

Timemark App
Authentic time, GPS



NSTC NSS

HR pump

14:36

Thurs, 18/09/2025

- MSCP, 506 Yishun Avenue 4, 760506
- Job: Spoil HS pump control panel timer switch spoil

Timemark App
Authentic time, GPS



**Blk 512A BP fire
extinguisher need to top**

up



**NSTC
Hosereel pump**


**11:02 Tues
23/09/2025**

- Oleander Breeze @ Yishun,
512A Yishun Street 51,
761512
- spoil and damage

Timemark App
Authentic time, GPS

**Blk 512A BP fire
extinguisher need to top**

up



**NSTC
Hosereel pump**

11:02 Tues
23/09/2025

- Oleander Breeze @ Yishun,
512A Yishun Street 51,
761512
- spoil and damage

512mscp HP timer SPOIL

MAIN
INCOMING MCB


PUMP No. 1
SUPPLY

PUMP No. 2
SUPPLY

MCB 1 MC

INCOMING
INDICATOR
SUPPLY PUP
CON SUP

WMBYDP11DBXAZ33 Timemark Verified



NSTC
Hosereel pump

10:58 Tues

23/09/2025

- MSCP, 512 Yishun Street 51,
760512
- spoil and damage

7 DAYS
DIGITAL TIME SWITCH

TS

R1

R2

LAMP-TEST
RELAY No. 1
AC 230V

Timemark App

Authentic time, GPS

512mscp HP timer SPOIL

MAIN
INCOMING MCB


PUMP No. 1
SUPPLY

PUMP No. 2
SUPPLY

MCB 1 MC

INCOMING
INDICATOR
SUPPLY PUP
CON SUP

WMBYDP11DBXAZ33 Timemark Verified

 **NSTC**
Hosereel pump

10:58 Tues
23/09/2025

- MSCP, 512 Yishun Street 51,
760512
- spoil and damage

7 DAYS
DIGITAL TIME SWITCH

TS

R1


R2

LAMP-TEST
RELAY No. 1
AC 230V

Timemark App

Authentic time, GPS

Blk 512B HP timer SPOIL



NSTC
Hosereel pump

11:19 Tues
23/09/2025



- 512B Yishun St 51
- spoil and damage

7 DAYS
DIGITAL TIME SWITCH

R1	R2
LAMP-TEST RELAY No. 1 AC 230V	LAMP-TEST RELAY No. 2 AC 230V

Timemark App
Authentic time, GPS

Blk 512 A HP timer SPOIL



NSTC
Hosereel pump

11:19 Tues
23/09/2025


- 512B Yishun St 51
- spoil and damage

7 DAYS
DIGITAL TIME SWITCH

R1	R2
LAMP-TEST RELAY No. 1 AC 230V	LAMP-TEST RELAY No. 2 AC 230V

Timemark App
Authentic time, GPS

Blk 512 A HP timer SPOIL



NSTC
Hosereel pump

>>>>>>>>>>>>>>>>>>>

11:19 Tues
23/09/2025

7 DAYS
DIGITAL TIME SWITCH

- 512B Yishun St 51
- spoil and damage

R1



LAMP-TEST
RELAY No. 1
AC 230V

R2

LAMP-TEST
RELAY No. 2
AC 230V

Timemark App
Authentic time, GPS

Blk 512B HP timer SPOIL



NSTC
Hosereel pump

11:19 Tues
23/09/2025

- 512B Yishun St 51
- spoil and damage


7 DAYS
DIGITAL TIME SWITCH

R1	R2
LAMP-TEST RELAY No. 1 AC 230V	LAMP-TEST RELAY No. 2 AC 230V

Timemark App
Authentic time, GPS

**Blk 513A HP fire
extinguisher need to top**

up





NSTC
Hosereel pump

14:08 Tues
23/09/2025

- Saraca Breeze @ Yishun,
513A Yishun Street 51,
761513
- spoil and damage

**Blk 513A HP fire
extinguisher need to top**

up




NSTC
Hosereel pump


14:08 Tues
23/09/2025

- Saraca Breeze @ Yishun,
513A Yishun Street 51,
761513
- spoil and damage

Blk 513A HP timer SPOIL



Blk 513A HP timer SPOIL



**Blk 816 lift room fire
extinguisher need to tpo**

up



**16:07 Tues
30/09/2025**

- 816 Yishun Street 81, Block 816
- fire extinguisher need top up

switch room need to top

up



NSTC

fire extinguisher

COMBAT

EXTINGUISHER

4.1KG ABC DRY POWDER

21A/144B

REMOVE SAFETY PIN

AIM NOZZLE AT THE BASE

SWING FROM SIDE TO ATTACK FIRE.

SWING FROM SIDE TO STOP.

3. SQUEEZE HANDLES.

4. USE TO STOP.

5. USE TO STOP.

6. USE TO STOP.

7. USE TO STOP.

8. USE TO STOP.

9. USE TO STOP.

10. USE TO STOP.

11. USE TO STOP.

12. USE TO STOP.

13. USE TO STOP.

14. USE TO STOP.

15. USE TO STOP.

16. USE TO STOP.

17. USE TO STOP.

18. USE TO STOP.

19. USE TO STOP.

20. USE TO STOP.

21. USE TO STOP.

22. USE TO STOP.

23. USE TO STOP.

24. USE TO STOP.

25. USE TO STOP.

26. USE TO STOP.

27. USE TO STOP.

28. USE TO STOP.

29. USE TO STOP.

30. USE TO STOP.

31. USE TO STOP.

32. USE TO STOP.

33. USE TO STOP.

34. USE TO STOP.

35. USE TO STOP.

36. USE TO STOP.

37. USE TO STOP.

38. USE TO STOP.

39. USE TO STOP.

40. USE TO STOP.

41. USE TO STOP.

42. USE TO STOP.

43. USE TO STOP.

44. USE TO STOP.

45. USE TO STOP.

46. USE TO STOP.

47. USE TO STOP.

48. USE TO STOP.

49. USE TO STOP.

50. USE TO STOP.

51. USE TO STOP.

52. USE TO STOP.

53. USE TO STOP.

54. USE TO STOP.

55. USE TO STOP.

56. USE TO STOP.

57. USE TO STOP.

58. USE TO STOP.

59. USE TO STOP.

60. USE TO STOP.

61. USE TO STOP.

62. USE TO STOP.

63. USE TO STOP.

64. USE TO STOP.

65. USE TO STOP.

66. USE TO STOP.

67. USE TO STOP.

68. USE TO STOP.

69. USE TO STOP.

70. USE TO STOP.

71. USE TO STOP.

72. USE TO STOP.

73. USE TO STOP.

74. USE TO STOP.

75. USE TO STOP.

76. USE TO STOP.

77. USE TO STOP.

78. USE TO STOP.

79. USE TO STOP.

80. USE TO STOP.

81. USE TO STOP.

82. USE TO STOP.

83. USE TO STOP.

84. USE TO STOP.

85. USE TO STOP.

86. USE TO STOP.

87. USE TO STOP.

88. USE TO STOP.

89. USE TO STOP.

90. USE TO STOP.

91. USE TO STOP.

92. USE TO STOP.

93. USE TO STOP.

94. USE TO STOP.

95. USE TO STOP.

96. USE TO STOP.

97. USE TO STOP.

98. USE TO STOP.

99. USE TO STOP.

100. USE TO STOP.

101. USE TO STOP.

102. USE TO STOP.

103. USE TO STOP.

104. USE TO STOP.

105. USE TO STOP.

106. USE TO STOP.

107. USE TO STOP.

108. USE TO STOP.

109. USE TO STOP.

110. USE TO STOP.

111. USE TO STOP.

112. USE TO STOP.

113. USE TO STOP.

114. USE TO STOP.

115. USE TO STOP.

116. USE TO STOP.

117. USE TO STOP.

118. USE TO STOP.

119. USE TO STOP.

120. USE TO STOP.

121. USE TO STOP.

122. USE TO STOP.

123. USE TO STOP.

124. USE TO STOP.

125. USE TO STOP.

126. USE TO STOP.

127. USE TO STOP.

128. USE TO STOP.

129. USE TO STOP.

130. USE TO STOP.

131. USE TO STOP.

132. USE TO STOP.

133. USE TO STOP.

134. USE TO STOP.

135. USE TO STOP.

136. USE TO STOP.

137. USE TO STOP.

138. USE TO STOP.

139. USE TO STOP.

140. USE TO STOP.

141. USE TO STOP.

142. USE TO STOP.

143. USE TO STOP.

144. USE TO STOP.

145. USE TO STOP.

146. USE TO STOP.

147. USE TO STOP.

148. USE TO STOP.

149. USE TO STOP.

150. USE TO STOP.

151. USE TO STOP.

152. USE TO STOP.

153. USE TO STOP.

154. USE TO STOP.

155. USE TO STOP.

156. USE TO STOP.

157. USE TO STOP.

158. USE TO STOP.

159. USE TO STOP.

160. USE TO STOP.

161. USE TO STOP.

162. USE TO STOP.

163. USE TO STOP.

164. USE TO STOP.

165. USE TO STOP.

166. USE TO STOP.

167. USE TO STOP.

168. USE TO STOP.

169. USE TO STOP.

170. USE TO STOP.

171. USE TO STOP.

172. USE TO STOP.

173. USE TO STOP.

174. USE TO STOP.

175. USE TO STOP.

176. USE TO STOP.

177. USE TO STOP.

178. USE TO STOP.

179. USE TO STOP.

180. USE TO STOP.

181. USE TO STOP.

182. USE TO STOP.

183. USE TO STOP.

184. USE TO STOP.

185. USE TO STOP.

186. USE TO STOP.

187. USE TO STOP.

188. USE TO STOP.

189. USE TO STOP.

190. USE TO STOP.

191. USE TO STOP.

192. USE TO STOP.

193. USE TO STOP.

194. USE TO STOP.

195. USE TO STOP.

196. USE TO STOP.

197. USE TO STOP.

198. USE TO STOP.

199. USE TO STOP.

200. USE TO STOP.

201. USE TO STOP.

202. USE TO STOP.

203. USE TO STOP.

204. USE TO STOP.

205. USE TO STOP.

206. USE TO STOP.

207. USE TO STOP.

208. USE TO STOP.

209. USE TO STOP.

210. USE TO STOP.

211. USE TO STOP.

212. USE TO STOP.

213. USE TO STOP.

214. USE TO STOP.

215. USE TO STOP.

216. USE TO STOP.

217. USE TO STOP.

218. USE TO STOP.

219. USE TO STOP.

220. USE TO STOP.

221. USE TO STOP.

222. USE TO STOP.

223. USE TO STOP.

224. USE TO STOP.

225. USE TO STOP.

226. USE TO STOP.

227. USE TO STOP.

228. USE TO STOP.

229. USE TO STOP.

230. USE TO STOP.

231. USE TO STOP.

232. USE TO STOP.

233. USE TO STOP.

234. USE TO STOP.

235. USE TO STOP.

236. USE TO STOP.

237. USE TO STOP.

238. USE TO STOP.

239. USE TO STOP.

240. USE TO STOP.

241. USE TO STOP.

242. USE TO STOP.

243. USE TO STOP.

244. USE TO STOP.

245. USE TO STOP.

246. USE TO STOP.

247. USE TO STOP.

248. USE TO STOP.

249. USE TO STOP.

250. USE TO STOP.

251. USE TO STOP.

252. USE TO STOP.

253. USE TO STOP.

254. USE TO STOP.

255. USE TO STOP.

256. USE TO STOP.

257. USE TO STOP.

258. USE TO STOP.