

IF140303-Web Application Development

# Session-02: Elixir's pattern matching

PRU/SPMI/FR-BM-18/0222



### Recap: Function Documentation and Artity

- In Elixir, the function name followed by a slash and number indicates the arity, or the number of arguments the function takes.
- function name/number notation helps in distinguishing between different functions with the same name but different arities.
- Example: greet/0, generate\_pool/0, contains?/2, distribute/2.

## Introduction to Advanced Concepts PRADITA University

- This session covers more advanced Elixir concepts within the context of a Lottery module.
- We'll explore how to save and load data, and how to create more complex operations like creating a randomized hand from the lottery pool.

### Saving the Lottery Pool to a File



```
def save_pool(pool, filename) do
binary = :erlang.term_to_binary(pool)
File.write(filename, binary)
end
```

- save\_pool/2 saves the lottery pool to a specified file.
- Converts the pool to binary using :erlang.term\_to\_binary/1.
- Writes the binary data to the file with File.write/2.

### Loading the Lottery Pool from a File PRADITA University

```
def load_pool(filename) do
  case File.read(filename) do
  {:ok, binary} -> :erlang.binary_to_term(binary)
  {:error, _reason} -> "That file does not exist"
  end
  end
```

- load\_pool/1 loads the lottery pool from a specified file.
- Reads the binary data from the file using File.read/1.
- Converts the binary data back into the original list with :erlang.binary\_to\_term/1.

#### **Creating a Randomized Hand**



```
def create_hand(draw_size) do
Lottery.generate_pool()
|> Lottery.randomize()
|> Lottery.distribute(draw_size)
end
```

- create\_hand/1 generates a randomized hand from the lottery pool.
- Combines multiple operations: generating the pool, shuffling, and distributing.
- Utilizes the pipe operator (|>) for chaining functions together.

#### The Pipe Operator (|>)



- The pipe operator allows for chaining function calls in a clear and readable manner.
- It passes the result of the expression on the left as the first argument to the function on the right.
- Enhances code readability, especially when working with multiple transformations or operations.

### Recap: Functional Programming Concepts

- Functional programming emphasizes immutability, pure functions, and higher-order functions.
- Functions can be passed as arguments, returned as results, and assigned to variables.
- Recursion is preferred over loops for iteration.

### **Summary**



- We explored advanced Elixir concepts by continuing the development of the Lottery module.
- We learned how to save and load data, create a randomized hand, and utilize the pipe operator.
- These concepts further enhance our understanding of functional programming and Elixir's capabilities.