


Prueba de ExaAlarma



Code: 1710789423

Fecha: 18-03-2024

Resumen:

Podemos observar que el coñisimo de tu madre



Prueba de ExaAlarma



Code: 1710789423

Fecha: 18-03-2024

TOXI-LAB C.A. RIF: J-30208958-1 Centro de Análisis 0286-9523739 / 0414-0965858

Code: 1710789423

Fecha: 18-03-2024

Prueba de ExaAlarma

ID	IDMUESTRA	IDEXAMEN	FECHA	STATUS	ALARMA	IDUSUARIO
38	201007020021	3053	2010-07-02 13:08:18			11
39	201007020021	3054	2010-07-02 13:08:24			11
55	201202280233	3054	2012-02-29 18:11:07			38
61	201304270011	146	2013-04-27 12:56:19			87
62	201304280022	808	2013-04-28 12:16:00			86
64	201305230163	2815	2013-05-23 15:54:00			61
65	201305290104	261	2013-05-29 16:44:35		SUERO HEMOLIZADO	87
66	201305310143	261	2013-05-31 18:33:11		MUESTRA HEMOLIZADA	87
68	201306110087	3235	2013-06-11 18:31:58			87
69	201306140039	3235	2013-06-14 17:53:21			87
72	201306220025	3235	2013-06-28 17:06:24			87
73	201306280020	3235	2013-06-28 17:24:07			87
76	201307020014	3235	2013-07-02 17:53:21			87
77	201307030117	261	2013-07-03 17:43:42		SUERO LIGERAMENTE ICTERICO INTERFERENCIA CON EL METODO ANALÍTICO SE RECOMIENTA NUEVA TOMA DE MUESTRA PARA VERIFICAR EL RESULTADO	87
78	201307030035	3235	2013-07-03 17:56:37			87
79	201307040065	3235	2013-07-04 17:43:59			87
80	201307100043	3235	2013-07-10 16:56:01			87
82	201307120032	2813	2013-07-29 09:09:52			34
86	201308130145	3235	2013-08-13 17:31:24			87
88	201308230012	3235	2013-08-23 19:38:52			87
89	201308290110	3235	2013-08-29 17:07:08			87
91	201309120053	3563	2013-09-18 18:24:04			91
94	201310050008	3235	2013-10-05 12:04:11			21
96	201311120012	3414	2013-11-26 15:49:51			61
97	201311160115	3235	2013-11-16 12:48:24			87